

Corrigo user guide

A desktop application to correct scanned tests: annotate PDF copies, grade them exercise by exercise with a reusable set of comments, see which methods and mistakes appear in the class, and give the copies back as PDFs or through Moodle. The original PDFs are never modified by annotations: everything you add is kept in a separate layer and written into new PDF files only when you export.

Corrigo is a modified version of [PDF4Teachers](#), under the same license (Apache 2.0). It is not made nor endorsed by the authors of PDF4Teachers. At its first start, Corrigo copies the settings and lists of PDF4Teachers, if it was installed; PDF4Teachers keeps its own.

Demo videos

- [A new evaluation from the scan](#)
- [Grading an exercise](#)
- [The class, previews, review and notes](#)

Contents

0. [Why Corrigo](#): what Corrigo adds to PDF4Teachers, and how it compares to grading in Moodle
1. [Getting started](#): opening copies, the window, saving, exporting, where data is stored
2. [Annotating copies](#): texts and formulas, drawings and images, page tools, PDF tools
3. [Grade scale and grading](#): creating the grade scale, exercises and pages, grading panel, comments, marks
4. [Methods and mistakes](#): tagging copies, their points and comments, pills on the copy, class overview, reviewing copies
5. [Personal notes](#): notes and screenshots for yourself
6. [Giving the copies back](#): PDF export, marks to a spreadsheet, Moodle feedback files, skills
7. [Keyboard shortcuts](#)
8. [Settings, data and troubleshooting](#)

A typical correction, in short

1. Scan all the copies into one PDF, in class order.
2. **File → New evaluation...** ([details](#)): the scan, the names of the students in the same order, the pages of each copy, then the grade scale (created with the assistant: exercises, their page, sub-questions or criteria and points, or imported from another evaluation). It writes one PDF per student, named like `07_DUPONT.pdf`, and opens the first one in the grading panel.
3. Then grade exercise 1 on every copy: points, comments, and the methods and mistakes (which can add or remove points). **Next ungraded** › (or `Z`) opens the next copy at the same exercise.

Then exercise 2, and so on.

4. Look at the class overview of the methods and mistakes, check doubtful copies with the previews.
5. **Compute marks**, then export the copies (**File → Export all**) or send them through Moodle (**File → Export for Moodle...**).

Why Corrigo

Compared to PDF4Teachers

Corrigo is built on PDF4Teachers and owes it most of what it does: the display of the PDFs, the texts, formulas, drawings and images put on the copy, the lists of reusable elements, the export. None of it was redone.

The main difference is **grading by exercise, with a criteria grid**: each exercise of the grade scale has its methods and mistakes, which give or remove points. You tick them on the copy, the points are computed, and the class overview shows which ones come back. You grade the questions one by one on every copy. Around that:

- a **new evaluation from the scan** of the whole class: one PDF per student, named after the class list;
- a **grade scale** for each evaluation (exercises, pages, sub-questions or criteria);
- **comments that add or remove points**, reusable, suggested as you type;
- the **marks computation** (proportional scale, points table or formula);
- **personal notes** with a screenshot, and the Moodle export;
- **faster to use**: typing a comment in the grading panel no longer lags;
- a guided first start.

Corrigo has its own settings and can run at the same time as PDF4Teachers. At its first start it copies the settings of PDF4Teachers; that one is left untouched.

Compared to grading in Moodle

Moodle's grading interface goes copy by copy, in the browser. Corrigo works differently:

- **Paper copies.** The copies are scanned in one go and split into one PDF per student.
- **One question at a time.** You grade question 3 of every copy in a row, rather than every question of one copy. The scale is applied more evenly from one copy to the next.
- **Overview of the class.** Which mistakes come back, how many points they cost, all the copies that have one side by side.
- **Offline.** The copies and the annotations stay on your computer, no connection needed.
- **Marks.** The total of the points and the mark come from the grade scale, on the scale of the evaluation.

Getting started

The window

- **Menu bar:** File, Edit (undo/redon), View (sidebars, full screen), Tools, Help, Settings....
- **Sidebars:** tabs on the left (and right) of the document. Each tab is an icon:

Icon	Tab	Used for
PDF sheet	Files	the list of copies you are working on
List	Grading	the grading panel: grade one exercise at a time
Book	Notes	your personal notes (never on the copies)
T	Texts	text annotations and comment lists
/20	Grades	the grade scale and the grade exports

The **Paint** (drawings, shapes, images) and **Skills** tabs are hidden for now.

Drag a tab by its icon to move it to the other sidebar. **View** can minimize the sidebars, restore their widths or move all tabs to one side. - **Document:** the open copy. **Ctrl** + scroll zooms; right-click a page for quick actions (a method or a mistake here, a personal note, a screenshot with a note, the next grade, favorite texts). - **Footer bar:** zoom, **Edit pages** mode, column/grid view, the number of elements of the copy, the total, and the save status.

A new evaluation from the scan

File → New evaluation... (or the button of the empty grading panel) makes the copies of a test from the scan of all of them, in one PDF:

1. **The scan:** choose the PDF. It is not changed. The copies go in a new folder named after it, next to it (you can choose another one). A folder that already has copies is never written over: the assistant asks for another one.
2. **The students:** their names, one per line, in the order of the copies in the scan (paste a column of a spreadsheet if you like; a line `12;Name` keeps the name). Copies are numbered (`01_` , `02_` ...) and in capitals, both optional: `07_DUPONT.pdf` .
3. **The pages of each copy:** guessed from the scan and the number of students. The top of the first page of each copy is shown with its file name: check that each one is the right student. The assistant says when the scan has too few or too many pages.
4. **The grade scale:** create it now with the assistant (see [Creating the grade scale](#)), import it (an exported grade scale `.yaml` , or a copy of the same test in another evaluation, whose grades are placed at the same spots), or later.

The copies are then listed in the Files tab, and the first one opens in the grading panel at the first exercise.

1. The scan

Choose the PDF of the scan of all the copies, in one file. It is not changed: the copies are written as new files.

Choose the scanned PDF...

Test 3.pdf · 48 pages

Folder of the evaluation (the copies are written there):

~/Documents/Evaluations/2025-2026/2M/Test 3

Change...

By default, a folder named after the scan, next to it. The comments, methods and mistakes and notes of the evaluation are kept in this folder.

Cancel

◀ Back

Next ▶

2. The students

The names of the students, one per line, in the order of the copies in the scan. You can paste a column of a spreadsheet; a line "12;Name" keeps the name.

Ada
Blaise
Carl
Emmy
Évariste
Hypatia
Isaac
Leonhard
Maryam
Pierre
Sophie
Srinivasa

12 students



Number the copies (01, 02,...)



Names in capitals

Cancel

◀ Back

Next ▶

3. The pages of each copy

Each copy has the same number of pages. Check on the first page of each copy that it is the right student.

Pages per copy: 12 copies $\times$ 4 pages = 48 pages, the scan has 48.

Demo school — fictional test Page 1 of 4

Mathematics test
Derivatives, sequences, equations

Name: *Ada*

Exercise	Poins	Obtained
----------	-------	----------

01_ADA.pdf

pages 1–4

Demo school — fictional test Page 1 of 4

Mathematics test
Derivatives, sequences, equations

Name: *Blaise*

Exercise	Poins	Obtained
----------	-------	----------

02_BLAISE.pdf

pages 5–8

Demo school — fictional test Page 1 of 4

Mathematics test
Derivatives, sequences, equations

Name: *Carl*

Exercise	Poins	Obtained
----------	-------	----------

03_CARL.pdf

pages 9–12

Demo school — fictional test Page 1 of 4

Mathematics test
Derivatives, sequences, equations

Name: *Emmy*

Exercise	Poins	Obtained
----------	-------	----------

04_EMMY.pdf

pages 13–16

Demo school — fictional test Page 1 of 4

Demo school — fictional test Page 1 of 4

Cancel

◀ Back

Next ▶

4. The grade scale

How to set the grade scale of the copies:

- ☒ Create it now, with the exercises, their page and their points (assistant)
- ☐ Import it: a grade scale file (.yaml, Tools → Export the grade scale), or a copy of another evaluation (.pdf) with the same test

Choose...

The grades are placed where they are on that copy or in that file.

- ☐ Later (Grading panel → Create the grade scale...)

Cancel

◀ Back

Create

Opening copies

- **File → Open file(s)** (`Ctrl+O`) adds PDF files to the Files tab; **File → Open folder** (`Ctrl+Shift+O`) adds all the PDFs of a folder.
- Double-click a file to open it. `Ctrl+Alt+←/→` opens the previous/next file of the list.
- Right-click a file: open, rename, create a copy, remove it from the list (the file stays on disk), delete it.
- Sort the list with the buttons at the top (date added, edit state, name, folder).
- Rename copies from the app (**File → Rename the PDF file** or the file menu): the annotations follow. Renamed with a file explorer, a copy loses them (see **Tools → Edits of documents with same name** to recover them).

Organising an evaluation

Keep one folder per evaluation, containing only its copies, one PDF per student. Name the copies with a number and the student's name, e.g. `07_DUPONT.pdf` : the name after the underscore identifies the student for the Moodle export. Everything the app knows about the evaluation (comments, methods

and mistakes, notes) is stored in this folder, in a hidden `.pdf4teachers` sub-folder, so the folder can be moved or backed up as a whole.

Scanned copies can be prepared with the PDF tools: split one big scan into one file per student, convert photos to PDF, rotate or reorder pages (see [Annotating copies](#)).

Saving

Annotations are saved automatically when you switch copy or close the app (setting **Autosave the edition**), and every few minutes if **Periodical autosave** is on. **File → Save edits** (`Ctrl+S`) saves now. The footer bar shows "Saved!".

The annotations of `copy.pdf` are stored next to it in a hidden file `.copy.pdf.yml` (setting **Store the edits next to the PDF files**, recommended), or else in the app's data folder.

Page changes are different: rotating, moving, adding or deleting pages, margins, cropping and booklets change the PDF file itself, immediately.

Exporting

File → Export (Regenerate PDF) (`Ctrl+E`) writes a new PDF with all the annotations; **File → Export all** (`Ctrl+Shift+E`) does it for every file of the list. The original PDFs are not changed. See [Giving the copies back](#).

Undo

`Ctrl+Z` / `Ctrl+Shift+Z` undo and redo the changes of the document's annotations. In **Edit pages** mode they undo page changes instead.

Annotating copies

Everything described here is an annotation: it is shown on the copy, kept in the copy's edit file, and written into the PDF only when you export. When grading, most comments are better written from the [grading panel](#), which places them next to the grade and suggests the comments already used; the tools below remain for free annotations.

Texts (T tab)

- **Add a text:** double-click on the page, or `Ctrl+T` at the mouse position. Type in the text field of the Texts tab.
- **Move / resize:** drag the text. The solid line on its right sets its maximum width (it wraps beyond).
- **Style:** font (including system fonts), size, bold, italic and color in the Texts tab. `Ctrl+Alt++` / `Ctrl+Alt+-` change the size of the selected text; `Ctrl+Alt+1...9` change its color.
- **Formulas:** write math between `$...$`, as in LaTeX: the root is `$x = \frac{-b}{2a}$`. The Σ button makes the whole text a formula. Old texts written with `$$` or LibreOffice Math `&&` still display.
- **Links:** a text starting with `www.`, `http://` or `https://` becomes a clickable link in the exported PDF.
- **Duplicate:** double-click a text. **Send to page...** (right-click) moves it to another page.
- **Copy to files:** puts the selected text on the other open copies, at the same page and position.

Comment lists

The Texts tab keeps lists of the texts you wrote, to insert them again:

- **This evaluation:** the comments written on the copies of the evaluation, grouped by exercise (read from all the copies of the folder). The number shows on how many copies a comment is. Right-click a comment to:
- **Where is it written?:** previews of all the copies where it is, zoomable around the comment; click one to open the copy at that page;
- **Move to exercise:** when it was listed under the wrong exercise;
- **Remove from this list:** hides it (it stays on the copies).
- **Favorite Elements:** your reusable texts. `Ctrl+1...9` inserts one of the first nine at the mouse.
- **Previous Elements:** the texts you wrote recently.
- **Current Document Elements:** the texts of the open copy.

Typing in the text field highlights the matching texts of the lists; use the arrows and `Enter` to insert one. Click a list element to insert it; `Shift+click` inserts it *linked* (changing it in the list changes it on the page). The lists can be sorted, saved and reloaded (save and list icons).

Drawings, shapes and images (Paint tab)

The Paint tab is hidden for now: this part describes it for later.

- **Freeform drawing: New freeform line**, or `Ctrl+D` to start a drawing on the page. In drawing mode, `Shift` (or hold `L`) draws straight lines, `M` (or hold `P`) horizontal/vertical ones; `Backspace` undoes the last stroke; `Esc`, a right-click or a double-click leaves the mode. Long handwriting is split into several elements (settings **Handwriting**).
- **Vector shapes**: favorite figures, previous figures, **Load default geometric figures**, or open an SVG file.
- **Images**: favorite images, and a **Gallery** of the image folders you add to it.
- A figure or image can get its own keyboard shortcut (right-click → **Edit the keyboard shortcut**).

Selecting and editing elements

Click an element to select it; `Ctrl+A` selects all the elements of the page, `Delete` removes the selection. `Ctrl+X`, `Ctrl+C` / `Ctrl+V` cut, copy and paste. Right-click an element for its menu (favorites, delete, duplicate, send to page...).

Pages (Edit pages mode)

Each page has side buttons: move up/down, rotate left/right, delete, add pages (blank, from another PDF, or converted images), capture as an image, crop or add margins. **Edit pages** in the footer bar shows the pages as a grid where you can select several (`Ctrl+click`, `Shift+click`) and drag them to reorder.

These actions change the PDF file itself, immediately (undo them with `Ctrl+Z` while in Edit pages mode).

PDF tools

In the **Tools** menu (and its **PDF tools** sub-menu):

- **Convert image files to PDF** (`Ctrl+Shift+C`): images to one PDF, or each sub-folder of a folder to its own PDF (one page per image), with the page format and resolution of your choice. Also used to add converted pages to a copy.
- **Split a PDF** (three entries in **PDF tools**): by marker pages of a color (insert dark sheets between the students when scanning), every n pages, or at the pages you select, and name the resulting files (names can be imported from a file).
- **Booklet (PDF tools)**: assemble a booklet, or undo one (with options for exam double sheets and reversed order).
- **Margins (PDF tools)**: add margins around the pages, or negative margins to crop them.
- **Capture** (side button of a page): export a page, a selection or the whole document as PNG images.

- **Export/Import edits or marking scales:** save the annotations or the grade scale of copies to a file, and load them onto other copies.
- **Edits of documents with same name:** recover the annotations of a copy that was moved or renamed outside the app.
- **Delete edits on all opened files:** removes all the annotations of the listed copies (the PDFs are not changed).

Grade scale and grading

Creating the grade scale

On a copy without grade scale, the grading panel offers **Create the grade scale...**:

1. the number of exercises;
2. for each exercise, its name, its page, and its points, or its sub-grades: sub-questions (a, b, c... by default) or criteria you name yourself (e.g. Method, Result), each with its points;
3. **Copy this grade scale to the other copies of the folder** (checked when there are other copies).

The grade of each exercise is placed at the top right of its page, its sub-grades under it: that is how the app knows the page of each exercise. Drag the grades next to the questions if you like, then copy their positions to the other copies (link icon of the /20 tab). Change the scale later in the /20 tab.

The exercises of the evaluation, their page and their points

Number of exercises:

Exercise	Page	Sub-grades	Points
Ex 1	2	2	Method 2 Result 1
Ex 2	3	2	a 2 b 2
Ex 3	4	0	3

Total: 10 points

☒ Copy this grade scale to the other copies of the folder

Sub-grades: sub-questions (a, b...) or criteria (e.g. Method, Result), each with its points. The grade of each exercise is placed at the top right of its page, its sub-grades under it: that is how the page of each exercise is known. Drag them next to the questions if you like, then copy their positions to the other copies (link icon of the /20 tab). The /20 tab is where to change the scale later.

CancelCreate

The grade scale (/20 tab)

The grade scale is a tree: the total, the exercises, and their sub-questions, each with its points. The exercises are the first level under the total (the app calls them *exercises* everywhere: grading panel, comments, methods and mistakes).

- **Build it:** the + of a grade adds a sub-grade under it; **Ctrl+G** adds a grade at the same level as the selected one. **Tab** and **Enter** move between the name and the points fields.
- **Enter the points** in the grade's field, or right-click it: **Set to 0**, **Set maximum mark**, **Reset**. A double-click sets it to 0. **Ctrl+N** selects the next grade to enter.
- The parents are summed automatically. A grade named **Bonus...** is not counted in the maximum, only in the result.
- **Scale to:** express the total on another scale (e.g. /20).
- **Place the grades on the page:** each grade is written where you put it on the copy (drag it). Right-click → hide the unfilled grades.
- **Lock** (padlock icon): prevents changing the scale by mistake while grading.
- **Fonts and colors** (gear icon): font, color, prefix of each level, show the name, hide a grade, hide it when full.
- **Copy the scale to the other copies** (link icon): to all the listed copies or to those of the same folder. Keep **Copy marks position** checked so that the grades are at the same place on every copy.
- **Export / import a grade scale** as a file: **Tools → Export/Import edits or marking scales**.

A typical Swiss scale starts with a "PNF" exercise (presentation), then Q1...Qn. Creating it is up to you. The right-click menu of a page offers **Add PNF** (a red mark on the copy, and a tally for each exercise on the first page). You can turn this off, and rename it ("Presentation"...), in **Settings → Grading**.


Exercises and their pages

Correct exercise by exercise, not copy by copy: the grading panel shows one exercise (**<** **>** , **Alt+↑** / **Alt+↓** , or its buttons "Ex 1 p.2"...), and while it is open, switching copy opens the next copy at the page of that exercise. **Ctrl+Alt+Shift+←/→** or **Alt+Page Up/Down** keep the page (or go to the exercise page), **Alt+1...9** jumps to the page of exercise 1...9.

The page of an exercise is where its grades are on the copy. When the grades of all the exercises are on the same page (e.g. in a table on the first page), the panel says so: set the page of each exercise with **More ▼ → Pages of the exercises...**, or drag the grades onto the pages of their exercises.

The grading panel (list icon)

The panel shows the exercise being graded, its sub-grades, and everything to grade it quickly. **Ctrl+Shift+G** focuses it from anywhere.



Header: the exercise and its points, < > for the previous/next exercise, the copy (e.g. "07_DUPONT.pdf · copy 7/24") and a button per exercise to jump to its page (✓ when graded on this copy). The panel follows the page you are reading.

One section per sub-grade, the active one highlighted:

- the points field and the maximum; on the active sub-grade, "from max" / "from 0" says whether the points of the methods and mistakes count down from the maximum or up from zero (click to switch);
- **Comment on the copy (C):** the comment of this sub-grade, written next to its grade while you type. Emptying the field removes it.

The inactive sub-grades take one line; their comment, if any, is shown as a line of text (click it to edit it).

General comment (G): the comment for the whole exercise, for exercises with sub-grades (an exercise without sub-grades has one comment only). It is written under the last sub-grade, on the page of the exercise. Each exercise has one general comment: editing the field changes it on the copy, it is never added twice.

While you edit a comment, it is selected on the copy, as in the Texts tab, and the copy scrolls to it if it is out of sight.

Methods & mistakes: see [Methods and mistakes](#).

Footer: < / Next ungraded > open the previous/next copy where this exercise is not fully graded;

More ▼: Mark position / Compute marks / Marks scale... (see [Marks](#)), Pages of the exercises...; ? shows the keys.

Keyboard in the panel

When the panel has the keyboard (click its empty space, or **Ctrl+Shift+G**):

Key	Action
1 ... 9	put the n-th method or mistake of the card on the copy (its points count on the active sub-grade)
Backspace	remove the last method or mistake put on the copy for this exercise
0	0 points for the active sub-grade
= or +	full points
↑ ↓, Enter / Shift+Enter	previous / next sub-grade
← →	previous / next copy
Tab	the points field of the active sub-grade (Shift+Tab : its comment)
C	the comment field of the active sub-grade
G	the general comment
Z / Shift+Z	next / previous ungraded copy
Delete	remove the comment selected on the copy (e.g. the one just placed)
Esc	give the keyboard back to the document

In the fields:

- **Tab / Shift+Tab** go through the whole exercise: points → comment → points of the next sub-grade → ... → general comment, and back. The points are applied when you leave the field.
- **Enter** in a points field applies it and goes to the next sub-grade. In a comment field it writes the comment and goes to the next sub-grade (from the general comment: to the next ungraded copy). **Ctrl+Enter** writes the comment where you click on the page instead of next to the grade.
- **Esc** cancels the edit of the field.


Comment suggestions

When a comment field gets the focus, or while you type, the comments of the evaluation are suggested under it:

1. first those already written **in this field** (this sub-grade) on other copies,
2. then those of **this exercise**,
3. then all the others (their exercise is shown on the right, with the number of copies using them).

Typing filters them (every word, accents and case ignored). selects one, **Enter** or a click writes it on the copy. The suggestions come from the comments written on the copies of the folder, whether

from the panel or as free texts.



Points of the methods and mistakes

Points are given or removed with the [methods and mistakes](#): a mistake can remove points (e.g. "Sign error -1"), a method can add some, and each time it is put on a copy it writes its points (and its comment) next to the grade. The sub-grade is then computed from its maximum (or from 0, see "from max") and these points. A value typed by hand wins over them; right-click a grade → **Compute from the methods and mistakes** to go back to the computed value. When no method or mistake with points is left on a sub-grade, it gets back the value it had before.

(The "scored comments" of the previous versions are replaced by the methods and mistakes. Those already on copies keep counting.)

Marks

By default, marks are on the Swiss 1–6 scale: **obtained / total × 5 + 1, rounded to the nearest half**. Each evaluation can have its own **marks scale** (More ▼ → **Marks scale...**):

- **Proportional to the points** (the default): $\text{points} / \text{total} \times (\text{max} - \text{min}) + \text{min}$. Set the minimum and maximum (1 to 6, 0 to 20, 1 to 10...).
- **Points to mark table**: one line per mark, the points from which it is given then the mark (18 6 , 16 5.5 ...). Below the first line: the minimum.
- **Custom formula** of p (the points) and t (the total): e.g. $(p + 1) / t * 5 + 1$. $+$ $-$ $*$ $/$ $^$, parentheses, `round`, `floor`, `ceil`, `min(a, b)`, `max(a, b)`; a dot for decimals.

Rounded to: 1, 0.5 (to the half), 0.25, 0.1, or not rounded; the mark is always kept between the minimum and the maximum. **Usual scales** sets Swiss (1 to 6, to the half), out of 20 or out of 10 in one click. The window shows the marks for the total of the grade scale while you change it. The scale is saved in the evaluation folder (`.pdf4teachers/marks.yml`).

How the points of a copy give its mark

Usual scales: Swiss, 1 to 6 Out of 20 Out of 10

☒ Proportional to the points (by default)

mark = points / total × (max – min) + min. The Swiss scale: points / total × 5 + 1, rounded to the half.

☐ Points to mark table

One line per mark: the points from which it is given, then the mark. Below the first line: the minimum.

e.g. 18 6 (a line per mark)

☐ Custom formula

$p / t * 5 + 1$

p: the points of the copy, t: the total. + - * / ^, parentheses, round(), floor(), ceil(), min(a, b), max(a, b). Use . for decimals, e.g. (p + 1) / t * 5 + 1

Minimum Maximum Rounded to

points / total × 5 + 1, rounded to 0.5, from 1 to 6

Marks for a total of 10 points:

0	1	2	3	4	5	6	7	8	9	10
1	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6

Cancel Ok

1. **Mark position:** click it, then click on the page where the mark goes. The position is used for every copy.
2. **Compute marks:** writes the mark on every fully graded copy of the files list. If no position was set, it asks for one first.

The result window lists the marks, the copies that are not fully graded, and the copies for which half a point or one point more would change the mark (double-click to open one). It names the marks scale used, with a link to change it. The marks are also available as a column in the [spreadsheet export](#).

Methods and mistakes

While grading, tag each copy with the **method** the student used and the **mistakes** they made. You then see, for the class, which methods were used, how often each mistake happened and how many points those students got, and you can look at all the copies with a given method or mistake side by side. A method or mistake can also **give or remove points** and write a **comment** on the copy: it then replaces the "scored comments" of earlier versions. Its name is never written on the copies.

Tags

- There are two kinds: **methods** (blue) and **mistakes** (red).
- A tag is created in an exercise, but can be used in **any exercise**: "Sign error" can be tagged in Q2 and in Q4.
- When grading an exercise, its own tags (created for it, or already used in it) come first, then all the others. The first nine are numbered: keys **1 ... 9**.
- A copy can have several methods and mistakes in an exercise, and **the same one several times**: each time is an occurrence, with its own pill and, if it has points, its own points (two sign errors cost twice the points).

Points and comment

Optional, for each method or mistake: right-click it → **Points and comment...**, or give them when creating it.

- **Points**: a mistake removes them, a method adds them. They count on **the sub-grade it is put for**: the one whose grade is closest to where you point on the copy, or else the sub-grade active in the grading panel.
- Or **on chosen sub-grades**: one amount per sub-grade of the exercise (e.g. a +1, b +2). Each occurrence then counts on all of them, whatever sub-grade is active.
- **Comment**: written on the copy with the points.

What is written on the copy, next to the spot or to the grade: the points only (**-1**), the comment with the points (**Check the sign (-1)**), or the comment only when there are no points; nothing when it has neither (the pill only). The dialog shows it while you type. Changing the points or the comment updates all the copies that have it, open or not, and their grades. A grade typed by hand stays until a method or mistake with points is put on its sub-grade; when none is left, it gets back that value.

Exercise 1 [3 points]

Find the derivative of $f(x) = (2x + 1)^3$.

$(2x +$
 $f(x)$

Inner derivative forgotten · Mistake

Points: ☒ On the sub-grade it is put for:

1

×

A mistake removes these points from the sub-grade it is put for.

Comment:

Written on the copy: -1

Applies to its 3 occurrences on the copies of the evaluation (grades updated).

Cancel

Ok

Tagging a copy

From the card (Methods & mistakes, in the grading panel): click a tag to add it to the copy for this exercise, click it again to remove it (all its occurrences in this exercise). **Shift+click** adds it once more. The number on a tag is how many copies have it in this exercise (click the number to see them); "x2" means the copy has it twice.

+ Method / + Mistake create a new one and add it to the copy: type the name, then **Tab** for its points and its comment (both optional), **Enter**.

At a spot of the copy: point at the place on the page, press **#** (or **Ctrl+Shift+M**). A small window opens at the mouse:

- type to search, or type a new name: fields for its **points** and **comment** appear (**Tab** to reach them). Points typed with a sign choose the kind: **-1** makes a mistake, **+1** a method; without a sign, the Method / Mistake buttons decide. **Sign error -1** typed as the name works too;
- **↑** **↓** to choose, **Enter** to put it here. Pointing at one of its dots removes that occurrence instead;
- **Esc** closes it.

Keys: in the grading panel, **1 ... 9** put the n-th tag of the card (points on the active sub-grade) and **Backspace** removes the last one put. With the mouse on the copy, **1 ... 9** put the n-th tag at the mouse. Right-click on a page → **Add a method or a mistake here** does the same from a menu.

Right-click a tag in the card for **Points and comment...**, to show its copies, open them one by one, rename it, make it a method/mistake, or delete it (you are warned if copies use it; what it wrote on them is removed and their grades are computed again). Deleting the text it wrote on a copy removes that occurrence.

Find the derivative of $f(x) = (2x + 1)^3$.

$$f'(x) = 3(2x+1)^2$$

Ex 1 · Methods & mistakes

inner

Inner derivative forgotten -1 2

Create the method "inner"

Points

Comment on the copy

New one as:

Method

Mistake

Enter: put it here (pointing at one of its pills; remove it) · Tab: next field, or method / mistake · Esc: close

Pills on the copy

The tags of the open copy are shown on its pages as small pills, **on screen only** (never printed or exported):

- a tag put with # shows as a pill in the left margin, at the height of the spot, with a dot on the exact spot (hover the pill to see a line to its dot);
- a tag added from the card shows under the grade of the exercise.

There is one pill per occurrence, with its points. Drag a pill to put it elsewhere on the page (it stays there), or drag its dot to move the spot. Right-click a pill (or its dot) to remove it, put it back in the margin, change it to another tag, or hide all the pills. The checkbox **Show them on the copy (not printed)** at the bottom of the card shows or hides them.

The class

Under the tags, the card shows how many copies have a method for this exercise, with:

- **See the N without method:** previews of the copies not classified yet;
- **open them one by one:** see [Reviewing copies](#).

Show the class overview lists the tags with, for each one, the number and share of copies. Choose:

- **This exercise:** the tags of the exercise, with the average points of these copies on the exercise (e.g. do the students who expanded get fewer points than those who used the chain rule?);
- **Whole evaluation:** every tag used in the evaluation, the copies having it in any exercise, and in which exercises (e.g. "Q2 $\times 5 \cdot Q4 \times 3$ ").

Click a row to see its copies.

<

Ex 1

>

3 / 3

01_ADA.pdf · copy 1/12

✓ Ex 1 p.2

✓ Ex 2 p.3

✓ Ex 3 p.4

Ex 1

from max

3

/ 3

Methods & mistakes

#

Methods

1 Chain rule 4

2 Expanded first 3

3 General term formula

4 Listed the terms

5 Discriminant

6 Factorisation

+ Method

Mistakes

7 Inner derivative forgotten -1 2

8 n instead of n - 1 -1

9 Sign of b -1.5

+ Mistake

Method given for 7 / 12 copies

[See the 5 without method](#)
[open them one by one](#)

[Hide the class overview](#)

This exercise [Whole evaluation](#)

Chain rule	4 copies · 33 %
	avg. 3 / 3
Expanded first	3 copies · 25 %
	avg. 3 / 3
Inner derivative forgotten	2 copies · 17 %
	avg. 2 / 3

☒ Show them on the copy (not printed)

Previews of the copies of a tag

Clicking a tag's number, a row of the overview, or **Show the copies** opens previews of all the copies with the tag, zoomed around the spot where it was put, with the points of each copy on the exercise. Use the **Size** and **Zoom** sliders (or **Ctrl** + scroll, **Ctrl** +/-) to compare many copies at once.

- **Click** a preview to open that copy at that page.
- **Right-click** a preview to change the copy **without opening it**:
 - remove the tag from this copy;
 - change it to another tag (or a new one), at the same spot;
 - on the "without method" previews: give it a method.

The preview is then dimmed with a note ("→ Chain rule", "Removed"); right-click it again to undo. - **Open these copies one by one** starts a review of these copies (below).

Inner derivative forgotten
Ex 1 · Mistake

Copies: 3 · Evaluations: 1. Click a page to open the copy there.

Size Zoom (Ctrl +/-, Ctrl + scroll)

3M / Test 2 (3)

Demo school — fictional test

Exercise 1 [3 points]
Find the derivative of $f(x) = (2x + 1)^3$.

$f'(x) = 3(2x+1)^2$

03_CARL · p. 2 · Ex 1 · 2 / 3

Demo school — fictional test

Exercise 1 [3 points]
Find the derivative of $f(x) = (2x + 1)^3$.

$f'(x) = 3(2x+1)^2$

06_HYPATIA · p. 2 · Ex 1 · 2 / 3

Demo school — fictional test

Exercise 1 [3 points]
Find the derivative of $f(x) = (2x + 1)^3$.

$f'(x) = 3(2x+1)^2$

Open these copies one by one **Ok**

Inner derivative forgotten

Ex 1 · Mistake

Copies: 3 · Evaluations: 1. Click a page to open the copy there.

Size

Zoom (Ctrl +/-, Ctrl + scroll)

3M / Test 2 (3)

Demo school — fictional test

Exercise 1 [3 points]

Find the derivative of $f(x) = (2x + 1)^3$.

$$f'(x) = 3(2x+1)^2$$

03_CARL · p. 2 · Ex 1 · 2 / 3

Demo school — fictional test

Exercise 1 [3 points]

Find the derivative of $f(x) = (2x + 1)^3$.

$$f'(x) = 3(2x+1)^2$$

06_HYPATIA · p. 2 · Ex 1 · 2 / 3

Demo school — fictional test

Exercise 1 [3 points]

Find the derivative of $f(x) = (2x + 1)^3$.

$$f'(x) = 3(2x+1)^2$$

Remove "Inner derivative forgotten" from this copy

Change it to:

- n instead of n - 1
- Sign of b

- Chain rule
- Expanded first
- General term formula
- Listed the terms
- Discriminant
- Factorisation

New mistake...

Personal note on this copy...

Personal note with this preview...

Copies without method

Ex 1

Copies: 4 · Evaluations: 1. Click a page to open the copy there.

Size  Zoom (Ctrl + / -, Ctrl + scroll) 

3M / Test 2 (4)

Demo school — fictional test

Exercise 1 [3 points]

Find the derivative of $f(x) = (2x + 1)^3$.

$$f'(x) = 3(2x+1)^2$$

03_CARL · p. 2 · Ex 1 (this copy) · 2 / 3

Demo school — fictional test

Exercise 1 [3 points]

Find the derivative of $f(x) = (2x + 1)^3$.

$$f'(x) = 3(2x+1)^2$$

06_HYPATIA · p. 2 · Ex 1 · 2 / 3

Demo school — fictional test

Exercise 1 [3 points]

Find the derivative of $f(x) = (2x + 1)^3$.

$$f'(x) = 3(2x+1)^2$$

Demo school — fictional test

Exercise 1 [3 points]

Find the derivative of $f(x) = (2x + 1)^3$.

$$f'(x) = 3(2x+1)^2$$

Give it the method:

- Chain rule
- Expanded first
- General term formula
- Listed the terms
- Discriminant
- Factorisation

New method...

Personal note on this copy...

Personal note with this preview...

3

Reviewing copies one by one


A review goes through a chosen set of copies: the copies with a tag (in this exercise, or in all the exercises), or the copies without method.

Start it from the right-click menu of a tag (**Open these copies one by one**), from the previews window, or with **open them one by one** under "See the N without method". The first copy opens at the tag's spot and a blue banner appears at the top of the grading panel: "Reviewing · copy 2 / 7" and the tag's name.

While the banner is shown,   in the banner and all the previous/next copy keys ( ,   ...) only go through these copies, each one opened at the tag's spot. A message says

when you reach the first or last one. **x** stops the review.

Typical uses: check that all the "Sign error" copies lost the same points, classify the copies without method, or re-read all the copies with an unexpected method.



Where tags are stored

In the evaluation folder, `.pdf4teachers/tags.yml` : the tags, and for each copy which tag, in which exercise, and where. Tags are kept by copy file name: rename copies from the app before tagging, not afterwards.

Personal notes

Notes are for you only: they are never written on the copies. Use them for anything you want to remember while grading ("check the scale of Q3 with a colleague", "this student copied the neighbour?", "good example to show in class").

- `Ctrl+Shift+N` : new note, from anywhere. Type it, `Enter` to save, `Shift+Enter` for a new line.
- `Ctrl+Shift+S` : screenshot note. Drag on the copy to select a region (a click takes the whole page), then write the note. `Esc` cancels.
- Right-click a page: **Personal note on this page...** or **Screenshot with a personal note...**
- Right-click a preview of a copy (the windows showing the copies of a comment, a method or a mistake): **Personal note on this copy...**, or **Personal note with this preview...** (the part of the page shown), without opening the copy.
- **Notes** tab (book icon): all the notes, newest first, with the copy and page they were taken on.
- **Search the notes; Only the notes of this copy.**
- **Go to the copy** opens it at that page.
- Click a screenshot to enlarge it; click a note's text to edit it; delete a note from its menu.

Notes taken on a copy are stored in its evaluation folder (`.pdf4teachers/notes.yml` , screenshots in `.pdf4teachers/notes/`). Notes taken with no copy open are kept in the app's data folder.



/20

My notes

+ Note

Screenshot

Search the notes



Only the notes of this copy

9/29/26, 2:46 PM



[03_CARL.pdf · p. 2 · Ex 1](#)

Ask the class about the chain rule next lesson

Ex 1

2 / 3

Add PNF

Add a method or a mistake here >

Personal note on this page...

Screenshot with a personal note...

10 Elements

3 Texts

6 Marks

Giving the copies back

Annotated PDFs

- **File → Export (Regenerate PDF)** (`Ctrl+E`): the open copy.
- **File → Export all** (`Ctrl+Shift+E`): every copy of the files list.

Choose the destination folder and the file names (a prefix/suffix, or **Replace ... to ...** in the names), which kinds of annotations to include (texts, grades, drawings, skills), the image quality (dpi), and whether to export only the annotated copies. A copy whose destination already exists is skipped. Another option exports only the annotations, without the content of the original PDF (to print them on the paper copies).

Methods & mistakes pills and personal notes are never exported.

Marks to a spreadsheet

Export icon of the Grades tab: exports the grades of this copy, or of all the listed copies (in one CSV file or one per copy).

Options: separator (comma or semicolon) and number/formula language, only the copies with the same grade scale, of the same folder, or fully graded; the levels of the grade scale to export; a row for the grade scale and for the average; rows for the comments; **a column for the mark (1 to 6)**, and **Update the marks written on the copies first**. The student's name is taken from the file name.

Moodle feedback files

File → Export for Moodle... creates a zip of the annotated copies of the evaluation folder, to upload in a Moodle assignment: each student receives their own corrected copy as a feedback file.

Once per assignment, enable offline grading in Moodle. Without it the *Grading action* menu has no worksheet and no zip upload:

1. Open the assignment and go to its **Settings** (gear menu or *Settings* tab).
2. Expand the **Feedback types** section.
3. Tick **Feedback files** and **Offline grading worksheet**. (Leave **Feedback comments** as you like.)
4. Click **Save and display**.

Moodle documentation: [Assignment settings](#), [Feedback types](#).

Then, for each export:

1. In the assignment, open **View all submissions**, then **Grading action → Download grading worksheet**. It gives the Moodle participant id of each student.

2. Prepare a **students file** (CSV), one student per line: the name used in the copy file names and the email, e.g. DUPONT;felix.dupont@school.ch for 10_DUPONT.pdf .
3. **File → Export for Moodle...**, choose the two files. The window lists each copy with its student: ✓ ready, △ cannot be sent (not in the students file, several students match, several copies for one student, not in the worksheet), – participants without a copy.
4. **Create the zip**: each copy is rendered with all its annotations, named as Moodle expects.
5. In the assignment: **Grading action → Upload multiple feedback files in a zip**, and choose the zip.

Skills (competency-based assessment)

The Skills tab is hidden for now: this part describes it for later.

The **Skills** tab grades competencies instead of points: create a test, list the skills and the scoring method (characters, colors or icons), then give each skill a level on each copy. A skills chart can be placed on the copy. Results can be exported to CSV, and tests imported from and exported to **SACoche**.

Keyboard shortcuts

Ctrl is Cmd on macOS.

Files and documents

Keys	Action
Ctrl+O / Ctrl+Shift+O	open files / open a folder
Ctrl+S	save the annotations
Ctrl+E / Ctrl+Shift+E	export the copy / export all
Ctrl+R	rename the PDF file
Ctrl+W	close the document
Ctrl+Q	quit
Ctrl+Alt+← / Ctrl+Alt+→	previous / next file of the list
Ctrl+Alt+Shift+←/→ , Alt+Page Up/Down	previous / next file, staying on the same page (or the exercise page)
← → (column view)	previous / next file
↑ ↓ , Page Up/Down , Home , End	move in the document
Ctrl+Alt+↑ / Ctrl+Alt+↓	previous / next page
Ctrl+- , Ctrl++ , Ctrl + scroll	zoom
Ctrl+⌵	fit the page width
Ctrl+Z / Ctrl+Shift+Z	undo / redo
Ctrl+B	show / hide the sidebars
F11	full screen

Annotations

Keys	Action
double-click on the page, Ctrl+T	new text
Ctrl+1 ... 9	insert one of the first nine favorite texts
Ctrl+Alt+1 ... 9	color of the selected element
Ctrl+Alt++ / Ctrl+Alt+-	size of the selected text (or line width of a drawing)
Ctrl+D	new freeform drawing
Ctrl+A , Delete	select all the elements of the page, delete the selection
Ctrl+X / Ctrl+C / Ctrl+V	cut / copy / paste

Grading

Keys	Action
Ctrl+G	new grade at the same level (Grades tab)
Ctrl+N	next grade to enter
Alt+↑ / Alt+↓	previous / next exercise (grading panel)
Alt+1 ... 9	go to the page of exercise 1...9
Ctrl+Shift+G	focus the grading panel
1 ... 9	add the n-th method or mistake (see below)
# , Ctrl+Shift+M	add a method or a mistake at the mouse
Ctrl+Shift+N	new personal note
Ctrl+Shift+S	personal note with a screenshot

In the grading panel: **1 ... 9** add the n-th method or mistake,  remove the last one, **0** zero, **=** full points, **↑ ↓** sub-grade, **← →** copy, **Tab / Shift+Tab** fields, **C** comment, **G** general comment, **Z / Shift+Z** next / previous ungraded copy, **Esc** back to the document ([details](#)).

With the mouse on the copy, **1 ... 9** put the n-th method or mistake of the card at the mouse position.

The shortcuts of figures and images can be set by right-clicking them in the Paint tab.

Settings, data and troubleshooting

Settings (menu bar → Settings...)

- **Accessibility:** language.
- **Usability:** dark theme or system theme, always restore the previous session, zooming/scrolling effects.
- **Save and edits:** autosave the edition, periodical autosave, **Store the edits next to the PDF files** (recommended: the annotations then travel with the folder).
- **Pages context menu:** what the right-click menu of a page offers.
- **Elements lists** and **Text elements:** display of the lists, maximum number of previous texts, favorites behaviour, default maximum width of a new text.
- **Handwriting:** when a freeform drawing is split into several elements (distance, length, duration).
- **Network:** update notifications.
- Last groups: extended tips; application zoom, PDF rendering zoom (sharper pages at the cost of memory), rendering fitted to the zoom, and a fix for menus that do not open on some Linux window managers.

Where the data is

In each evaluation folder (next to the copies):

07_DUPONT.pdf	the copy (unchanged by annotations)
.07_DUPONT.pdf.yml	its annotations and grades
.pdf4teachers/	
comments.yml	the comments of the evaluation, by exercise
scoredcomments.yml	how the points count by sub-grade ("from max" / "from 0")
tags.yml	methods and mistakes, their points and comments, where they are
notes.yml, notes/	personal notes and their screenshots

Files starting with a dot are hidden: show hidden files in your file manager to see them. Copy, move or back up the evaluation folder as a whole, and the annotations, comments, tags and notes go with it.

In the app's data folder (Tools → Debug → Open data folder; on Linux `~/.local/share/Corrigo`): settings, the files list, text lists, favorite figures and images, the annotations of copies not stored next to their PDF, and notes taken with no copy open.

Troubleshooting

- **A copy lost its annotations after being renamed or moved:** rename copies from the app. Otherwise open the copy and use **Tools → Edits of documents with same name** to take back the annotations of the old name.
- **A copy cannot be loaded:** the PDF may be damaged or unreadable. If only its annotations are damaged, the app says where the edit file is; fix or delete it (**Tools → Debug → Open editings file**).
- **Wrong exercise for a comment in "This evaluation":** right-click it → **Move to exercise. Read the comments of the copies again** from the list menu if something looks outdated.
- **Tags attached to an old file name:** tags follow the copy's file name; rename copies before tagging.
- **Something went wrong:** **Tools → Debug → Open execution console** shows the messages of the app; copy them when reporting a problem.