

beautitled

User Manual

Version 0.2.7

Nathan Scheinmann

Table of Contents

Chapter 1: Introduction	3
1.1 Features	3
Chapter 2: Quick Start	3
2.1 Installation	3
2.2 Basic Usage	3
2.3 Parts	3
3.1 Part with Image	4
3.2 Disabling Full-Page Parts	4
3.3 Native Headings as Parts	4
Chapter 3: Configuration	4
3.1 Complete Parameter Reference	4
Chapter 4: Available Styles	6
4.1 Style Categories	6
1.1 Original	6
1.2 General Purpose	6
1.3 Educational	6
1.4 Academic	6
Chapter 5: Examples	7
5.1 Example 1: Basic Document with Chapter	7
5.2 Example 2: Without Chapter (Sections Only)	8
5.3 Example 3: Academic Style with Custom Colors	9
5.4 Example 4: English Document	10
5.5 Example 5: Without Numbering	11
5.6 Example 6: Different Styles Comparison	12
Chapter 6: Table of Contents	12
6.1 Basic Usage	12
6.2 Custom Title	12
6.3 Parameters	12
6.4 Simple Style with Sections Only	13
6.5 Mixing Styles	13
6.6 TOC Configuration Options	13
6.7 Available TOC Styles (8)	13
Chapter 7: Cross-References	14
7.1 Labelling a Heading	14
7.2 Referencing	15
7.3 Parameters	15
7.4 Notes	15
Chapter 8: Page Breaks	15
Chapter 9: Built-in Presets	16
9.1 Complete Example	16
9.2 Language Presets	16
9.3 Color Themes	16

Chapter 10: Running Headers	16
10.1 Basic Usage	16
10.2 Parameters	17
10.3 Notes	17
Chapter 11: Unnumbered Headings	17
11.1 Behavior in 0.2.7	17
11.2 Example	17
11.3 With beautitled-init	17
Chapter 12: French Colon Spacing	17
Chapter 13: Tips and Best Practices	18
13.1 Choosing a Style	18
13.2 Print Considerations	18
13.3 Combining with Other Packages	18
Chapter 14: Changelog	18
14.1 Version 0.2.7	18
14.2 Version 0.2.0	18

01 | Introduction

beautitled is a Typst package that provides 19 beautiful, print-friendly title styles for documents. It is designed for educational materials, academic papers, textbooks, and any document that needs professional heading styles.

■ 1 Features

- **19 distinctive styles** - From classic academic to modern creative
- **Print-friendly** - All styles use minimal ink (no heavy backgrounds)
- **Fully configurable** - Colors, sizes, spacing, and numbering
- **Multilingual** - Customizable prefixes for any language
- **Native Typst support** - Works with `=` Heading syntax
- **Optional parts** - LaTeX-like parts above chapters
- **Four heading levels** - Chapter, section, subsection, subsubsection
- **Cross-references** - `beautitled-ref` for labelled heading refs with optional page numbers

02 | Quick Start

■ 1 Installation

```
#import "@preview/beautitled:0.2.7": *
```

■ 2 Basic Usage

```
#import "@preview/beautitled:0.2.7": *
```

```
#beautitled-setup(style: "titled")
```

```
#show: beautitled-init
```

```
= My Chapter Title
```

```
== My Section Title
```

```
=== My Subsection Title
```

```
==== My Subsubsection Title
```

■ 3 Parts

Typst has arbitrary heading levels, but no dedicated LaTeX-style `\part`. **beautitled** adds `#part[...]` and can also remap native headings when parts are enabled. Using `#part[...]` automatically makes parts the highest outline level for the rest of the document. Without parts, chapters remain the highest level.

By default (`part-fullpage: true`), each part occupies its own dedicated page with the title vertically and horizontally centered — matching LaTeX's default `\part` behavior. Every style has its own coherent part renderer.

```
#beautitled-setup(style: "modern")
```

```
#show: beautitled-init
```

```
#part[Foundations]
```

```
#chapter[Numbers]
#section[Integers]
```

3.1 Part with Image

An optional image can be placed above or below the title on the part page. The caption uses Typst's native figure rendering:

```
#part(
  image: image("cover.png", width: 70%),
  image-caption: [A conceptual overview],
  image-position: "below", // "above" or "below" (default: "below")
)[Advanced Topics]
```

3.2 Disabling Full-Page Parts

To use inline parts (no dedicated page), set `part-fullpage: false` globally or override per call:

```
#beautitled-setup(part-fullpage: false)
```

```
// Or per call:
```

```
#part(fullpage: false)[Appendices]
```

3.3 Native Headings as Parts

With `enable-parts: true`, native headings become:

```
#beautitled-setup(style: "modern", enable-parts: true)
#show: beautitled-init
```

```
= Foundations
== Numbers
=== Integers
==== Arithmetic
===== Divisibility
```

03 | Configuration

All configuration is done through the `beautitled-setup` function. You can call it multiple times to change settings at any point in your document.

■ 1 Complete Parameter Reference

Parameter	Default	Description
<code>style</code>	<code>"titled"</code>	The visual style to use (see Available Styles)
<code>primary-color</code>	<code>rgb("#2c3e50")</code>	Main color for titles
<code>secondary-color</code>	<code>rgb("#7f8c8d")</code>	Secondary color for labels and decorations
<code>accent-color</code>	<code>rgb("#2980b9")</code>	Accent color for highlights

background-color	white	Background color (rarely used)
part-size	24pt	Font size for part titles
chapter-size	18pt	Font size for chapter titles
section-size	14pt	Font size for section titles
subsection-size	12pt	Font size for subsection titles
subsubsection-size	11pt	Font size for subsubsection titles
enable-parts	false	false: = Heading is a chapter; true: = Heading is a part and == Heading is a chapter
show-part-number	true	Show part numbers
show-chapter-number	true	Show chapter numbers
show-section-number	true	Show section numbers
show-subsection-number	true	Show subsection numbers
show-chapter-in-section	true	Show chapter info in section labels (titled style)
part-prefix	"Partie"	Text before part number
chapter-prefix	"Chapter"	Text before chapter number
section-prefix	"Section"	Text before section number
part-above	2em	Space above parts
part-below	1.2em	Space below parts
chapter-above	1.2em	Space above chapters
chapter-below	0.5em	Space below chapters
section-above	0.5em	Space above sections
section-below	0.4em	Space below sections
subsection-above	0.5em	Space above subsections
subsection-below	0.3em	Space below subsections
part-fullpage	true	Give each part its own vertically-centred page (LaTeX default)
part-pagebreak	true	Page break before parts after the first (inline mode only)
chapter-pagebreak	false	Page break before chapters after the first
toc-part-size	14pt	Font size for part entries in the table of contents

04 | Available Styles

■ 1 Style Categories

1.1 Original

- **titled** - Boxed sections with floating labels showing chapter info (DEFAULT)

1.2 General Purpose

- **classic** - Traditional academic with underlines
- **modern** - Clean geometric with accent colors
- **elegant** - Refined with decorative ornaments
- **bold** - Strong left border emphasis
- **creative** - Student portfolio style
- **minimal** - Ultra-clean with maximum whitespace
- **vintage** - Classic book ornamental style

1.3 Educational

- **schoolbook** - Textbook style for lessons
- **notes** - Course notes and study materials
- **clean** - Maximum simplicity

1.4 Academic

- **technical** - Engineering documentation style
- **academic** - Professional academic with underlined chapters
- **textbook** - Bold numbers with clear hierarchy
- **scholarly** - Centered chapters with thin rules
- **classical** - Small caps, refined and minimal
- **educational** - Left border with large colored numbers
- **structured** - Boxed chapter numbers
- **magazine** - Editorial/magazine style

05 | Examples

■ 1 Example 1: Basic Document with Chapter

Chapitre 1: Vector Geometry

Ch. 1 : Vector Geometry — SECTION 1

Vector Space

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1.1 Basic Definitions

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

Code:

```
#beautitled-setup(style: "titled", show-chapter-in-section: true)
#show: beautitled-init
```

```
= Vector Geometry
== Vector Space
Lorem ipsum dolor sit amet...
=== Basic Definitions
Ut enim ad minim veniam...
```

■ 2 Example 2: Without Chapter (Sections Only)

SECTION 1	Vectors
Lorem ipsum dolor sit amet, consectetur adipiscing elit.	
1.1 Vector Addition	
Ut enim ad minim veniam, quis nostrud exercitation.	

Code:

```
#beautitled-setup(style: "titled", show-chapter-in-section: false)
#show: beautitled-init
```

== Vectors

Lorem ipsum dolor sit amet...

=== Vector Addition

Ut enim ad minim veniam...

■ 3 Example 3: Academic Style with Custom Colors

Chapitre 1

Introduction to Analysis

1.1 Limits and Continuity

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

1.1.1 Definition of Limits

Ut enim ad minim veniam, quis nostrud exercitation.

Code:


```
#beautitled-setup(  
  style: "academic",  
  primary-color: rgb("#1a5276"),  
  secondary-color: rgb("#5dade2"),  
  chapter-size: 20pt,  
  section-size: 15pt,  
)  
#show: beautitled-init
```

= Introduction to Analysis

== Limits and Continuity

...


■ 4 Example 4: English Document



Code:

```
#beautitled-setup(  
  style: "scholarly",  
  chapter-prefix: "Chapter",  
  section-prefix: "Section",  
)  
#show: beautitled-init  
  
= Theoretical Framework  
== Literature Review  
...
```

■ 5 Example 5: Without Numbering



Code:

```
#beautitled-setup(  
  style: "elegant",  
  show-chapter-number: false,  
  show-section-number: false,  
  show-subsection-number: false,  
)  
#show: beautitled-init  
  
= Poetry  
== Flowers of Evil  
...
```

■ 6 Example 6: Different Styles Comparison


Modern Style:



Classical Style:



Textbook Style:



Educational Style:



06 | Table of Contents

beautitled provides a styled table of contents that matches your heading style.

■ 1 Basic Usage

```
#beautitled-toc()
```

■ 2 Custom Title

```
#beautitled-toc(title: "Contents")
```

```
#beautitled-toc(title: "Table of Contents")
```

```
#beautitled-toc(title: "Sommaire")
```

■ 3 Parameters

Parameter	Default	Description
title	"Table of Contents"	Title displayed above the TOC
depth	3	Maximum heading level to include (1=chapters, 2+=sections, 3+=subsections)
style	none	Override style for TOC (none = use heading style)
title-align	center	Title alignment: center, left, or right

■ 4 Simple Style with Sections Only

For a clean, flat TOC showing only sections (no chapters):

```
#beautitled-toc(  
  title: "Table of Contents",  
  style: "simple",  
  title-align: left,  
  depth: 2, // Show chapters and sections only  
)
```

■ 5 Mixing Styles

You can use different styles for your headings and TOC:

```
#beautitled-setup(style: "titled")  
#show: beautitled-init  
  
// TOC uses "scholarly" style  
#beautitled-toc(title: "Contents", style: "scholarly")
```

= **First Chapter**

...

■ 6 TOC Configuration Options

These options can be set via beautitled-setup:

Parameter	Default	Description
toc-style	none	Different style for TOC (overrides heading style)
toc-indent	1em	Indentation per level
toc-chapter-size	12pt	Font size for chapters in TOC
toc-section-size	11pt	Font size for sections in TOC
toc-subsection-size	10pt	Font size for subsections in TOC
toc-fill	repeat[.]	Fill between title and page number
toc-show-subsections	true	Include subsections in TOC

■ 7 Available TOC Styles (8)

titled (default)

classic

titled	
Chapter 1 : Introduction	1
1.1 Context	1
1.1.1 History	2

classic	
Chapter 1 : Introduction	1
1.1 Context	1

modern

elegant

modern

Chapter 1 : Introduction	1
▶ 1.1 Context	1

elegant

CHAPTER 1 : INTRODUCTION	1
1.1 Context	1

bold

bold

CHAPTER 1 : INTRODUCTION	1
1.1 Context	1

minimal

minimal

Chapter 1 : Introduction	1
1.1 Context	1

scholarly

scholarly

Chapter 1 : Introduction	1
1.1 Context	1

simple

simple

1 Vector Space	2
2 Linear Dependence	3
3 Vector Norm	7

07 | Cross-References

beautitled provides beautitled-ref (alias: btl-ref) to create clickable, numbered references to any labelled heading — part, chapter, section, subsection, or subsubsection.

■ 1 Labelling a Heading

Pass a label: named argument to any heading function:

```
#part(label: <part-found>)[Foundations]
#chapter(label: <ch-intro>)[Introduction]
#section(label: <sec-overview>)[Overview]
```

Or with native headings when using beautitled-init:

```
#beautitled-setup(enable-parts: false)
#show: beautitled-init
```

```
= Introduction <ch-intro>
== Overview <sec-overview>
```

■ 2 Referencing

```
See #beautitled-ref(<ch-intro>)           // → "Chapitre 1"
See #beautitled-ref(<sec-overview>)        // → "Section 1.1"
See #btl-ref(<ch-intro>)                  // short alias
See #beautitled-ref(<ch-intro>, show-page: true) // → "Chapitre 1 (p. 2)"
See #beautitled-ref(<sec-overview>, short: true) // → "1.1"
```

■ 3 Parameters

Parameter	Type	Default	Description
target	label	—	The label attached to the heading
show-page	bool	false	Append a page number in parentheses
page-prefix	str	"p. "	Prefix before page number
short	bool	false	Omit prefix word; show number only (e.g. 1.1 instead of Section 1.1)

■ 4 Notes

- The displayed prefix ("Chapitre", "Section", etc.) respects the active language preset.
- When `show-part-number: false` (or the heading was called with `numbered: false`), the heading's title is shown instead of a number.
- The reference is a clickable hyperlink to the heading's location in the document.

08 | Page Breaks

Enable automatic page breaks before chapters:

```
#beautitled-setup(
  style: "textbook",
  chapter-pagebreak: true,
)
#show: beautitled-init
```

```
= First Chapter
```

```
// Content...
```

```
= Second Chapter // Automatic page break here
```

```
// Content...
```

Note: The first chapter does not trigger a page break.

09 | Built-in Presets

beautitiled includes several presets for common configurations. Presets are called **before** beautitiled-init:

■ 1 Complete Example

```
#import "@preview/beautitiled:0.2.7": *
```

```
// 1. Choose a style
#beautitiled-setup(style: "scholarly")
```

```
// 2. Apply language preset
#preset-english()
```

```
// 3. Apply color theme
#theme-ocean()
```

```
// 4. Initialize
#show: beautitiled-init
```

= My Chapter

== My Section

■ 2 Language Presets

```
#preset-french()      // "Chapitre", "Section"
#preset-english()     // "Chapter", "Section"
#preset-german()      // "Kapitel", "Abschnitt"
#preset-no-numbers()  // Hide all numbering
```

■ 3 Color Themes

```
#theme-ocean()  // Blue tones
#theme-forest() // Green tones
#theme-royal()  // Purple tones
#theme-mono()   // Grayscale
#theme-warm()   // Orange/brown tones
#theme-coral()  // Red tones
```

010 | Running Headers

beautitiled-header returns the formatted title of the most recent chapter (or section, depending on level) for use in a page header. It works with both the beautitiled-init show-rule approach (native = Heading syntax) and direct function calls (#chapter[...], #section[...], etc.).

■ 1 Basic Usage

```
#set page(header: context [
  #beautitiled-header(level: 1) // show current chapter title
  #h(1fr)
  #counter(page).display()
])
```

■ 2 Parameters

Parameter	Type	Default	Description
level	int	1	Logical heading level: 1 = chapter, 2 = section, etc. Automatically adjusts when <code>enable-parts: true</code> .

■ 3 Notes

- Returns `[]` (empty content) if no matching heading has appeared on or before the current page — safe to use from page 1.
- When `enable-parts: true`, the internal heading levels are shifted by one, so `level: 1` still means “chapter” from the caller’s perspective.
- The returned title matches the outline title (includes numbering prefix).

011 | Unnumbered Headings

Any heading function accepts `numbered: false` to suppress both the display number and its increment from the display counter. The heading still appears in the document, the outline, and bookmarks — it simply has no number.

■ 1 Behavior in 0.2.7

Before 0.2.7, calling `#chapter(numbered: false)[Preface]` would skip the display number but still advance the internal display counter, so the next numbered chapter would jump from e.g. Chapter 1 to Chapter 3. Since 0.2.7, the display counter is **not** incremented for unnumbered headings.

The **occurrence counter** (used for page-break logic) is always incremented, so automatic page breaks still fire correctly even for unnumbered headings.

■ 2 Example

```
#chapter(numbered: false)[Preface] // no number, counter stays at 0
#chapter[Introduction]             // displays as "Chapter 1"
#chapter[Methods]                  // displays as "Chapter 2"
```

■ 3 With beautitled-init

Native headings can be made unnumbered with `heading(numbering: none)`:

```
#show: beautitled-init
```

```
#heading(level: 1, numbering: none)[Preface] // unnumbered chapter
= Introduction                               // Chapter 1
```

Note: when using the show-rule approach the numbered parameter is controlled by the native heading’s numbering field rather than a `numbered: argument`.

012 | French Colon Spacing

`beautitled` includes a `colon-space()` helper that inserts a non-breaking space before a colon when the document language is French (`text.lang == "fr"`), and nothing otherwise. This is used automatically in heading labels and outline titles; you do not normally need to call it directly.

The helper is exported from the package for cases where you want consistent colon spacing in your own content:

```
#import "@preview/beautitled:0.2.7": colon-space
```

```
Question#colon-space(): Why?
```

When `lang: "fr"` is set via `#set text(lang: "fr")`, this renders as “Question : Why?” (with the required typographic thin-space before the colon). In all other languages it renders as “Question: Why?” (no extra space).

013 | Tips and Best Practices

■ 1 Choosing a Style

- **For math/science textbooks:** titled, schoolbook, textbook, academic
- **For course notes:** notes, clean, minimal
- **For formal academic papers:** scholarly, classical, academic
- **For creative projects:** creative, modern, magazine
- **For classic book feel:** vintage, elegant

■ 2 Print Considerations

All styles are designed to be print-friendly:

- No heavy background fills
- Thin strokes and borders
- High contrast text
- Minimal ink usage

■ 3 Combining with Other Packages

`beautitled` works well with other Typst packages. Just make sure to call `beautitled-setup` after importing the package.

014 | Changelog

■ 1 Version 0.2.7

- New `beautitled-header(level:)` function for running page headers
- `numbered: false` no longer advances the display counter (unnumbered headings are truly unnumbered)
- `colon-space()` helper exported for French typographic colon spacing
- French colon spacing applied to part outline titles

■ 2 Version 0.2.0

- Initial release
- 19 styles
- Full configuration support
- Native Typst heading support
- Language presets

- Color themes
- Styled Table of Contents
- Page break support

Style Showcase

All 19 available styles

titled

Chapter 1: Sample Chapter

Ch. 1: Sample Chapter — SECTION 1

Core Concepts

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

classic

CHAPTER 1

Sample Chapter

1. Core Concepts

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

modern

01 | Sample Chapter

1 Core Concepts

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

elegant

CHAPTER I

SAMPLE CHAPTER

i. CORE CONCEPTS

§ 1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

bold

CHAPTER 1

SAMPLE CHAPTER

1. CORE CONCEPTS

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

creative

Chapter 1

Sample Chapter

1 Core Concepts

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

minimal

01

Sample Chapter

1 Core Concepts

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

vintage

Chapter

Sample Chapter

1 Core Concepts

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

schoolbook

Chapter 1 — Sample Chapter

1. Core Concepts

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

notes

Sample Chapter

1 Core Concepts

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

clean

Sample Chapter

1 Core Concepts

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

technical

Sample Chapter

1 Core Concepts

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

Chapter 1 | **Sample Chapter**
Lorem ipsum dolor sit amet, consectetur adipiscing elit.

1. Core Concepts

Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

1. Sample Chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

1. Core Concepts

Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

CHAPTER **1**

Sample Chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

1.1 Core Concepts

Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1.1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

academic

textbook

scholarly

Chapter 1

Sample Chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

1.1 Core Concepts

Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1.1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

1 CHAPTER

Sample Chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

1 Core Concepts

Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

CHAPTER I

Sample Chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

1. Core Concepts

Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

classical

educational

structured

Chapter 1

SAMPLE CHAPTER

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

§1. Core Concepts

Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

1

Sample Chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

1.1 Core Concepts

Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1.1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

1 Sample Chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

1 Core Concepts

Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1.1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

magazine

01

CHAPTER

Sample Chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

SECTION 1

Core Concepts

Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1 Key Terms

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.