Github deployment

1. Create a Github account [https://github.com/join]
2. Login to your Github account [https://github.com/login]
3. In your Personal (Dashboard), click on the Start a Project button.



4. Add webportfolio as your repository name.



5. Set the visibility level for the repository to Public



6. Click on Create Repository



7. Copy the repository's SSH URL



Optional: Add an SSH Key for your Github Account [https://docs.github.com/en/github/authenticating-to-github/connecting-to-github-with-ssh/adding-a-new-ssh-key-to-your-github-account]

8. Open your Terminal/Gitbash and go to your project folder

9. Run the command git remote -v to check the aliases and URLs associated with your local project.

```
charles@DESKTOP-HNR769E MINGW64 /e/zuitt/csp1 (master)
$ git remote -v
origin  git@gitlab.com:zuitt-coding-bootcamp-curricula/courses/wdc028v1.5/csp1.git (fetch)
origin  git@gitlab.com:zuitt-coding-bootcamp-curricula/courses/wdc028v1.5/csp1.git (push)
```

10. Add the Github remote repository by executing the command git remote add github <paste the url from the Github repository>. This will add an alias called github to your local project which represents the URL to your Github repository.

```
charles@DESKTOP-HNR769E MINGW64 /e/zuitt/csp1 (master)
$ git remote -v
origin  git@gitlab.com:zuitt-coding-bootcamp-curricula/courses/wdc028v1.5/csp1.git (fetch)
origin  git@gitlab.com:zuitt-coding-bootcamp-curricula/courses/wdc028v1.5/csp1.git (push)

charles@DESKTOP-HNR769E MINGW64 /e/zuitt/csp1 (master)
$ git remote add github https://github.com/quimpocharles/webportfolio.git

charles@DESKTOP-HNR769E MINGW64 /e/zuitt/csp1 (master)
$ git remote -v
github  https://github.com/quimpocharles/webportfolio.git (fetch)
github  https://github.com/quimpocharles/webportfolio.git (push)
origin  git@gitlab.com:zuitt-coding-bootcamp-curricula/courses/wdc028v1.5/csp1.git (fetch)
origin  git@gitlab.com:zuitt-coding-bootcamp-curricula/courses/wdc028v1.5/csp1.git (push)
```

11. Push the project to your github repository.

```
charles@DESKTOP-HNR769E MINGW64 /e/zuitt/csp1 (master)
$ git remote -v
github  https://github.com/quimpocharles/webportfolio.git (fetch)
github  https://github.com/quimpocharles/webportfolio.git (push)
origin  git@gitlab.com:zuitt-coding-bootcamp-curricula/courses/wdc028v1.5/csp1.git (fetch)
origin  git@gitlab.com:zuitt-coding-bootcamp-curricula/courses/wdc028v1.5/csp1.git (push)

charles@DESKTOP-HNR769E MINGW64 /e/zuitt/csp1 (master)
$ git push github master
info: please complete authentication in your browser...
Enumerating objects: 41, done.
Counting objects: 100% (41/41), done.
Delta compression using up to 8 threads
Compressing objects: 100% (40/40), done.
Writing objects: 100% (41/41), 627.74 KiB | 31.39 MiB/s, done.
Total 41 (delta 4), reused 26 (delta 1), pack-reused 0
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/quimpocharles/webportfolio.git
 * [new branch]      master -> master
```

12. Go to the repository's Settings Tab and click on Pages



13. Select the master branch as the Source and root as your root folder.



14. Click on Save. Doing this will deploy the project and will create a new link.



15. Sample Output: [https://quimpocharles.github.io/webportfolio/]