



Client: Anvil Compounds
Accession #: 2608031105
Search Code: Anvi2608031105
Received: 08/03/2026
Reported: 8/7/2026
Lot: AC-SMX-1

Sample Summary

Product:	Semax 10mg	Purity:	99.52%
Identity:	Confirmed	Net Content:	Not Requested
Appearance:	White Lyophilized Powder		

Analytical Results


Test	Result
Identity (LC-MS)	Semax
Purity (HPLC-UV)	99.52%
Net Content	Not Requested

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.


Endotoxin Replicate 1:	Pass	Assay Sensitivity: ≤ 0.05 EU/mL
Endotoxin Replicate 2:	Pass	Assay Sensitivity: ≤ 0.05 EU/mL

Method: HPLC with UV detection coupled with mass spectrometry (LC-MS).

Chromatogram



Mass Confirmation



Alex Johnson

Principal Chemist

FreedomDiagnosticsTesting.com
 Admin@FreedomDiagnostics.net
 Proudly Owned and Operated in the USA



The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.



Client: Anvil Compounds
Accession #: 2608031093
Search Code: Anvi2608031093
Received: 08/03/2026
Reported: 8/7/2026
Lot: AC-SLK-1

Sample Summary

Product:	Selank 10mg	Purity:	99.52%
Identity:	Confirmed	Net Content:	Not Requested
Appearance:	White Lyophilized Powder		

Analytical Results


Test	Result
Identity (LC-MS)	Selank
Purity (HPLC-UV)	99.52%
Net Content	Not Requested

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.


Endotoxin Replicate 1:	Pass	Assay Sensitivity: ≤ 0.05 EU/mL
Endotoxin Replicate 2:	Pass	Assay Sensitivity: ≤ 0.05 EU/mL

Method: HPLC with UV detection coupled with mass spectrometry (LC-MS).

Chromatogram



Mass Confirmation



Alex Johnson

Principal Chemist

FreedomDiagnosticsTesting.com

Admin@FreedomDiagnostics.net

Proudly Owned and Operated in the USA



The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample (s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.