


● RESEARCH GRADE · 99%+ PURITY · USA-BASED

RESEARCH REFERENCE & SAFETY DOCUMENTATION

CJC-1295 + Ipamorelin



GHRH analogue + selective GH secretagogue · Research-grade reference material

TYPE

Two-component blend

TARGETS

GHRH-R + GHS-R1a

FORM

Lyophilized

USE

In-vitro research only

Sold for laboratory research purposes only. Not for human or veterinary use, consumption, or therapeutic application. Must be 21+ to purchase. | Independently verified · HPLC + mass spectrometry · Certificate of Analysis per lot.

What Is In This Blend

A two-component blend pairing a growth-hormone-releasing hormone (GHRH) analogue with a selective growth hormone secretagogue. The two constituents act on **different receptors** on the same pituitary cell population — the mechanistic reason the combination exists.

Constituent	Receptor target	Class
CJC-1295	GHRH receptor (GHRH-R)	GHRH analogue, modified GRF 1–29
Ipamorelin	Ghrelin receptor (GHS-R1a)	Selective pentapeptide GH secretagogue

Critical identity question — DAC or non-DAC. “CJC-1295” refers to two pharmacologically different molecules. **With DAC** (Drug Affinity Complex) it binds covalently to serum albumin, extending half-life from minutes to several days and producing sustained receptor stimulation. **Without DAC** (commonly labelled Mod GRF 1–29) the half-life is roughly 30–60 minutes, producing a pulsatile profile. These are not interchangeable, and vendor labelling is frequently ambiguous. **Confirm which form your material contains before designing any experiment** — this single variable changes the pharmacokinetics entirely.

Quantitation. Confirm the per-vial mass of each constituent against the lot certificate of analysis. Blend ratios are supplier-set and not standardized across the industry.

Constituents

Findings below derive from preclinical and component-level research and pertain to each compound studied **individually**. They are not established effects in humans for this blend.

CJC-1295 — GH-axis research (pituitary GHRH receptor)


Class	GHRH analogue (modified GRF 1–29)	• Binds the GHRH receptor on anterior pituitary somatotrophs
Backbone	First 29 residues of GHRH	• G-protein activation raising cAMP, priming vesicles for GH exocytosis
Modifications	Four substitutions resisting DPP-IV cleavage	• Substitutions confer resistance to DPP-IV degradation
DAC variant	Drug Affinity Complex — albumin binding	• DAC formulation binds serum albumin, sustaining stimulation over days

Evidence: Component-level research reports sustained IGF-1 elevation with the DAC formulation. Acts upstream to stimulate endogenous GH rather than replacing it, preserving hypothalamic-pituitary feedback. Not approved for any indication.

Ipamorelin — GH-axis research (ghrelin receptor)

Class	Selective GH secretagogue	• Agonist at the ghrelin receptor (GHS-R1a) in hypothalamus and pituitary
Type	Synthetic pentapeptide	• Gq / phospholipase C / IP₃ signaling raising intracellular calcium
Target	Ghrelin receptor (GHS-R1a)	• Calcium-mediated granule release triggers the acute GH pulse
Selectivity	Minimal cortisol / prolactin elevation reported	• Selective — minimal cortisol, prolactin or ACTH elevation versus GHRP-2 / GHRP-6 / hexarelin

Evidence: Component-level research reports selective pulsatile GH release. Its selectivity relative to earlier secretagogues is the principal reason it is studied. As a GHS-R1a agonist it sits in a receptor class mediating appetite signaling. Not approved for any indication.



Dual-pathway convergence on the somatotroph. GHRH-receptor signaling raises cAMP and primes secretory vesicles; ghrelin-receptor signaling raises intracellular calcium and triggers release. Schematic; not a claim of established human effect for this blend.

The Blend Question — Read This Carefully

This blend differs from most multi-component research preparations in one important respect: there is a **published mechanistic rationale** for combining these two classes, not merely a marketing one. That rationale should be credited accurately — and its limits stated plainly.

Evidence at a glance

CLASS-LEVEL SYNERGY

Documented

COMPONENT RESEARCH

Exists

THIS FORMULATION

Not studied

REGULATORY

Neither approved

- **The class-level synergy is real and documented.** Research published in 1999 (PMID 10372741) demonstrated that simultaneous stimulation of GHRH and GHS receptor pathways produces a GH response greater than the sum of individual responses — the mechanistic foundation for combining these classes.
- **Class-level synergy is not product-level evidence.** That work concerned GHRH and GHRP compounds generally, not this specific preparation at this supplier's ratio.
- **DAC versus non-DAC changes the pharmacology entirely** — sustained receptor occupancy versus pulsatile stimulation. Findings do not transfer between the two forms.
- **Ratios are not standardized** across suppliers or lots; results are not directly comparable between vendors.
- **Attribution is confounded.** Without single-compound control arms, an observed effect cannot be assigned to either constituent.

Appropriate characterization: a two-component preparation with a genuine published mechanistic basis for combination at the level of receptor classes, whose specific formulation, ratio and pharmacokinetic form remain uncharacterized in the peer-reviewed literature. Neither constituent is approved for any indication.

Regulatory & status notes

US FDA	Neither constituent is an approved drug. The blend is not approved for any use.
WADA	GH secretagogues and GHRH analogues appear on the Prohibited List — verify against the current list.
Supply basis	Research reagent for in-vitro laboratory use only; not for human or veterinary administration.

Selected references

1. Synergistic GH response to combined GHRH and GHRP receptor stimulation. 1999. PMID 10372741.
2. Teichman SL, et al. Prolonged stimulation of GH and IGF-1 secretion by CJC-1295, a long-acting analog of GHRH, in healthy adults. J Clin Endocrinol Metab. 2006.
3. Raun K, et al. Ipamorelin, the first selective growth hormone secretagogue. Eur J Endocrinol. 1998.

Note. This Safety Data Sheet is compiled from public sources and weight-of-evidence assessment. Independent review by a qualified chemical-safety professional is recommended prior to use. Supplier identification and emergency-contact details must be completed by the supplier.

1 Identification

Product	CJC-1295 + Ipamorelin
Type	Multi-component blend (see §3)
Use	In-vitro research only
Restriction	Not for human/veterinary, food, drug, cosmetic, clinical, or therapeutic use
Supplier	
Emergency	

2 Hazard Identification

Not classified based on currently available data for the mixture.
No toxicological data exist for this combination as a mixture — hazard information below is derived from the individual constituents and their chemical classes. Absence of classification is not a determination of absence of hazard.
Precautionary: P261, P264, P280, P501.

3 Composition

Multi-component blend. Constituent identities:

CJC-1295	GHRH analogue (modified GRF 1–29); confirm DAC / non-DAC form
Ipamorelin	Selective pentapeptide GH secretagogue (GHS-R1a agonist)

Confirm the per-vial mass of each constituent against the lot certificate of analysis. Residual synthesis reagents, solvents and counter-ions may be present.

4 First-Aid Measures

Eyes: rinse with water for several minutes. **Skin:** wash with soap and water; remove contaminated clothing. **Inhalation:** move to fresh air. **Ingestion:** rinse mouth; do not induce vomiting unless directed. Treat symptomatically; no specific antidote known.

5 Fire-Fighting

Media: CO₂, dry chemical, foam, water spray. Combustion may produce CO, CO₂, nitrogen oxides. Use SCBA and full protective gear.

6 Accidental Release

Avoid dust formation; ventilate; use PPE per §8. Do not allow entry to drains or waterways. Collect in a closed labeled container for disposal per §13.

7 Handling & Storage

Handle as a mixture of bioactive substances of incompletely characterized toxicity; minimize all routes of exposure. Weigh and reconstitute in a fume hood or ventilated enclosure. Store the lyophilized solid tightly closed, protected from light, moisture and heat; –20 °C long-term, 2–8 °C short-term. Aliquot reconstituted solutions; store frozen; avoid repeated freeze-thaw. Observe the COA retest date.

8 Exposure Controls / PPE

No established OEL for any constituent; control exposure to ALARA. Local exhaust or fume hood for the dry powder. Nitrile gloves (double-glove for neat powder); ANSI Z87.1 eye protection; lab coat; N100/P100 respirator per 29 CFR 1910.134 where controls are insufficient. Eyewash/safety shower per ANSI Z358.1.

9 Physical & Chemical Properties

State	Lyophilized powder
Appearance	White to off-white powder
Odor	Odorless
Solubility	Soluble in water
MW	Not applicable — mixture
MP/BP/Flash	Not determined

10 Stability & Reactivity

Stable as a dry solid under recommended storage; protect from light. Avoid heat, moisture, UV, open flame. Incompatible with strong oxidizers, strong acids and bases, strong reducing agents. Decomposition: CO, CO₂, NO_x. No hazardous polymerization.

11 Toxicological Information

No toxicological data exist for this combination as a mixture. Constituent data are individually limited: no LD₅₀/LC₅₀ values are available for any component from authoritative databases. Skin/eye: treat as potentially irritating. Sensitization, mutagenicity, carcinogenicity, reproductive toxicity, STOT and aspiration: no authoritative substance-specific data; not classified based on available data; hazards cannot be excluded. Potential interactive or additive effects between constituents have not been characterized. Avoid exposure if pregnant, nursing, or planning pregnancy.

12 Ecological Information

No substance-specific ecotoxicity, persistence or bioaccumulation data identified for the mixture or its constituents. Avoid release to surface water, soil, drains or sewers.

13 Disposal

Dispose of contents and container per applicable local, state and federal regulations. US: 40 CFR Parts 261–270 (RCRA). Do not dispose into sewers or waterways. Use a licensed waste disposal company.

14 Transport Information

Not expected to be regulated as dangerous goods under DOT (49 CFR), IATA or IMDG based on current classification. UN number: not applicable. The shipper must independently verify requirements.

15 Regulatory Information

US TSCA: constituents may qualify for the R&D exemption (40 CFR 720.36) depending on conditions of use. OSHA HazCom 2012 aligned with GHS Rev. 8. EU REACH: supplied for Scientific Research and Development use; the importer/user must verify any exemption. No constituent of this blend is an FDA-approved drug. Not a legal determination of regulatory status.

16 Other Information

Revision [DATE] · Version 1.0. Independent review by a qualified chemical-safety professional is recommended prior to use. Because this is a mixture, hazard determination should address both constituent and combination effects. Sources: PubChem; peer-reviewed literature; OSHA HazCom 2012; GHS Rev. 8. Provided without warranty. For scientific R&D use only.

Disclaimer. Provided for laboratory research reference only. Summarizes published preclinical literature and standardized safety information; does not constitute medical, therapeutic, or usage guidance, nor describe or recommend administration to humans or animals. Compiled from cited sources believed accurate as of the revision date, without warranty. Users bear sole responsibility for verifying all information, ensuring safe handling, and complying with applicable regulations. Sold for laboratory research purposes only. Not for human or veterinary use. Must be 21+ to purchase.