

CART: A Tool for Making Paper Relevancy Screening Easier

Nathan Reitering ¹

¹ University of Maryland, USA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

CART (Culling Abstracts for Relevancy in Teams) provides a way for a team of individuals to complete the first step common to most SoK projects¹: culling, in teams, a large set of research papers (i.e., titles and abstracts) based on per-project relevancy criteria. Existing software solutions either do not fit this need in a usable way—leading to error-prone voting—or do not offer the necessary functionality to work on this problem effectively.

CART provides both functionality and usability. *Functionally*, CART accommodates teams of any size (i.e., accommodating race conditions), review requirements of any number (e.g., mandating that each paper is reviewed by n team members), and dynamic participation rates (e.g., team members may participate in as little or as much reviewing as they like). *Usability-wise*, CART provides a gamified user interface, making the process of reviewing papers easier and therefore more accurate and more efficient.

Statement of need

A systematization of knowledge or systematic review paper is a popular class of paper found across multiple disciplines: medicine, computer science, sociology, psychology, economics, political science, marketing, and genetics. This type of paper most commonly involves a two-stage process. In the first stage, researchers gather a large set of papers—easily over 10,000—and then manually filter those papers (based on paper titles and abstracts) according to predefined relevancy criteria ([Franz et al., 2021](#); [Reitering & Mazurek, 2023](#); [Singhal et al., 2023](#); [Thomas et al., 2021](#)). For example, if a researcher wanted to learn about legally-sufficient data sanitization tools ([Bellovin et al., 2019](#)), a paper on the prevalence of a particular web tracking technique like canvas fingerprinting ([Reitering & Mazurek, 2021](#)) would be marked as irrelevant, but a paper on statutory differential privacy requirements ([Reitering & Deshpande, 2023](#)) would be marked as relevant. After this first step is complete—often resulting in a set of around 100 papers—most researchers move on to analyzing papers in-depth, using qualitative coding techniques well-fit by existing software.

Surprisingly, software to support this first step of paper culling is currently lacking. Existing tools are either too generalist (resulting in ineffective paper reviewing) or too fine-tuned (resulting in tradeoffs impacting functionality). For example, generalist tools like Microsoft Excel or Google Sheets could allow teams of researchers to check the relevancy of snippets of text, but these tools can be clunky (i.e., given the scale of papers in consideration) and not usable (i.e., reviewing hundreds of rows in a spreadsheet is error-prone and fatiguing). Other tools, like Atlas.ti ([Smit & Scherman, 2021](#)) or maxQDA ([Franzosi et al., 2013](#)), could allow teams of researchers to “code” for relevancy, but do not naturally accommodate dynamic participation (e.g., team members might not be able to review the same amount of papers) or

¹These projects are also called systematic review projects.

40 variable review rates (e.g., sometimes you want all team members to review all papers, and
41 sometimes you want at least two, but you do not set who those team members are).

42 CART

43 CART provides a way for teams to accomplish the goal of culling a large set of research papers.
44 Team members may contribute as little or as much as they want, the experience of reviewing
45 papers is gamified, and CART prioritizes protection against data loss, error, and data corruption.
46 Most importantly, CART is fully functional without requiring server space (although this is
47 certainly possible with an appropriately provisioned environment) and easily tunable for a
48 project's specific needs.

49 CART utilizes Flask, ngrok, and a web interface to allow one team member to create a server
50 that other team members can access. As shown in [Figure 1](#), CART has two primary functions.

Architecture of CART.

Figure 1: Architecture of CART.

51 *First*, CART runs a Flask application responsible for serving and updating papers (i.e., represented
52 as an abstract, title, URL, and a few metadata fields). A team member will only be served an
53 abstract that they have not seen before, needs votes, has not been flagged as “not” a research
54 paper (i.e., a proceedings or similar document), and is not being viewed by another user. After
55 a vote is cast, the Flask application will update the paper to log who voted, what their vote
56 was, and how many votes have been cast for the paper. This process of serving and updating
57 papers will loop until there are no more eligible papers available.

Web interface tabs: home, progress, history, information, and account.

Figure 2: Web interface tabs: home, progress, history, information, and account.

58 *Second*, CART creates a gamified user experience for reviewing papers. The web interface makes
59 voting on a paper simple (i.e., button click or keyboard press), allows users to set personal
60 goals, and rewards (with confetti) users on every 50th (or set by the team) vote submitted.
61 The web interface also includes tabs ([Figure 2](#)) for **voting** on papers (home), viewing the
62 team's **progress** (bar chart, total vote counts), viewing personal voting **history** (last 50 edits,
63 permitting a change-of-vote), logging information **about** the project (collaborative editing with
64 backups, where users may write guidelines for voting), and viewing **account** details (logging in
65 and out). Moreover, the web app is optimized to provide information in a timely fashion (e.g.,
66 storing ‘open’ papers in logs rather than reviewing the full corpus of possible papers to find
67 open papers).

68 References

- 69 Bellovin, S. M., Dutta, P. K., & Reiter, N. (2019). Privacy and synthetic datasets. *Stan.*
70 *Tech. L. Rev.*, 22, 1. <https://doi.org/10.31228/osf.io/bfqh3>
- 71 Franz, A., Zimmermann, V., Albrecht, G., Hartwig, K., Reuter, C., Benlian, A., & Vogt,
72 J. (2021). SoK: Still plenty of phish in the sea—a taxonomy of user-oriented phishing
73 interventions and avenues for future research. *Seventeenth Symposium on Usable Privacy*
74 *and Security (SOUPS 2021)*, 339–358. <https://doi.org/10.26083/tuprints-00020675>
- 75 Franzosi, R., Doyle, S., McClelland, L. E., Putnam Rankin, C., & Vicari, S. (2013). Quanti-
76 tative narrative analysis software options compared: PC-ACE and CAQDAS (ATLAS.ti,

- 77 MAXqda, and NVivo). *Quality & Quantity*, 47, 3219–3247. <https://doi.org/10.1007/s11135-012-9714-3>
78
- 79 Reitering, N., & Deshpande, A. (2023). Epsilon-differential privacy, and a twostep test for quan-
80 tifying reidentification risk. *Jurimetrics: The Journal of Law, Science & Technology*, 63(3),
81 263–317. <https://www.americanbar.org/content/dam/aba/publications/Jurimetrics/spring-2023/epsilon-differential-privacy-and-a-two-step-test-for-quantifying-reidentification-risk.pdf>
82
83
- 84 Reitering, N., & Mazurek, M. L. (2021). ML-CB: Machine learning canvas block. *Proc. Priv. Enhancing Technol.*, 2021, 453–473. <https://doi.org/10.2478/popets-2021-0056>
85
- 86 Reitering, N., & Mazurek, M. L. (2023). SoK: Considerations in measuring compliance with
87 privacy regulations. *7th Workshop on Technology and Consumer Protection (ConPro 2023)*.
88 <https://conpro23.ieee-security.org/papers/reitering-conpro23.pdf>
- 89 Singhal, M., Ling, C., Paudel, P., Thota, P., Kumarswamy, N., Stringhini, G., & Nilizadeh, S. (2023). SoK: Content moderation in social media, from guidelines to enforcement, and research to practice. *2023 IEEE 8th European Symposium on Security and Privacy (EuroS&p)*, 868–895. <https://doi.org/10.1109/eurosp57164.2023.00056>
90
91
92
- 93 Smit, B., & Scherman, V. (2021). Computer-assisted qualitative data analysis software for
94 scoping reviews: A case of ATLAS.ti. *International Journal of Qualitative Methods*, 20, 1–3. <https://doi.org/10.1177/16094069211019140>
95
- 96 Thomas, K., Akhawe, D., Bailey, M., Boneh, D., Bursztein, E., Consolvo, S., Dell, N., Durumeric, Z., Kelley, P. G., Kumar, D., & others. (2021). Sok: Hate, harassment, and the changing landscape of online abuse. *2021 IEEE Symposium on Security and Privacy (SP)*, 247–267. <https://doi.org/10.1109/sp40001.2021.00028>
97
98
99