

MobileNetV2

#	Round	Precision	Recall	F1-score
	1	0.866	0.865	0.864
	2	0.852	0.851	0.851
	3	0.838	0.837	0.837
	4	0.845	0.844	0.844
	5	0.855	0.854	0.854
	6	0.867	0.865	0.864
	7	0.86	0.855	0.854
	8	0.843	0.842	0.842
	9	0.825	0.823	0.823
	10	0.866	0.866	0.866

AVERAGE	0.8517	0.8502	0.8499
MIN	0.825	0.823	0.823
MAX	0.867	0.866	0.866
VARIANCE	0.00017441	0.00017456	0.00016789

ResNet-50

#	Round	Precision	Recall	F1-score
	1	0.852	0.85	0.85
	2	0.853	0.853	0.853
	3	0.842	0.832	0.828
	4	0.857	0.856	0.856
	5	0.847	0.847	0.847
	6	0.853	0.851	0.851
	7	0.857	0.855	0.855
	8	0.827	0.824	0.823
	9	0.837	0.832	0.83
	10	0.84	0.84	0.839

AVERAGE	0.8517	0.8502	0.8499
MIN	0.825	0.823	0.823
MAX	0.867	0.866	0.866
VARIANCE	0.00017441	0.00017456	0.00016789

Different OXIDES

Magnetite

#	Round	Precision	Recall	F1-score
	1	0.9289	0.9277	0.9275
	2	0.9369	0.9364	0.9359
	3	0.9609	0.9595	0.9592
	4	0.9282	0.9282	0.9279
	5	0.9337	0.9335	0.9333
	6	0.9377	0.9364	0.9367
	7	0.9455	0.9451	0.9448
	8	0.9339	0.9335	0.9339

EfficientNetB0

#	Round	Precision	Recall	F1-score
	1	0.854	0.854	0.854
	2	0.844	0.844	0.844
	3	0.845	0.844	0.844
	4	0.859	0.859	0.859
	5	0.852	0.851	0.851
	6	0.846	0.846	0.845
	7	0.854	0.853	0.852
	8	0.857	0.854	0.853
	9	0.879	0.874	0.873
	10	0.873	0.855	0.855

AVERAGE	0.8563	0.8534	0.853
MIN	0.844	0.844	0.844
MAX	0.879	0.874	0.873
VARIANCE	0.00012161	0.00006964	0.0000672

ResNet-101

#	Round	Precision	Recall	F1-score
	1	0.853	0.853	0.853
	2	0.862	0.859	0.858
	3	0.848	0.844	0.843
	4	0.847	0.847	0.847
	5	0.851	0.85	0.85
	6	0.863	0.862	0.862
	7	0.827	0.801	0.784
	8	0.884	0.883	0.882
	9	0.833	0.832	0.832
	10	0.806	0.806	0.806

AVERAGE	0.8517	0.8502	0.8499
MIN	0.825	0.823	0.823
MAX	0.867	0.866	0.866
VARIANCE	0.00017441	0.00017456	0.00016789

Goethite

#	Round	Precision	Recall	F1-score
1	1	0.8045	0.7908	0.7904
2	2	0.8121	0.8039	0.8059
3	3	0.8182	0.8182	0.81
4	4	0.7614	0.7582	0.7596
5	5	0.7981	0.7974	0.7881
6	6	0.8284	0.8268	0.816
7	7	0.8035	0.7941	0.7923
8	8	0.7952	0.8007	0.792

ResNet-18

#	Round	Precision	Recall	F1-score
1		0.846	0.844	0.844
2		0.814	0.813	0.813
3		0.863	0.86	0.86
4		0.851	0.849	0.849
5		0.866	0.866	0.853
6		0.859	0.857	0.857
7		0.876	0.86	0.855
8		0.851	0.842	0.839
9		0.827	0.82	0.818
10		0.849	0.843	0.843

AVERAGE	0.8502	0.8454	0.8431
MIN	0.814	0.813	0.813
MAX	0.876	0.866	0.866
VARIANCE	0.00030256	0.00027124	0.00023069

Rust compound

#	Round	Precision	Recall	F1-score
	1	0.8697	0.8676	0.8684
	2	0.8912	0.8853	0.8872
	3	0.8603	0.8574	0.8585
	4	0.8585	0.8585	0.8515
	5	0.8761	0.875	0.8754
	6	0.8665	0.8632	0.8636
	7	0.8732	0.8676	0.8688
	8	0.8737	0.8706	0.8701

ResNet-34

#	Round	Precision	Recall	F1-score
1		0.809	0.807	0.805
2		0.81	0.81	0.809
3		0.84	0.83	0.825
4		0.816	0.812	0.811
5		0.834	0.834	0.833
6		0.85	0.849	0.849
7		0.823	0.823	0.823
8		0.811	0.811	0.811
9		0.824	0.82	0.82
10		0.826	0.82	0.816

AVERAGE	0.8243	0.8216	0.8202
MIN	0.809	0.807	0.805
MAX	0.85	0.849	0.849
VARIANCE	0.00016901	0.00015344	0.00015676

4				
2				
5				
5				
4				
6				
8				
1				

		9	0.9555	0.9538	0.9538			9	0.8135	0.8105	0.81			9	0.8701	0.8647	0.8656																			
		10	0.9273	0.9249	0.9244			10	0.8073	0.7908	0.7913			10	0.8673	0.8618	0.8629																			
Temperature OOD testings																																				
					Test [10,35]						OOD [35-45]										Test [10,35]										OOD 45-55					
#	Round	Precision	Recall	F1-score						#	Round	Precision	Recall	F1-score						#	Round	Precision	Recall	F1-score						#	Round	Precision	Recall	F1-score		
	1	0.849	0.8476	0.8477						1	0.8398	0.838	0.8381						1	0.8555	0.8498	0.8493						1	0.8493	0.8493	0.8462					
	2	0.8433	0.8423	0.8421						2	0.8443	0.8433	0.8434						2	0.8551	0.8444	0.8428						2	0.8528	0.8423	0.8406					
	3	0.8423	0.8423	0.842						3	0.839	0.839	0.8388						3	0.8434	0.8423	0.8414						3	0.8369	0.8358	0.8358					
	4	0.852	0.8519	0.8515						4	0.8608	0.8605	0.8603						4	0.852	0.8519	0.8517						4	0.8478	0.8476	0.8473					
	5	0.8562	0.8562	0.8558						5	0.8331	0.8326	0.8309						5	0.848	0.8476	0.8468						5	0.8435	0.8433	0.8431					
	6	0.8761	0.8702	0.8676						6	0.8531	0.8466	0.8422						6	0.8338	0.8337	0.8337						6	0.8478	0.8476	0.8476					
	7	0.8519	0.8509	0.8508						7	0.8471	0.8455	0.8456						7	0.8397	0.8305	0.8283						7	0.8425	0.8358	0.8347					
	8	0.8334	0.8305	0.8305						8	0.8366	0.8348	0.8348						8	0.8414	0.8412	0.8412						8	0.8486	0.8487	0.8484					
	9	0.8449	0.8444	0.8434						9	0.8537	0.8541	0.8536						9	0.8505	0.8498	0.8498						9	0.8592	0.8584	0.8584					
	10	0.866	0.8627	0.8625						10	0.86	0.8552	0.8548						10	0.8422	0.8423	0.8422						10	0.8497	0.8497	0.8497					
AVERAGE		0.85151	0.8499	0.84939						AVERAGE	0.84675	0.84496	0.84425						AVERAGE	0.84616	0.84335	0.84272						AVERAGE	0.84781	0.84585	0.84518					
MIN		0.8334	0.8305	0.8305						MIN	0.8331	0.8326	0.8309						MIN	0.8338	0.8305	0.8283						MIN	0.8369	0.8358	0.8347					
MAX		0.8761	0.8702	0.8676						MAX	0.8608	0.8605	0.8603						MAX	0.8608	0.8605	0.8603						MAX	0.8608	0.8605	0.8603					
VARIANCE		0.0001367209	0.000114804	0.0001054329						VARIANCE	0.0000685425	0.0000775584	0.0000798125						VARIANCE	0.0000463944	0.000040545	0.0000484336						VARIANCE	0.0000326849	0.000041985	0.0000440076					