

# The Complexity of Infinite Advice Strings

---

Gaëtan Douéneau-Tabot

école —  
normale —  
supérieure —  
paris — saclay —

Bordeaux, December 6th, 2018

# Infinite words

Infinite sequences of letters (over a finite alphabet)

*abdabaddcbadbcbdbbcbad...*

# Infinite words

Infinite sequences of letters (over a finite alphabet)

*abdabaddcbadbcbdbbcad...*

## Why?

- describe real numbers
- model data streams for online algorithms, unbounded runs...
- relations to logic
- + number theory, physics, biology...

# The (intuitive) complexity of infinite words

What is the “complexity” of a word  $\alpha \in \Gamma^\omega$ ?

# The (intuitive) complexity of infinite words

What is the “complexity” of a word  $\alpha \in \Gamma^\omega$ ?

## Rational vs irrational

$4308(23)^\omega$  (ultimately periodic) is “simpler” than  
 $10100100010000100000\dots$ .

# The (intuitive) complexity of infinite words

What is the “complexity” of a word  $\alpha \in \Gamma^\omega$ ?

## Rational vs irrational

$4308(23)^\omega$  (ultimately periodic) is “simpler” than  
 $10100100010000100000\dots$ .

## Several possible definitions

- smallest “program” defining  $\alpha$ ? **Kolmogorov complexity**
- number of finite factors in  $\alpha$ ? **Subword complexity**
- is  $\alpha$  computable from  $\beta$ ? **Turing degrees**

# The (intuitive) complexity of infinite words

## Our notion of complexity

- infinite words are used as *advices* ( $\simeq$  oracle, definitions later)  
 $\mathcal{C}[\alpha]$  the class of “what can be done” with advice  $\alpha$
- $\alpha$  “**simpler**” than  $\beta$  iff  $\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  holds

# The (intuitive) complexity of infinite words

## Our notion of complexity

- infinite words are used as *advices* ( $\simeq$  oracle, definitions later)  
 $\mathcal{C}[\alpha]$  the class of “what can be done” with advice  $\alpha$
- $\alpha$  “**simpler**” than  $\beta$  iff  $\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  holds

## Our results: equivalent characterizations

$\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  iff  $\alpha$  is the image of  $\beta$  under some transduction



# The (intuitive) complexity of infinite words

## Our notion of complexity

- infinite words are used as *advices* ( $\simeq$  oracle, definitions later)  
 $\mathcal{C}[\alpha]$  the class of “what can be done” with advice  $\alpha$
- $\alpha$  “**simpler**” than  $\beta$  iff  $\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  holds

## Our results: equivalent characterizations

$\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  iff  $\alpha$  is the image of  $\beta$  under some transduction

## Basic ingredients

# The (intuitive) complexity of infinite words

## Our notion of complexity

- infinite words are used as *advices* ( $\simeq$  oracle, definitions later)  
 $\mathcal{C}[\alpha]$  the class of “what can be done” with advice  $\alpha$
- $\alpha$  “**simpler**” than  $\beta$  iff  $\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  holds

## Our results: equivalent characterizations

$\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  iff  $\alpha$  is the image of  $\beta$  under some transduction

## Basic ingredients



# The (intuitive) complexity of infinite words

## Our notion of complexity

- infinite words are used as *advices* ( $\simeq$  oracle, definitions later)  
 $\mathcal{C}[\alpha]$  the class of “what can be done” with advice  $\alpha$
- $\alpha$  “**simpler**” than  $\beta$  iff  $\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  holds

## Our results: equivalent characterizations

$\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  iff  $\alpha$  is the image of  $\beta$  under some transduction

## Basic ingredients



# The (intuitive) complexity of infinite words

## Our notion of complexity

- infinite words are used as *advices* ( $\simeq$  oracle, definitions later)  
 $\mathcal{C}[\alpha]$  the class of “what can be done” with advice  $\alpha$
- $\alpha$  “**simpler**” than  $\beta$  iff  $\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  holds

## Our results: equivalent characterizations

$\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  iff  $\alpha$  is the image of  $\beta$  under some transduction

## Basic ingredients



# The (intuitive) complexity of infinite words

## Our notion of complexity

- infinite words are used as *advices* ( $\simeq$  oracle, definitions later)  
 $\mathcal{C}[\alpha]$  the class of “what can be done” with advice  $\alpha$
- $\alpha$  “**simpler**” than  $\beta$  iff  $\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  holds

## Our results: equivalent characterizations

$\mathcal{C}[\alpha] \subseteq \mathcal{C}[\beta]$  iff  $\alpha$  is the image of  $\beta$  under some transduction

## Basic ingredients



# Outline


1. Advice regular languages
2. Automatic structures
3. Advice automatic structures and transductions
4. A new framework: the two-way transductions hierarchy

## Advice regular languages

---

# Regular languages with advice [Salomaa, 1968]

## Advice automata




Acceptance condition: end the run in an accepting state.



# Regular languages with advice [Salomaa, 1968]

## Advice automata



Acceptance condition: end the run in an accepting state.

$\text{Reg}[\alpha]$  = class of regular languages with advice  $\alpha$  (fixed)

## Example

$\text{Pref}(\alpha)$  set of finite prefixes of  $\alpha$ .

$$\alpha = abba \cdots$$

$$\text{Pref}(\alpha) = \{\varepsilon, a, ab, abb, abba, \dots\}$$


# Regular languages with advice

## Example

$\text{Pref}(\alpha)$  set of finite prefixes of  $\alpha$ .

$\alpha = abba \dots$

$\text{Pref}(\alpha) = \{\varepsilon, a, ab, abb, abba, \dots\}$



## Regular-like properties [Baer and Spanier, 1969]

- $\text{Reg}[\alpha]$  is a boolean algebra;
- $\text{Reg} \subseteq \text{Reg}[\alpha]$
- $\text{Reg} = \text{Reg}[\alpha]$  iff  $\alpha$  is ultimately periodic;
- ...

When does  $\text{Reg}[\alpha] \subseteq \text{Reg}[\beta]$ ?

# From advice power to transductions

When does  $\text{Reg}[\alpha] \subseteq \text{Reg}[\beta]$ ?

*Mealy machine*: letter-to-letter deterministic finite transducer.

# From advice power to transductions

When does  $\text{Reg}[\alpha] \subseteq \text{Reg}[\beta]$ ?

*Mealy machine*: letter-to-letter deterministic finite transducer.

## Proposition

The following are equivalent:

1.  $\text{Reg}[\alpha] \subseteq \text{Reg}[\beta]$ ;
2. there is a Mealy machine transforming  $\beta$  into  $\alpha$ .

More or less trivial...

# If $\omega$ -words were musical instruments

recorder  
repertoire

clarinet  
repertoire





# If $\omega$ -words were musical instruments

Intrinsic complexity:  $\text{Reg}[\alpha] \subseteq \text{Reg}[\beta]$

recorder  
repertoire

clarinet  
repertoire



# If $\omega$ -words were musical instruments

Intrinsic complexity:  $\text{Reg}[\alpha] \subseteq \text{Reg}[\beta]$

recorder  
repertoire

clarinet  
repertoire

Explicit transformation:  $\alpha \longleftarrow \beta$



"Physical" simplification



# Summary table

LANGUAGES

STRUCTURES

Advice	$\text{Reg}[\alpha] \subseteq \text{Reg}[\beta]$	
Logic	★	
Machine	$\alpha$ image of $\beta$ under a Mealy machine	

# Automatic structures

---

## Automatic structures

$$\mathfrak{A} = (A, R_1, \dots, R_n)$$

↑    ↑            ↑  
*can be encoded  
by regular languages*

# Automatic structures

## Automatic structures

$$\mathfrak{A} = (A, R_1, \dots, R_n)$$

$\uparrow \quad \uparrow \quad \quad \uparrow$   
*can be encoded  
by regular languages*

AutStr = class of automatic structures.

# Automatic structures

## Automatic structures

$$\mathfrak{A} = (A, R_1, \dots, R_n)$$

$\uparrow \quad \uparrow \quad \uparrow$   
*can be encoded  
by regular languages*

AutStr = class of automatic structures.

## Example

$$(\mathbb{N}, +) \in \text{AutStr}$$

## Decidability issues

Every structure in AutStr has a decidable FO theory.

## The rational group

- $(\mathbb{Q}, +)$  is a simple structure with decidable FO-theory;
- **but...**



## The rational group

- $(\mathbb{Q}, +)$  is a simple structure with decidable FO-theory;
- **but...**  $(\mathbb{Q}, +)$  is not an  $(\omega)$ -automatic structure [Tsankov, 2011];
- **but...**

## The rational group

- $(\mathbb{Q}, +)$  is a simple structure with decidable FO-theory;
- **but**. . .  $(\mathbb{Q}, +)$  is not an  $(\omega)$ -automatic structure [Tsankov, 2011];
- **but**. . .  $(\mathbb{Q}, +)$  can be represented with languages from  $\text{Reg}[\alpha]$  for some  $\alpha$  [Kruckman et al., 2012].

## Advice automatic structures

$\text{AutStr}[\alpha]$  = class of structures presentable with languages of  $\text{Reg}[\alpha]$ .

## Advice automatic structures

$\text{AutStr}[\alpha]$  = class of structures presentable with languages of  $\text{Reg}[\alpha]$ .

## Decidability issues

If  $\alpha$  has a decidable MSO-theory, any structure of  $\text{AutStr}[\alpha]$  has a decidable FO-theory.

## **Advice automatic structures and transductions**

---

## Question

When does  $\text{AutStr}[\alpha] \subseteq \text{AutStr}[\beta]$  holds?

## Question

When does  $\text{AutStr}[\alpha] \subseteq \text{AutStr}[\beta]$  holds?

- more difficult & possibly more interesting than  $\text{Reg}[\alpha] \subseteq \text{Reg}[\beta]$
- a “level of abstraction” higher

# MSO-transductions: “regular” transformations of words

## MSO-transductions on infinite words

$0 \longrightarrow 1 \longrightarrow 1 \longrightarrow 0 \longrightarrow 1 \longrightarrow 0 \longrightarrow 1 \longrightarrow \dots$



# MSO-transductions: “regular” transformations of words

## MSO-transductions on infinite words

1. make  $k$  copies of the word;

$0 \longrightarrow 1 \longrightarrow 1 \longrightarrow 0 \longrightarrow 1 \longrightarrow 0 \longrightarrow 1 \longrightarrow \dots$

0      1      1      0      1      0      1      ...

0      1      1      0      1      0      1      ...

# MSO-transductions: “regular” transformations of words

## MSO-transductions on infinite words

1. make  $k$  copies of the word;
2. remove/relabel the vertices in an MSO-definable way;

$0 \longrightarrow 1 \longrightarrow 1 \longrightarrow 0 \longrightarrow 1 \longrightarrow 0 \longrightarrow 1 \longrightarrow \dots$


	1	1		1		1	...
0		1	0		0		...

# MSO-transductions: “regular” transformations of words

## MSO-transductions on infinite words

1. make  $k$  copies of the word;
2. remove/relabel the vertices in an MSO-definable way;
3. add new edges in an MSO-definable way.

$0 \longrightarrow 1 \longrightarrow 1 \longrightarrow 0 \longrightarrow 1 \longrightarrow 0 \longrightarrow 1 \longrightarrow \dots$




## Example: reverse factor

There is an MSO-transduction transforming  $\alpha := w_1 \# w_2 \# \dots \in (\Gamma^* \#)^{\omega}$  into  $\tilde{\alpha} := \widetilde{w_1} \# \widetilde{w_2} \# \dots$  (mirror images).

## Example: reverse factor

There is an MSO-transduction transforming  $\alpha := w_1 \# w_2 \# \dots \in (\Gamma^* \#)^\omega$  into  $\tilde{\alpha} := \widetilde{w_1} \# \widetilde{w_2} \# \dots$  (mirror images).



## Theorem

The following are equivalent:

1.  $\text{AutStr}[\alpha] \subseteq \text{AutStr}[\beta]$ ;
2. there is an MSO-transduction transforming  $\beta$  into  $\alpha$ .

*(based on [Colcombet and Löding, 2007])*

## Theorem

The following are equivalent:

1.  $\text{AutStr}[\alpha] \subseteq \text{AutStr}[\beta]$ ;
2. there is an MSO-transduction transforming  $\beta$  into  $\alpha$ .

*(based on [Colcombet and Löding, 2007])*

+ also holds for variants of  $\text{AutStr}[\alpha] : \text{AutStr}^\infty[\alpha], \omega\text{AutStr}[\alpha]$ .

# Summary table


	LANGUAGES	STRUCTURES
<b>Advice</b>	$\text{Reg}[\alpha] \subseteq \text{Reg}[\beta]$	$\text{AutStr}[\alpha] \subseteq \text{AutStr}[\beta]$ $\text{AutStr}^\infty[\alpha] \subseteq \text{AutStr}^\infty[\beta]$ $\omega\text{AutStr}[\alpha] \subseteq \omega\text{AutStr}[\beta]$
<b>Logic</b>	★	$\alpha$ image of $\beta$ under an MSO-transduction
<b>Machine</b>	$\alpha$ image of $\beta$ under a Mealy machine	

An equivalent computation model for MSO-transductions?




# Two-way transducers

## General idea



# Two-way transducers

## General idea



## Example: reverse factor

There is a two-way finite transducer computing  $\tilde{\alpha} = \tilde{w}_1 \# \tilde{w}_2 \# \dots$  from  $\alpha = w_1 \# w_2 \# \dots$ .

# MSO-transductions vs two-way transducers

## Theorem: finite words [Engelfriet and Hoogeboom, 2001]

Over finite words, functions definable by MSO-transductions are exactly functions realized by two-way transducers.

# MSO-transductions vs two-way transducers

## **Theorem: finite words [Engelfriet and Hoogeboom, 2001]**

Over finite words, functions definable by MSO-transductions are exactly functions realized by two-way transducers.

## **Theorem: infinite words [Alur et al., 2012]**

Over infinite words, functions definable by MSO-transductions are exactly functions realized by two-way transducers with  $\omega$ -regular lookahead (that read their whole input string).

**Question:** Can we avoid the lookahead for fixed-input transformations?

# MSO-transductions vs two-way transducers

## Theorem: finite words [Engelfriet and Hooageboom, 2001]

Over finite words, functions definable by MSO-transductions are exactly functions realized by two-way transducers.

## Theorem: infinite words [Alur et al., 2012]

Over infinite words, functions definable by MSO-transductions are exactly functions realized by two-way transducers with  $\omega$ -regular lookahead (that read their whole input string).

**Question:** Can we avoid the lookahead for fixed-input transformations?

## Theorem

There is an MSO-transduction transforming  $\beta$  into  $\alpha$  iff there is a two-way transducer transforming  $\beta$  into  $\alpha$ .

# Summary table

	LANGUAGES	STRUCTURES
<b>Advice</b>	$\text{Reg}[\alpha] \subseteq \text{Reg}[\beta]$	$\text{AutStr}[\alpha] \subseteq \text{AutStr}[\beta]$ $\text{AutStr}^\infty[\alpha] \subseteq \text{AutStr}^\infty[\beta]$ $\omega\text{AutStr}[\alpha] \subseteq \omega\text{AutStr}[\beta]$
<b>Logic</b>	★	$\alpha$ image of $\beta$ under an MSO-transduction
<b>Machine</b>	$\alpha$ image of $\beta$ under a Mealy machine	$\alpha$ image of $\beta$ under a two-way transducer

+ results for *variants* of the definition: languages over infinite words, etc.


## A new framework: the two-way transductions hierarchy

---

# Degrees of infinite words

## Fix a preorder over infinite words

- classes of equally complex words: **degrees**
- properties of the poset of degrees. Do least/top degree, upper/lower bounds... exist? Is the hierarchy dense?





# Two-way transducibility degrees

## Our preorder

$\alpha \preceq_{2\text{WFT}} \beta$  if  $\alpha$  image of  $\beta$  under a two-way transducer.

→ Motivation: meaning in terms of structures. *Unexplored !*

# Two-way transducibility degrees

## Our preorder

$\alpha \preceq_{2\text{WFT}} \beta$  if  $\alpha$  image of  $\beta$  under a two-way transducer.


→ Motivation: meaning in terms of structures. *Unexplored !*

## A similar work: [Endrullis et al., 2015]

$\alpha \preceq_{1\text{WFT}} \beta$  if  $\alpha$  image of  $\beta$  under a *one*-way transducer.

→ Motivation: meaning in terms of combinatorics. *Recent !*

# Exploring the two-way transductions hierarchy



$\pi = 101001000100001 \dots$

## Results

Least degree, prime degree, subhierarchies...

## Discussion and outlook

---

# Languages vs transductions

## Example: over finite words

- Deterministic, or non-deterministic, or two-way (Boustrophedon) automata recognize the **same languages**.

# Languages vs transductions

## Example: over finite words

- Deterministic, or non-deterministic, or two-way (Boustrophedon) automata recognize the **same languages**.
- Deterministic (one way), or non-deterministic (one way), or two-way transducers define **different classes of functions**.

# Languages vs transductions

## Example: over finite words

- Deterministic, or non-deterministic, or two-way (Boustrophedon) automata recognize the **same languages**.
- Deterministic (one way), or non-deterministic (one way), or two-way transducers define **different classes of functions**.

*The author (along with many other people) has come recently to the conclusion that the functions computed by the various machines are more important - or at least more basic - than the sets accepted by these devices.*

Dana Scott [Scott, 1967].

## Towards a general theory?

Draw a non-trivial link between accepted languages (via presentable structures) and transductions.



## Towards a general theory?

Draw a non-trivial link between accepted languages (via presentable structures) and transductions.

## Open questions:

- the two-way transduction hierarchy
- words with an MSO-decidable theory ?
- specific advice automatic structures: groups, etc ?

## Towards a general theory?

Draw a non-trivial link between accepted languages (via presentable structures) and transductions.

## Open questions:

- the two-way transduction hierarchy ← work (slowly) in progress
- words with an MSO-decidable theory ?
- specific advice automatic structures: groups, etc ?

**Thank you !**

