
# Milestone Execution: System Architecture · Slide 1

· Core Objective 1.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 1.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 1.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 2

· Core Objective 2.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 2.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 2.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 3

· Core Objective 3.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 3.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 3.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 4

· Core Objective 4.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 4.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 4.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 5

· Core Objective 5.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 5.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 5.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 6

· Core Objective 6.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 6.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 6.C: Process-isolated PDFium daemon with instant Binder crash recovery.



# Milestone Execution: System Architecture · Slide 7

· Core Objective 7.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 7.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 7.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 8

· Core Objective 8.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 8.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 8.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 9

· Core Objective 9.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 9.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 9.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 10

· Core Objective 10.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 10.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 10.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 11

· Core Objective 11.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 11.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 11.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 12

· Core Objective 12.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 12.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 12.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 13

· Core Objective 13.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 13.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 13.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 14

· Core Objective 14.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 14.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 14.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 15

· Core Objective 15.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 15.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 15.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 16

· Core Objective 16.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 16.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 16.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 17

· Core Objective 17.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 17.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 17.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 18

· Core Objective 18.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 18.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 18.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 19

· Core Objective 19.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 19.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 19.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 20

· Core Objective 20.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 20.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 20.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 21

· Core Objective 21.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 21.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 21.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 22

· Core Objective 22.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 22.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 22.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 23

· Core Objective 23.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 23.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 23.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 24

· Core Objective 24.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 24.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 24.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 25

· Core Objective 25.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 25.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 25.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 26

· Core Objective 26.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 26.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 26.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 27

· Core Objective 27.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 27.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 27.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 28

· Core Objective 28.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 28.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 28.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 29

· Core Objective 29.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 29.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 29.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 30

· Core Objective 30.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 30.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 30.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 31

· Core Objective 31.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 31.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 31.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 32

· Core Objective 32.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 32.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 32.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 33

· Core Objective 33.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 33.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 33.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 34

· Core Objective 34.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 34.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 34.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 35

· Core Objective 35.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 35.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 35.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 36

· Core Objective 36.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 36.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 36.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 37

· Core Objective 37.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 37.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 37.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 38

· Core Objective 38.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 38.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 38.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 39

· Core Objective 39.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 39.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 39.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 40

· Core Objective 40.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 40.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 40.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 41

· Core Objective 41.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 41.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 41.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 42

· Core Objective 42.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 42.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 42.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 43

· Core Objective 43.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 43.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 43.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 44

· Core Objective 44.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 44.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 44.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 45

· Core Objective 45.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 45.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 45.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 46

· Core Objective 46.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 46.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 46.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 47

· Core Objective 47.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 47.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 47.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 48

· Core Objective 48.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 48.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 48.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 49

· Core Objective 49.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 49.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 49.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 50

· Core Objective 50.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 50.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 50.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 51

· Core Objective 51.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 51.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 51.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 52

· Core Objective 52.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 52.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 52.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 53

· Core Objective 53.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 53.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 53.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 54

· Core Objective 54.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 54.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 54.C: Process-isolated PDFium daemon with instant Binder crash recovery.



# Milestone Execution: System Architecture · Slide 55

· Core Objective 55.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 55.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 55.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 56

· Core Objective 56.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 56.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 56.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 57

· Core Objective 57.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 57.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 57.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 58

· Core Objective 58.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 58.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 58.C: Process-isolated PDFium daemon with instant Binder crash recovery.




# Milestone Execution: System Architecture · Slide 59

· Core Objective 59.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 59.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 59.C: Process-isolated PDFium daemon with instant Binder crash recovery.



# Milestone Execution: System Architecture · Slide 60

· Core Objective 60.A: Zero-jank 144 Hz rendering on tablet display surfaces.

· Core Objective 60.B: Hard memory bounding under 250 MB total PSS for 100+ page docs.

· Core Objective 60.C: Process-isolated PDFium daemon with instant Binder crash recovery.

