The classes are demonstrated below.


> library(stocins)

1 Survival Models

```
> mort = mortassumptions(list(x = 40, table = "MaleMort82"))

> plot(x = seq(0, 70, 1), y = kpx(seq(0, 70, 1), mort), xlab = "k",

+ ylab = "kpx", type = 'l')
```



2 Single Insurance Product

2.1 Single Term Insurance Product

2.2 Single Endowment Insurance Product

3 Insurance Portfolio

3.1 Term Insurance Portfolio

```
[1] 1.695275
> z.moment(1, termport1e09, mort, oumodel) / termport1e09$c
[1] 2.332099
> z.sd(termport1e09, mort, oumodel) / termport1e09$c
[1] 0.1509841
> z.sk(termport1e09, mort, oumodel)
[1] 0.2741138
```

3.2 Endowment Insurance Portfolio

```
> endowport10 = insurance(params = list(single = endowins, c = 10),
                          "iport", "endow")
> endowport1e09 = insurance(params = list(single = endowins, c = 1e09),
                          "iport", "endow")
> z.moment(1, endowport10, mort, oumodel) / endowport10$c
[1] 49.32873
> z.sd(endowport10, mort, oumodel) / endowport10$c
[1] 6.382895
> z.sk(endowport10, mort, oumodel)
[1] 0.3568514
> z.moment(1, endowport1e09, mort, oumodel) / endowport1e09$c
[1] 49.32873
> z.sd(endowport1e09, mort, oumodel) / endowport1e09$c
[1] 6.265067
> z.sk(endowport1e09, mort, oumodel)
[1] 0.3900877
```

4 Group of Insurance Portfolios

```
> single1 = insurance(params = list(n=10, d=50, e=50), "isingle", "endow")
> single2 = insurance(params = list(n=5, d=100, e=50), "isingle", "endow")
> single3 = insurance(params = list(n=10, d=150, e=0), "isingle", "endow")
> single4 = insurance(params = list(n=10, d=50, e=0), "isingle", "endow")
> single5 = insurance(params = list(n=10, d=100, e=100), "isingle", "endow")
```

```
> single6 = insurance(params = list(n=5, d=75, e=0), "isingle", "endow")
> single7 = insurance(params = list(n=5, d=25, e=0), "isingle", "endow")
> single8 = insurance(params = list(n=10, d=50, e=50), "isingle", "endow")
> mort1 = mortassumptions(params = list(x = 30, table = "MaleMort82"))
> mort2 = mortassumptions(params = list(x = 35, table = "MaleMort82"))
> mort3 = mortassumptions(params = list(x = 50, table = "MaleMort82"))
> mort4 = mortassumptions(params = list(x = 30, table = "FemaleMort82"))
> mort5 = mortassumptions(params = list(x = 40, table = "FemaleMort82"))
> mort6 = mortassumptions(params = list(x = 40, table = "MaleMort82Reduced"))
> mort7 = mortassumptions(params = list(x = 45, table = "FemaleMort82Reduced"))
> mort8 = mortassumptions(params = list(x = 55, table = "FemaleMort82"))
> port1 = insurance(params = list(single = single1, c = 1000), "iport", "endow")
> port2 = insurance(params = list(single = single2, c = 2500), "iport", "endow")
> port3 = insurance(params = list(single = single3, c = 2000), "iport", "endow")
> port4 = insurance(params = list(single = single4, c = 1500), "iport", "endow")
> port5 = insurance(params = list(single = single5, c = 500), "iport", "endow")
> port6 = insurance(params = list(single = single6, c = 2500), "iport", "endow")
> port7 = insurance(params = list(single = single7, c = 3000), "iport", "endow")
> port8 = insurance(params = list(single = single8, c = 500), "iport", "endow")
> insgroup = insurance(list(port1, port2, port3, port4, port5,
                            port6, port7, port8), "igroup")
> mortgroup = list(mort1, mort2, mort3, mort4, mort5, mort6, mort7, mort8)
> z.moment(1, insgroup, mortgroup, oumodel) / insgroup$c
[1] 12.64324
> z.moment(2, insgroup, mortgroup, oumodel) / insgroup$c^2
[1] 160.8296
> z.sd(insgroup, mortgroup, oumodel) / insgroup$c
[1] 0.9890085
> z.invrisk(insgroup, mortgroup, oumodel) / insgroup$c^2
[1] 0.9675637
> z.insrisk(insgroup, mortgroup, oumodel) / insgroup$c^2
[1] 0.01057409
```