


Welcome to DeskPRO!

After you log in for the first time, you'll see the **agent** interface below.

agents: the staff within your organization who use DeskPRO to provide help

users: the people you are helping

admins: the staff within your organization who have administrator access to configure your DeskPRO helpdesk



The **app bar** is where you select from the applications which make up DeskPRO:




The **filter pane** enables you to select groups of items to work on – for example, a list of all the tickets that are assigned to your team.

The **list pane** shows the results of your selection in the filter pane. You can open items from here.

The **content pane** is a workspace for dealing with the details of individual items. You can switch between open items (such as tickets, user records, or chats) using a tabbed interface, as in a web browser.




At the top is the **toolbar**:



The Tickets App

Tickets in the filter pane

The filter pane is where you select groups of tickets to work on. For example, you might want to see all tickets that are awaiting an agent and are assigned to your team.



Advanced search for tickets

All tickets in this section are awaiting an agent

Set up custom filters e.g. show all tickets created from emails

Shows if tickets are passing or failing your organisation's Service Level Agreements

All tickets by status

Ticket status

Each ticket has a **status**, which tracks who needs to reply to the ticket next.

awaiting agent - for when an agent needs to contact the user

awaiting user - for when you're waiting for the user to contact your organization

resolved - for when the issue is resolved and communication has ended. Resolved tickets can be re-opened.

Assignment

Tickets start out as unassigned but can be assigned to a user and/or a team.


My Tickets shows tickets that are assigned to you. Replying to an unassigned ticket means it will be assigned to you.

Tickets I Follow is a way to keep track of a ticket that's not assigned to you. You can follow a ticket using the content pane.

Labels let you categorize items; they are shared by all agents.

You can also put flags in various colors on tickets to help you keep track of them. Flags are for your own reference only.

You can divide tickets awaiting an agent into smaller groups for quick reference.



Click any of the small arrows to filter by custom groups

Select Field to Group Tickets

- Department
- Product
- Workflow
- Organization
- Person
- Language
- Urgency
- Agent

Tickets in the list pane

The result of your selection in the filter pane is shown in the list pane.

Click a ticket to open it in the content pane. Open tickets turn blue.

Change how tickets are ordered: currently in descending order of urgency

Urgency of this ticket is 10

This ticket has failed an SLA (red edge)

This ticket is close to failing an SLA (amber edge)

Urgency is a score from 1 to 10 which can be changed by agents or by automatic rules set up by your DeskPRO administrator. It is designed to help you prioritize ticket

An SLA is a condition to meet (such as replying to a new ticket within 4 hours). When a ticket is close to failing an SLA, it is marked amber.

SLAs		
First Response	1	7
Total wait < 3 days	5	5

You can select multiple list items using the checkboxes. This is useful if you want to apply the same action to multiple tickets – for example, you need to delete several tickets at once.

12 TICKETS

Ordered by: Date of Last Agent Reply desc grouped by: None

3 selected

- #3 Advanced configuration of ACME catapult (Awaiting Agent: 4)
- #5 Crashing! (Awaiting Agent: 10)
- #18 Warranty terms (Awaiting Agent: 5)
- #17 Quote for custom 100 ton weight (Awaiting Agent: 3)

Apply actions to 3 selections

Change Status

Set resolved Set awaiting user Set awaiting agent Mark For

Agent **Team**

Followers

Add Followers

Department

MASS REPLY

Attach Snippets B I U A

Ordered by: Date of Last Agent Reply desc grouped by: None

Group list items with this menu - this gives you a second level of filtering

Waiting Time 3

#3 Advanced configuration of ACME catapult

Can you let me know how best to configure the ACME catapult to hit a fast-moving target near

Mouse over ticket for a preview

Tickets in the content pane

The screenshot shows a ticket interface for a ticket titled "Capacity of the Acme Gyrocopter" (ID: 9). The interface includes a header with user avatars and names, a main content area with tabs for PROPERTIES, TASKS, and SLAS, and a bottom section for messages and replies. Annotations with arrows point to specific elements:

- Ticket ID - click for Ref code**: Points to the ticket ID "ID: 9".
- Click title to edit**: Points to the ticket title "Capacity of the Acme Gyrocopter".
- User information - click for details**: Points to the user information "Eric User (rocketfan@example.com)".
- Team assigned to this ticket**: Points to the team "2nd Level Support".
- Agent assigned to this ticket**: Points to the agent "Acme Support Agent 2".
- Delete ticket with this menu**: Points to the "Remove" button in the Actions menu.
- Write your reply to the user here**: Points to the reply text area.
- Send reply & change status to "awaiting user"**: Points to the "Send Reply as Awaiting User" button.
- Previous messages and agent notes on ticket**: Points to the message history section.
- Reply will be emailed to user (default)**: Points to the "Email User" checkbox.

You can write a reply in rich text format (with formatting, links etc).

By default, your message is emailed to the user and the ticket status is set to "awaiting user".

In some situations, you'll want to keep the status as "awaiting agent" or mark the ticket as resolved after you reply.

This screenshot shows the "Reply and apply a macro" dropdown menu. It lists three options: "Reply and set a status", "Awaiting User", and "Awaiting Agent". The "Awaiting Agent" option is currently selected, indicated by a checkmark. Below the dropdown is the "Send Reply as Awaiting Agent" button. An annotation points to the dropdown menu:

- Use this control to select the ticket status you want after your reply is sent**: Points to the dropdown menu.

Add attachments to a message using the **Attach** button, or just by dragging the file onto the bar above the reply box.

To insert an image in the message, drag it into the reply box (it must be in PNG, JPEG or GIF format).


This screenshot shows the reply box with two distinct areas for adding content:

- Drop your file here to attach it to your reply**: A box for attaching files.
- Drop your image here to insert it into your reply**: A box for inserting images.

Below these boxes is the "Send Reply as Awaiting User" button and the "Email User" checkbox. An annotation points to the image insertion box:

- Drop your image here to insert it into your reply**: Points to the image insertion box.

You can write a **note** – for internal reference within your organization - instead of a reply. Just click on the **Note** tab.




If you find you're using the same phrases over and over in replies, you can save time with **snippets**.

Use the **Snippets** button to see what snippets are available and create new ones.



The cog in the **Properties** tab lets you access custom fields which your organization may have set up: products, categories, workflows and priorities.



The  pull-down menu above the reply box offers advanced functions:

You can put a ticket on **hold** status – this is useful if the user is awaiting a reply, but you are waiting for something else to happen (for example, hearing back from an third party) before you can answer.


“Create a new pending article” is a way to note that a knowledgebase article should be created based on the ticket.




Chatting with users

Users can initiate a real-time chat conversation from your web portal.


You can sign in and out of the chat system using the pull-down menu in the toolbar:




When a user requests a chat, you will see a **New Chat** notification at the upper left.



If you accept the chat, it opens in the content pane.




Chatting works much like any instant messaging service.




You can format your messages and send attachments to the user just as you would when replying to a ticket.

Use the Chat app to filter your chats.



If you select a chat that was closed or missed, you can quickly create a linked ticket. If the chat user left a valid email address, you can reply to the ticket and the message will be emailed to the user.





CRM

The DeskPRO CRM app helps you keep track of your users.

You can see detailed user information by clicking on a user's name in various places:

The image shows three different ways to access a user's profile in DeskPRO CRM:

- Ticket:** A callout points to a user's name in a ticket list (e.g., "Brian Canid (coyote@example.com)").
- List pane:** A callout points to a user's name in a list view (e.g., "Brian Canid (CTO, DreadCo)").
- Chat:** A callout points to a user's name in a chat window (e.g., "Brian Canid (coyote@example.com)").

The main screenshot shows the detailed user profile for Brian Canid, including contact information, organization, usergroups, and a list of tickets. A callout box states: "Users can belong to **organizations** and **usergroups**. Edit them with these cogs."

The image shows two main sections of the DeskPRO CRM interface:

- Usergroups:** A callout points to the "Usergroups" section in the left sidebar. The main screenshot shows a list of usergroups, including "VIPs" (3 members). A callout box states: "Usergroups affect what the user can do with tickets, chat and web portal content – your administrator decides the settings."
- Organizations:** A callout points to the "Organizations" section in the left sidebar. The main screenshot shows a list of organizations, including "DreadCo" (14 members), "DHARMA" (2 members), "Ace Tomato" (2 members), and "Universal Products" (1 member). A callout box states: "Organizations track who the user works for. DeskPRO can automatically assign organizations based on the user's email address."

Open an organization in the content pane to access these handy functions:

The image shows the "MEMBERS" tab for an organization. A callout box states: "Click this flag to make user a **manager** - they can now see *all* tickets for the organization." Another callout box states: "Add everyone in the company to a certain **usergroup**".



Feedback

Users can submit feedback through your web portal.

I have a... ✓ Suggestion
Feature Request
Bug Report

Feedback types are set by your administrator

Go

Depending on the settings chosen by your DeskPRO administrator, some types of feedback may only be available to certain usergroups.

You may need to approve feedback and comments before they are shown on the portal.

Filter feedback by type

Number of votes for each item

STATUS	TYPE	LABELS
New		3
Active		3
Planning		2
Started		0
Under Review		1
Archived		0
Completed		0
Duplicate		0
Declined		0

3 SUBMISSIONS

Ordered by Votes

All 3 Suggestion 1 Feature Request 1 Bug Report 1

0 selected Perform Actions

5 Integrate your robot horse and jetpack products for bigger jumps
Type: Suggestion Date Created: Mar 12 2014

2 Bigger rotors
Type: Feature Request Date Created: Mar 12 2014

1 Gyrocopter Deluxe vibration at top speed
Type: Bug Report Date Created: Mar 13 2014

The **status** of feedback lets you track how your organization is going to deal with it.

You can change the status by opening an item of feedback in the content pane, or with mass actions in the filter pane.

Active statuses mean that your organization is acting on the feedback, or at least considering it.

Archived statuses mean that the feedback has been deal with, either acted on or rejected.

Integrate your robot horse and jetpack products for bigger jumps

Add a label

New

Type: Suggestion

5 votes +1

Jethro Vortex (user@example.com)

Aviation

Delete Mark as spam Merge

permalink View in user interface

ITEMS (1) REVISIONS (0) RELATED CONTENT (0)

SEARCH

Edit

Why can't I buy a jetpack for my horse? Seems like a no-brainer.




Publish

The Publish app is where you manage the content you offer on your web portal.

- **Knowledgebase** articles are rich-text and can include images and attachments. A typical article might address a common user question or explain how to do something.
- **News** posts are designed for announcements.
- **Downloads** are files you want to make available to your users (such as electronic manuals, product brochures, or software).
- **Glossary** items are terms you want to define for users. When a glossary term is used in a knowledgebase article, the user can mouse over it to see the definition.

Knowledgebase



Add Category

PROPERTIES	
Title	Secret codes
Parent Category	Advanced Usage
Permissions	☐ Everyone ☐ Registered ☒ Power Users ☐ Trial Users ☒ VIPs

This will make a subcategory below the “Advanced Usage” category, visible only to the Power Users and VIPs usergroups.

If you are viewing a ticket and decide that an article should be created, you can use the  Actions button to create a pending article linked to that ticket:


☐ Ticket [Trouble booting up drilling mach](#)

Document this better

To create a new article from scratch, use the

 Create

button in the toolbar.



DELETE CATEGORY	
Delete Category	
EDIT CATEGORY	
Title	Choosing a Product
Permissions	☒ Everyone ☒ Registered ☒ Power Users ☒ Trial Users ☒ VIPs
REORDER CATEGORY (DRAG & DROP)	
Advanced Usage Choosing a Product ▶ Vehicles	

By default a new article will be published right away. You can set its status as **Draft** – so it goes to the Pending section – or **Unpublished**.

Open an article in the content pane to change its status or category. An article that has been published can be set to **Archived** if it is out of date.

In the Properties tab of an article, you can set an automatic unpublish date. This is useful to make sure you review an article regularly.

News and Downloads




Creating News and Downloads and arranging them into categories works much like creating news articles.

News articles are displayed on the portal in chronological order, rather than arranged by category. They have buttons to share them on social media.

Downloads are a single file with a rich-text description.

Glossary

When you add a glossary word, it will be defined for users the first time they appear in knowledgebase articles.






Tasks

The Tasks app allows you to track and assign tasks for agents.


You can create a task from the  button in the toolbar.

You can also create a task from a ticket:



By default, a task you create is assigned to you, but you can assign it to other agents.

Tasks can either be **Public** (visible to all) or **Private** (visible only to you and the agent assigned the task).



Learning more about DeskPRO

We hope you found this quick overview of DeskPRO useful.

There are a lot more handy features and configuration options than we could show you here.

Please check out our Support Center at support.deskpro.com for more information.

If you have any questions or need help, please contact us:

support@deskpro.com

1-888-DESKPRO (USA)

(+44) 20-3582-1980 (UK)