### Chapter 1: Introduction

Math 307 Spring 2012

Slides available on the class website

## What is a differential equation?

$$(1 - x^{2})y'' - xy' + 3y = 0$$

$$\frac{dy}{dx} = \frac{3x^{2} + 4 + 2}{2(y - 1)}$$

An equation that involves a derivative

#### Mathematical Modeling

or: finally, we can factor in air resistance (kind of)

Determine the how the velocity of a falling object changes over time.

## Ignoring air resistance

Newton's first law:

$$F = ma$$

• In diff eq form:

$$v' = F/m$$

• Force from gravity:

$$F = 9.8m$$

• Final equation:


$$v' = 9.8$$

Solution:

$$v(t) = 9.8t + c$$

#### Air resistance

 Assume the drag force is proportional to the velocity squared.




### Analyze it

 Suppose an object has mass 60 kg and γ is 0.2 kg/m:


$$v' = 9.8 - v^2/300$$

- What is happening?
- How can you tell if the speed is increasing or decreasing?
- What is terminal velocity?

#### Direction Fields



#### Direction Fields



#### Direction Field Plotter

http://staff.washington.edu/grigg/slopefield

### Is this a good model?

- Does it agree with experimental results?
- What assumptions does our model make?
- Where does the model break down?

## Classifying Differential Equations

- If it looks like [----] then do [----].
- Learn to recognize patterns.
- Call the equations by their names.

## Ordinary or Partial?

Harder

- Ordinary differential equation (ODE): involves a function of one variable.
- Partial differential equation (PDE): involves a function of 2+ variables (and partial derivatives).
- In this class, we will study ODEs only.

# Single equation or system of equations?

Harder

- We will study a single function at a time.
- You might have several functions that depend on one another.

# First order, second order, or higher?

Harder

 Order refers to the highest derivative that appears in the equation.

$$(1-x^2)y''-xy'+3y=0 \quad {\rm Second} \\ \frac{dy}{dx}=\frac{3x^2+4+2}{2(y-1)} \quad {\rm First} \\ {\rm Order}$$

#### Linear or nonlinear?



Linear:

$$t^2y'' + y' + (\sin t)y = \sqrt{t}$$

Nonlinear:

$$y' = \sin y \qquad \qquad (y')^2 = t$$

$$\sqrt{y'} + y = 0 \qquad \qquad yy' = t^2$$

Red marks what makes each equation nonlinear

## Homogeneous or nonhomogeneous

Harder

- This is a way to classify linear equations
- Homogeneous

$$ty'' + (\sin t)y' + y = 0$$
 Zero

Non-homogeneous

$$ty'' + (\sin t)y' + y = t$$
 Nonzero

## Classify it!

$$ty' + y = 1$$

Ordinary, linear, first order, non-homogeneous, single equation

$$yy'' = 0$$

Ordinary, nonlinear, 2nd order, single equation

$$\begin{cases} y_1' + y_2' = \cos t \\ y_1 + y_2 = \sin t \end{cases}$$

Ordinary, first order, linear, non-homogeneous, system of equations