Exercice 1

1.

```
2.
   (a) SELECT nom FROM editeurs
   (b) SELECT nom FROM jeux
      WHERE prix < 15
   (c) SELECT prenom, nom FROM joueurs
      ORDER BY naissance
      LIMIT 1
   (d) SELECT prenom, nom FROM joueurs
      WHERE inscription - naissance = 18
   (e) SELECT temps_jeu FROM jeu_joueur
      ORDER BY temps_jeu DESC
      LIMIT 1 OFFSET 2
    (f) SELECT prenom, j.nom, naissance
       FROM joueurs AS j
      JOIN villes AS v ON idville = ville
      WHERE v.nom = "Paris"
   (g) SELECT prenom, nom FROM joueurs
      JOIN jeu_joueur ON joueur = idjoueur
      GROUP BY joueur
      HAVING COUNT(*) =
           (SELECT COUNT(*) FROM jeu_joueur
            GROUP BY joueur
            ORDER BY COUNT(*) DESC
            LIMIT 1)
   (h) SELECT e.nom, AVG(prix) FROM jeux
      JOIN editeurs AS e ON editeur = idediteur
      GROUP BY editeur
    (i) SELECT e.nom, SUM(prix) FROM jeux
       JOIN editeurs AS e ON editeur = idediteur
       JOIN jeu_joueur ON jeu = idjeu
       GROUP BY editeur
```

```
(j) SELECT nom FROM jeux
    JOIN jeu_joueur ON jeu = idjeu
    GROUP BY jeu
    ORDER BY COUNT(*) DESC
    LIMIT 5
(k) SELECT nom, SUM(prix) FROM jeux
    JOIN jeu_joueur ON jeu = idjeu
    GROUP BY jeu
    ORDER BY SUM(prix) DESC
    LIMIT 5
 (l) SELECT nom FROM categories
    JOIN jeu_categorie ON categorie = idcategorie
    GROUP BY categorie
    ORDER BY COUNT(*) DESC
    LIMIT 1
(m) SELECT nom FROM categories
    JOIN jeu_categorie AS jc ON categorie = idcategorie
    JOIN jeu_joueur AS jj ON jj.jeu = jc.jeu
    GROUP BY categorie
    ORDER BY COUNT(*) DESC
    LIMIT 1
(n) SELECT villes.nom FROM villes
    JOIN joueurs ON ville = idville
    GROUP BY ville
    ORDER BY COUNT(*) * 1.0 / habitants DESC
    LIMIT 1
(o) SELECT nom, AVG(note) FROM jeux
    JOIN jeu_joueur ON jeu = idjeu
    WHERE note IS NOT NULL
    GROUP BY jeu
    HAVING AVG(note) > 8
(p) SELECT j2.nom, COUNT(*) FROM jeu_joueur AS jj1
    JOIN jeux AS j1 ON j1.idjeu = jj1.jeu
    JOIN jeu_joueur AS jj2 ON jj1.joueur = jj2.joueur
    JOIN jeux AS j2 ON j2.idjeu = jj2.jeu
    WHERE j1.nom = "Wizard of Hell 2"
```

GROUP BY j2.idjeu

```
(q) SELECT DISTINCT j2.prenom, j2.nom FROM joueurs AS j1
JOIN jeu_joueur AS jj1 ON j1.idjoueur = jj1.joueur
JOIN jeu_joueur AS jj2 ON jj1.jeu = jj2.jeu
JOIN joueurs AS j2 ON j2.idjoueur = jj2.joueur
WHERE j1.prenom = "Laurent"
AND j1.nom = "DUPONT"

(r) SELECT e.nom FROM editeurs AS e
JOIN joueurs AS j ON ville = siege
JOIN jeu_joueur ON joueur = idjoueur
JOIN jeux ON jeu = idjeu
WHERE editeur = idediteur
GROUP BY editeur
ORDER BY COUNT(*) DESC
LIMIT 1
```

Exercice 2

```
1 SELECT capital FROM country
2. SELECT name FROM lake
  WHERE depth > 500
3. SELECT name FROM country
  ORDER BY area
4. SELECT name, population FROM city
  ORDER BY population DESC
  LIMIT 1 OFFSET 4
5. SELECT ci.name FROM city AS ci
  JOIN country AS co ON code = country
  WHERE co.name = 'France'
  ORDER BY latitude DESC
  LIMIT 1
6. SELECT COUNT(*) FROM lake
  WHERE type = 'salt'
  AND latitude > 0
7. SELECT co.name, AVG(ci.population) FROM country AS co
  JOIN city AS ci ON code = country
  GROUP BY country
```

```
8 SELECT AVG(population / area) FROM province
 9. SELECT population / area FROM province
   ORDER BY population / area
   LIMIT 1 OFFSET (SELECT COUNT(*) / 2 FROM province)
10 SELECT SUM(length) FROM borders
   JOIN country AS c1, country AS c2
   ON c1.code = country1 AND c2.code = country2
   WHERE c1.name = 'France' OR c2.name = 'France'
11 SELECT COUNT(*) FROM river
   WHERE sea = 'Pacific Ocean'
12. SELECT sea.name, MAX(length) FROM sea
   JOIN river ON river.sea = sea.name
   GROUP BY sea.name
13. SELECT sea.name, r1.name, length FROM sea
   JOIN river AS r1 ON r1.sea = sea.name
   WHERE length =
   (SELECT MAX(r2.length) FROM river AS r2
    WHERE r2.sea = sea.name)
   GROUP BY sea.name
14 SELECT name FROM river
   WHERE river = 'Nile'
   UNION
   SELECT r1.name FROM river AS r1
   JOIN river AS r2 ON r1.river = r2.name
   WHERE r2.river = 'Nile'
15 SELECT mountain FROM geo_mountain
   GROUP BY mountain
   HAVING COUNT(DISTINCT country) >= 3
16. SELECT name FROM mountain,
   (SELECT AVG(elevation) AS moy FROM mountain)
   WHERE ABS(elevation - moy) < moy / 10</pre>
```

```
17. SELECT mw1.sea1 FROM mergeswith AS mw1
   JOIN mergeswith AS mw2 ON mw1.sea2 = mw2.sea1 OR mw1.sea2 = mw2.sea2
   WHERE mw2.sea1 = 'Pacific Ocean' OR mw2.sea2 = 'Pacific Ocean'
   UNION
   SELECT mw1.sea2 FROM mergeswith AS mw1
   JOIN mergeswith AS mw2 ON mw1.sea1 = mw2.sea1 OR mw1.sea1 = mw2.sea2
   WHERE mw2.sea1 = 'Pacific Ocean' OR mw2.sea2 = 'Pacific Ocean'
18. SELECT name FROM country
   WHERE code NOT IN
    (SELECT country FROM ismember
    WHERE organization = 'UN')
19 SELECT AVG(nbMembres) FROM
   (SELECT organization, COUNT(*) AS nbMembres FROM ismember
    GROUP BY organization)
   oldsymbol{\mathsf{JOIN}} organization oldsymbol{\mathsf{AS}} o, country oldsymbol{\mathsf{as}} oldsymbol{\mathsf{c}}
   ON organization = abbreviation
   AND code = o.country
   WHERE c.name = 'France'
```