

Deep Typographical Scan — Findings and Corrections

Five-document 7th-grade mathematics set · 10 parallel scanners, page-by-page against the rendered PDFs

Summary

Document	High	Medium	Low	Total
Topic 1 — Explanations companion (Part 1)	1	12	31	44
Topic 1 — Part 1 Solutions	4	2	7	13
Topic 1 — Part 2 Solutions	0	10	1	11
6th Grade Review (worksheet)	0	5	7	12
6th Grade Review — Explanations companion	1	10	25	36
Total	6	39	71	116

By category: inconsistency (44), formatting (21), grammar (18), notation (15), math (8), punctuation (5), spacing (5).

Method, and what was ruled out

Ten scanners each owned a page range and worked from the *rendered* pages, not from extracted text. That distinction did most of the work here.

Ruled out: apparent word fusion. Extracting these PDFs with `pypdf` yields run-together words (`onexplanations`, `donotuse`, `circleit`, `Nonzeromeans`) and flattened exponents (32×3^4 for $3^2 \times 3^4$). Taken at face value this looks like hundreds of spacing defects, and three scanners initially raised it as a corpus-wide text-layer fault. It is not a fault in the documents. The pages render correctly, and poppler’s `pdftotext` extracts the same originals cleanly — 0 fused words against `pypdf`’s 29 in the Topic 1 companion. The fusion is an artefact of one extractor’s word-break heuristic, so the finding was withdrawn rather than “fixed”. Nothing in the rebuild was changed on its account.

Withdrawn: the SC-lesson naming “fix”. Scanners flagged “Lesson SC-1: Compare Rational Numbers” as a one-off, since every numbered heading reads “Topic 1-N” with no colon, and it was normalised to “Topic SC-1”. The teacher’s weekly lesson plan names the lesson **Lesson SC-1: Compare Rational Numbers (SC1-1)**, so the source was right and the normalisation was wrong. It has been reverted in all three documents, along with “Topic SC-2: Use the Laws of Exponents”. The remaining Lesson SC-1 / Topic SC-2 asymmetry is left as the author wrote it and is noted here as a question for the teacher rather than silently resolved.

Withdrawn: “on your notebook”. Changed to “in your notebook”, then reverted — the lesson plan’s own wording is “Independent Practice *on* notebook”, so this is the author’s register, not an error.

Also checked and found sound.

Not applied — logged as recommendations

Four findings propose restructuring an assignment rather than correcting an error, and changing them would desynchronise these documents from the Independent Practice worksheets that are not part of this set. They are recorded here and left alone:

- Merging the two single-item distributive-property sections (worksheet G and L) into one.
- Dropping the near-duplicate decimal items D3/D4 versus M5/M6.
- Part 2 Solutions SC-2 Q10, which duplicates Q6's middle term $(2 \cdot 3)^2$; the matching Part 2 practice worksheet is not in this set, so its answer key was left as-is.
- Part 2 Solutions SC-2 Q11, which mirrors Q6's third term, for the same reason.

Topic 1 — Explanations companion (Part 1)

High severity (1)

p. 2 **High** inconsistency

Where: Topic 1-1 Question 1 > Question block + Checked answer (mismatch continues onto p.3)

Found: *A submarine rises 18 meters from a point below sea level, then descends 18 meters. Part A: Represent both changes with signed numbers and find their sum. Part B: Explain why the two changes are additive inverses. Checked answer: $+18 + (-18) = 0$; equal magnitude and opposite signs.*

Corrected to: Question: A climber climbs 4.5 meters up. Name the move that is the additive inverse of that climb and explain why the two moves add to zero. Checked answer: -4.5 meters (4.5 meters downward); $+4.5 + (-4.5) = 0$.

Why: Every other block of this question is about a 4.5 m climb — 'What the question is asking' ("undoes a climb of 4.5 meters"), the Important words bullet "A climb of 4.5 meters means moving up 4.5 meters", steps 1–5 (" $+4.5$ meters (up)", "the inverse move is -4.5 meters", "Check: $+4.5 + (-4.5) = 0$ "), and "Final answer: 4.5 meters downward", which is exactly what Topic1Part1Solutions gives ("Answer: 4.5 meters downward"); the submarine/18-meter stem and its Checked answer are the odd ones out, and the p.3 'Why this makes sense' line ("The rise and descent cancel") is left describing the wrong scenario as well.

Medium severity (12)

p. 3 **Medium** notation

Where: Topic 1-1 Question 2 > Important words > "Absolute value" bullet; repeats on p.4

Occurrences: p.3 (Q2 Important words) and p.4 (Q3 Important words: "Absolute value || means distance from zero on the number line.")

Found: *Absolute value of a number, written $||$, is the distance from that number to zero. Distance is never negative.*

Corrected to: Absolute value of a number, written $|x|$, is the distance from that number to zero. Distance is never negative.

Why: The bars are typeset empty, so they render as a single "||" glyph pair with nothing between them, which does not show students what absolute-value notation actually looks like.

p. 8 **Medium** inconsistency

Where: Topic 1-2 Question 3 (p.8–9, Jordan/Casey 0.27-repeating) vs Topic1Part1Solutions.txt §Topic 1-2

Found: *In a class debate, Jordan says 0.27 is rational because its digits repeat. Casey says it is not rational because it never ends. Which student is correct? Use a fraction or equation to support the claim.*

Corrected to: Add a matching entry to Topic1Part1Solutions under "Topic 1-2 Understand Rational Numbers": "Question 3 — We Solve: $x = 0.27$ repeating, $100x = 27.27\dots$, $99x = 27$, $x = 27/99 = 3/11$. Answer: Jordan; $3/11$ " (or drop Question 3 from the companion).

Why: The answer key lists only Question 1 and Question 2 under Topic 1-2 (and the parallel Part 2 key likewise lists only two), so this third question has no counterpart in the key the students check against.

p. 8 Medium *formatting*

Where: Topic 1-2 Question 2 > Important words list and Work-the-problem steps 2–3

Found: *A fraction x/y means the top number x is divided by the bottom number y .*

Corrected to: Use the same spaced list environment as every other question (or inline the fractions as x/y , $1/2$, $1/3$) so the stacked fractions do not collide with neighbouring lines.

Why: This page alone uses a compressed list with no inter-item spacing, so the display fractions overflow their lines in the render — the x of x/y rides into the "Long division" bullet above and the y drops into the "The numerator" bullet below, and in the steps the 2 of $1/2$ (step 2) touches the 1 of $1/3$ (step 3).

p. 20 Medium *inconsistency*

Where: Topic 1-4 Question 4 > Question block (and Topic 1-5 Questions 2 and 3 on p.22)

Occurrences: p.20 Topic 1-4 Question 4; p.22 Topic 1-5 Question 2; p.22 Topic 1-5 Question 3

Found: *An elevator starts on floor -3 , travels to floor 8 , then returns to floor -1 . What total distance does it travel?*

Corrected to: either add Topic 1-4 Question 4 and Topic 1-5 Questions 2–3 to Topic1Part1Solutions, or drop them from the explanation companion

Why: Topic1Part1Solutions lists only Questions 1–3 for Topic 1-4 and only Question 1 for Topic 1-5 (Topic1Part2Solutions matches that count), so three worked questions in the companion have no entry in the answer key.

p. 21 Medium *inconsistency*

Where: Topic 1-5 Question 1 > Important words > first five bullets

Occurrences: p.21 only

Found: *A rational number can be written as a fraction with a nonzero bottom number, or as a terminating or repeating decimal.*

Corrected to: delete the Nonzero, fraction a/b , terminating/repeating decimal and rational number bullets, keeping the balance, fee, below \$250, compare and $<$ bullets that the problem actually uses

Why: The first five vocabulary bullets (Nonzero, decimal, fraction a/b , terminating/repeating decimal, rational number) are copied from the Topic 1-2 fraction lesson and play no part in this repeated-\$15-bank-fee problem.

p. 22 Medium *formatting*

Where: Topic 1-5 Question 2 > Final answer / Why this makes sense boundary

Occurrences: four places on p.22 — "Final answer: -8°C Why this makes sense" (Q2); "Checked answer: 4.25 miles What the question is asking", "...a negative decimal. Important words", and "Final answer: 4.25 miles Why this makes sense" (Q3)

Found: *Final answer: -8°C Why this makes sense*

Corrected to: Final answer: -8°C Why this makes sense

Why: The bold section heading runs onto the end of the answer line instead of starting its own paragraph, so the reader sees " -8°C Why this makes sense" as one sentence; every other question in the document breaks the line here.

p. 24 **Medium** *math*

Where: Topic 1-6 Question 2 > Work the problem one tiny step at a time > step 3

Occurrences: p.24 only

Found: *First find 250.50×4 . Multiply the whole-number part: $25 \times 4 = 100$, so $250 \times 4 = 1000$.*

Corrected to: First find 250.50×4 . Multiply the whole-number part: $250 \times 4 = 1000$.

Why: The whole-number part of 250.50 is 250, not 25, so labelling " $25 \times 4 = 100$ " as multiplying the whole-number part teaches a wrong place-value reading even though the final total is right.

p. 34 **Medium** *grammar*

Where: Topic 1-8 Question 4 > Work the problem one tiny step at a time > step 7

Found: *Divide both sides by 6 (same operation under both sides of the equals):*

Corrected to: Divide both sides by 6 (same operation to both sides of the equals sign):

Why: "under both sides of the equals" uses the wrong preposition and drops the noun "sign", and it contradicts the document's own Important-words wording on p.33 ("You may do the same operation to both sides").

p. 35 **Medium** *notation*

Where: Topic 1-9 Question 1 > Checked answer (repeats in Final answer, p.36)

Occurrences: p.35 Checked answer and p.36 Final answer (both blocks of Topic 1-9 Question 1)

Found: *Checked answer: -150.25 (or $\$ - 150.25$ per owner)*

Corrected to: Checked answer: -150.25 (or $-\$150.25$ per owner)

Why: The dollar sign is typeset before a spaced binary minus, so it renders as " $\$ - 150.25$ " (dollars minus 150.25) instead of the negative amount $-\$150.25$.

p. 38 **Medium** *formatting*

Where: Topic 1-10 Question 1 > "Work the problem one tiny step at a time" heading (pattern; also p.28)

Occurrences: p.28 (steps run onto p.29) and p.38 (steps run onto p.39)

Found: *Work the problem one tiny step at a time*

Corrected to: Keep the heading with its numbered list (e.g. `\{\}needspace` or `\{\}nopagebreak`) so the steps start on the same page.

Why: The heading is stranded as the last line of the page with all of its numbered steps on the next page, leaving roughly the bottom half of p.38 blank.

p. 39 **Medium** *formatting*

Where: Topic 1-10 Question 1 > number-line figure > "sea level: 0" tick label

Found: *sea level: 0*

Corrected to: Shift the "sea level: 0" label (or the 570 ft measurement arrow) so they do not overlap.

Why: The teal "570 ft" measurement line is drawn straight through the label, striking out the "l" of "level" in the rendered figure.

p. 40 **Medium** *formatting*

Where: Topic SC-2 onward > whole-section body type

Occurrences: pp.40–53 (entire Topic SC-2 section)

Found: *A person is designing a rectangular poster. The area of the poster is given as the expression $3^2 \times 3^4$ square inches.*

Corrected to: Set the Topic SC-2 section in the same 10.91 pt body type used on pp.1–39.

Why: Body text drops from 10.91 pt (with ~22 pt leading) to 9.96 pt (with ~18.5 pt leading) starting at the Topic SC-2 heading, so the last quarter of the document is visibly smaller and tighter than the rest.

Low severity (31)

p. 1 **Low** *inconsistency*

Where: Intro paragraph, second sentence

Found: *Read every Important words box before you start the numbered steps.*

Corrected to: Read every Important words list before you start the numbered steps.

Why: The companion never renders "Important words" as a box — it is a plain bold heading over a bulleted list on every question — so the instruction points at an element that does not exist.

p. 2 **Low** *punctuation*

Where: Topic 1-1 Question 1 > Important words > "whole number" bullet

Found: *A whole number is 0, 1, 2, 3, . . . It has no fraction or decimal part.*

Corrected to: A whole number is 0, 1, 2, 3, . . . It has no fraction or decimal part.

Why: The sentence ends at the ellipsis with no full stop before the next sentence begins with "It"; the parallel bullet on p.8 does close the ellipsis with a period.

p. 4 **Low** *notation*

Where: Topic 1-1 Question 3 > Question line; same pattern throughout Q3 and Q2's numeric check

Occurrences: p.4 Q3 Question line; p.4 Q2 step 7 and 'Why this makes sense' ($| - 5| = 5 = |5|$); p.5 Q3 steps 5 and 6 and 'Why this makes sense' ($| - 9| = 9$, "thinking $| - 9| = -9$ ")

Found: *Evaluate: $| - 9| =$*

Corrected to: Evaluate: $|-9| =$

Why: The sign inside the bars is typeset as a binary minus, so it renders with a full space on each side ($| - 9|$), reading as an incomplete subtraction rather than as negative nine.

p. 8 **Low** *punctuation*

Where: Topic 1-2 Question 2 > Important words > "repeating decimal" bullet

Found: *A repeating decimal goes on forever but in a repeating pattern, like 0.333 . . .*

Corrected to: A repeating decimal goes on forever but in a repeating pattern, like 0.333 . . .

Why: This is the only bullet on the page with no closing period, and it disagrees with the same definition on p.2, which renders "like 0.333 . . ." with the sentence period after the ellipsis.

p. 11 Low *formatting*

Where: Lesson SC-1 Question 2 > answer-choice row (stem sits at the foot of p.10)

Found: $= < > \leq \geq \neq$

Corrected to: Keep the choice row with its stem (e.g. `\{\}`nopagebreak / samepage) so the six symbols appear directly under "Select all symbols that appropriately relate the two numbers."

Why: The page break strands the six selectable symbols alone at the top of p.11, with no question text on the page to say what they belong to.

p. 13 Low *inconsistency*

Where: Topic 1-3 Question 1 > Important words > "unit" bullet (vs p.4 Topic 1-1 Question 3 > Important words)

Found: *A unit is one single amount. On this number line, one unit is one point.*

Corrected to: A unit on the number line is one tick-mark step from one integer to the next; on this number line one unit is one point.

Why: The same term is defined two different ways in the same companion — p.4 defines a unit as "one tick-mark step from one integer to the next", p.13 as "one single amount".

p. 14 Low *grammar*

Where: Topic 1-3 Question 2 > Important words > "final score" bullet

Found: *The final score is the value after all the adds are done.*

Corrected to: The final score is the value after all the additions are done.

Why: "Adds" is not a noun; the parallel bullet on p.13 correctly reads "after all the moves".

p. 15 Low *notation*

Where: Topic 1-3 Question 3 > Why this makes sense (and Topic 1-5 Question 1 steps on p.21)

Occurrences: p.15 (Important words 'multiply' bullet, steps 5–6, Why this makes sense); p.21 (question says "\$15.00", the asking block says "\$15", steps 2–6 drop the \$ entirely)

Found: *Six fees of 12.50 make 75. Starting at 500 and removing 75 leaves 425.*

Corrected to: Six fees of \$12.50 make \$75. Starting at \$500 and removing \$75 leaves \$425.

Why: Money amounts carry a \$ in the question, the Checked answer and step 4 ("Total fees = \$75") but are bare in the prose and in steps 5–6, so the same quantities are written two ways within one question.

p. 16 Low *notation*

Where: Topic 1-3 Question 4 > Important words > 'Absolute value' bullet

Occurrences: recurs wherever a negative sits just inside an absolute-value bar: p.16 ($| - 12 |$), p.17 ($| - 8 - 5 |$, $| - 13 |$, $| - 8 | + 5$, twice more in steps 10–11), p.19 ($| - 25 - (-40) |$, $| - 40 - (-25) |$), p.20 ($| - 25 - (-40) |$, $| - 40 + 25 |$, $| - 15 |$, $| - 1 - 8 |$)

Found: *Absolute value means distance from zero. Here $| - 12 | = 12$ and $| 19 | = 19$.*

Corrected to: Absolute value means distance from zero. Here $|-12| = 12$ and $|19| = 19$.

Why: The leading minus inside the absolute-value bars is typeset as a binary operator (LaTeX $\$|-12|$), so it renders with a space on both sides and reads as "bar minus 12 bar" instead of "the absolute value of negative twelve"; it should be $\$|{-}12|$.

p. 18 Low *notation*

Where: Topic 1-4 Question 1 > number-line figure > tick labels

Occurrences: all four negative tick labels in the p.18 figure

Found: -8 -6 -4 -2 0 2 4 5

Corrected to: -8 -6 -4 -2 0 2 4 5

Why: The figure's tick labels use a short hyphen while every negative number in the surrounding prose and in the figure's own callouts (-8°F) uses a true minus sign, so the same value is printed two different ways on one page.

p. 18 Low *formatting*

Where: Topic 1-4 Question 1 > number-line figure > right end of the label row

Occurrences: p.18 figure only

Found: 0 2 4 5

Corrected to: label the axis every 2 units ($-8, -6, -4, -2, 0, 2, 4, 6$) and mark the 5°F point with the callout only, not with an extra numeral

Why: The axis is labelled every 2 units but an extra '5' is added for the endpoint, so '4' and '5' sit almost touching and the scale looks irregular.

p. 19 Low *formatting*

Where: Topic 1-4 Question 3 > 'Work the problem one tiny step at a time' heading, last line of page 19

Occurrences: p.19 → p.20 only within pages 14–27

Found: *Work the problem one tiny step at a time*

Corrected to: keep the heading with its list (force the page break before the heading) so steps 1–7 begin on the same page

Why: The section heading is orphaned at the foot of p.19 with roughly half the page left blank while its numbered steps start on p.20.

p. 20 Low *grammar*

Where: Topic 1-4 Question 4 > Why this makes sense

Occurrences: p.20 only

Found: *Each leg crosses a whole-number number-line distance.*

Corrected to: Each leg covers a whole number of floors, so the two distances add to 20.

Why: "whole-number number-line distance" stacks two hyphenated modifiers on one noun and does not actually explain why $11 + 9 = 20$.

p. 20 Low *formatting*

Where: Topic 1-4 Question 4 > Important words (and Topic 1-5 Questions 2–3 Important words on p.22)

Occurrences: p.20 Topic 1-4 Q4 (both bullets); p.22 Topic 1-5 Q2 (both bullets); p.22 Topic 1-5 Q3 (both bullets)

Found: *Positive floors are above ground; negative floors are below ground.*

Corrected to: Positive floors are above ground; negative floors are below ground. (with the defined terms italicised, e.g. "Positive floors...", matching every other Important-words bullet)

Why: Every other Important-words bullet in the document italicises the term being defined; the bullets in these three questions do not, breaking the document's own convention.

p. 25 Low *inconsistency*

Where: Topic 1-6 Question 3 > Important words > 'To square' bullet

Occurrences: p.25 vs p.26

Found: *To square means raise to the power 2: multiply the base by itself one time.*

Corrected to: To square means raise to the power 2: multiply the base by itself.

Why: "multiply the base by itself one time" is ambiguous (it can be read as using the base only once) and it contradicts the same term's definition one page later on p.26, "To square a base means raise it to exponent 2, or multiply the base by itself."

p. 27 Low *grammar*

Where: Topic 1-6 Question 4 > Work the problem one tiny step at a time > step 2

Found: *PEMDAS says E (Exponents) before applying the front minus.*

Corrected to: PEMDAS says to do E (Exponents) before applying the front minus.

Why: The sentence has no verb for what PEMDAS says to do, unlike the parallel bullet above it ("PEMDAS makes us do the exponent before the front minus").

p. 30 Low *notation*

Where: Topic 1-8 Question 1 > Work the problem one tiny step at a time > step 10

Found: *Check Part B: four minutes of -24 each is $-24 - 24 - 24 - 24 = -96$.*

Corrected to: Check Part B: four minutes of -24 each is $(-24) + (-24) + (-24) + (-24) = -96$.

Why: Repeated addition of a negative is written with subtraction signs, which contradicts the document's own careful add/subtract-sign distinction (the value -96 is correct).

p. 32 Low *inconsistency*

Where: Topic 1-8 Question 3 > Important words > "cancel" bullet (vs. p.36 Topic 1-9 Question 2)

Found: *To cancel (here) means two negatives undo each other and leave a positive result.*

Corrected to: To cancel signs (here) means two negatives undo each other and leave a positive result.

Why: The same italicised term "cancel" is given two unrelated definitions four pages apart (sign cancellation on p.32, common-factor cancellation on p.36) without distinguishing the two senses by name.

p. 33 Low *grammar*

Where: Topic 1-8 Question 4 > What the question is asking

Found: *This question asks for the number n that makes the two equal-parts-over-a-whole amounts equal.*

Corrected to: This question asks for the number n that makes the two fractions equal.

Why: "equal-parts-over-a-whole amounts" is an unexplained circumlocution for "fractions", a term the same page defines in Important words.

p. 35 Low *inconsistency*

Where: Topic 1-9 Question 1 > Question block

Found: *A business owner loses \$450.75 as a result of a shipping delay. The 3 owners of the business have to share the loss equally.*

Corrected to: A business loses \$450.75 as a result of a shipping delay. The 3 owners of the business have to share the loss equally.

Why: The first sentence attributes the whole loss to one owner, then the next sentence says three owners share it; the loss belongs to the business, not to a single owner.

p. 36 Low *grammar*

Where: Topic 1-9 Question 2 > Important words > "cancel" bullet

Found: *To cancel (cancel matching factors) means remove the same factor from a numerator and a denominator before multiplying.*

Corrected to: To cancel matching factors means remove the same factor from a numerator and a denominator before multiplying.

Why: The parenthetical simply repeats the word being defined, producing "To cancel (cancel ...) means".

p. 37 Low *inconsistency*

Where: Topic 1-9 Question 2 > Why this makes sense

Found: *Four spacings of 3 7/8 fit exactly into 15 1/2. One station at the end of each spacing gives 4 stations.*

Corrected to: Four intervals of 3 7/8 fit exactly into 15 1/2. One station at the end of each interval gives 4 stations.

Why: The summary switches to the undefined word "spacing", while the Important words box (p.36) and step 9 (p.37) both use the defined term "interval".

p. 39 Low *notation*

Where: Topic 1-10 Question 1 > number-line figure > tick labels below zero

Occurrences: the "-120" and "-200" labels in the p.39 figure

Found: -120

Corrected to: −120

Why: The figure's negative tick labels use an ASCII hyphen, whereas every negative number in the body text (including −120 in step 1 on the same page) uses the longer math minus sign.

p. 40 Low *inconsistency*

Where: Topic SC-2 Question 1 > Important words, "expression" and "simplify" bullets

Occurrences: p.40 only (both bullets); contrast pp.41, 43, 45, 47, 48, 49, 50, 51, 52.

Found: *An expression is a math phrase made with numbers and operation signs.*

Corrected to: An expression is a math phrase made of numbers and operation signs.

Why: Page 40 is the sole outlier: 15 other pages say "made of numbers and operation signs", and the paired "simplify" bullet on this page likewise reads "in a shorter form that has the same value" where 11 other pages read "in a shorter form with the same value".

p. 41 Low *grammar*

Where: Topic SC-2 Question 2 > Question block, Part A

Found: *Part A: What expression gives the total number of cupcakes each friend will get?*

Corrected to: Part A: What expression gives the number of cupcakes each friend will get?

Why: "total number" contradicts "each friend" — the expression asked for is one friend's share (4), not the total (16).

p. 41 Low *inconsistency*

Where: Topic SC-2 Question 2 > Question block, Part B

Found: *Part B: How many cupcakes will each person get?*

Corrected to: Part B: How many cupcakes will each friend get?

Why: The stem, Part A, and the Final answer all say "friend"; "person" here could be read as including the baker (5 people, not 4), which would not give the checked answer of 4.

p. 42 Low *inconsistency*

Where: Topic SC-2 Question 3 > Question block vs. its own Important words / step 4

Found: *Evaluate using the power-of-a-power property: $(4^3)^2 =$.*

Corrected to: Evaluate using the power-of-a-power law: $(4^3)^2 =$ _____.

Why: This is the only place in the whole document that says "property"; the Important words entry two lines below and step 4 both call it "the power-of-a-power law", as does every other question in the section.

p. 43 Low *notation*

Where: Topic SC-2 Question 4 > Question block (also Question 3, p.42)

Occurrences: p.43 Q4 ("Evaluate: $7^0 =$.") and p.42 Q3 ("Evaluate using the power-of-a-power property: $(4^3)^2 =$."); the same pattern also appears once on p.12, outside this assignment's range.

Found: *Evaluate: $7^0 =$.*

Corrected to: Evaluate: $7^0 =$ _____.

Why: The fill-in blank after the equals sign was lost, leaving a dangling "=" immediately followed by a period.

p. 43 Low *inconsistency*

Where: Topic SC-2 > Important words glossary, "base" and "exponent" entries (pattern across Questions 1-12)

Occurrences: base: pp.40, 41, 42, 43 (x2), 45, 47, 48, 49, 50, 51, 52; exponent: pp.47, 48, 49 drop "as a factor".

Found: *The base is the number being raised. Here the base is 7.*

Corrected to: The base is the number used as a repeated factor. Here the base is 7.

Why: The same glossary term is defined four different ways within one section — "the number used again and again as a factor" (pp.40, 42, 43-Q5), "the number used as a repeated factor" (pp.41, 47, 48, 49, 52), "the number or group being raised to a power" (pp.45, 51), and "the number being raised" (p.43-Q4); "exponent" drifts the same way, with pp.47-49 dropping the closing "as a factor".

p. 47 Low *notation*

Where: Topic SC-2 Question 7 > Important words, "reciprocal" bullet

Found: *For example, flip $3^2/1$ to get its reciprocal $1/3^2$.*

Corrected to: For example, flip $9/1$ to get its reciprocal $1/9$.

Why: The two parallel reciprocal bullets in this section use the evaluated power (p.44: "The reciprocal of $4/1$ is $1/4$ "; p.51: "The reciprocal of $36/1$ is $1/36$ "), so leaving this one as an unevaluated 3^2 breaks the pattern and models a "fraction" whose numerator is itself a power.

p. 52 Low *formatting*

Where: Topic SC-2 Question 12 > "Work the problem one tiny step at a time" heading

Found: *Work the problem one tiny step at a time*

Corrected to: Keep the heading with its list (e.g. `\{}needspace` or `\{}nopagebreak`) so the numbered steps begin on the same page as the heading.

Why: The heading is orphaned at the bottom of p.52 with all twelve numbered steps pushed onto p.53, leaving roughly the bottom 40% of p.52 blank — the only question in the section whose heading is split from its list.

Topic 1 — Part 1 Solutions

High severity (4)

p. 1 **High** *inconsistency*

Where: Topic 1-1 Question 1 > We Need / Answer

Found: *We Need: The additive inverse of a 4.5 m climb.*

Corrected to: We Need: The sum of a +18 m rise and an 18 m descent (Part A), and why they are additive inverses (Part B).

Why: Topic1ExplanationsPart1 states this question as "A submarine rises 18 meters ... then descends 18 meters" with Checked answer "+18 + (-18) = 0", so the answer key's 4.5 m climb / "4.5 meters downward" answers a different problem (the companion's own worked steps also drift to 4.5 m, so one of the two source blocks is wrong).

p. 2 **High** *inconsistency*

Where: Topic 1-2 Understand Rational Numbers > Question 3 absent (key jumps Q2 -> Lesson SC-1)

Found: *We Solve: C is not right.*

Corrected to: Add: Question 3 — We Need: Who is correct about 0.27-repeating. We Know: $100x - x = 99x$. We Solve: $99x = 27$ so $x = 27/99 = 3/11$. Answer: Jordan; 0.27-repeating = $3/11$

Why: Topic1ExplanationsPart1 documents a Topic 1-2 Question 3 (Jordan vs Casey, Checked answer "Jordan; $0.27 = 3/11$ ") that the answer key omits entirely, leaving students with no check for that item.

p. 3 **High** *inconsistency*

Where: Topic 1-4 Subtract Integers > Question 4 absent (key jumps Q3 -> Topic 1-5)

Found: *Answer: Distance 15 ft; any correct distance expressions*

Corrected to: Add: Question 4 — We Solve: $|8 - (-3)| = 11$ and $|-1 - 8| = 9$; $11 + 9 = 20$. Answer: 20 floors

Why: Topic1ExplanationsPart1 documents a Topic 1-4 Question 4 (elevator, Checked answer "20 floors") that the answer key omits.

p. 3 **High** *inconsistency*

Where: Topic 1-5 Add and Subtract Rational Numbers > Questions 2 and 3 absent (key jumps Q1 -> Topic 1-6)

Found: *Answer: \$140*

Corrected to: Add: Question 2 — We Solve: $-3.75 - 2.4 - 1.85 = -8.00$. Answer: -8°C . Question 3 — We Solve: $2\frac{1}{2} = 2.5$; $|2.5 - (-1.75)| = 4.25$. Answer: 4.25 miles

Why: Topic1ExplanationsPart1 documents Topic 1-5 Questions 2 (Checked answer -8°C) and 3 (Checked answer 4.25 miles), both missing from the answer key; Topic 1-5 is the only multi-question topic reduced to a single item.

Medium severity (2)

p. 3 **Medium** *math*

Where: Topic 1-6 Multiply Integers Question 2 > We Solve vs Answer

Found: *We Solve:* $250.50 \times 4.5 = 1127.25$ *m* = 1.12725 km $\approx$ 1 km down.

Corrected to: We Solve: $(-250.50) \times 4.5 = -1127.25$ m = -1.12725 km $\approx$ -1 km (down).

Why: The stated computation is entirely positive and yields +1 km, but the Answer asserts "-1 kilometer"; the descent rate's negative sign is never introduced, so the intermediate step does not produce the answer given.

p. 5 **Medium** *notation*

Where: Topic 1-9 Question 1 > Answer

Found: *Answer:* -150.25 (or \$ - 150.25 per owner)

Corrected to: Answer: -150.25 (or -\$150.25 per owner)

Why: The dollar sign is typeset outside the math minus, rendering as "\$ - 150.25" with binary-operator spacing, which reads as "dollars minus 150.25" rather than negative \$150.25; the companion writes "\$-150.25".

Low severity (7)

p. 2 **Low** *inconsistency*

Where: Lesson SC-1 Question 1 > Answer parenthetical

Occurrences: Part 1 p.2 and Part 2 p.1 (same generic parenthetical)

Found: *Answer:* 10.4 < 10.6 and 10.6 > 10.4 (units OK)

Corrected to: Answer: 10.4 < 10.6 and 10.6 > 10.4 (pounds OK)

Why: Topic1ExplanationsPart1's Final answer for this item reads "(pounds OK)", naming the actual unit (cat and rabbit weights); the key's generic "(units OK)" loses the check the companion intends.

p. 3 **Low** *formatting*

Where: pattern: irregular use of the We Need / We Know blocks within a single topic

Occurrences: Part 1 p.3: 1-4 Q1 full vs Q2/Q3 bare; 1-5 Q1 has We Know but no We Need; p.2: 1-3 Q2 and Q4 have We Solve only; p.2: SC-1 Q1 has We Need but no We Know

Found: *Question 2 We Solve:* $|150 - 120| = 30$. *Valid:* $|150 - 120|$, $|120 - 150|$, $150 - 120$. *Answer:* Distance 30 ft; any correct distance expressions

Corrected to: Apply the same block set to every question within a topic (or state up front that later questions in a topic reuse the first question's We Need / We Know).

Why: Within Topic 1-4 the first question carries We Need and We Know while Questions 2 and 3 carry neither, and the same irregularity recurs elsewhere, so the promised "We Need $\rightarrow$ We Know $\rightarrow$ We Solve" pattern is applied unpredictably.

p. 4 **Low** *formatting*

Where: unlabelled trailing lines: "Difference:" (1-6 Q4) and "Check:" (1-8 Q4)

Occurrences: Part 1 p.4 (Difference:) and p.5 (Check:); Part 2 p.3 (Difference:) and p.4 (Check:)

Found: *Difference:* parentheses square the negative; without them, square first, then make negative.

Corrected to: Bold the label as with every other block: *****Difference:**** parentheses square the negative; ..." and likewise *****Check:****.

Why: Every other inline label in both documents (We Need:, We Know:, We Solve:, Answer:, Part A:, Part B:) is bold; "Difference:" and "Check:" are set in roman, so they do not read as block labels.

p. 4 Low *formatting*

Where: Topic 1-8 Question 4 (item split across the p.4/p.5 page break)

Found: *Butterfly: multiply along each red line.*

Corrected to: Keep Question 4's We Need / We Know / figure / We Solve / Check / Answer on one page (as Part 2 does).

Why: The butterfly figure and caption end page 4 while the We Solve, Check and Answer lines that use it start page 5, so the cross-product step is separated from the diagram it refers to; Part 2's parallel item is unbroken on p.4.

p. 5 Low *grammar*

Where: Topic 1-9 Question 2 > We Solve

Occurrences: Part 1 p.5 ("including finish") and Part 2 p.4 ("Rest stops at the end of each interval (including finish)")

Found: *Stations at the end of each interval (including finish) $\Rightarrow$ 4.*

Corrected to: Stations at the end of each interval (including the finish line) $\Rightarrow$ 4.

Why: "including finish" is missing its article; the source question says "and one at the finish line".

p. 5 Low *inconsistency*

Where: Topic SC-2 Question 2 > Answer, Part B

Found: *Answer: Part A: $2^4/2^2$ (or equivalent); Part B: 4*

Corrected to: Answer: Part A: $2^4/2^2$ (or equivalent); Part B: 4 cupcakes per friend

Why: Topic1ExplanationsPart1's Final answer is "Part B: 4 cupcakes per friend"; the key drops the unit even though Question 1 on the same page does label its answer ("729 square inches").

p. 6 Low *formatting*

Where: Topic SC-2 Question 7 > Answer (compare Question 11)

Found: *Answer: 5 1/9*

Corrected to: Answer: 46/9 or 5 1/9

Why: Question 11 on the same page answers "289/36 or 8 1/36" and Part 2's Q7 answers "9/8 or 1 1/8", giving both improper and mixed forms; Q7 here gives only the mixed form, so equivalent forms are accepted inconsistently.

Topic 1 — Part 2 Solutions

Medium severity (10)

p. 1 **Medium** *inconsistency*

Where: Topic 1-1 Question 1 > We Solve parenthetical

Found: *We Solve: Go 3.5 meters up (toward / above the surface).*

Corrected to: We Solve: Go 3.5 meters up (toward / above the starting level).

Why: The additive inverse of a descent returns you to the starting level, not necessarily above the water surface; Part 1's parallel line correctly says "(toward / below the starting level)", so Part 2 asserts an absolute position the problem does not support.

p. 1 **Medium** *math*

Where: Topic 1-2 Question 2 > We Know

Found: *We Know: A fraction decimal terminates or repeats.*

Corrected to: We Know: A fraction (with nonzero denominator) becomes a decimal that terminates or repeats.

Why: Part 2 drops the "(with nonzero denominator)" qualifier that Part 1 carries — the claim is false without it — and "A fraction decimal" is ungrammatical (missing verb/possessive).

p. 1 **Medium** *inconsistency*

Where: Topic 1-2 Question 2 > We Solve / Answer

Found: *We Solve: B is always right.*

Corrected to: We Solve: B is not right. (or restore a "We Need:" line stating exactly what the item asks)

Why: Part 1's parallel item asks which statement is NOT right and answers "C is not right"; Part 2 has no We Need line and flips to an "always right" claim, which the preceding We Know line does not establish (a fraction's decimal may terminate instead of repeating), so the reader cannot tell whether B is the correct selection.

p. 1 **Medium** *inconsistency*

Where: pattern: We Need / We Know blocks present in Part 1 but dropped in Part 2's parallel items

Occurrences: Part 2 p.1: 1-1 Q2, Q3, Q4 (no We Need, no We Know); 1-2 Q1 (neither); 1-2 Q2 (no We Need); SC-1 Q1 (no We Need). p.2: SC-1 Q2 (no We Need, no We Solve); 1-3 Q3 (neither); 1-4 Q1 (neither). p.3: 1-8 Q2 and Q3 lose the "Opposite signs $\Rightarrow$ negative quotient" / "Same signs $\Rightarrow$ positive quotient" We Know lines (p.4). p.4: 1-9 Q2 (no We Need).

Found: *Question 2 We Solve: $p + q = 0$ means $|p| = |q|$. Answer: $|p| = |q|$ (or equivalent)*

Corrected to: Restore the We Need: and We Know: lines for each listed item so both keys expose the same reasoning scaffold the header promises ("Use We Need $\rightarrow$ We Know $\rightarrow$ We Solve").

Why: The header of both documents tells students to work in three blocks, but Part 2 supplies fewer blocks than Part 1 for twelve parallel items, so the two keys model different amounts of reasoning for the same lesson.

p. 2 Medium inconsistency

Where: Lesson SC-1 Question 2 (only question in either document with no We Solve or Part line)

Found: *We Know:* $2/5 = 0.4$ *Answer:* $=, \leq, \geq$

Corrected to: We Need: Symbols that fit $2/5$ and 0.4 . We Know: $2/5 = 0.4$ We Solve: Equal numbers also satisfy $\leq$ and $\geq$. Answer: $=, \leq, \geq$

Why: Part 1's parallel item has all four blocks; here the reasoning step that explains why $\leq$ and $\geq$ also apply is missing, so the answer of three symbols is unjustified.

p. 2 Medium inconsistency

Where: Topic 1-3 Question 1 > Part A

Found: *Part A:* Move right 12, left 5, left 9 on a number line.

Corrected to: Part A: Start at 0. Move right 12, left 5, left 9.

Why: Part 2 drops the "Start at 0." that Part 1 gives; without a starting point the number-line description does not determine the landing point that Part B's -2 depends on.

p. 3 Medium math

Where: Topic 1-5 Question 1 > We Solve

Found: *We Solve:* $180 - 12 = 168$; 156; 144; 132; 120.

Corrected to: We Solve: $180 - 12 = 168$; $168 - 12 = 156$; $156 - 12 = 144$; $144 - 12 = 132$; $132 - 12 = 120$.

Why: Only the first subtraction is written out; the remaining four values are bare numbers, so the single stated step does not produce the asserted \$120 (Part 1's parallel line writes every subtraction in full).

p. 3 Medium math

Where: Topic 1-6 Questions 3 and 4 > We Solve

Occurrences: Q3 and Q4, both p.3

Found: *We Solve:* $-6^2 = -36$

Corrected to: Q3: We Solve: $(-6)^2 = (-6) \times (-6) = 36$. Q4: We Solve: $-6^2 = -(6^2) = -36$

Why: Part 2 omits the two intermediate steps that Part 1 shows ($(-5) \times (-5)$ and $-(5^2)$); those steps are exactly what the shared "Difference:" note refers to, so as written each answer is asserted without the order-of-operations step that produces it.

p. 4 Medium notation

Where: Topic 1-9 Question 1 > Answer

Found: *Answer:* -125.10 (or $\$ - 125.10$ per owner)

Corrected to: Answer: -125.10 (or $-\$125.10$ per owner)

Why: Same defect as Part 1: the dollar sign is separated from the numeral by a spaced binary minus, so it reads as a subtraction rather than a negative money amount.

p. 6 **Medium** *inconsistency*

Where: Topic SC-2 Question 10 (duplicates the middle term already worked in Question 6, p.5)

Found: *We Solve:* $(2 \cdot 3)^2 = 6^2 = 36$

Corrected to: Replace with the intended distinct power-of-a-product item (Part 1's parallel Q10 is $(2 \cdot 5)^3 = 10^3 = 1000$).

Why: Question 6 already contains the identical expression and value — " $(2 \cdot 3)^2 = 6^2 = 36$ " — so Q10 appears to have been copied from Q6's second term; Part 1's Q6/Q10 pair is distinct, and Part 2's Q11 $(15/3)^2$ likewise mirrors Q6's third term $(18/3)^2$.

Low severity (1)

p. 1 **Low** *grammar*

Where: Topic 1-1 Question 1 > We Need / We Know

Found: *We Need:* *Additive inverse of a 3.5 m descent.* *We Know:* *Same distance, opposite direction.*

Corrected to: We Need: The additive inverse of a 3.5 m descent. We Know: Additive inverse means same distance, opposite direction.

Why: Part 2 drops the article and the subject that Part 1's parallel lines carry, leaving the We Know line as a bare fragment that never names what it is defining.

6th Grade Review (worksheet)

Medium severity (5)

p. 1 **Medium** *inconsistency*

Where: Section D item 4 (p.1) and Section M item 6 (p.4)

Occurrences: D4 (p.1, answer 7) and M6 (p.4, answer 9)

Found: 4. $5.6 \div 0.8 = (\text{decimal})$

Corrected to: $5.6 \div 0.8 = \underline{\hspace{2cm}}$

Why: Both items are tagged "(decimal)" but their answers are whole numbers (7 and 9), and the companion's checked answers are plainly "7" and "9", so the tag contradicts the accepted answer and invites a student to write "7.0".

p. 1 **Medium** *inconsistency*

Where: Directions line, versus items A1, H6, H7 and all fill-in items

Occurrences: Directions (p.1); affected items A1 (p.1), H6 and H7 (p.2)

Found: *Show work in the space provided or on scrap paper as directed.*

Corrected to: Show work on scrap paper.

Why: No work space is provided anywhere on the four pages — the items are set as tightly spaced lists — and A1, H6 and H7 ask the student to plot or graph on a number line that is never printed, so the promised "space provided" does not exist.

p. 2 **Medium** *grammar*

Where: Section H items 1–4

Occurrences: H1 " $x + 7 = 18$ ", H2 " $x/4 = 6$ ", H3 " $x + 3 > 8$ ", H4 " $x - 4 < 2$ "

Found: 3. $x + 3 > 8$

Corrected to: 3. Solve: $x + 3 > 8$

Why: H1–H4 are bare equations/inequalities with no directive verb, and because H6 and H7 in the same section say "Graph ...", the student cannot tell whether items 1–4 are to be solved or graphed — the companion's checked answers (" $x = 11$ ", " $x > 5$ ") show "Solve" was intended.

p. 3 **Medium** *inconsistency*

Where: Section K item 10 (p.3) and Section N item 5 (p.4)

Occurrences: K10 (p.3) and N5 (p.4) — exact duplicate pair; the neighbouring associative items K11 " $(b + 3) + 9$ " and N6 " $(x + 5) + 8$ " are NOT duplicates (different letters and numbers), and K9 " $8 + 5$ " is unique.

Found: 10. *Rewrite using the commutative property:* $7 \times a =$

Corrected to: Delete N5, or change one of the two to a different instance, e.g. N5: "Rewrite using the commutative property: $9 \times b =$ "

Why: K10 and N5 are character-for-character the same item, so the student answers the identical prompt twice and the companion carries two identical worked explanations (K10 and N5 both "Checked answer: $a \times 7$ ").

p. 4 **Medium** *formatting*

Where: Sections C, D, M, N — the answer-format tag on every computation item

Occurrences: C2, C3, D3, D4, M1–M6, N1–N4 (14 items across pp.1, 4)

Found: 1. $428.5 + 37.26 = (\text{decimal})$

Corrected to: $428.5 + 37.26 = \underline{\hspace{2cm}}$ (decimal)

Why: The format hint sits in the answer position with no answer blank, so the line reads as an equation whose right-hand side is the literal word "(decimal)" rather than as a fill-in with a format note.

Low severity (7)

p. 1 **Low** *punctuation*

Where: Section C item 1

Occurrences: C1 only

Found: 1. In 82.731, the tenths digit is

Corrected to: 1. In 82.731, the tenths digit is .

Why: This is the only full-sentence fill-in on the worksheet with no terminal period; the structurally identical items F1, F2, F3, F4, K7 and K8 all end with a period after the blank.

p. 1 **Low** *formatting*

Where: All fourteen section headings A–N

Occurrences: B "Order Of Operations", C "Decimals, Fractions, And Percents", D "Facts And Decimal Multiply/Divide", E "Ratios, Fractions, And Proportions", F "Vocabulary, Expressions, And Equations", H "Equations, Inequalities, And Graphing", J "Units And Quantities", K "Expressions, Factors, And Fraction Structure", L "Distributive Property And Factoring", N "Fraction Operations And Properties"

Found: B. *Order Of Operations*

Corrected to: B. Order of Operations

Why: Every heading capitalises the short function words ("Of", "And"), the signature of a mechanical title-casing pass rather than a deliberate style, and it reads wrong in a student-facing document.

p. 1 **Low** *inconsistency*

Where: Section D items 3–4 versus Section M items 5–6

Occurrences: D3/M5 and D4/M6

Found: 3. $2.4 \times 1.5 = (\text{decimal})$

Corrected to: Drop D3/D4 or M5/M6, or vary the operand shape (e.g. M5: $4.2 \times 0.25 =$)

Why: D3/D4 and M5/M6 are the same two skills with digit-swapped operands (2.4×1.5 vs 4.2×1.5 ; $5.6 \div 0.8$ vs $7.2 \div 0.8$), which is redundant in a diagnostic that is otherwise one item per skill.

p. 2 **Low** *inconsistency*

Where: Section G item 1, versus Section L item 1

Occurrences: G1 (p.2) vs L1 (p.3)

Found: 1. $3(y + 6) =$

Corrected to: 1. Expand: $3(y + 6) =$

Why: The parallel item in section L carries an explicit verb ("Factor: $8x + 16 =$ ") while G1 has none, so the two distributive-property tasks are cued inconsistently.

p. 2 Low *inconsistency*

Where: Sections G and L (whole-section structure)

Occurrences: G (p.2) and L (p.3)

Found: *G. Distributive Property*

Corrected to: Merge G into L as "G. Distributive Property And Factoring" containing both $3(y + 6) =$ and Factor: $8x + 16 =$

Why: Two separate single-item sections four sections apart cover the same property, splitting one skill across the worksheet for no stated reason.

p. 2 Low *grammar*

Where: Section E item 1, versus Section K item 6

Occurrences: E1 (p.2) vs K6 (p.3)

Found: *1. Greater: or 0.61? [the blank is a built-up fraction five-eighths]*

Corrected to: 1. Which is greater: [five-eighths] or 0.61?

Why: E1 is a telegraphic fragment punctuated as a question, while the identical task type at K6 is written as a full question ("Which is greater: ...?").

p. 3 Low *notation*

Where: Section J items 3 and 5

Occurrences: J3 and J5 (p.3)

Found: *3. 210 miles / 3 hours =*

Corrected to: 3. 210 miles $\div$ 3 hours = _____ miles per hour

Why: These are the only two division items written with a slash rather than $\div$ or a set fraction, and neither asks for the unit that the companion's checked answers supply ("70 miles per hour", "30 miles per gallon"), unlike J1 and J4 which do print the unit after the blank.

6th Grade Review — Explanations companion

High severity (1)

p. 46 **High** *inconsistency*

Where: M4 ($168.8 \div 8$) > long-division display above the caption

Found: $21.18 \overline{)168.8}$ Quotient digits sit above matching places; the decimal points line up.

Corrected to: Shift the quotient one column right so 2 sits above 6, 1 above 8, the quotient decimal point above the dividend decimal point, and the final 1 above the tenths 8.

Why: In the render the quotient is set one place too far left — 2 sits above the 1 (hundreds), 1 above the 6, and the quotient's decimal point above the 8 — so the figure contradicts its own caption and step 3 ("Place the decimal point in the quotient directly above the decimal point in 168.8") and step 1 ("Write 2 in the tens place").

Medium severity (10)

p. 10 **Medium** *math*

Where: C6 > What the question is asking

Occurrences: page 10

Found: *then shrink the top and bottom by the same amount until nothing bigger than 1 divides both evenly*

Corrected to: then divide the top and bottom by the same common factor until nothing bigger than 1 divides both evenly

Why: "Shrink by the same amount" describes subtracting the same number from numerator and denominator ($8-2$ over $10-2 = 6/8$, which is wrong), and it contradicts this same page's definition bullet "To simplify ... means divide the top and bottom by the same common factor."

p. 16 **Medium** *spacing*

Where: E2 > Work the problem one tiny step at a time, steps 3 and 5, and the displayed equation under the butterfly figure

Occurrences: p.16 step 3 (" $4 \times 21 = 7 \times ?$ "), p.16 step 5 ("So $84 = 7 \times ?$."), and the centered display line " $84 = 7 \times ?$ " above the $\div 7 \div 7$ annotation

Found: *Cross multiply along the red lines: $4 \times 21 = 7 \times ?$.*

Corrected to: Cross multiply along the red lines: $4 \times 21 = 7 \times ?$.

Why: The multiplication sign in " $7 \times ?$ " is set tight with no spaces while the identical operation two characters earlier is spaced (" 4×21 "), so the same equation uses two different multiplication spacings.

p. 16 **Medium** *spacing*

Where: E2 > Work the problem one tiny step at a time, step 8

Occurrences: single

Found: *So $12 = ?$.*

Corrected to: So $? = 12$.

Why: There is no space after the equals sign, so " $= ?$ " renders as a single glyph cluster that reads like a typo rather than "the missing number is 12"; every other step in the section spaces its equals sign.

p. 17 **Medium** *spacing*

Where: E3 > Work the problem one tiny step at a time, step 2 (the proportion set-up)

Occurrences: single (all three fusions are in the one displayed proportion in step 2)

Found: *One correct setup: $[4 \text{ snacks} / 20\text{dollars}] = [7\text{snacks} / x\text{dollars}]$.*

Corrected to: One correct setup: $[4 \text{ snacks} / 20 \text{ dollars}] = [7 \text{ snacks} / x \text{ dollars}]$.

Why: Three of the four labels in the proportion are fused to their numbers in the render ("20dollars", "7snacks", "xdollars") while the first one ("4 snacks") is correctly spaced, so the same expression is typeset two different ways.

p. 25 **Medium** *formatting*

Where: H2 > Work the problem one tiny step at a time, step 4, centered display above the " $\times 4 \times 4$ " annotation

Occurrences: single

Found: $x/4 = 6$ (*with $\times 4 \times 4$ written underneath*)

Corrected to: Set the whole display at text size so the fraction matches: $x/4 = 6$

Why: In the render the fraction $x/4$ is typeset at 8pt (script size) while the " $= 6$ " beside it is 10.9pt and the blue " $\times 4 \times 4$ " beneath it is 10pt, so the fraction is visibly shrunken inside its own equation — every other step-4 display in section H (H1, H3, H4) is uniform size.

p. 37 **Medium** *notation*

Where: K5 > Before leaving this question

Found: *because $6/3 = 2$ and $2/3$ remains. Same mixed number.*

Corrected to: because $\frac{6}{3} = 2$ and $\frac{2}{3}$ remains. Same mixed number. (render $6/3$ and $2/3$ as stacked fractions to match the rest of the sentence)

Why: The same sentence renders $8/3$ and $2/3$ as stacked fractions and then switches to slash notation for $6/3$ and $2/3$, so one sentence shows two different fraction notations for the same kind of quantity.

p. 40 **Medium** *grammar*

Where: K11 > What the question is asking (same sentence repeats in N6, p.51)

Occurrences: p.40 (K11) and p.51 (N6)

Found: *This question asks you to rewrite $(b + 3) + 9$ by moving the curved marks to group the add in a different way.*

Corrected to: ... by moving the curved marks to group the addition in a different way.

Why: "the add" is not a noun; the sentence needs "the addition" (or "the addends").

p. 48 **Medium** *inconsistency*

Where: N2 ($5/6 - 1/3$) > Important words, third bullet

Found: *Then subtract numerators and simplify.*

Corrected to: To subtract fractions with the same denominator, subtract the numerators and keep the denominator.

Why: A procedural sentence beginning "Then" is stranded in a vocabulary list with no antecedent — it follows the "simplify" bullet, so it reads as simplify-then-subtract-then-simplify, and N2 never states the subtraction rule the way the parallel N1 states the addition rule.

p. 49 **Medium** *math*

Where: N3 ($5/8 \times 4/15$) > Work the problem one tiny step at a time, step 5

Found: *Also cancel: 5 and 15 share a factor of 5: $5/30 = 1/6$ (because $5 \div 5 = 1$ and $30 \div 5 = 6$).*

Corrected to: Also cancel: 5 and 30 share a factor of 5: $5/30 = 1/6$ (because $5 \div 5 = 1$ and $30 \div 5 = 6$).

Why: The fraction actually being reduced is $5/30$, and the parenthetical divides by 30, so naming "5 and 15" misidentifies the numbers being cancelled.

p. 50 **Medium** *inconsistency*

Where: N5 vs. K10 (pp. 39-40) — duplicated question

Found: *N5 Question Rewrite using the commutative property: $7 \times a =$ Checked answer: $a \times 7$*

Corrected to: Give N5 a different expression (as N6 does relative to K11, using $(x + 5) + 8$ rather than $(b + 3) + 9$), or cross-reference K10 instead of re-explaining it.

Why: K10 on p.39 is the identical question with the identical numbers and answer, yet it gets a second full explanation under a different label with a different Important-words list (three bullets vs. two) — mirroring the same verbatim duplication in the worksheet (K10 and N5).

Low severity (25)

p. 1 **Low** *inconsistency*

Where: Intro paragraph under the title

Occurrences: intro only, but describes all 70 Important words blocks in the document

Found: *Read every Important words box before you start the numbered steps.*

Corrected to: Read every Important words section before you start the numbered steps.

Why: The document never renders "Important words" as a box — it is a plain bold heading followed by a bullet list — so the promised "box" does not exist anywhere in the companion.

p. 1 **Low** *inconsistency*

Where: A1 > closing block heading (pattern: "Before leaving this question" vs "Why this makes sense")

Occurrences: "Before leaving this question" on pages 1, 7, 16, 18, 24, 25, 28, 30, 35, 37, 42, 44, 46, 47; "Why this makes sense" on all other question pages

Found: *Before leaving this question*

Corrected to: Why this makes sense

Why: The same structural slot (the closing commentary after "Final answer") is labelled two different ways across the companion — 14 questions use "Before leaving this question" and 55 use "Why this makes sense" — with no consistent rule (e.g. B3's "Why this makes sense" also contains a common-mistake caution).

p. 3 Low *inconsistency*

Where: B2 > Important words > third bullet

Occurrences: B2 bullets for Subtract and Multiply (page 3)

Found: *Multiply means times, written $\times$.*

Corrected to: Multiply means “times,” written $\times$.

Why: The identical gloss one page earlier (B1) is punctuated "Multiply means “times,” written $\times$.", so the same defined term is presented two different ways on adjacent questions (B2 also drops the quotes on "take away" for Subtract).

p. 3 Low *math*

Where: B3 > What the question is asking

Occurrences: page 3 (the same loose phrasing appears in the exponent bullet: "tells how many times to multiply the base by itself")

Found: *First build 2^4 as 2 times itself four times, then add 1. [rendered with 4 as a superscript]*

Corrected to: First build 2^4 by using 2 as a factor four times, then add 1.

Why: "2 times itself four times" literally describes $2 \times 2 \times 2 \times 2 = 2^5$; the document's own numbered steps and B3's closing paragraph correctly say "four factors of 2" / "four twos multiplied", so the summary line contradicts the worked steps.

p. 7 Low *punctuation*

Where: C1 > Question block (vs 6thGradeReview.pdf p.1, C1)

Occurrences: page 7

Found: *In 82.731, the tenths digit is _____.*

Corrected to: In 82.731, the tenths digit is _____

Why: The worksheet item it restates ends with no period after the answer blank, so the companion's restatement does not match the worksheet verbatim.

p. 7 Low *inconsistency*

Where: C1 > What the question is asking

Occurrences: page 7

Found: *This question asks which single number 0–9 sits in the first place after the dot in 82.731.*

Corrected to: This question asks which single digit 0–9 sits in the first place after the dot in 82.731.

Why: The very next block defines "A digit is a single symbol 0 through 9", and the question itself asks for the tenths digit, so calling it a "number" uses a different word for the term the page is about to define.

p. 8 Low *formatting*

Where: C2 > Work the problem one tiny step at a time > step 1

Occurrences: page 8

Found: *1. Write the numbers stacked, lining up the decimal points:*

Corrected to: 1. Write the numbers stacked, lining up the decimal points.

Why: The colon introduces a stacked-addition display that is not printed until after step 8, so step 1 ends by pointing at nothing and step 2 follows immediately.

p. 8 Low grammar

Where: C3 > Important words > fourth bullet

Occurrences: page 8

Found: *To borrow (also called borrowing) means: when a top digit is too small to subtract, take 1 from the next higher place on the left.*

Corrected to: To borrow (also called regrouping) means: when a top digit is too small to subtract, take 1 from the next higher place on the left.

Why: "also called borrowing" gives the same word back as its own alternative name, which is vacuous; the standard second name for this operation is "regrouping" (contrast C6's plain gerund gloss "To simplify (simplifying)").

p. 9 Low grammar

Where: C4 > Work the problem one tiny step at a time > step 3

Occurrences: page 9

Found: *3. Moving the point two places right: $0.32 \rightarrow 32$.*

Corrected to: 3. Move the point two places right: $0.32 \rightarrow 32$.

Why: Every other step in C4 and the exactly parallel step in C5 ("Move the point two places left: $65.0 \rightarrow 0.65$.")) are imperatives, so the gerund breaks the numbered-step parallelism.

p. 11 Low grammar

Where: C6 > Important words > last bullet (carried over to top of page 11)

Occurrences: page 11

Found: *The digit in tenths place means "over 10."*

Corrected to: The digit in the tenths place means "over 10."

Why: Missing the article "the"; the same page's step 1 correctly writes "8 in the tenths place".

p. 11 Low grammar

Where: C7 > Why this makes sense

Occurrences: page 11

Found: *Fifteen percent is a little more than one tenth of 80. One tenth of 80 is 8, so 12 is a sensible size.*

Corrected to: Fifteen percent of 80 is a little more than one tenth of 80. One tenth of 80 is 8, so 12 is a sensible size.

Why: As written it equates the rate "fifteen percent" with the quantity "one tenth of 80" (= 8); the intended comparison is 15% of 80 against one tenth of 80.

p. 16 Low grammar

Where: E2 > Important words, sixth bullet

Occurrences: single

Found: *Cross products are the two diagonal multiplies from the butterfly ($a \cdot d$ and $b \cdot c$).*

Corrected to: Cross products are the two diagonal products from the butterfly ($a \times d$ and $b \times c$).

Why: "multiplies" is a verb being used as a plural noun; the bullet is defining products, and the surrounding bullets correctly say "multiplies along the diagonals" as a verb.

p. 16 Low *notation*

Where: E2 > Important words, sixth bullet

Occurrences: single within E2; the doc otherwise reserves $\cdot$ for prime factorizations in section K

Found: $(a \cdot d \text{ and } b \cdot c)$

Corrected to: $(a \times d \text{ and } b \times c)$

Why: The centered-dot multiplication symbol appears only here in section E, while every worked step in E1–E4 and every other Important-words bullet writes multiplication as $\times$, so the student meets two symbols for the same operation inside one question.

p. 16 Low *inconsistency*

Where: Closing-section heading, pattern across the document

Occurrences: within pages 13–26: "Before leaving this question" at p.16 (E2), p.18 (E4), p.24 (H1), p.25 (H2); "Why this makes sense" at p.13 (D2, D3), p.14 (D4), p.15 (E1), p.17 (E3), p.19–22 (F1–F6), p.23 (G1), p.26 (H3, H4)

Found: *Before leaving this question*

Corrected to: Why this makes sense

Why: The final block of each worked question is headed "Why this makes sense" 55 times and "Before leaving this question" 14 times with no discernible rule, so structurally identical blocks carry two different labels.

p. 24 Low *formatting*

Where: H2 > Question block (bold "Question" heading immediately followed by an inline fraction)

Occurrences: worst at p.24 H2 (4pt overlap); the same collision, milder, at p.15 E2 ("Question" / 4-7) and p.18 E4 ("Question" / 5-6)

Found: *Question* $x/4 = 6$

Corrected to: Add vertical space (or set the equation as a display) so the fraction's numerator clears the "Question" heading.

Why: The numerator glyph sits inside the bounding box of the bold heading above it (heading spans y 650.4–661.3, numerator y 657.3–668.2, both starting at $x \approx 47$), so the letter visibly collides with the descender of the "Q" in the render.

p. 27 Low *formatting*

Where: H5 > Important words > second bullet

Found: *To flip an inequality means swap the two sides and reverse the symbol (< becomes >, or > becomes <).*

Corrected to: To flip an inequality means swap the two sides and reverse the symbol (< becomes >, or > becomes <). [set "and" in the same roman face as the rest of the sentence, or italicize it if emphasis is wanted]

Why: The word "and" is set in bold mid-sentence, but everywhere else in these Important-words bullets emphasis is italic (e.g. "the endpoint is not included" on p.27) and bold is reserved for section labels, so the bold "and" is an inconsistent emphasis style.

p. 32 Low *spacing*

Where: J3 > Work the problem one tiny step at a time > step 5 (pattern: every unit-rate/conversion 'Check:' step in section J)

Occurrences: p.32 J3 step 5 ('hour $\times$ 3 hours'); p.33 J4 step 5 ('2 yards $\times$ 36 inches per yard'); p.33 J5 step 5 ('gallon $\times$ 5 gallons')

Found: *Check: 70 miles per hour $\times$ 3 hours = 210 miles.*

Corrected to: Check: 70 miles per hour $\times$ 3 hours = 210 miles.

Why: The multiplication sign has a space before it but none after, so it renders fused to the following number ($\times$ 3), unlike every other $\times$ in the document (e.g. " $3 \times 70 = 210$ " two lines above).

p. 35 Low *punctuation*

Where: K2 > Work the problem one tiny step at a time > step 1

Found: *Factor 90 into any pair: $90 = 9 \times 10$, or better start dividing by small primes.*

Corrected to: Factor 90 into any pair: $90 = 9 \times 10$, or better, start dividing by small primes.

Why: "or better" is a parenthetical and needs a closing comma; without it the line reads as "or better start" and garbles the instruction.

p. 39 Low *inconsistency*

Where: K10 > What the question is asking

Found: *This question asks you to rewrite $7 \times a$ by swapping the order of the two numbers being multiplied.*

Corrected to: This question asks you to rewrite $7 \times a$ by swapping the order of the two factors being multiplied.

Why: One of the two things being swapped is the variable a , not a number, and K10's own Important words (p.40) define a factor as "a number (or variable) being multiplied".

p. 40 Low *inconsistency*

Where: K10 > Work the problem one tiny step at a time, step 5

Found: *Numeric check with numbers: $7 \times 3 = 21$ and $3 \times 7 = 21$. Same product after the order switch.*

Corrected to: Numeric check with a number for a : if $a = 3$, then $7 \times 3 = 21$ and $3 \times 7 = 21$. Same product after the order switch.

Why: The step silently substitutes 3 for the variable a without saying so, while the identical question at N5 (p.51, step 5) and the neighbouring K11 (p.40, step 4) both state the substitution explicitly.

p. 42 Low *grammar*

Where: L1 (Factor: $8x + 16$) > What the question is asking

Found: *This question asks you to write $8x + 16$ as a times pairing by pulling out a shared whole number that divides both parts evenly.*

Corrected to: This question asks you to write $8x + 16$ as a product by pulling out a shared whole number that divides both parts evenly.

Why: "a times pairing" is not English and is not used anywhere else in the document, which says "product" (including in this question's own Important words: "Factored form means written as a product").

p. 42 Low *inconsistency*

Where: L1 > Work the problem one tiny step at a time, step 1

Found: *Look at coefficients (and constants): $8x$ and 16.*

Corrected to: Look at the terms: $8x$ (coefficient 8) and the constant 16.

Why: $8x$ is a term, not a coefficient — its coefficient is 8 — so the labels do not match the two items listed.

p. 44 Low *spacing*

Where: Binary operators set tight (no spaces) where the rest of the document sets them spaced

Occurrences: p.44 (M2 check: $6+6+1$, $5+4+1$, $1+8+1$, $4+2+1$); p.41 (K11: "Writing $9+(b+3)$ "); p.50 (N5: "rewrite $7 \times a$ by swapping"); p.51 (N6 step 5: " $(2+5)+8 = 7+8 = 15$ and $2+(5+8) = 2+13 = 15$ " and "Writing $8+(x+5)$ ")

Found: *Tenths: $6+6+1 = 13$ (write 3, carry 1). Ones: $5+4+1 = 10$ (write 0, carry 1). Tens: $1+8+1 = 10$*

Corrected to: Tenths: $6 + 6 + 1 = 13$ (write 3, carry 1). Ones: $5 + 4 + 1 = 10$ (write 0, carry 1). Tens: $1 + 8 + 1 = 10$

Why: The same sentence sets "Hundredths: $3 + 7 = 10$ " with spaces but " $6+6+1$ ", " $5+4+1$ ", " $1+8+1$ " and " $4+2+1$ " without, and the same defect recurs elsewhere, giving visibly inconsistent operator spacing on the rendered page.

p. 44 Low *inconsistency*

Where: M2 ($700.3 - 284.67$) > Important words, fourth bullet vs. the numbered steps

Found: *Borrowing means taking 1 from a higher place value and rewriting it as 10 in the place to its right when the top digit is too small.*

Corrected to: Drop the bullet, or replace it with a definition of the break-apart method the steps actually use (e.g. "Break apart means split the subtrahend into place-value parts and subtract one part at a time").

Why: The nine worked steps subtract 200, 80, 4, 0.60 and 0.07 one part at a time and never borrow, so the only vocabulary term unique to this question is never used.

p. 46 Low *formatting*

Where: M5 > Important words, third bullet (also M6 p.47, fifth bullet)

Occurrences: p.46 (M5, "To multiply decimals:"); p.47 (M6, "To divide by a decimal,")

Found: *To multiply decimals: multiply as if they were whole numbers, then place the decimal point by counting all decimal digits in the factors.*

Corrected to: To *<i>*multiply decimals*</i>*: multiply as if they were whole numbers, then place the decimal point by counting all decimal digits in the factors.

Why: Every other defined term in these sections is italicised on first use — M1 "To *<i>*add decimals*</i>*", M2 "To *<i>*subtract decimals*</i>*", M3 "To *<i>*multiply decimals*</i>*" — but M5's and M6's parallel bullets are set in roman.