



BO

BO







201010

W E

1000



01234567

02

100

100

100





WAVE













$$x(0), \dots, x(n-1), y(0), \dots, y(n-1), z(0), \dots, z(n-1)$$









COOL-1 W W

2019-10-10 10:10:10





disadvantaged

disadvantage

disadvantage

$\varphi_1, \varphi_2, \varphi_3, \varphi_4, \varphi_5, \varphi_6, \varphi_7, \varphi_8, \varphi_9, \varphi_{10}, \varphi_{11}, \varphi_{12}, \varphi_{13}, \varphi_{14}, \varphi_{15}, \varphi_{16}, \varphi_{17}, \varphi_{18}, \varphi_{19}, \varphi_{20}, \varphi_{21}, \varphi_{22}, \varphi_{23}, \varphi_{24}, \varphi_{25}, \varphi_{26}, \varphi_{27}, \varphi_{28}, \varphi_{29}, \varphi_{30}, \varphi_{31}, \varphi_{32}, \varphi_{33}, \varphi_{34}, \varphi_{35}, \varphi_{36}, \varphi_{37}, \varphi_{38}, \varphi_{39}, \varphi_{40}, \varphi_{41}, \varphi_{42}, \varphi_{43}, \varphi_{44}, \varphi_{45}, \varphi_{46}, \varphi_{47}, \varphi_{48}, \varphi_{49}, \varphi_{50}, \varphi_{51}, \varphi_{52}, \varphi_{53}, \varphi_{54}, \varphi_{55}, \varphi_{56}, \varphi_{57}, \varphi_{58}, \varphi_{59}, \varphi_{60}, \varphi_{61}, \varphi_{62}, \varphi_{63}, \varphi_{64}, \varphi_{65}, \varphi_{66}, \varphi_{67}, \varphi_{68}, \varphi_{69}, \varphi_{70}, \varphi_{71}, \varphi_{72}, \varphi_{73}, \varphi_{74}, \varphi_{75}, \varphi_{76}, \varphi_{77}, \varphi_{78}, \varphi_{79}, \varphi_{80}, \varphi_{81}, \varphi_{82}, \varphi_{83}, \varphi_{84}, \varphi_{85}, \varphi_{86}, \varphi_{87}, \varphi_{88}, \varphi_{89}, \varphi_{90}, \varphi_{91}, \varphi_{92}, \varphi_{93}, \varphi_{94}, \varphi_{95}, \varphi_{96}, \varphi_{97}, \varphi_{98}, \varphi_{99}, \varphi_{100}$



BO





$$\int d\mathbf{r} \, b(\mathbf{r}) \, Y_{\ell m}^*(\mathbf{r})$$



$$b_{\ell 0} \sqrt{\frac{4\pi}{2\ell+1}}$$

$$\int b(\theta) P_e(\theta) \sin(\theta) d\theta \, 2\pi$$



2000-2000

$$O(b)\sqrt{2/b} + 1/b$$

1000

100

+

1

00

2

π



$$b(\mathbf{r}) = \sum_{lm} b_{lm} Y_{lm}(\mathbf{r}),$$

$$b(\theta) = \sum_{\ell} b(\ell) P_{\ell}(\theta) \frac{2\ell + 1}{4\pi},$$

$$b(\ell) = b_{\ell 0} \sqrt{\frac{4\pi}{2\ell + 1}}$$



`euler_matrix_new` allows the generation of a rotation Euler matrix. The user can choose the three Euler angles, and the three axes of rotation.

If `vec` is an $N \times 3$ array containing N 3D vectors,

`vecr = vec # euler_matrix_new(a1,a2,a3,/Y)`

will be the rotated vectors. Alternatively, `rotate_coord` can also be used to rotate `vec` into `vecr`.

This routine supersedes `euler_matrix`, which had inconsistent angle definitions. The relation between the two routines is as follows :

`euler_matrix_new(a,b,c,/X) = euler_matrix(-a,-b,-c,/X)`
`= Transpose(euler_matrix(c, b, a,/X))`

`euler_matrix_new(a,b,c,/Y) = euler_matrix(-a, b,-c,/Y)`
`= Transpose(euler_matrix(c,-b, a,/Y))`

`euler_matrix_new(a,b,c,/Z) = euler_matrix(-a, b,-c,/Z)`

2020.11.11



$C_0 = \sum_{n=0}^{\infty} C_n x^n$



$e^{\pi i} = -1$

1000000000





OVER THE HORIZON



12m2 side

should produce something like

196608 128 256 2


meaning that the map contained in that file has 196608 pixels, the resolution parameter is nside=128, the maximum multipole was 256, and this a full sky map (type 2).





$\sqrt{3/\pi}$

3600/ N side



will print out

<Expression> INT = 1

A+1 INT = 1

$$a_{lm}^{\text{OUT}} = a_{lm}^{\text{IN}} \frac{B^{\text{OUT}}(\ell) P^{\text{OUT}}(\ell)}{B^{\text{IN}}(\ell) P^{\text{IN}}(\ell)},$$

100

POE = 1

BOLE = 1











$v = \sin \left(\frac{\pi}{2} \right)$






1120



$\sin^{-1}(\sin 2)$

Qeios

esloges





Quesada



12.03.2017



0 = 10010000000



1992-2011



$$N_w = \frac{(N_{\text{side}} + 1)(3N_{\text{side}} + 1)}{4}.$$

$$N_{\text{template}} = \frac{1 + N_{\text{side}}(N_{\text{side}} + 6)}{4}.$$

2022-2023

2022-2023

2023-2024

exp(0), exp(1),

winning, winning, winning

2019.09.19

www.donors.org

www.owen.com

2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 2681, 26


75

3π4

ex 1/2 odds









Quesada, David

$$I = I \cos(\Delta\varphi) + I \sin(\Delta\varphi)$$

$$2 = \cos \theta / 2 \quad 2 = \sin \theta / 2$$

$$2/3 \geq z \geq 0, \quad \phi = 0, \quad \text{or} \quad \phi = \frac{\pi}{4} \text{ side}.$$



$$2/3 \geq z \geq 0, \quad \phi = 0, \quad \text{or} \quad \phi = \frac{\pi}{4N_{\text{side}}}.$$

if set, during **degradation** each big pixel containing one bad or missing small pixel is also considered as bad,

if not set, each big pixel containing at least one good pixel is considered as good (optimistic) default = 0 (:not set)

1v2 side 16







`write_fits_sb` writes out the information contained in `Prim_stc` and `Exten_stc` in the primary unit and extension of the FITS file `File` respectively. Coordinate systems can also be specified by `Coordsys`. Specifying the ordering scheme is compulsory for **HEALPix** data sets and can be done either in `Header` or by setting `Ordering` or `Nested` or `Ring` to the correct value. If `Ordering` or `Nested` or `Ring` is set, its value overrides what is given in `Header`.

The data is assumed to represent a full sky data set with the number of data points $\text{npix} = 12 * \text{Nside} * \text{Nside}$ unless `Partial` is set *or* the input FITS header contains `OBJECT = 'PARTIAL'`

AND
the `Nside` qualifier is given a valid value *or* the FITS header contains a `NSIDE`.

In the **HEALPix** scheme, invalid or missing pixels should be given the value `!healpix.bad_value = -1.63750×10^{30}` .

If `Nohealpix` is set, the restrictions on `Nside` are void.