

---

# PaintMobile3D: A Novel Android Application to Draw in 3D

**Nathan Jordan**

University of Nevada, Reno  
1664 North Virginia Street  
Reno, NV 89557 USA  
njordan@cse.unr.edu

**Halim Cagri Ates**

University of Nevada, Reno  
1664 North Virginia Street  
Reno, NV 89557 USA  
cagri@cse.unr.edu

**Thomas Kelly**

University of Nevada, Reno  
1664 North Virginia Street  
Reno, NV 89557 USA  
tjbk123@gmail.com

**Sergiu Dascalu**

University of Nevada, Reno  
1664 North Virginia Street  
Reno, NV 89557 USA  
dascalus@cse.unr.edu

**Abstract**

Traditional 3D painting software has relied on building a two-dimensional representation of three-dimensional space in which the user can rotate, pan, and zoom. PaintMobile3D takes a different approach. As smartphones become faster and more feature rich, we can take advantage of these improvements to do things that would previously be infeasible. Using a phone's camera, accelerometer, gyroscope, and/or compass, PaintMobile3D can track the users movements as they move the phone around in the real world, allowing them to draw in 3D, based on the movements of the device in the real world. The user can pick from different colors and can make multiple "strokes" using the phone to create more advanced drawings.

**Author Keywords**

smartphones, android, drawing, computer vision

**ACM Classification Keywords**

H.5.2 [Information interfaces and presentation (e.g., HCI)]: User Interfaces.

**General Terms**

Design, Algorithms, Human Factors

---

Copyright is held by the author/owner(s).  
CHI'13, April 27 – May 2, 2013, Paris, France.  
ACM 978-1-XXXX-XXXX-X/XX/XX.

## Introduction

For some time, modeling 3D has been a difficult task due to the problems of the inherently 2D interaction model provided by computers. By adding a physical aspect to this, we make it intuitive for users to develop 3D content quickly and casually. Though there have been other solutions that allow 3D drawing, the ubiquity of smartphones makes the barrier to entry much lower. A user could casually decide to waste some time by sketching an object while waiting for a friend, or perhaps, when seized by a creative fit while out and about, make a quick sketch of an idea and export it to common 3D formats to be refined with traditional 3D software.

At its core, PaintMobile3D is about taking the motion of a phone and translating it into 3D coordinates, used to draw a model. This is done using the various sensors on modern smartphones: accelerometers, compasses, and cameras. Newer smartphones also add gyroscopes. Even with all of this data, it is difficult to keep track of the phone in realtime due to the noisyness of the signal. Hol, et al. [1] created the approach used in this software to maintain the phone's location.



**Figure 1:** Insert a caption below each figure. Images can "float" around body text, like this example.

## Copyright

Copyright (c) 2012, University of Nevada, Reno  
Department of Computer Science. All rights reserved.

## Figures

The examples on this and following pages should help you get a feel for how screen-shots and other figures should be placed in the template. Be sure to make images large enough so the important details are legible and clear.

Your document may use color figures, which are included in the page limit; the figures must be usable when printed in black and white. You can use the  $\text{\LaTeX}$ 's `\marginpar` command to insert figures in the (right) margin side of the document (see Figure 3).

As shown in Figure 1, the width of figures can be bigger

than the width of text columns. [Figure 2](#) is an example of how much space can be reserved for images.

## **References and Citations**

Use a numbered list of references at the end of the article, ordered alphabetically by first author, and referenced by numbers in brackets. For papers from conference proceedings, include the title of the paper and an abbreviated name of the conference (e.g., for Interact 2003 proceedings, use Proc. Interact 2003). Do not include the location of the conference or the exact date; do include the page numbers if available. See the examples of citations at the end of this document.

Your references should be published materials accessible to the public. Internal technical reports may be cited only if they are easily accessible (i.e., you provide the address for obtaining the report within your citation) and may be obtained by any reader for a nominal fee. Proprietary information may not be cited. Private communications should be acknowledged in the main text, not referenced (e.g., [Robertson, personal communication]).

You may want to place some marginal notes in this page to display more information.

Note that marginal notes must appear in the (left) outer margin, due to the template design.



Figure 2: A big figure. You may want to place some marginal notes in this page, as shown above. Notice also that this image resolution is quite low, as it is just an example of formatting.



Figure 3: A marginal figure.

## Producing and testing PDF files

We recommend that you produce a PDF version of your submission well before the final deadline. Besides making sure that you are able to produce a PDF, you will need to check that (a) the length of the file remains within the submission category's page limit, (b) the PDF file size is 4 megabytes or less, and (c) the file can be read and printed using Adobe Acrobat Reader. Test your PDF file by viewing or printing it with the same software we will use when we receive it, Adobe Acrobat Reader Version 7.

This is widely available at no cost from Note that most reviewers will use a North American/European version of Acrobat reader, which cannot handle documents containing non-North American or non-European fonts (e.g. Asian fonts). Please therefore do not use Asian fonts, and verify this by testing with a North

American/European Acrobat reader (obtainable as above). Something as minor as including a space or punctuation character in a two-byte font can render a file unreadable.

## Acknowledgements

We thank all DUX 2003 publications support and staff who wrote this document originally and allowed us to modify it for this conference. This template was based on Manas Tungare's `chi.cls`, and rewritten by Luis A. Leiva.

## References

- [1] Hol, J. D., Schn, T. B., Luinge, H., Slycke, P. J., and Gustafsson, F. Robust real-time tracking by fusing measurements from inertial and vision sensors. *Journal of Real-Time Image Processing* 2, 2-3 (Nov. 2007), 149–160.