DAMA ROCKY MOUNTAIN | OCTOBER 22, 2026

The Four Gateways

Engineering 101: data, prompt, context, and when to hand it back

G1 Use

G2 Prompt

G3 Context

G4 Self-check and exit

Nathan Platter | Lincoln NE

All demo data is synthetic sample data. Every name, number, and ID is invented.

TODAY

Three things you leave with

1

A three-roles map

Data, prompt, and context engineering in plain language, and which one fails first.

2

Five stop-the-machine questions

When the model should quit and hand the work back to a person.

3

A way to prove the gate

Put a number on the human check with your own incident history, not a forecast.

Everything in one place
Slides, take-home PDFs, demo, setup guide

Questions: two quick pulse checks along the way, then open Q&A at the end.

All demo data is synthetic sample data. Every name, number, and ID is invented.

Iron Man, not autopilot

The agent does the heavy lifting. A person stays inside the suit.

AI saves time here

- Reading long files and drafting a first summary
- Pointing every sentence to its source line
- Noticing when two documents disagree
- Checking that a form or rule is the current edition
- Writing every step to the audit log

A person must review here

- Anything that moves money
- Contacting a customer or changing coverage
- Any sentence it cannot cite
- Sources that disagree or look tampered with
- Approving its own work: never

Rule of thumb: AI drafts and checks. People decide anything that moves money, touches a customer, or cannot be traced.

ENGINEERING 101

Three roles, one pipeline

	Data engineer G1	Prompt engineer G2	Context engineer G3 G4
Owns	Truth of the inputs: freshness, grain, lineage, access, quality.	The ask: task shape, constraints, output form, refusal language.	The window: retrieval, permissions, citations, redaction, and when to stop.
Asks	Is the record true, current, and allowed to be used?	Did we ask for the right artifact, with the right limits?	What may the model see, what may it never invent, and what does a stop look like?
Fails first	Fluent answers on stale or wrong facts.	Good data, chaotic asks, noisy output.	Right prompt, right warehouse, wrong slice in the window.

Three people, one person in three hats, or a team ritual. **The map is about who answers for it, not job titles.**

Teaching framework, not an industry standard.

AI risk is data risk. You already own the controls.


What data teams already do	The gateway it becomes
Data classification and privacy	**G1 Use** classify and redact before the model
Change control on policies and configs	**G2 Prompt** locked instructions, tool allow-list
Access control and lineage	**G3 Context** permissioned retrieval, source trace
Data quality, reconciliation, audit	**G4 Self-check** fail closed, named human, audit log

> *Data practices and accountability procedures, including data currency, lineage, quality, integrity, bias analysis and minimization, and suitability.*
>
> **NAIC Model Bulletin, Use of AI Systems by Insurers (adopted Dec 4, 2023), AIS Program Guidelines 3.2**

Also: OWASP Top 10 for LLM Applications 2025 lists prompt injection as LLM01.

Sources: content.naic.org (Model Bulletin PDF) | genai.owasp.org/llmrisk/llm01-prompt-injection

Four gateways between your data and any model




Each gateway is written twice, in code and in AGENTS.md. **The prompt asks. The code enforces.**

THE LEVEL-4 GATE

"Machine checks first, a human still signs off, and every decision leaves a trail security and ops can both use. Anything it cannot verify fails closed."

Sensitive data never leaves the boundary

Raw only a local model sees this



G1 What leaves the boundary SYNTHETIC SAMPLE DATA


Same synthetic record, two views. The cloud model only ever sees the redacted view. Sensitive fields stay with a local model on this machine.

Show redacted (what the model sees) RAW: LOCAL ONLY

Field	Class	Value
Applicant name	SENSITIVE	D. Okafor
Date of birth	SENSITIVE	1982-03-09
SSN	SENSITIVE	000-12-3456
Phone	SENSITIVE	402-555-0143
Email	SENSITIVE	d.okafor@example.com
Home address	SENSITIVE	1200 Sample St, Lincoln, NE 68508
Health note	SENSITIVE	Controlled hypertension, BP 128/82
Face amount	INTERNAL	$750,000
Product	PUBLIC	20-year level term

7 of 9 fields classified SENSITIVE. Rule: sensitive goes to a local model or gets redacted. Every value here is invented.

Redacted the only view allowed to leave



G1 What leaves the boundary SYNTHETIC SAMPLE DATA

Same synthetic record, two views. The cloud model only ever sees the redacted view. Sensitive fields stay with a local model on this machine.

Show raw (only a local model sees this) REDACTED: SAFE TO SEND

Field	Class	Value
Applicant name	SENSITIVE	[NAME_REDACTED]
Date of birth	SENSITIVE	[DOB_REDACTED]
SSN	SENSITIVE	[SSN_REDACTED]
Phone	SENSITIVE	[PHONE_REDACTED]
Email	SENSITIVE	[EMAIL_REDACTED]
Home address	SENSITIVE	[ADDRESS_REDACTED]
Health note	SENSITIVE	[HEALTH_REDACTED]
Face amount	INTERNAL	$750,000
Product	PUBLIC	20-year level term


7 of 9 fields classified SENSITIVE. Rule: sensitive goes to a local model or gets redacted. Every value here is invented.

Classify every field
PUBLIC, INTERNAL, or SENSITIVE

Unsure? It is SENSITIVE
the default when in doubt

7 of 9 fields sensitive
the model still gets amount and product

Text in a document is data, not orders



1 Locked system prompt
Document text sits inside <document> tags and is never treated as instructions.

2 Injection flagged and logged
"SYSTEM NOTE TO AI" and "ignore previous instructions" are caught.

3 Tool allow-list in code
Move money is never allowed. Unknown tools mean no.

"It is unclear if there are fool-proof methods of prevention for prompt injection."
OWASP, LLM01:2025 Prompt Injection

G3 | CONTEXT

Least data, and every sentence traced

Role: underwriting

2 lines retrieved (minimum needed)

3 documents denied and logged

```
LF-2026-1188 (life)
RE-2026-0072 (reinsurance)
HR-2026-0001 (HR)
```

Model answer, after the source check

KEPT

One ammonia leak claim in 2023 paid $41,200 [PC-2026-0417:P3].
Cited, and the number is in the source line.

REMOVED

~~Building limit requested is $15M [PC-2026-0417:P4].~~
Number not in source. P4 says $14.5M.


REMOVED

~~Loss ratio is excellent.~~
No source at all.

SYNTHETIC SAMPLE DATA

If you cannot cite it, do not write it. trace_ok() checks every sentence for a retrieved [DOC:LINE] and matching numbers.

When sources disagree, it stops and asks



What fails closed

- Numbers or dates that will not reconcile
- An instruction aimed at the AI inside a source
- A read outside the role's permission
- Any tool not on the allow-list

Never: guess, average, or pick the higher number.

Real output: python3 run_all.py, mock mode, synthetic data

```
[ledger] G4 HANDED BACK: UNRECONCILABLE_RECORD: draft discarded; question sent to Reinsurance Claims Analyst
[ledger] G4 HUMAN ANSWERED: RE-CLM-0931: Cedent statement is the source of truth; corrected bordereau requested
```

WHEN TO HAND IT BACK

Five stop-the-machine questions

Ask before anything leaves the building. Any single no means stop and hand it back to a person.


1	**Ground**	Can every material claim point to a source we trust today?	G3
2	**Owner**	Is a named human accountable, with a refuse button that fires and logs why?	G4
3	**Trail**	Could we defend this decision from the audit trail alone?	G4
4	**Blast radius**	If it is wrong, can we undo it in operational time? Money, legal notices, coverage: hand it back sooner.	G2
5	**Definition**	Did we define good enough before we generated anything?	G2 G3

In the demo: $412,000 vs $421,000 fails question 1, so the agent writes nothing and asks the analyst.

Teaching framework, not an industry standard. SYNTHETIC SAMPLE DATA.

LIVE DEMO

The Flight Recorder, with the gateways on



Follow along

nathanplatteruser.github.io/dama-rocky-mountain-2026/flight-recorder/

Runs in your browser. Nothing is uploaded. Synthetic data.

The route

Step 1. Permission card
Allow-list and never-allowed list — G2

Step 2. Summarize with sources
Raw vs redacted toggle, source tags — G1 G3

Step 3. Second-pass verifier
Fail-closed $412K vs $421K — G4

Step 5. Out-of-scope action
$4,800 return premium blocked — G2 G4

Closer: Regulator asks
Comparison table, evidence pack — G4

EVIDENCE PACK AND AUDIT LOG

If it is not in the log, it did not happen

#	Gate	Event
1	G1	Redaction applied, 7 of 9 fields
2	G1	Raw record routed local-only
3	G2	Injection flagged in broker note
4	G2	move_money blocked, no money moved
5	G3	2 lines retrieved, 3 docs denied
6	G3	Sentence removed: $15M not in source
7	G3	Sentence removed: no source
8	G4	Handed back to named analyst
9	G4	Analyst answered: cedent statement

Each row in out/flight-recorder.jsonl also carries time, agent, and detail. Security and ops read the same file.

SYNTHETIC SAMPLE DATA

Bottom line per batch (estimates)

Cheapest to run: **single-pass AI, $38.** Cheapest bottom line: **agentic, $105.**

Approach	Labor	Errors paid	Bottom line	Still exposed
100% human	$570	Not estimated	**$570 + ?**	No benchmark
OCR + review	$380	$0	**$380**	$6,000 reserve understated
Single-pass AI	$38	+$4,800	**$4,838**	$9,000 claim gap, no record of who decided
Agentic + sign-off	$105	$0	**$105**	None open; every step logged

Bottom line = labor + errors paid. 30 items at $38/hr (BLS 2025 median $37.51); editable inputs on the demo's closing page. Errors come only from the demo's synthetic files. Illustrative estimates, wages only.

PROVE THE GATE

Prove the gate with your own numbers

1. Pick one workflow that already hurts when it is wrong.
2. Baseline two weeks by hand: time per item, errors found later.
3. Run it gated. Let the log count: passed, refused, handed back, blocked.
4. Price both sides: one bad send to unwind vs one false stop.
5. Report gate outcomes, not just model accuracy.

Worksheet: fill with your numbers

A	Cost of one bad send to unwind	$ _____
B	Bad sends the gate caught per month	_____
C	Cost of one false stop (minutes x rate)	$ _____
D	False stops per month	_____

Gate value per month = (A x B) minus (C x D)

Bring your own incident math. No industry averages tonight. The worksheet PDF is in the kit.

Blank on purpose. No modeled or borrowed numbers on this slide.

TAKE IT HOME

Run it Monday on your own laptop

nathanplatteruser.github.io/**dama-rocky-mountain-2026/kit**

Slides, take-home PDFs, demo, setup guide, and code on one page

Setup guide
Mac and Windows. Mock mode needs no model. Free local Ollama, or bring your own key for a cloud model.

AGENTS.md + guardrails.yaml
The four gates as instructions any agent reads, and as data your code checks.

Four labs + tests
Ollama path tested with no download: python3 tests/test_ollama.py (or make test-ollama). One Python file per gateway, standard library only. One test per rule.

Checklists
Pilot to production (10 questions), permission card, curveball checklist.

```
real output, mock mode

$ cd dama-2026
$ python3 run_all.py

PASS G1 no sensitive value leaves
PASS G2 injection never moves money
PASS G3 out-of-role doc denied
PASS G4 fails closed, writes nothing
Audit log: ... (9 entries)
```

Use it in your own product

1. Copy AGENTS.md and guardrails.yaml; rewrite for your agent
2. Port four functions: redact, gate, trace_ok, reconcile + record
3. Write one test per rule

No pitch: nothing here is for sale and no product is named. MIT license. Teaching example, not legal advice.

Questions

G1 Classify before you touch.

G2 The prompt asks. The code enforces.

G3 Least data, always traced.

G4 Fail closed. A named human signs. The log remembers.

This week: run the 10-question pilot-to-production checklist on one agent you are building.

Nathan Platter

Lincoln NE | linkedin.com/in/nathan-platter


Slides, PDFs, contact

Live demo


nathanplatteruser.github.io/dama-rocky-mountain-2026/kit

All demo data is synthetic sample data.


The demo in four screenshots




Step 1. Permission card: what it may never do (G2)



Step 3. Fail closed: it writes nothing and asks (G4)



Step 5. The $4,800 instruction, blocked (G2 G4)



Closer. Evidence pack and your own inputs (G4)

Screenshots of the live demo page, captured Oct 21, 2026. Offline copy: flight-recorder/index.html from the repo. SYNTHETIC SAMPLE DATA.

Free local, or bring your own key

Free local

Ollama on your laptop (llama3.1:8b or deepseek-r1:7b). Mock mode needs no model at all.

Nothing leaves the laptop. $0.

Bring your own key

Claude, Grok, a ChatGPT model, or any OpenAI-compatible server. Pick the model with FR_MODEL.

Redacted synthetic data only. The code refuses to send any raw sensitive value. Key read from your environment, never saved. About 1 to 15 cents a run.

Same prompts, same four gateways, same audit log. **The model can be swapped. The gates stay.**

Cost range from the repo README (list prices checked Oct 2026). Teaching example, not legal advice.