Flight Recorder: User Guide

A free, offline walkthrough of a governed AI workflow for insurance. Version 1.2, October 12, 2026. Author: Nathan Platter.

1. What it is

Flight Recorder is a single web page that walks you through five guardrails on one AI agent that summarizes underwriting files, then turns everything that happened into an evidence pack a regulator could read. It's built to teach a pattern, not to sell a tool. There's nothing to buy and no account to create.

The five steps and the closer:

1. Permission card: what the agent may do, may never do, and who answers for it.
2. Summaries with sources: every sentence carries a tag back to the exact line in the file.
3. Second-pass verifier: a separate check opens each cited line and confirms every number and key term is there. It also notices when a line depends on a form that has been replaced.
4. Last year's form: every form, rider, and clause reference is checked against a forms library, dated or not. Retired or undated references hold for an underwriter.
5. Out-of-scope action: an instruction hidden in a broker note asks the agent to issue a $4,800 return premium. The gate blocks it, logs it, and escalates to named roles.
6. Watchlist: three scenario cards (state market exit, reinsurance territory gap, impersonation signals across a series of claims) where the system suspects something, gives reason codes, and routes to a named person. It never decides and never declares fraud.
7. Curveballs: 27 traps in nine categories (Claims, Payments and Billing, Underwriting and Policy, Health/Auth, Life, Workers' Comp, Reinsurance, Fraud and Identity, Data Quirks) that fool both a QC check and a careful reviewer. Filter chips switch category; Presenter picks shows four. Each shows the naive result, the guardrail result, what would have gone wrong, an estimated impact, a reason code, and a named reviewer.
8. Closer, the regulator asks: one click builds an evidence pack from the ledger, mapped to exact sections of the NAIC AI Model Bulletin and Colorado 3 CCR 702-10.

Important: the "agent" in this demo is scripted. It produces the same output every time, so the demo works offline and the lesson is repeatable. The checks (verifier, version check, gate, ledger) are real code running in your browser. To use a live model, see section 8.

2. What's synthetic and what's real

Synthetic (invented): all three policy files and everything inside them (names, addresses, ages, medical readings, limits, layers, losses, percentages), the forms library (EB-204, WP-11, HC-3 and their editions), the agent name and its sentences, the $4,800 request, the ticket number, and every timestamp. Each file shows a purple SYNTHETIC SAMPLE DATA label.

Real (public): the regulatory references, plus two statistics in step 6 card C (Verisk and Milliman), each shown with its source link. Full list in DATA-SOURCES.md and section 11.

3. Requirements

- Any current web browser: Safari, Chrome, Edge, or Firefox. That's it.
- No internet needed once downloaded. Nothing is uploaded anywhere.
- Optional: Python 3, only if you want to run a tiny local web server (useful if your company's browser settings block downloads from local files).

Installing Python 3 (optional)

Mac: open Terminal and type python3 --version. If you see a version number, you're done. If not, macOS will offer to install the Command Line Tools; click Install. Or download the installer from https://www.python.org/downloads/macos/.

Windows: open the Microsoft Store, search "Python 3.12" (or newer), and click Get. Or download from https://www.python.org/downloads/windows/ and check "Add python.exe to PATH" during install. Confirm in Command Prompt with py --version.

4. Getting the files

Option A, no download at all: open https://nathanplatteruser.github.io/gis-2027/flight-recorder/ in your browser. Same demo, hosted on GitHub Pages.

Option B, ZIP (no tools needed): go to https://github.com/nathanplatteruser/gis-2027, click the green Code button, then Download ZIP. On Mac, double-click the ZIP to unpack. On Windows, right-click the ZIP, choose Extract All, then Extract.

Option C, git clone: git clone https://github.com/nathanplatteruser/gis-2027.git

5. Running it

Mac

9. Open the unpacked gis-2027 folder, then the flight-recorder folder.
10. Double-click index.html. It opens in your default browser.
11. Optional server: in Terminal, cd into the flight-recorder folder, run python3 -m http.server 8000, then open http://localhost:8000. Press Control+C to stop.

Windows


12. Open the extracted gis-2027-main folder, then flight-recorder.
13. Double-click index.html. It opens in Edge or your default browser.
14. Optional server: in the folder's address bar type cmd and press Enter, run py -m http.server 8000, then open http://localhost:8000. Press Control+C to stop.

Tips: add #step1 through #step8 to the address to jump to a step (earlier steps run automatically). Reset demo starts over. Left and right arrow keys move between steps. The ledger on the right records everything in order.

6. Walking through each step


Step 1. Permission card

Read the allowed and never-allowed lists. Click Load this card and continue. The ledger records who owns the agent. Maps to NAIC AIS Program Guidelines 2.3(b) and 3.1.




Step 2. Summaries with sources

Three files: commercial property, individual term life, property cat treaty. Click any blue source tag to highlight the exact line. Sentences marked "no source given" are the agent's own embellishments.




Step 3. Second-pass verifier

Green: every number and key term was found in the cited line. Red (struck through): unsupported, removed. Example: the agent wrote $9.8M where the file says $8.9M. Amber: supported by a superseded source. The EB-204 sublimit is correct for the retired edition, which is exactly why it's dangerous. Maps to NAIC Sec. 3 verification and testing, and AIS Program Guidelines 3.4.




Step 4. Last year's form

Two holds: EB-204 (ed. 01/2022) was retired, and HC-3 is cited with no edition at all. Click Underwriter: confirm current version for each. The ledger shows what changed. Maps to NAIC 3.2 data currency and Colorado Sec. 5.A.9 version control.




Step 5. Out-of-scope action

The red dashed text in the broker note is the hidden instruction. The gate blocks the $4,800 return premium for two reasons and pages two roles. Choose Supervisor: reject or route. Maps to NAIC 3.1 and 2.3(d).



Step 6. Watchlist: sneaky cases

Card A, market exit: the carrier withdrew from homeowners in the fictional state of Westland, yet a new quote arrived. Routed to the regional Underwriting Manager (APPETITE_CONFLICT). Card B, reinsurance mismatch: the primary still writes commercial property in Westland, but the reinsurer excluded Westland from the treaty, so the ceded share may be uncovered. Routed to the Ceded Reinsurance Manager (TREATY_TERRITORY_GAP). Card C, impersonation: a callback to the number on file reached someone else, a video statement was recorded before the date of loss, a broker approval came from a look-alike domain, and three claims share a device, a bank account, and phrasing. Routed to an SIU Analyst (IMPERSONATION_SIGNALS). Click confirm or clear on each. Card C shows two public stats with their sources (Verisk, Milliman). Maps to NAIC Sec. 3 risk consideration (iii) and AIS Program Guidelines 2.3(d).



Step 7. Curveballs

Each card shows four things in plain English: what a naive check concluded (red), what the guardrail caught (green), what would have gone wrong, and the impact, always labeled as an estimate. 1. Handwriting (OCR_LOW_CONFIDENCE): a synthetic margin note reads $1,500 at 0.58 confidence against a typed $7,500; a Claims Adjuster reads the original. 2. Amounts as text (TYPE_COERCION): "12,500.00" vs "12.500,00", "1.25E4", and a trailing space all fail a string compare, and parseFloat turns 12.500,00 into 12.5; policy 00047213 loses its zeros as a number. 3. Rounding drift (PRECISION_DRIFT): $0.125 rounded on each of 2,000 lines is $10 off the exact total. 4. Stale privacy notice (STALE_COMPLIANCE_DOC): search ranks the 2023 edition first; the effective-date check holds it and shows 2025. 5. Time-zone cutoff (TIMEZONE_BIND): a loss logged as 07/01 04:58 UTC is 11:58 PM on 06/30 in Central, before 12:01 AM inception. 6. Units (UNIT_MISMATCH): a treaty schedule in thousands. 7. Look-alike name (HOMOGLYPH_DUPLICATE): Jon Miller uses a Cyrillic letter; Unicode confusable normalization (TR39) matches John Miller. 8. Date format (DATE_FORMAT_AMBIGUOUS): 03/04 from an EU-locale portal. 9. Producer license (PRODUCER_LICENSE_LAPSED): expired two days before binding. v1.3 adds 18 more: claim acknowledgment clock, depreciation math, auth on file denied

anyway, deductible owed after subrogation, treaty notice missed, AI photo provenance (routed to SIU, never called fraud), late payment after settlement, premium increase or double billing, policy identifier mismatch, life contestability with a name/DOB mismatch, workers' comp date-of-injury mismatch, matching siding, wildfire hours clause, late MGA bordereaux, annuity suitability, a sanctions-style near-match using fictional names, copy-paste totals, and hidden white text in a PDF. Each card links to a real public source describing that friction; the card data is synthetic. Use the category chips, Re-run all checks, and Mark all spot-checks done. Every hold lands in the ledger with its category and in the evidence pack. Maps to NAIC AIS Program Guidelines 3.2 and 3.4.

Flight Recorder: tracing, verifying, and stopping an AI agent before it reaches production

A walkthrough for insurance leaders. Every file, name, and number below is fictional sample data.

SYNTHETIC SAMPLE DATA. Every carrier, insured, amount, and form is invented. Only the regulatory references are real (see the closer for exact sections and links). The "agent" here is scripted so the demo runs the same way every time, fully offline. Swap in any model you approve; the guardrails are the point.

Step 7. Curveballs that fool a QC check and a careful person

27 traps drawn from real, public friction points. For each: what a naive check concluded, what the guardrail caught, what would have gone wrong, and who gets the spot-check. All case data and dollar figures are synthetic estimates. The context link on each card is the real public source for the friction itself.

Presenter picks (4) | All (27) | Claims (5) | Payments and Billing (4) | Underwriting and Policy (3) | Health/Auth (1) | Life (2) | Workers' Comp (1) | Reinsurance (4) | Fraud and Identity (4) | Data Quirks (3)

Run all checks | Mark all spot-checks done | 27 of 27 spot-checked

Claims | presenter pick

Handwritten margin edit vs typed field SYNTHETIC SAMPLE DATA

SYNTHETIC SCAN: adjuster margin note, CL-2026-1310



OCR: "$1,500" (confidence 0.58). Typed field: $7,500

Naive check OCR text "$1,500" accepted, payment set to $1,500

Guardrail OCR confidence 0.58 (threshold 0.85) and it disagrees with typed reserve $7,500. Held.

What would have gone wrong: Underpay a claim by $6,000, or overpay if the typed field was the wrong one.

Impact: Estimate: $6,000 on this one claim; repeated across a book of scanned notes, it adds up quietly.

Reason code **OCR_LOW_CONFIDENCE**. Routed to **Claims Adjuster (read the original scan)**.

Real-world context: J.D. Power 2025 property claims study

Spot-check done by a person

Data Quirks

Amounts stored as text SYNTHETIC SAMPLE DATA

System A	System B	a === b	parseFloat(b)	Guardrail
"12,500.00"	"12.500,00"	false	12.5	equal
"12500"	"1.25E4 (stored as text)"	false	12500	equal
"12500.00"	"12500.00 "	false	12500	equal

Naive check String compare says all 3 pairs differ; parseFloat("12.500,00") = 12.5 (silently $12.50). Policy 00047213 cast to number becomes 47213.

Guardrail Format-aware parse: all 3 pairs equal $12,500.00, with notes (European format (dot thousands, comma decimal); scientific notation; leading or trailing space). Policy numbers kept as text; 00047213 vs 47213 flagged as a dropped leading zero.

What would have gone wrong: A $12,500 payment recorded as $12.50, or a claim matched to the wrong policy because 00047213 became 47213.

Impact: Estimate: $12,487.50 misstatement on one line; wrong-policy matches are a coverage and privacy problem.

Reason code **TYPE_COERCION**. Routed to **Claims Data Steward**.

Real-world context: Lloyd's Coverholder Reporting Standards v5.1

Spot-check done by a person

Payments and Billing

Rounding drift between two systems SYNTHETIC SAMPLE DATA

Naive check Each line shows $0.13 in system A and $0.125 in system B, which displays as $0.13 too. Totals: system A $260.00, system B $250.00. Reviewer sees two "right" numbers.

Guardrail Recomputed with exact cents: rounding each of 2000 lines (0.005 per line) drifts $10.00. Held for reconciliation.

What would have gone wrong: Two ledgers that never tie out, and nobody can say which one is right.

Impact: Estimate: $10 per 2,000 lines here; on millions of premium lines it's a recurring reconciliation break.

Reason code **PRECISION_DRIFT**. Routed to **Premium Accounting Supervisor**.

Real-world context: NAIC complaint reasons

Spot-check done by a person

Underwriting and Policy

Retrieval pulled last year's privacy notice SYNTHETIC SAMPLE DATA

Naive check Search ranks Privacy Notice PN-7 (2023) first (score 0.91); it's attached to the renewal packet.

Guardrail Effective-date and lineage check: 2023 edition superseded 2025-07-01. Current is 2025 (effective 2025-07-01). Held; current version shown.

What would have gone wrong: Customers get a privacy notice that no longer matches how data is handled.

Impact: Risk estimate: a market-conduct finding and a re-mailing to every affected policyholder.

Reason code **STALE_COMPLIANCE_DOC**. Routed to **Compliance Officer**.

Real-world context: Illinois 2025 complaint ratio report

Spot-check done by a person

Claims | presenter pick

Loss 3 minutes before coverage, logged in UTC SYNTHETIC SAMPLE DATA

Naive check System date 2026-07-01 is on or after 07/01, so it reads "covered."

Guardrail Converted to Central (UTC-5, daylight time in July): 2026-06-30 23:58, which is 11:58 PM on 06/30, before the 12:01 AM inception. Held for a coverage decision. Note: the policy says standard time, which is its own question for counsel.

What would have gone wrong: Paying a loss that happened before the policy started, or denying one that didn't. Both end up disputed.

Impact: Estimate: full loss amount, $38,000 in this synthetic file, plus dispute cost.

Reason code **TIMEZONE_BIND**. Routed to **Coverage Counsel / Claims Manager**.

Real-world context: NAIC complaint reasons

Spot-check done by a person

Reinsurance

Treaty schedule in thousands SYNTHETIC SAMPLE DATA

Naive check Bordereau value read as $8,900. Recovery calculation shows nothing to cede.

Guardrail Header says "All figures in USD thousands". Actual: $8,900,000. Held; recovery recalculated.

What would have gone wrong: A real reinsurance recovery never gets billed.

Impact: Estimate: depends on the layer; in the synthetic treaty, the difference between $8,900 and $8.9M.

Reason code **UNIT_MISMATCH**. Routed to **Ceded Reinsurance Manager**.

Real-world context: Lloyd's Coverholder Reporting Standards v5.1

Spot-check done by a person

Fraud and Identity

Duplicate claim with a look-alike name SYNTHETIC SAMPLE DATA

Naive check "John Miller" and "Jon Miller" look different to an exact match (different), so both claims proceed.

Guardrail Normalized with Unicode confusable mapping (the "i" in the second name is Cyrillic U+0456, and Jon maps to John): same person. Same loss date and VIN tail 2291. Routed for a human look. Not a fraud finding.

What would have gone wrong: Paying the same loss twice.

Impact: Estimate: $14,200 duplicate payment in this synthetic case.

Reason code **HOMOGLYPH_DUPLICATE**. Routed to **SIU Analyst**.

Real-world context: Unicode TR39 confusables

Spot-check done by a person

Data Quirks

03/04: March 4 or April 3? SYNTHETIC SAMPLE DATA

Naive check Read as US: 2026-03-04, before the 2026-03-15 effective date, so the loss looks uncovered.

Guardrail Source is broker portal (EU locale); 03/04/2026 could be 2026-04-03. Both readings change the coverage answer. Held; ask the broker.

What would have gone wrong: A covered loss denied, or an uncovered one paid, on a date nobody actually checked.

Impact: Risk estimate: a wrongful denial complaint, or the full claim paid in error.

Reason code **DATE_FORMAT_AMBIGUOUS**. Routed to **Claims Adjuster**.

Real-world context: NAIC complaint reasons

Spot-check done by a person

Underwriting and Policy

Producer license expired before binding SYNTHETIC SAMPLE DATA

Naive check Producer is "active" in the agency system, so the commission pays.

Guardrail License record (synthetic) expired 2026-08-31; policy bound 2026-09-02. Held for licensing review.

Claims

Claim clock: day 27 of 30, request sent to an old email SYNTHETIC SAMPLE DATA

Naive check Status "waiting on insured for documents." Nothing looks overdue.

Guardrail Day 27 of a 30-day synthetic decision window, and the document

Action ledger

Every step any system takes, in order. This is the flight recorder.

```
AGGREGATION_HOURS_CLAUSE
Wildfire: one event or two under the hours clause?. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)

#75 2026-10-12T14:38:45Z
Human: Delegated Authority Manager SPOT-CHECK DONE: BORDEREAU_LATE_INCOMPLETE
MGA bordereau late and incomplete. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)

#76 2026-10-12T14:38:52Z
Human: Annuity Suitability Reviewer SPOT-CHECK DONE: SUITABILITY_REVIEW
Annuity: suitability form complete, fit questionable. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)

#77 2026-10-12T14:38:59Z
Human: Compliance Officer SPOT-CHECK DONE: WATCHLIST_NEAR_MATCH
Sanctions-style name near-match. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)

#78 2026-10-12T14:39:06Z
Human: Reinsurance Accounting Analyst SPOT-CHECK DONE: TOTALS_MISMATCH
Copy-paste totals: footer doesn't match the rows. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)

#79 2026-10-12T14:39:13Z
Human: SIU Analyst + Claims Manager SPOT-CHECK DONE: HIDDEN_TEXT_IN_DOCUMENT
Hidden white text in a claim PDF. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)
```

Closer. The regulator asks

Read the mapping table, then click Download evidence pack. You get a standalone HTML file with the table, sources, and full ledger. Print this page also works and hides the navigation.

Flight Recorder: tracing, verifying, and stopping an AI agent before it reaches production

A walkthrough for insurance leaders. Every file, name, and number below is fictional sample data.

SYNTHETIC SAMPLE DATA. Every carrier, insured, amount, and form is invented. Only the regulatory references are real (see the closer for exact sections and links). The "agent" here is scripted so the demo runs the same way every time, fully offline. Swap in any model you approve; the guardrails are the point.

1. Permission card ✓ | 2. Summarize with sources ✓ | 3. Second-pass verifier ✓ | 4. Last year's form ✓ | 5. Out-of-scope action ✓ | 6. Watchlist: sneaky cases ✓ | 7. Curveballs ✓ | Closer: Regulator asks ✓

Closer. "Show me every AI-assisted action on these files."

One click turns the ledger into an evidence pack. If it isn't in the ledger, it didn't happen, and that's the standard.

Download evidence pack (.html) | Print this page

Evidence pack: UW-Summary-Agent v0.3, files PC-2026-0417, LF-2026-1188, RE-2026-0072 SYNTHETIC SAMPLE DATA

Generated from 80 ledger entries. 4 holds, blocks, or escalations. 0 dollars moved by the agent. 3 watchlist cases routed to people; 0 decided by the system. 27 curveballs held and spot-checked by people.

Expectation	Exact section	What this run shows	Where
Written AIS Program with governance and accountability	NAIC Bulletin Sec. 3 (written AIS Program); AIS Program Guidelines 1.3 and 2.3(b) scope of responsibility, authority, chains of command	Permission card: owner, allowed and never-allowed lists, escalation roles	Step 1
Constraints and controls on automation	NAIC AIS Program Guidelines 3.1; Sec. 4, item 1.1(e)(i)(1)	Gate blocked out-of-scope money movement	Step 5
Escalation and reporting protocols	NAIC AIS Program Guidelines 2.3(d)	Blocked action paged two named roles; human decision logged	Step 5
Data currency, lineage, quality	NAIC AIS Program Guidelines 3.2; Sec. 4, item 1.3(b)	Source tag on every sentence; retired and undated form references held	Steps 2 to 4
Verification and testing for errors	NAIC Sec. 3 (encourages verification and testing methods); AIS Program Guidelines 3.4	Second pass checked every fact against its cited line	Step 3
Human involvement in the final decision	NAIC Sec. 3, risk consideration (iii)	Underwriter and supervisor decisions logged	Steps 4 and 5
Human makes the call on suspected appetite conflicts, treaty gaps, and impersonation	NAIC Sec. 3, risk consideration (iii); AIS Program Guidelines 2.3(d)	Watchlist routed 3 cases with reason codes to named roles; system decided none	Step 6
Data quality and integrity checks on real-world messiness (handwriting, data types, rounding, time zones, units, look-alike names, dates, licensing, stale documents)	NAIC AIS Program Guidelines 3.2 and 3.4; Sec. 4 item 1.3(b)	27 curveballs held with reason codes and spot-checked by named roles	Step 7
Data and record retention	NAIC AIS Program Guidelines 3.6	Ledger exported with this pack	Closer
Documentation available on examination	NAIC Sec. 4, Regulatory Oversight and Examination Considerations, item 1.3	This pack	Closer
Roles and responsibilities; testing and validation	Colorado 3 CCR 702-10 Sec. 5.A.6	Permission card roles; verifier	Steps 1 and 3
Inventory with version control	Colorado 3 CCR 702-10 Sec. 5.A.9	Forms library and version holds	Step 4
Framework available on request	Colorado 3 CCR 702-10 Sec. 5.C (life since Dec 1, 2024; private passenger auto and health since Jul 1, 2026). Applies only to the lines in Sec. 3 that use ECDIS (Sec. 4.D).	Same artifacts	All

Sources (accessed 2026-10-12):
NAIC Model Bulletin: Use of Artificial Intelligence Systems by Insurers (adopted Dec 4, 2023): https://content.naic.org/sites/default/files/cmte-h-big-data-artificial-intelligence-wg-ai-model-bulletin.pdf.pdf
Colorado 3 CCR 702-10, Regulation 10-1-1 (amended, effective Oct 15, 2025): https://sos.state.co.us/CCR/GenerateRulePdf.do?fileName=3+CCR+702-10&ruleVersionId=12182
Check your own state's adopted version. Teaching example, not legal advice.

Full ledger

#	Time (UTC)	Actor	Event	Detail	Ref
1	2026-10-12T14:30:07Z	Governance	PERMISSION CARD LOADED	UW-Summary-Agent v0.3; owner: Underwriting Operations Manager	NAIC Sec. 3, AIS Program Guidelines 2.3(b) scope of responsibility and authority
2	2026-10-12T14:30:14Z	UW-Summary-Agent v0.3	READ FILE	PC-2026-0417 (P&C (commercial property))	
3	2026-10-12T14:30:21Z	UW-Summary-Agent v0.3	DRAFT SUMMARY	6 sentences, each tagged with a claimed source	
4	2026-10-12T14:30:28Z	UW-Summary-Agent v0.3	READ FILE	LF-2026-1188 (Life (individual term))	
5	2026-10-12T14:30:35Z	UW-Summary-Agent v0.3	DRAFT SUMMARY	4 sentences, each tagged with a claimed source	
6	2026-10-12T14:30:42Z	UW-Summary-Agent v0.3	READ FILE	RE-2026-0072 (Reinsurance (property cat treaty))	
7	2026-10-12T14:30:49Z	UW-Summary-Agent v0.3	DRAFT SUMMARY	4 sentences, each tagged with a claimed source	

Action ledger

Every step any system takes, in order. This is the flight recorder.

#75 2026-10-12T14:38:45Z
Human: Delegated Authority Manager SPOT-CHECK DONE: BORDEREAU_LATE_INCOMPLETE
MGA bordereau late and incomplete. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)

#76 2026-10-12T14:38:52Z
Human: Annuity Suitability Reviewer SPOT-CHECK DONE: SUITABILITY_REVIEW
Annuity: suitability form complete, fit questionable. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)

#77 2026-10-12T14:38:59Z
Human: Compliance Officer SPOT-CHECK DONE: WATCHLIST_NEAR_MATCH
Sanctions-style name near-match. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)

#78 2026-10-12T14:39:06Z
Human: Reinsurance Accounting Analyst SPOT-CHECK DONE: TOTALS_MISMATCH
Copy-paste totals: footer doesn't match the rows. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)

#79 2026-10-12T14:39:13Z
Human: SIU Analyst + Claims Manager SPOT-CHECK DONE: HIDDEN_TEXT_IN_DOCUMENT
Hidden white text in a claim PDF. A person checked the original and decided.
Ref: NAIC Sec. 3 risk consideration (iii)

#80 2026-10-12T14:39:20Z
Compliance EVIDENCE PACK GENERATED
Built from every ledger entry above
Ref: NAIC Sec. 4 (Regulatory Oversight and Examination Considerations)

7. Customizing with your own permission card and forms

Everything you'd change lives near the top of the script block in index.html. Open it in any text editor (TextEdit in plain-text mode on Mac, Notepad on Windows). Keep a backup copy first.

- CARD: agent name, business owner, allowed and notAllowed lists, escalateTo, and the human rule. Start from takehomes/permission-card-template.md.
- FILES: each file has an id, line, title, and text. Each fact line starts with a tag like [P1]. Keep the SYNTHETIC SAMPLE DATA label unless the data is real and you're cleared to show it. Never put real customer data in a demo.
- FORMS: one row per form edition with code, ed, status (CURRENT or RETIRED), and for retired rows the retired date, replacedBy, and change. Any reference in a file that looks like two or three capital letters, a dash, and digits (EB-204, HC-3, WP-11) is checked, with or without an edition.
- SUMMARY: the scripted agent output, as pairs of [sentence, source tag]. Use null for a sentence with no source.
- PROPOSED_ACTION: the out-of-scope action the agent tries.
- SCEN: the watchlist cards. Each has a title, file, list of signals, the named role it routes to, a reason code, and the section reference. Keep the rule: the system suspects, a person decides.
- CB: the curveballs. Each has an id, title, reason code, route, the plain-English wrong and impact text, and a run() function that performs the real check. Edit the inputs inside run() to try your own messy data.
- MAP: the evidence-pack table. If you cite a regulation, cite the exact section and keep the URL and date accessed.

How the verifier decides: it pulls every number from the sentence (dollar amounts, percentages, dates, readings) and requires each one in the cited line. It also requires at least half of the longer words in the sentence to appear in that line. Then it checks any form referenced in that line against the library. It's a teaching heuristic, not a full fact checker. Paraphrased claims without numbers can slip through, and that's worth saying out loud in the room.

Using a live model: replace the SUMMARY object with output from your approved model, keeping the [sentence, tag] shape. Leave the verifier, version check, gate, and ledger as they are. That's the point: the guardrails don't trust the model.

8. Troubleshooting

- Blank page: make sure you opened index.html from inside the flight-recorder folder, not from inside the ZIP preview. Unzip first.
- Download evidence pack does nothing: some managed browsers block downloads from local files. Use the optional local server (section 5), the GitHub Pages link, or Print this page.
- Safari asks where to save, or saves to Downloads silently: that's normal. Look for evidence-pack-SAMPLE.html.
- Windows shows a SmartScreen or "protected view" warning: the file is plain HTML. Right-click, Properties, check Unblock if shown.

- python3 or py not found: Python isn't installed or isn't on PATH. See section 3, or skip the server.
- Port 8000 in use: pick another, for example python3 -m http.server 8080.
- Steps look out of order after editing: click Reset demo, or remove #stepN from the address.
- Handwriting looks different on your machine: the note uses whatever script-style font your computer has (Segoe Script on Windows, Bradley Hand on Mac). The ambiguity is the point, not the font.
- Projector cuts off the ledger: zoom out with Command+minus (Mac) or Control+minus (Windows). Below 900 pixels wide, the ledger moves under the main panel.

9. Testing done

All seven screens, the source click, both holds, the supervisor decision, all three watchlist spot-checks, the curveball filters and all 27 curveball spot-checks, arrow-key navigation, and the evidence-pack download were run automatically in browser engines set up to imitate Safari on Mac (1440x900 and 1280x800), Edge on Windows (1920x1080 and 1366x768), and Firefox, from both a local file and a local server, plus the GitHub Pages copy. This is emulation, not real Mac or Windows hardware. See TEST-REPORT.md.

10. Take-homes

- takehomes/permission-card-template.md: a one-page card to fill out before any agent touches production.
- takehomes/curveball-checklist.md: all 27 traps by category, with a public friction source with the guardrail for each.
- takehomes/pilot-to-production-checklist.md: ten questions, each mapped to a bulletin section.

11. Sources (accessed October 12, 2026)

NAIC Model Bulletin: Use of Artificial Intelligence Systems by Insurers, adopted December 4, 2023. Sections used: Sec. 3 AIS Program Guidelines 1.3, 2.3(b), 2.3(d), 3.1, 3.2, 3.4, 3.6, and risk consideration (iii); Sec. 4 items 1.1(e)(i)(1), 1.3, 1.3(b). https://content.naic.org/sites/default/files/cmte-h-big-data-artificial-intelligence-wg-ai-model-bulletin.pdf.pdf

Colorado 3 CCR 702-10, Regulation 10-1-1, amended effective October 15, 2025. Sections used: Sec. 3 applicability (individual life, private passenger auto, health benefit plans), Sec. 4.D ECDIS definition, Sec. 5.A.6, 5.A.9, 5.C. https://sos.state.co.us/CCR/GenerateRulePdf.do?fileName=3+CCR+702-10&ruleVersionId=12182

Verisk, State of Insurance Fraud study: https://www.verisk.com/49411b/siteassets/media/campaigns/gated/claims/verisk-state-of-insurance-fraud-study.pdf

Unicode Technical Standard #39, Unicode Security Mechanisms: https://www.unicode.org/reports/tr39/

Milliman, Accidents that never happened: Generative AI and fraud in motor insurance, December 2025: https://media.milliman.com/v1/media/edge/images/millimaninc5660-milliman6442-prod27d5-0001/media/Milliman/PDFs/2025-Articles/12-3-25_Accidents-that-never-happened.pdf

Teaching example, not legal advice. Check your own state's adopted version. Licensed MIT: copy it, change it, use it at work.