General Theorems for Quantum

Nathan Solomon

October 25, 2024

Contents

T	Eigenvalues & eigenvectors of Hermitian matrices	Τ
2	Energy degeneracy in one dimension	2
3	Riesz-Fischer theorem	2
4	Ehrenfest's theorem	2
5	Fourier inversion theorem	2
6	(General) uncertainty principle	2
7	Observables are conserved iff they commute with Hamiltonian	2
8	Proof that gaussian minimizes "total uncertainty"	2
9	Virial theorem (quantum version)	2
10	Conservation of probability current	2
11	Heisenberg picture	2
12	Spin statistics theorem	2

1 Eigenvalues & eigenvectors of Hermitian matrices

Prove eigenvalues are orthogonal, and discuss when there are repeated eigenvalues. Also, show that determinate states (of an observable) are the same as the eigenvectors (of the corresponding operator).

2 Energy degeneracy in one dimension

Suppose there are two wavefunctions in 1D with the same energy, then prove those wavefunctions are the same.

3 Riesz-Fischer theorem

Prove that the set of L^2 functions has a countable basis.

- 4 Ehrenfest's theorem
- 5 Fourier inversion theorem
- 6 (General) uncertainty principle
- 7 Observables are conserved iff they commute with Hamiltonian
- 8 Proof that gaussian minimizes "total uncertainty"
- 9 Virial theorem (quantum version)
- 10 Conservation of probability current

11 Heisenberg picture

Show that this is equivalent to the Schrödinger picture.

12 Spin statistics theorem

Spin is always a multiple of 1/2. Exchange relation is symmetric for bosons and antisymmetric for fermions.