

## References

- Curtis, S. M. (2010). Bugs code for item response theory. *Journal of Statistical Software, Code Snippets*, 36(1), 1–34. Retrieved from <https://www.jstatsoft.org/index.php/jss/article/view/v036c01> doi: 10.18637/jss.v036.c01
- Gabry, J., Češnovar, R., Johnson, A., & Bröder, S. (2024). cmdstanr: R interface to 'cmdstan' [Computer software manual]. Retrieved from <https://mc-stan.org/cmdstanr/> (R package version 0.8.1, <https://discourse.mc-stan.org>)
- Gelman, A., & Hill, J. (2006, 11). Data analysis using regression and multi-level/hierarchical models. In (Vol. 3). doi: 10.1017/CBO9780511790942
- Hoffman, M. D., & Gelman, A. (2014). The no-u-turn sampler: adaptively setting path lengths in hamiltonian monte carlo. *Journal of Machine Learning Research*, 15(1), 1593–1623.
- Kucukelbir, A., Tran, D., Ranganath, R., Gelman, A., & Blei, D. M. (2016). *Automatic differentiation variational inference*. Retrieved from <https://arxiv.org/abs/1603.00788>
- König, C., Spoden, C., & Frey, A. (2022). Robustness of the performance of the optimized hierarchical two-parameter logistic irt model for small-sample item calibration. *Behavior Research Methods*. doi: 10.3758/s13428-022-02000-5
- Qiu, M., & Yuan, K. (2023). *Label switching in latent class analysis: Accuracy of classification, parameter estimates, and confidence intervals*. doi: 10.1080/10705511.2023.2213842
- Stan Development Team. (2024). Stan modeling language users guide and reference manual [Computer software manual]. Retrieved from <https://mc-stan.org/> (Version 2.35.0)
- Vehtari, A., Gelman, A., Simpson, D., Carpenter, B., & Bürkner, P.-C. (2021). Rank-normalization, folding, and localization: An improved  $\hat{R}$  for assessing convergence of mcmc. , 16. doi: 10.1214/20-BA1221