


Scale 1:5. First angle: the view from the right is drawn to the left of the front, the view from above under it. A-A: the section on sheet 2.



FROM THE RIGHT





FROM ABOVE


General arrangement

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. Section A-A (sheet 1): the product cut at x 0.0 and seen from the right; cut faces hatched, a different angle for each part.




Section A-A

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:2, parts drawn apart. Balloons are the parts list's numbers (last sheet).




Exploded view

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe


mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15


Scale 1:2. Panels cut to their outline only (DXF files in dxf/); sizes as seen from the outer face.



ring-12
12 mm cast-acrylic, 1 for the set



ring-13
12 mm cast-acrylic, 1 for the set



cover
2 mm aluminium, 1 for the set

Sheet parts: plain panels

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe


mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-01.dxf. Marks listed at the right.

mark	size	x	y	depth
H1	Ø60.0	52.9	52.9	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner,
seen from the outer face.



ring-01: 12 mm cast-acrylic, 1 for the set, seen from its outer face

Sheet part: ring-01

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe


mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-02.dxf. Marks listed at the right.

mark	size	x	y	depth
H1	Ø78.5	64.0	64.0	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner,
seen from the outer face.



ring-02: 12 mm cast-acrylic, 1 for the set, seen from its outer face


Sheet part: ring-02

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-03.dxf. Marks listed at the right.



ring-03: 12 mm cast-acrylic, 1 for the set, seen from its outer face

mark	size	x	y	depth
H1	Ø101.0	71.4	71.4	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner,
seen from the outer face.


Sheet part: ring-03

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-04.dxf. Marks listed at the right.



ring-04: 12 mm cast-acrylic, 1 for the set, seen from its outer face

mark	size	x	y	depth
H1	Ø114.3	76.3	76.3	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner,
seen from the outer face.


Sheet part: ring-04

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-05.dxf. Marks listed at the right.



mark	size	x	y	depth
H1	Ø121.7	79.1	79.1	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner, seen from the outer face.

ring-05: 12 mm cast-acrylic, 1 for the set, seen from its outer face


Sheet part: ring-05

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-06.dxf. Marks listed at the right.



mark	size	x	y	depth
H1	Ø124.0	80.0	80.0	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner,
seen from the outer face.

ring-06: 12 mm cast-acrylic, 1 for the set, seen from its outer face


Sheet part: ring-06

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-07.dxf. Marks listed at the right.



mark	size	x	y	depth
H1	Ø124.0	80.0	80.0	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner,
seen from the outer face.

ring-07: 12 mm cast-acrylic, 1 for the set, seen from its outer face


Sheet part: ring-07

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-08.dxf. Marks listed at the right.



mark	size	x	y	depth
H1	Ø121.7	79.1	79.1	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner,
seen from the outer face.

ring-08: 12 mm cast-acrylic, 1 for the set, seen from its outer face


Sheet part: ring-08

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-09.dxf. Marks listed at the right.



ring-09: 12 mm cast-acrylic, 1 for the set, seen from its outer face

mark	size	x	y	depth
H1	Ø114.3	76.3	76.3	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner,
seen from the outer face.


Sheet part: ring-09

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-10.dxf. Marks listed at the right.



ring-10: 12 mm cast-acrylic, 1 for the set, seen from its outer face

mark	size	x	y	depth
H1	Ø101.0	71.4	71.4	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner,
seen from the outer face.

Sheet part: ring-10

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe


mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Scale 1:1. As the router sees it from the outer face; DXF: dxf/ring-11.dxf. Marks listed at the right.

mark	size	x	y	depth
H1	Ø78.5	64.0	64.0	through

H: cut through. P: pocket from the face shown.
U: pocket from the inner face (dashed; its own DXF).
Centres from the lower-left corner,
seen from the outer face.



ring-11: 12 mm cast-acrylic, 1 for the set, seen from its outer face

Sheet part: ring-11

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe


mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15


Three views each, hidden edges dashed; STL and STEP files in stl/ and step/. Numbers are the parts list's.

9. base: lathe, aluminium; 133 cm3 each; 1 for the set; 1:2


6061 from 5 in bar, bead-blasted, black anodised; the ball sits on its silicone ring, located by the globe's holder; the LED on its boss, the heat into the whole base



FRONT




FROM THE RIGHT




FROM ABOVE

11. holder: lathe, aluminium; 1 cm3 each; 1 for the set; 1:1


holds the globe's neck (three nylon-tipped set screws) and locates the ball



FRONT



FROM THE RIGHT



FROM ABOVE

Printed and machined parts

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe


mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Three views each, hidden edges dashed; STL and STEP files in stl/ and step/. Numbers are the parts list's.

14. knob: lathe, stainless; 2 cm3 each; 1 for the set; 1:1

304 stainless, diamond-knurled: turn to dim (2700 to 2200 K as it dims), click off



FRONT **FROM THE RIGHT** **FROM ABOVE**

Printed and machined parts

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

For 1; prices are budgets (bom.md says where each comes from).

no.	item	make	qty	what	size	each USD
1	ring-01	cut	1	12 mm Cast acrylic, tinted through in the speaker's colour, 4 × 8 ft sheet	106 × 106	3.19
2	ring-02, ring-11	cut	2	12 mm Cast acrylic, tinted through in the speaker's colour, 4 × 8 ft sheet	128 × 128	4.67
3	ring-03, ring-10	cut	2	12 mm Cast acrylic, tinted through in the speaker's colour, 4 × 8 ft sheet	143 × 143	5.82
4	ring-04, ring-09	cut	2	12 mm Cast acrylic, tinted through in the speaker's colour, 4 × 8 ft sheet	153 × 153	6.64
5	ring-05, ring-08	cut	2	12 mm Cast acrylic, tinted through in the speaker's colour, 4 × 8 ft sheet	158 × 158	7.13
6	ring-06, ring-07	cut	2	12 mm Cast acrylic, tinted through in the speaker's colour, 4 × 8 ft sheet	160 × 160	7.30
7	ring-12	cut	1	12 mm Cast acrylic, tinted through in the speaker's colour, 4 × 8 ft sheet	106 × 106	3.19
8	ring-13	cut	1	12 mm Cast acrylic, tinted through in the speaker's colour, 4 × 8 ft sheet	70 × 70	1.39
9	base	lathe	1	Aluminium 6061	130 × 130 × 40	61.90
10	seat	buy	1	1 mm silicone sheet ring under the sink's flange, cut on a cutter plotter		1.00
11	holder	lathe	1	Aluminium 6061	69 × 69 × 18	47.14
12	globe	buy	1	any (a lighting globe maker) White opal acrylic globe, 4 in (100) across, 2 1/4 in neck (57 OD, a lip ring), about 55 % transmission		8.00
13	led	buy	1	Nichia or Seoul (to choose) A 30 round warm-dim LED board (2200-2700 K, CRI 90+), 2.5 W, on its own aluminium star (components.json moon-led-table)		9.00
14	knob	lathe	1	Stainless steel 304	22 × 26 × 26	45.44
15	jack	buy	1	Switchcraft or CUI Panel DC power jack 5.5 × 2.1, threaded M8 bush, with a sealing O-ring		4.00
16	dimmer	buy	1	Allanson / LEDSupply / Waveform (to choose) A 12-24 V DC PWM LED dimmer board with a rotary potentiometer and end-of-travel switch, PWM 20 kHz or above (flicker-free), out of its housing, on two M3 standoffs in the foot		12.00
17	driver	buy	1	Mean Well LDD-350L / LDD-500L DC-DC constant-current module, PWM and analog dim input		8.00
18	adapter	buy	1	to choose (Class 2 / LPS, DOE Level VI) 24 V 15-18 W desktop adapter, UL 62368-1 listed, Class 2 and LPS on its label, 2.1 mm plug, a 2 m black fabric-covered cord to the lamp		18.00
19	cover	cut	1	2 mm Aluminium 5052 sheet	109 × 109	2.38
20	bumpers	buy	1	3M Bumpon SJ5302 class clear or black silicone bumpers, 12.7 × 3.5, four		1.00

Parts list

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15

Notes

1. A proposal (strata/README.md): Core as a ball drawn in contour lines. The current Core (orb_table.py) stays the baseline.
2. The ball: 13 rings of 1/2 in cast sheet, each the 160 sphere's section at its height (its tread the sheet's own face), bonded in a stepped jig, annealed, outer edges diamond-polished, inner edges bead-blasted. About 1.41 kg of acrylic; the lamp 186 tall.
3. The light: a 30 warm-dim LED board (2.5 W, 2700 to 2200 K) on the base's boss, up into a stock 4 in opal globe; the globe clears the rings by at least 12 mm.
4. Heat (worked): about 1.9 W into the base (226 cm2 of black anodise): about 8 K over the room. The globe's air and the acrylic stay far under 70 C.
5. Stability: about 1.7 kg, its centre about 90 up; it tips at about 31 deg.
6. Service: the ball lifts off (it swaps colour, as now); the globe comes out of its holder (three set screws); the LED is on two screws. The v1 plug-in power, the battery an option in the base later.

Notes

Contour Core: Table lamp: a ball of thirteen stacked tint rings over an opal globe

mm | issue 2026-10-31 | first angle

Tolerances: sheet parts ±0.5, pockets ±0.2, holes +0.2/0, prints ±0.15