

Yes, the virus only kills a small percentage of those afflicted. Yes, the flu kills 10s of thousands of people annually. Yes, 80% of people will experience lightweight symptoms with COVID19. Yes the mortality rate of COVID19 is relatively low (1–2%). All of this true, but is immaterial. They are the wrong numbers to focus on...

-- Jason S Warner

#BuildForSDG Cohort-1 Assessment

This is an eligibility assessment for the #BuildforSDG program

The assessment empowers me to **attempt** helping society and leaders prepare for the **real big problem** of COVID-19, which is **its impact on lives, health systems, supply chains, and the economy**:

1. Too many patients, not enough hospitals and beds. A serious shortage of ventilators, masks and other PPE - if we don't practice social distancing.

2. Job losses or freezes, low cash flow and low production (even for essentials like food).

These and more from too many people being sick, a sizable number dying (including some of the best people in many fields), and many others affected by the impact of losing loved ones or a world operating in slow motion

Project Setup & Submission Process

See this Google Drive for guides, including videos on how to setup your project, take the challenges, and submit your work.

Challenges

You will be building a **novelty** COVID-19 infections predictor estimator following guidelines outlined in the challenges.

Your estimator will receive input data structured as:

```
region: {
    name: "Africa",
    avgAge: 19.7,
    avgDailyIncomeInUSD: 5,
    avgDailyIncomePopulation: 0.71
    },
    periodType: "days",
    timeToElapse: 58,
    reportedCases: 674,
    population: 66622705,
    totalHospitalBeds: 1380614
}
```

and the output will be required to be an impact estimatation having the data structure specified as:

This assessment is broken down into several challenges, incrementally helping you build out your COVID-19 impact estimator.

Depending on your language of choice for this assessment, locate the src/estimator.js, src/estimator.php, or src/estimator.py file. This is where you will be writing all of your code. Feel free to create your own additional functions within this file (or in other files, which you then import into

this file) to get the work done, but make sure to not alter the definition of the main function being exported out of this file.

Your computations should be saved into the impact and severeImpact objects of the return output data structure.

Challenge 1

Given the reportedCases property in the input data to your covid19ImpactEstimator function, estimate the number of currently infected people as reportedCases * 10. This figure will be part of your output estimate, saved as the currentlyInfected property (i.e impact.currentlyInfected is reportedCases * 10).

According to Harvard Medical School / Massachusetts General Hospital (see the references at the end of this guide), there are likely up to **50x more people infected** than known reported cases. Based on this, compute currentlyInfected for the severeImpact output as reportedCases * 50 (i.e severeImpact.currentlyInfected is reportedCases * 50)

To estimate the number of infected people **28 days** from now, note that **currentlyInfected** doubles every **3 days**, so you'd have to multiply it by a factor of 2.

E.g: currentlyInfected x (2 to the power of *factor*) where factor is 9 for a 28 day duration (there are 9 sets of 3 days in a period of 28 days). Note that we are not rounding the factor figure, we are actually discarding the decimal portion and only using the integer portion.

Effectively, the projected number of infections after a 28 day period is

```
currentlyInfected \times (2 to the power of 9)
```

OR, simply

```
currentlyInfected x <mark>512</mark>
```

This computation should be saved as infectionsByRequestedTime, and should done both for impact and severeImpact, using their respective currentlyInfected values.

For the rest of this assessment, just like you have done for currentlyInfected and infectionsByRequestedTime, you will be doing all required computations in two fold. One for impact, and the other for severImpact

Note: **Except for dollarsInFlight** which you will compute in challenge-3 when **saving your output figures** (e.g the final figure for <u>infectionsByRequestedTime</u> in this challenge), make sure they are integers. Any decimals should be discarded, such that **453325343.456** becomes **453325343**.

Note: Your estimator will be required to make estimations over periods in **days**, **weeks** and **months**. We recommend you make an effort to normalise the duration input to days, and then do your computation based on that. Also, when working with the **months** duration, expect that there are always **30 days** in a month.

Challenge 2

Determine 15% of infectionsByRequestedTime. This is the estimated number of **severe** positive cases that will require hospitalization to recover. Represent this as **severeCasesByRequestedTime** and make it a part of your estimation output

Given severeCasesByRequestedTime, determine the number of available beds. On average, 65% of hospital beds are already occupied by patients and many hospitals usually are at 90% or 95% capacity. We want to expect only a 35% bed availability in hospitals for severe COVID-19 positive patients.

Based on the above, the totalHospitalBeds input data, and your severeCasesByRequestedTime, estimate the number of available hospital beds for severe COVID-19 positive patients. E.g 23 (meaning only 23 hospital beds will be available), or -350 (meaning there'll be a shortage of 350 beds for severe patients after hospitals are full to capacity)

Represent your beds computation as hospitalbedsByRequestedTime and make it a part of your estimation output.

Challenge 3

Determine 5% of infectionsByRequestedTime. This is the estimated number of severe positive cases that will require ICU care. Represent this as casesForICUByRequestedTime and make it a part of your estimation output.

Also, determine 2% of infectionsByRequestedTime. This is the estimated number of severe positive cases that will require **ventilators**. Represent this as casesForVentilatorsByRequestedTime and make it a part of your estimation output.

Finally, given the estimated number of infected people by the requested time and the AVG daily income of the region, estimate how much money the economy is likely to lose over the said period. Save this as dollarsInFlight in your output data structure. If 65% of the region (the majority) earn \$1.5 a day, you can compute dollarsInFlight over a 30 day period as:

```
// the final expressed with 2 decimal places
infectionsByRequestedTime x 0.65 x 1.5 x 30;
```

Note: Since dollarsInFlight is monetary value, it not be truncated like an integer as you have been doing for the other computed figures. dollarsInFlight should have 2 decimal places, such that 4.732645 becomes 4.73.

Note: At this point, you have completed the first part of building your estimator. Did you notice that it is not accounting for deaths or recoveries over time? This is a novelty estimator, but we hope it gives you ideas of how you can use technology, open source, and research to attempt providing advocacy and advisory to any cause, including the COVID-19 pandemic.

Role-Specific Challenges - Choose One!

From here, you are **only required** to do **one of the challenges** below. Ideally, you should choose the frontend or backend challenge basd on your skill and preference, which should also be in alignment with the data you submitted while applying into the ~#BuildforSDG~ program. Finally, once you make it into the program, the challenge you completed here will strongly influence the role you will play in your team.

If you feel up to it, try completing both the frontend and backend challenges, especially if you want to function as fullsatck developer in the program.

Challenge 4 - For Frontend Developers

Build a simple single page web app that can allow the data passed to your estimator function to be inputed from a UI. Your goal is to build a simple UI that

1. Scores a minimum of 75 for performance, best practices, SEO, and accessibility, as measured by Chrome's Lighthouse tool. Host your web app with GitHub pages (or Netlify). Locate the app.properties file at the root of your project folder and set the value of frontend_url to the URL of your hosted and running UI app. E.g:

```
frontend.url = http://example.com
```

- 2. Allows a user enter data with some input fields, and then click on a button which passes the data to the estimation function you built from challenge 1 to 3. In the UI, designate each input field with a HTML attribute as follows:
 - input for population data has attribute of data-population
 - input for timeToElapse data has attribute of data-time-to-elapse
 - input for reportedCases data has attribute of data-reported-cases
 - input for totalHospitalBeds data has attribute of data-total-hospital-beds
 - input for periodType data has attribute of data-period-type and should be a SELECT field with values limited to days, weeks, or months
 - the button for submitting the data from the UI should have an attribute of data-go-estimate.

Feel free to handle submission with the data-go-estimate button and pass the data from the input fields to your estimation function. Though this is not required (we won't even check), doing it helps you have a functional UI you can show off!

Build a simple REST API around your estimator function and host it on Heroku or any other free service. Your REST API should allow a user make a HTTP POST request to your endpoint, providing the data normally passed to your estimator function, and get back the estimation data produced by your estimator function. Specifically, your API should:

1. Have a /api/v1/on-covid-19 endpoint that can take the input data and return the estimation for it. Sure you can handle the response using the function you built from challenge 1 to 3. Also, have the default response format be **JSON**, but allow the user specify a response format by terminating the request URL with /json for JSON and /xml for XML. E.g: If your API is hosted on http://example.com, the endpoint will be http://example.com/api/v1/on-covid-19/ and http://example.com/api/v1/on-covid-19/xml will produce the response in XML format and with the right **HTTP response headers** for XML content. Locate the **app.properties** file at the root of your project folder and set the value of backend.rest to the URL of your hosted and running REST API. E.g:

```
backend.rest = https://jsonplaceholder.typicode.com/todos
```

3. Maintain a request / response time difference log that is accessibale via /api/v1/on-covid-19/logs. The logs endpoint should produce a **newline-separated** list of entries for each request / response cycle. For every request you get and for which you served a response, log an entry into the logs. Your logs can be saved to a database, a JSON file or whatever you decide is best for persistence, but after calling your API 3 times, there should be 3 additional entries in the logs. A valid response from the /logs endpoint can be **text data** with entries containing the HTTP method, the request path, the HTTP status, and how long it took to handle the request. You can separate each of these data points with 2 tab spaces (i.e \t\t), but recall that each record needs to be on a new line. See below for an example

```
GET /api/v1/on-covid-19 200 30 ms
GET /api/v1/on-covid-19/json 200 45 ms
GET /api/v1/on-covid-19/xml 200 28 ms
```

References

- 19.7 years is the AVG age in Africa worldometers.info
- AVG daily income is ~\$5 for 85% of Africans blogs.worldbank.org
- COVID-19 infections doubles every 3 days. Expect 50x (at least 10x) recported cases to be actual number of infected people Jason S. Warner
- Several stats from Harvard Medical School / Massachusetts General Hospital move to 00:09:42
 of this video