

SQL Task

Create Database

```
CREATE DATABASE ECOMMERCE;
```

Use Database

```
USE ECOMMERCE;
```

Create Tables

Create customers table

```
CREATE TABLE CUSTOMERS (  
  ID INT PRIMARY KEY AUTO_INCREMENT UNIQUE,  
  Name VARCHAR(100),  
  Email VARCHAR(100) UNIQUE,  
  Address VARCHAR(250)  
);
```

Create orders table

```
CREATE TABLE ORDERS (  
  ID INT PRIMARY KEY AUTO_INCREMENT UNIQUE,  
  CUSTOMER_ID INT,  
  ORDER_DATE DATE,  
  TOTAL_AMOUNT DECIMAL(10,2),  
  FOREIGN KEY (CUSTOMER_ID) REFERENCES CUSTOMERS(ID)  
);
```

Create products table

```
CREATE TABLE PRODUCTS (  
  ID INT PRIMARY KEY AUTO_INCREMENT UNIQUE,  
  Name VARCHAR(100),  
  Price DECIMAL(10,2),  
  Description TEXT  
);
```

INSERT DATA

INSERT DATA INTO CUSTOMER TABLE

```
INSERT INTO CUSTOMERS(Name, email, address) VALUES
('Alice', 'alice@example.com', '123 Main St, New York'),
('John', 'john@example.com', '234 West St, India'),
('David', 'david@example.com', '345 South St, UK');
```

```
mysql> select * from customers;
+----+-----+-----+-----+
| ID | Name  | Email           | Address           |
+----+-----+-----+-----+
| 1  | Alice | alice@example.com | 123 Main St, New York |
| 2  | John  | john@example.com  | 234 West St, India   |
| 3  | David | david@example.com | 345 South St, UK     |
+----+-----+-----+-----+
3 rows in set (0.00 sec)
```

INSERT DATA INTO PRODUCTS TABLE

```
INSERT INTO PRODUCTS (name, price, description) VALUES
('Product A', 25.00, 'Basic product A'),
('Product B', 40.00, 'Premium product B'),
('Product C', 50.00, 'Exclusive product C'),
('Product D', 75.00, 'Luxury product D');
```

```
mysql> select * from products;
+----+-----+-----+-----+
| ID | Name      | Price | Description           |
+----+-----+-----+-----+
| 1  | Product A | 25.00 | Basic product A       |
| 2  | Product B | 40.00 | Premium product B     |
| 3  | Product C | 50.00 | Exclusive product C    |
| 4  | Product D | 75.00 | Luxury product D       |
+----+-----+-----+-----+
4 rows in set (0.00 sec)
```

INSERT DATA INTO ORDERS TABLE

```
INSERT INTO ORDERS (customer_id, order_date, total_amount) VALUES
(1, CURDATE() - INTERVAL 5 DAY, 65.00),
(2, CURDATE() - INTERVAL 31 DAY, 200.00),
(1, CURDATE() - INTERVAL 40 DAY, 80.00),
(3, CURDATE() - INTERVAL 2 DAY, 125.00);
```

```
mysql> select * from orders;
+-----+-----+-----+-----+
| ID | CUSTOMER_ID | ORDER_DATE | TOTAL_AMOUNT |
+-----+-----+-----+-----+
| 1 | 1 | 2025-08-29 | 65.00 |
| 2 | 2 | 2025-08-03 | 200.00 |
| 3 | 1 | 2025-07-25 | 80.00 |
| 4 | 3 | 2025-09-01 | 125.00 |
+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

QUERIES TO WRITE:

1.Retrieve all customers who have placed an order in the last 30 days.

```
SELECT DISTINCT c.*
FROM customers c
JOIN orders o ON c.id = o.customer_id
WHERE o.order_date >= CURDATE() - INTERVAL 30 DAY;
```

```
mysql> SELECT DISTINCT c.*
-> FROM customers c
-> JOIN orders o ON c.id = o.customer_id
-> WHERE o.order_date >= CURDATE() - INTERVAL 30 DAY;
+-----+-----+-----+-----+
| ID | Name | Email | Address |
+-----+-----+-----+-----+
| 1 | Alice | alice@example.com | 123 Main St, New York |
| 3 | David | david@example.com | 345 South St, UK |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

2.Get the total amount of all orders placed by each customer.

```
SELECT c.name, SUM(o.total_amount) AS total_spent
FROM customers c
JOIN orders o ON c.id = o.customer_id
GROUP BY c.id, c.name;
```

```
mysql> SELECT c.name, SUM(o.total_amount) AS total_spent
-> FROM customers c
-> JOIN orders o ON c.id = o.customer_id
-> GROUP BY c.id, c.name;
+-----+-----+
| name | total_spent |
+-----+-----+
| Alice | 200.00 |
| John | 200.00 |
| David | 300.00 |
+-----+-----+
3 rows in set (0.00 sec)
```

3.Update the price of Product C to 45.00.

```
UPDATE Products
SET Price = 45
WHERE Price = 50;
```

```
mysql> UPDATE Products
-> SET Price = 45
-> WHERE Price = 50;
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0 Changed: 0 Warnings: 0

mysql> select * from products;
+----+-----+-----+-----+
| ID | Name      | Price | Description |
+----+-----+-----+-----+
| 1  | Product A | 25.00 | Basic product A |
| 2  | Product B | 40.00 | Premium product B |
| 3  | Product C | 45.00 | Exclusive product C |
| 4  | Product D | 75.00 | Luxury product D |
+----+-----+-----+-----+
4 rows in set (0.00 sec)
```

4.Add a new column discount to the products table.

```
ALTER TABLE Products
ADD COLUMN discount DECIMAL(10,2);
```

```
mysql> ALTER TABLE Products
  -> ADD COLUMN discount DECIMAL(10,2);
Query OK, 0 rows affected (0.27 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> select * from products;
+----+-----+-----+-----+-----+
| ID | Name      | Price | Description      | discount |
+----+-----+-----+-----+-----+
| 1  | Product A | 25.00 | Basic product A  | NULL     |
| 2  | Product B | 40.00 | Premium product B | NULL     |
| 3  | Product C | 45.00 | Exclusive product C | NULL     |
| 4  | Product D | 75.00 | Luxury product D  | NULL     |
+----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

5.Retrieve the top 3 products with the highest price.

```
SELECT *
from products
ORDER BY price DESC
LIMIT 3;
```

```
mysql> SELECT *
  -> from products
  -> ORDER BY price DESC
  -> LIMIT 3;
+----+-----+-----+-----+-----+
| ID | Name      | Price | Description      | discount |
+----+-----+-----+-----+-----+
| 4  | Product D | 75.00 | Luxury product D  | NULL     |
| 3  | Product C | 45.00 | Exclusive product C | NULL     |
| 2  | Product B | 40.00 | Premium product B  | NULL     |
+----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

6.Get the names of customers who have ordered Product A.

Create the order_items table

```
CREATE TABLE order_items (
  order_id INT,
  product_id INT,
  quantity INT,
  price DECIMAL(10, 2),
  PRIMARY KEY (order_id, product_id),
  FOREIGN KEY (order_id) REFERENCES orders(id),
  FOREIGN KEY (product_id) REFERENCES products(id)
);
```

Insert data into order_items

```
INSERT INTO order_items (order_id, product_id, quantity, price) VALUES
(1, 1, 1, 25.00),
(1, 2, 1, 40.50),
(3, 1, 1, 25.00),
(3, 3, 2, 50.00);
```

To find the customers who ordered "Product A."

```
SELECT DISTINCT c.name
FROM customers c
JOIN orders o ON c.id = o.customer_id
JOIN order_items oi ON o.id = oi.order_id
JOIN products p ON oi.product_id = p.id
WHERE p.name = 'Product A';
```

```
mysql> SELECT DISTINCT c.name
-> FROM customers c
-> JOIN orders o ON c.id = o.customer_id
-> JOIN order_items oi ON o.id = oi.order_id
-> JOIN products p ON oi.product_id = p.id
-> WHERE p.name = 'Product A';
+-----+
| name |
+-----+
| Alice |
+-----+
1 row in set (0.00 sec)
```

7. Join the orders and customers tables to retrieve the customer's name and order date for each order.

```
SELECT c.name AS customer_name, o.order_date
FROM orders o
JOIN customers c ON o.customer_id = c.id;
```

```
mysql> SELECT c.name AS customer_name, o.order_date
-> FROM orders o
-> JOIN customers c ON o.customer_id = c.id;
+-----+-----+
| customer_name | order_date |
+-----+-----+
| Alice         | 2025-08-29 |
| John          | 2025-08-03 |
| Alice         | 2025-07-25 |
| David         | 2025-09-01 |
+-----+-----+
4 rows in set (0.00 sec)
```

8.Retrieve the orders with a total amount greater than 150.00.

```
SELECT Total_amount
FROM orders
WHERE total_amount > 150;
```

```
mysql> SELECT id, Total_amount
-> FROM orders
-> WHERE total_amount > 150;
+----+-----+
| id | Total_amount |
+----+-----+
| 2  | 200.00      |
+----+-----+
1 row in set (0.00 sec)
```

9.Normalize the database by creating a separate table for order items and updating the orders table to reference the order_items table.

DROP TABLE order_items;

```
DROP TABLE order_items;
```

Create orders_items table

```
CREATE TABLE order_items (
  id INT AUTO_INCREMENT PRIMARY KEY,
  order_id INT,
  product_id INT,
  quantity INT,
  price DECIMAL(10, 2),
  FOREIGN KEY (order_id) REFERENCES orders(id),
  FOREIGN KEY (product_id) REFERENCES products(id)
);
```

Insert values into tables

```
INSERT INTO order_items (order_id, product_id, quantity, price)
VALUES
(1, 1, 2, 25.50),
(1, 2, 1, 40.00),
(2, 3, 1, 60.00),
(3, 1, 1, 25.50);
```

```
UPDATE orders o
JOIN (
    SELECT order_id, SUM(quantity * price) AS total
    FROM order_items
    GROUP BY order_id
) t ON o.id = t.order_id
SET o.total_amount = t.total;
```

```
+-----+-----+-----+-----+-----+
| id | order_id | product_id | quantity | price |
+-----+-----+-----+-----+-----+
| 1 | 1 | 1 | 2 | 25.50 |
| 2 | 1 | 2 | 1 | 40.00 |
| 3 | 2 | 3 | 1 | 60.00 |
| 4 | 3 | 1 | 1 | 25.50 |
+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

10.Retrieve the average total of all orders.

```
SELECT id, AVG(total_amount) AS average_order_total
FROM orders;
```

```
mysql> SELECT AVG(total_amount) AS average_order_total
-> FROM orders;
+-----+
| average_order_total |
+-----+
| 64.125000 |
+-----+
1 row in set (0.00 sec)
```