



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	logar_usuario	1	1	0	0	1.719 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	logar_usuario	login de funcionario para cadastro de OS	4	4	0	0	1.715 s

DETAILED SECTION -- 4 --

(F)- logar_usuario

PASSED	DURATION - 1.719 s	Scenarios		Steps	
		Total - 1.		Total - 4	
/ 6:49:10.128 PN	Л // 6:49:11.847 РМ /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- login de funcionario para cadastro de OS



#	Step / Hook Details	Status	Duration
1	Given o request da API LOGAR USUARIO "logar_usuario.json"	PASSED	0.156 s
	{ "usuario": "FulanoBeltrano", "senha": "Fulan%402025" }		
2	When o sistema envia um request GET na API LOGAR USUARIO "LOGAR_USUARIO"	PASSED	1.491 s
	keep-alive		
3	Then o status code da API LOGAR USUARIO retorna 200	PASSED	0.002 s
	200		
4	And o response body da API LOGAR USUARIO sera nulo	PASSED	0.017 s
	Response body is null 0		