=== routes\auth.php ===

```php
<?php

use App\Http\Controllers\Auth\AuthenticatedSessionController;
use App\Http\Controllers\Auth\ConfirmablePasswordController;
use App\Http\Controllers\Auth\EmailVerificationNotificationController;
use App\Http\Controllers\Auth\EmailVerificationPromptController;
use App\Http\Controllers\Auth\NewPasswordController;
use App\Http\Controllers\Auth\PasswordController;
use App\Http\Controllers\Auth\PasswordResetLinkController;
use App\Http\Controllers\Auth\RegisteredUserController;
use App\Http\Controllers\Auth\VerifyEmailController;
use Illuminate\Support\Facades\Route;

Route::middleware('guest')->group(function () {
    Route::get('register', [RegisteredUserController::class, 'create'])
        ->name('register');

    Route::post('register', [RegisteredUserController::class, 'store']);

    Route::get('login', [AuthenticatedSessionController::class, 'create'])
        ->name('login');

    Route::post('login', [AuthenticatedSessionController::class, 'store']);

    Route::get('forgot-password', [PasswordResetLinkController::class, 'create'])
        ->name('password.request');

    Route::post('forgot-password', [PasswordResetLinkController::class, 'store'])
        ->name('password.email');

    Route::get('reset-password/{token}', [NewPasswordController::class, 'create'])
        ->name('password.reset');

    Route::post('reset-password', [NewPasswordController::class, 'store'])
        ->name('password.store');
});

Route::middleware('auth')->group(function () {
    Route::get('verify-email', EmailVerificationPromptController::class)
        ->name('verification.notice');

    Route::get('verify-email/{id}/{hash}', VerifyEmailController::class)
        ->middleware(['signed', 'throttle:6,1'])
        ->name('verification.verify');

    Route::post('email/verification-notification', [EmailVerificationNotificationController::class, 'store'])
        ->middleware('throttle:6,1')
        ->name('verification.send');

    Route::get('confirm-password', [ConfirmablePasswordController::class, 'show'])
        ->name('password.confirm');

    Route::post('confirm-password', [ConfirmablePasswordController::class, 'store']);

    Route::put('password', [PasswordController::class, 'update'])->name('password.update');

    Route::post('logout', [AuthenticatedSessionController::class, 'destroy'])
        ->name('logout');
});
```

=== routes\console.php ===

```php
<?php

use Illuminate\Foundation\Inspiring;
use Illuminate\Support\Facades\Artisan;

Artisan::command('inspire', function () {
    $this->comment(Inspiring::quote());
})->purpose('Display an inspiring quote');
```

=== routes\web.php ===

```php
<?php

use App\Http\Controllers\BookController;
use App\Http\Controllers\AdminChatController;
use App\Http\Controllers\AdminDashboardController;
use App\Http\Controllers\AdminIssueReportController;
use App\Http\Controllers\AdminUserController;
use App\Http\Controllers\CustomerBookController;
use App\Http\Controllers\CustomerCartController;
use App\Http\Controllers\CustomerChatController;
use App\Http\Controllers\CustomerOrderController;
use App\Http\Controllers\CustomerIssueReportController;
use App\Http\Controllers\CustomerWishlistController;
use App\Http\Controllers\CustomerDashboardController;
use App\Http\Controllers\ProfileController;
use App\Http\Controllers\StoreRegistrationController;
use Illuminate\Foundation\Application;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Route;
use Inertia\Inertia;

Route::get('/', function () {
    return Inertia::render('Welcome', [
        'canLogin' => Route::has('login'),
        'canRegister' => Route::has('register'),
        'laravelVersion' => Application::VERSION,
        'phpVersion' => PHP_VERSION,
    ]);
});

Route::get('/dashboard', function (Request $request) {
    $user = $request->user();

    if ($user?->account_type === 'store_owner') {
        return redirect()->route('store.dashboard');
    }

    if ($user?->account_type === 'customer') {
        return redirect()->route('customer.dashboard');
    }

    return Inertia::render('Dashboard');
})->middleware(['auth', 'verified'])->name('dashboard');

Route::get('/customer/dashboard', [CustomerDashboardController::class, 'index'])
    ->name('customer.dashboard');

Route::get('/customer/books/{book}', [CustomerBookController::class, 'show'])
    ->name('books.show');
```

```
Route::middleware('auth')->group(function () {
    Route::get('/profile', [ProfileController::class, 'edit'])->name('profile.edit');
    Route::patch('/profile', [ProfileController::class, 'update'])->name('profile.update');
    Route::delete('/profile', [ProfileController::class, 'destroy'])->name('profile.destroy');

    Route::get('/customer/chat', [CustomerChatController::class, 'index'])->name('chat.index');
    Route::post('/customer/chat', [CustomerChatController::class, 'store'])->name('chat.start');
    Route::get('/customer/chat/{conversation}', [CustomerChatController::class, 'show'])->name('chat.show');
    Route::post('/customer/chat/{conversation}/message', [CustomerChatController::class, 'sendMessage'])->
    Route::get('/chat/unread-count', [CustomerChatController::class, 'unreadCount'])->name('chat.unread');

    Route::get('/customer/issue-reports', [CustomerIssueReportController::class, 'index'])->name('issue-report
    Route::get('/customer/issue-reports/create', [CustomerIssueReportController::class, 'create'])->name('issu
    Route::post('/customer/issue-reports', [CustomerIssueReportController::class, 'store'])->name('issue-repor
    Route::get('/customer/issue-reports/{issueReport}', [CustomerIssueReportController::class, 'show'])->nam
});

require __DIR__.'/auth.php';



// routes/web.php

Route::middleware(['auth'])->group(function () {
    // Store Dashboard
    Route::get('/store/dashboard', function (Request $request) {
        if ($request->header('X-Inertia')) {
            return Inertia::location(url('/store/dashboard'));
        }

        return view('store.dashboard');
    })->name('store.dashboard');

    Route::view('/store/orders', 'store.orders')->name('store.orders');
    Route::view('/store/wishlist', 'store.wishlist')->name('store.wishlist');
    Route::get('/store/books/add', [BookController::class, 'create'])->name('add.book.registration');
    Route::post('/store/books', [BookController::class, 'store'])->name('books.store');
    Route::get('/store/books/{book}/edit', [BookController::class, 'edit'])->name('books.edit');
    Route::put('/store/books/{book}', [BookController::class, 'update'])->name('books.update');
    Route::delete('/store/books/{book}', [BookController::class, 'destroy'])->name('books.destroy');
    Route::get('/store/inventory', [BookController::class, 'index'])->name('view.inventory');
    Route::view('/store/books/manage', 'store.books.manage')->name('manage.books');

    Route::get('/store/registration', [StoreRegistrationController::class, 'create'])
        ->name('store.registration.create');
    Route::post('/store/registration', [StoreRegistrationController::class, 'store'])
        ->name('store.registration.store');
    Route::get('/store/registration/update', [StoreRegistrationController::class, 'edit'])
        ->name('store.registration.edit');
    Route::post('/store/registration/update', [StoreRegistrationController::class, 'update'])
        ->name('store.registration.update');
    Route::delete('/store/registration/{store}', [StoreRegistrationController::class, 'destroy'])
        ->name('store.registration.destroy');
    Route::get('/store/registration/view', [StoreRegistrationController::class, 'show'])
        ->name('store.registration.view');
});

Route::middleware(['auth', 'account_type:sub_admin,super_admin'])
    ->prefix('admin')
```

```
    ->name('admin.')
    ->group(function () {
        Route::get('/dashboard', [AdminDashboardController::class, 'index'])->name('dashboard');

        Route::get('/issue-reports', [AdminIssueReportController::class, 'index'])->name('issue-reports.index');
        Route::get('/issue-reports/{issueReport}', [AdminIssueReportController::class, 'show'])->name('issue-rep
        Route::put('/issue-reports/{issueReport}', [AdminIssueReportController::class, 'update'])->name('issue-r

        Route::get('/chats', [AdminChatController::class, 'index'])->name('chats.index');
        Route::get('/chats/{conversation}', [AdminChatController::class, 'show'])->name('chats.show');
        Route::post('/chats/{conversation}/message', [AdminChatController::class, 'sendMessage'])->name('cha

        Route::get('/admins', [AdminUserController::class, 'index'])->name('admins.index');
        Route::get('/admins/create', [AdminUserController::class, 'create'])
            ->middleware('account_type:super_admin')
            ->name('admins.create');
        Route::post('/admins', [AdminUserController::class, 'store'])
            ->middleware('account_type:super_admin')
            ->name('admins.store');
    });
    Route::get('/customer/wishlist', [CustomerWishlistController::class, 'index'])->name('wishlist.index');
    Route::get('/customer/wishlist/add/{book}', [CustomerWishlistController::class, 'add'])->name('wishlist.add'
    Route::get('/customer/wishlist/remove/{book}', [CustomerWishlistController::class, 'remove'])->name('wish
    Route::get('/customer/wishlist/clear', [CustomerWishlistController::class, 'clear'])->name('wishlist.clear');

    Route::get('/customer/cart', [CustomerCartController::class, 'index'])->name('cart.index');
    Route::get('/customer/cart/add/rent/{book}', [CustomerCartController::class, 'addRent'])->name('cart.add.re
    Route::get('/customer/cart/add/buy/{book}', [CustomerCartController::class, 'addBuy'])->name('cart.add.bu
    Route::get('/customer/cart/remove/{book}/{type}', [CustomerCartController::class, 'remove'])->name('cart.r
    Route::get('/get-cart-count', [CustomerCartController::class, 'count'])->name('cart.count');

    Route::get('/customer/checkout', [CustomerCartController::class, 'checkout'])->name('orders.checkout');
    Route::get('/customer/orders', [CustomerOrderController::class, 'index'])->name('orders.index');
    Route::get('/customer/orders/{order}', [CustomerOrderController::class, 'show'])->name('orders.show');
    Route::post('/customer/orders/{order}/finish', [CustomerOrderController::class, 'markFinished'])->name('or

=== app/Http/Controllers\AdminChatController.php ===
<?php

namespace App\Http\Controllers;

use App\Models\ChatConversation;
use App\Models\ChatMessage;
use Illuminate\Http\Request;

class AdminChatController extends Controller
{
    public function index(Request $request)
    {
        $user = $request->user();

        $conversations = ChatConversation::query()
            ->with(['customer', 'latestMessage', 'assignedAdmin'])
            ->withCount([
                'messages as unread_count' => function ($query) use ($user) {
                    $query->whereNull('read_at')
                        ->where('sender_id', '!=', $user->id);
                },
            ])
            ->latest('updated_at')
```

```
        ->get();

    return view('admin.chats.index', [
        'conversations' => $conversations,
    ]);
}

public function show(Request $request, ChatConversation $conversation)
{
    $user = $request->user();

    $conversation->messages()
        ->whereNull('read_at')
        ->where('sender_id', '!=', $user->id)
        ->update(['read_at' => now()]);

    $conversation->load(['customer', 'messages.sender', 'assignedAdmin']);

    return view('admin.chats.show', [
        'conversation' => $conversation,
        'messages' => $conversation->messages,
    ]);
}

public function sendMessage(Request $request, ChatConversation $conversation)
{
    $user = $request->user();

    $data = $request->validate([
        'message' => 'required|string|max:2000',
    ]);

    ChatMessage::create([
        'conversation_id' => $conversation->id,
        'sender_id' => $user->id,
        'sender_role' => $user->account_type,
        'message' => $data['message'],
    ]);

    $conversation->update([
        'last_message_at' => now(),
        'assigned_admin_id' => $conversation->assigned_admin_id ?? $user->id,
    ]);

    return redirect()
        ->route('admin.chats.show', $conversation)
        ->with('status', 'Reply sent.');
}

public function unreadCount(Request $request)
{
    $user = $request->user();

    $count = ChatMessage::query()
        ->whereNull('read_at')
        ->where('sender_id', '!=', $user->id)
        ->count();

    return response()->json(['count' => $count]);
}
```

```
}

=== app/Http/Controllers\AdminDashboardController.php ===
<?php

namespace App\Http\Controllers;

use App\Models\ChatConversation;
use App\Models\IssueReport;
use App\Models\User;

class AdminDashboardController extends Controller
{
    public function index()
    {
        $openReports = IssueReport::query()
            ->where('status', 'open')
            ->count();

        $openChats = ChatConversation::query()
            ->where('status', 'open')
            ->count();

        $adminCount = User::query()
            ->whereIn('account_type', ['sub_admin', 'super_admin'])
            ->count();

        return view('admin.dashboard', [
            'openReports' => $openReports,
            'openChats' => $openChats,
            'adminCount' => $adminCount,
        ]);
    }
}

=== app/Http/Controllers\AdminIssueReportController.php ===
<?php

namespace App\Http\Controllers;

use App\Models\IssueReport;
use App\Models\User;
use Illuminate\Http\Request;

class AdminIssueReportController extends Controller
{
    public function index()
    {
        $reports = IssueReport::query()
            ->with(['user', 'assignedAdmin'])
            ->latest()
            ->get();

        return view('admin.issue_reports.index', [
            'reports' => $reports,
        ]);
    }

    public function show(IssueReport $issueReport)
    {
```

```
        $issueReport->load(['user', 'assignedAdmin']);
        $admins = User::query()
            ->whereIn('account_type', ['sub_admin', 'super_admin'])
            ->orderBy('name')
            ->get();

        return view('admin.issue_reports.show', [
            'report' => $issueReport,
            'admins' => $admins,
        ]);
    }

    public function update(Request $request, IssueReport $issueReport)
    {
        $data = $request->validate([
            'status' => 'required|in:open,in_review,resolved,closed',
            'assigned_admin_id' => 'nullable|exists:users,id',
        ]);

        $issueReport->update([
            'status' => $data['status'],
            'assigned_admin_id' => $data['assigned_admin_id'] ?? $issueReport->assigned_admin_id,
        ]);

        return redirect()
            ->route('admin.issue-reports.show', $issueReport)
            ->with('status', 'Issue report updated.');
    }
}

=== app/Http/Controllers\AdminUserController.php ===
<?php

namespace App\Http\Controllers;

use App\Models\User;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Hash;
use Illuminate\Validation\Rules;

class AdminUserController extends Controller
{
    public function index()
    {
        $admins = User::query()
            ->whereIn('account_type', ['sub_admin', 'super_admin'])
            ->orderBy('account_type')
            ->orderBy('name')
            ->get();

        return view('admin.admins.index', [
            'admins' => $admins,
        ]);
    }

    public function create()
    {
        return view('admin.admins.create');
    }
```

```
    public function store(Request $request)
    {
        $data = $request->validate([
            'name' => 'required|string|max:255',
            'email' => 'required|string|lowercase|email|max:255|unique:'.User::class,
            'password' => ['required', 'confirmed', Rules\Password::defaults()],
            'account_type' => 'required|in:sub_admin,super_admin',
        ]);

        User::create([
            'name' => $data['name'],
            'email' => $data['email'],
            'password' => Hash::make($data['password']),
            'account_type' => $data['account_type'],
        ]);

        return redirect()
            ->route('admin.admins.index')
            ->with('status', 'Admin account created.');
    }
}

=== app/Http/Controllers\BookController.php ===
<?php

namespace App\Http\Controllers;

use App\Models\Book;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\File;
use Illuminate\Support\Str;

class BookController extends Controller
{
    public function create()
    {
        return view('store.books.add');
    }

    public function edit(Request $request, $id)
    {
        $book = Book::query()
            ->where('user_id', $request->user()->id)
            ->findOrFail($id);

        return view('store.books.edit', compact('book'));
    }

    public function index(Request $request)
    {
        $books = Book::query()
            ->where('user_id', $request->user()->id)
            ->latest('id')
            ->get();

        $storeMetrics = [
            'total_books' => $books->count(),
        ];

        return view('store.books.inventory', compact('books', 'storeMetrics'));
```

```
}

public function store(Request $request)
{
    $validated = $request->validate([
        'title' => 'required|string|max:255',
        'author' => 'required|string|max:255',
        'genre' => 'required|string|max:100',
        'publication_year' => 'nullable|integer|min:1000|max:' . now()->year,
        'total_copies' => 'required|integer|min:0',
        'available_rent' => 'required|integer|min:0',
        'available_sale' => 'required|integer|min:0',
        'rental_price' => 'required|numeric|min:0',
        'sale_price' => 'required|numeric|min:0',
        'cover_image' => 'nullable|image|max:5120',
    ]);

    if (($validated['available_rent'] + $validated['available_sale']) > $validated['total_copies']) {
        return back()
            ->withErrors(['total_copies' => 'Total copies must be at least the sum of available rent and sale cop
            ->withInput();
    }

    $coverImagePath = null;
    if ($request->hasFile('cover_image')) {
        $directory = public_path('uploads/books');
        if (!File::exists($directory)) {
            File::makeDirectory($directory, 0755, true);
        }

        $file = $request->file('cover_image');
        $filename = Str::uuid()->toString() . '.' . $file->getClientOriginalExtension();
        $file->move($directory, $filename);
        $coverImagePath = 'uploads/books/' . $filename;
    }

    $payload = $validated;
    unset($payload['cover_image']);
    $payload['user_id'] = $request->user()->id;
    $payload['cover_image_path'] = $coverImagePath;

    Book::create($payload);

    $route = $request->has('save_and_add') ? 'add.book.registration' : 'view.inventory';

    return redirect()
        ->route($route)
        ->with('messages', ['Book saved successfully.']);
}

public function update(Request $request, $id)
{
    $book = Book::query()
        ->where('user_id', $request->user()->id)
        ->findOrFail($id);

    $validated = $request->validate([
        'title' => 'required|string|max:255',
        'author' => 'required|string|max:255',
        'genre' => 'required|string|max:100',
```

```
        'publication_year' => 'nullable|integer|min:1000|max:' . now()->year,
        'total_copies' => 'required|integer|min:0',
        'available_rent' => 'required|integer|min:0',
        'available_sale' => 'required|integer|min:0',
        'rental_price' => 'required|numeric|min:0',
        'sale_price' => 'required|numeric|min:0',
        'cover_image' => 'nullable|image|max:5120',
    ]);

    if (($validated['available_rent'] + $validated['available_sale']) > $validated['total_copies']) {
        return back()
            ->withErrors(['total_copies' => 'Total copies must be at least the sum of available rent and sale cop
            ->withInput();
    }

    $coverImagePath = $book->cover_image_path;
    if ($request->hasFile('cover_image')) {
        $directory = public_path('uploads/books');
        if (!File::exists($directory)) {
            File::makeDirectory($directory, 0755, true);
        }

        if ($coverImagePath) {
            $oldPath = public_path($coverImagePath);
            if (File::exists($oldPath)) {
                File::delete($oldPath);
            }
        }

        $file = $request->file('cover_image');
        $filename = Str::uuid()->toString() . '.' . $file->getClientOriginalExtension();
        $file->move($directory, $filename);
        $coverImagePath = 'uploads/books/' . $filename;
    }

    $payload = $validated;
    unset($payload['cover_image']);
    $payload['cover_image_path'] = $coverImagePath;

    $book->update($payload);

    return redirect()
        ->route('view.inventory')
        ->with('messages', ['Book updated successfully.']);
}

public function destroy(Request $request, $id)
{
    $book = Book::query()
        ->where('user_id', $request->user()->id)
        ->findOrFail($id);

    if ($book->cover_image_path) {
        $path = public_path($book->cover_image_path);
        if (File::exists($path)) {
            File::delete($path);
        }
    }

    $book->delete();
```

```
        return redirect()
            ->route('view.inventory')
            ->with('messages', ['Book deleted successfully.']);
    }
}

=== app/Http/Controllers\Controller.php ===
<?php

namespace App\Http\Controllers;

abstract class Controller
{
    //
}

=== app/Http/Controllers\CustomerBookController.php ===
<?php

namespace App\Http\Controllers;

use App\Models\Book;
use Illuminate\Http\Request;

class CustomerBookController extends Controller
{
    public function show(Book $book)
    {
        $canRent = $book->available_rent > 0;
        $canBuy = $book->available_sale > 0;

        $similarBooks = Book::query()
            ->where('id', '!=', $book->id)
            ->where('genre', $book->genre)
            ->limit(4)
            ->get();

        return view('customer.book_detail', [
            'book' => $book,
            'canRent' => $canRent,
            'canBuy' => $canBuy,
            'similarBooks' => $similarBooks,
            'store' => null,
            'openingHours' => [],
        ]);
    }
}

=== app/Http/Controllers\CustomerCartController.php ===
<?php

namespace App\Http\Controllers;

use App\Models\Book;
use Illuminate\Http\Request;

class CustomerCartController extends Controller
{
    public function index(Request $request)
```

```
{
    $cart = $this->getCart($request);
    $items = $this->buildCartItems($cart);

    $totalPrice = collect($items)->sum('price');

    return view('customer.cart', [
        'cartItems' => $items,
        'totalPrice' => $totalPrice,
        'checkoutUrl' => route('orders.checkout'),
    ]);
}

public function addRent(Request $request, $bookId)
{
    return $this->addItem($request, $bookId, 'rent');
}

public function addBuy(Request $request, $bookId)
{
    return $this->addItem($request, $bookId, 'buy');
}

public function remove(Request $request, $bookId, $type)
{
    $type = $type === 'buy' ? 'buy' : 'rent';
    $cart = $this->getCart($request);

    $cart = array_values(array_filter($cart, function ($item) use ($bookId, $type) {
        return !((int) $item['book_id'] === (int) $bookId && $item['type'] === $type);
    }));

    $request->session()->put('cart', $cart);

    return redirect()
        ->back()
        ->with('status', 'Item removed from cart.');
}

public function count(Request $request)
{
    $cart = $this->getCart($request);
    return response()->json(['count' => count($cart)]);
}

public function checkout(Request $request)
{
    $cart = $this->getCart($request);
    if (empty($cart)) {
        return redirect()
            ->route('cart.index')
            ->with('error', 'Your cart is empty.');
    }

    $items = $this->buildCartItems($cart);
    $total = collect($items)->sum('price');

    $orderType = 'buy';
    $hasRent = collect($items)->contains(fn ($item) => $item['type'] === 'rent');
    $hasBuy = collect($items)->contains(fn ($item) => $item['type'] === 'buy');
```

```
    if ($hasRent && !$hasBuy) {
        $orderType = 'rent';
    } elseif ($hasRent && $hasBuy) {
        $orderType = 'mixed';
    }

    $orders = $request->session()->get('orders', []);
    $nextId = count($orders) + 1;
    $orderNumber = 'BH' . now()->format('Ymd') . str_pad((string) $nextId, 4, '0', STR_PAD_LEFT);

    $orders[] = [
        'id' => $nextId,
        'order_number' => $orderNumber,
        'created_at' => now()->toDateTimeString(),
        'order_type' => $orderType,
        'status' => 'pending',
        'total_amount' => $total,
        'delivery_option' => 'pickup',
        'delivery_fee' => 0,
        'delivery_address' => null,
        'notes' => null,
        'store_notes' => null,
        'store' => [
            'store_name' => 'BookHub',
            'address' => null,
            'city' => null,
            'phone' => null,
            'email' => null,
        ],
        'items' => array_map(function ($item) {
            return [
                'book_id' => $item['book']->id,
                'type' => $item['type'],
                'price' => $item['price'],
                'quantity' => 1,
                'rental_days' => $item['type'] === 'rent' ? 30 : null,
            ];
        }, $items),
    ];

    $request->session()->put('orders', $orders);
    $request->session()->forget('cart');

    return redirect()
        ->route('orders.index')
        ->with('status', 'Order placed successfully.');
}

private function addItem(Request $request, $bookId, string $type)
{
    $book = Book::find($bookId);
    if (!$book) {
        return redirect()
            ->back()
            ->with('error', 'Book not found.');
    }

    $cart = $this->getCart($request);

    foreach ($cart as $item) {
```

```
            if ((int) $item['book_id'] === (int) $book->id && $item['type'] === $type) {
                return redirect()
                    ->back()
                    ->with('status', 'Book already in cart.');
            }
        }

        $cart[] = [
            'book_id' => $book->id,
            'type' => $type,
        ];

        $request->session()->put('cart', $cart);

        return redirect()
            ->back()
            ->with('status', 'Book added to cart.');
    }

    private function getCart(Request $request): array
    {
        $cart = $request->session()->get('cart', []);
        return array_values(array_filter($cart, fn ($item) => isset($item['book_id'], $item['type'])));
    }

    private function buildCartItems(array $cart): array
    {
        $items = [];

        foreach ($cart as $item) {
            $book = Book::find($item['book_id']);
            if (!$book) {
                continue;
            }

            $type = $item['type'] === 'buy' ? 'buy' : 'rent';
            $price = $type === 'rent' ? (float) $book->rental_price : (float) $book->sale_price;

            $items[] = [
                'book' => $book,
                'type' => $type,
                'type_label' => $type === 'rent' ? 'Rental' : 'Purchase',
                'type_class' => $type === 'rent' ? 'rental' : 'purchase',
                'period' => $type === 'rent' ? 'Monthly' : null,
                'price' => $price,
            ];
        }

        return $items;
    }
}

=== app/Http/Controllers\CustomerChatController.php ===
<?php

namespace App\Http\Controllers;

use App\Models\ChatConversation;
use App\Models\ChatMessage;
use Illuminate\Http\Request;
```

```
class CustomerChatController extends Controller
{
    public function index(Request $request)
    {
        $user = $request->user();

        $conversations = ChatConversation::query()
            ->where('customer_id', $user->id)
            ->with(['latestMessage', 'assignedAdmin'])
            ->withCount([
                'messages as unread_count' => function ($query) use ($user) {
                    $query->whereNull('read_at')
                        ->where('sender_id', '!=', $user->id);
                },
            ])
            ->latest('updated_at')
            ->get();

        return view('customer.chat_index', [
            'conversations' => $conversations,
        ]);
    }

    public function store(Request $request)
    {
        $user = $request->user();

        $data = $request->validate([
            'subject' => 'required|string|max:255',
            'message' => 'required|string|max:2000',
        ]);

        $conversation = ChatConversation::create([
            'customer_id' => $user->id,
            'subject' => $data['subject'],
            'status' => 'open',
            'last_message_at' => now(),
        ]);

        ChatMessage::create([
            'conversation_id' => $conversation->id,
            'sender_id' => $user->id,
            'sender_role' => $user->account_type,
            'message' => $data['message'],
        ]);

        return redirect()
            ->route('chat.show', $conversation)
            ->with('status', 'Chat started successfully.');
    }

    public function show(Request $request, ChatConversation $conversation)
    {
        $user = $request->user();

        if ((int) $conversation->customer_id !== (int) $user->id) {
            abort(403);
        }
```

```
        $conversation->messages()
            ->whereNull('read_at')
            ->where('sender_id', '!=', $user->id)
            ->update(['read_at' => now()]);

        $conversation->load(['messages.sender', 'assignedAdmin']);

        return view('customer.chat_show', [
            'conversation' => $conversation,
            'messages' => $conversation->messages,
        ]);
    }

    public function sendMessage(Request $request, ChatConversation $conversation)
    {
        $user = $request->user();

        if ((int) $conversation->customer_id !== (int) $user->id) {
            abort(403);
        }

        $data = $request->validate([
            'message' => 'required|string|max:2000',
        ]);

        ChatMessage::create([
            'conversation_id' => $conversation->id,
            'sender_id' => $user->id,
            'sender_role' => $user->account_type,
            'message' => $data['message'],
        ]);

        $conversation->update([
            'last_message_at' => now(),
        ]);

        return redirect()
            ->route('chat.show', $conversation)
            ->with('status', 'Message sent.');
    }

    public function unreadCount(Request $request)
    {
        $user = $request->user();

        $count = ChatMessage::query()
            ->whereHas('conversation', function ($query) use ($user) {
                $query->where('customer_id', $user->id);
            })
            ->whereNull('read_at')
            ->where('sender_id', '!=', $user->id)
            ->count();

        return response()->json(['count' => $count]);
    }
}

=== app/Http/Controllers\CustomerDashboardController.php ===
<?php
```

```
namespace App\Http\Controllers;

use App\Models\Book;
use Illuminate\Http\Request;

class CustomerDashboardController extends Controller
{
    public function index(Request $request)
    {
        $searchQuery = $request->query('search');
        $selectedGenre = $request->query('genre');
        $selectedAvailability = $request->query('availability');

        $booksQuery = Book::query()->latest('id');

        if ($searchQuery) {
            $booksQuery->where(function ($query) use ($searchQuery) {
                $query->where('title', 'like', '%' . $searchQuery . '%')
                    ->orWhere('author', 'like', '%' . $searchQuery . '%')
                    ->orWhere('genre', 'like', '%' . $searchQuery . '%');
            });
        }

        if ($selectedGenre) {
            $booksQuery->where('genre', $selectedGenre);
        }

        if ($selectedAvailability === 'rent') {
            $booksQuery->where('available_rent', '>', 0);
        } elseif ($selectedAvailability === 'buy') {
            $booksQuery->where('available_sale', '>', 0);
        }

        $totalBooks = (clone $booksQuery)->count();

        $books = $booksQuery
            ->paginate(12)
            ->withQueryString();

        $genres = Book::query()
            ->whereNotNull('genre')
            ->where('genre', '!=', '')
            ->distinct()
            ->orderBy('genre')
            ->pluck('genre');

        return view('customer.dashboard', [
            'books' => $books,
            'genres' => $genres,
            'totalBooks' => $totalBooks,
            'searchQuery' => $searchQuery,
            'selectedGenre' => $selectedGenre,
            'selectedAvailability' => $selectedAvailability,
        ]);
    }
}

=== app/Http/Controllers\CustomerIssueReportController.php ===
<?php
```

```php
namespace App\Http\Controllers;

use App\Models\IssueReport;
use Illuminate\Http\Request;

class CustomerIssueReportController extends Controller
{
    public function index(Request $request)
    {
        $reports = IssueReport::query()
            ->where('user_id', $request->user()->id)
            ->latest()
            ->get();

        return view('customer.issue_reports.index', [
            'reports' => $reports,
        ]);
    }

    public function create()
    {
        return view('customer.issue_reports.create');
    }

    public function store(Request $request)
    {
        $data = $request->validate([
            'subject' => 'required|string|max:255',
            'description' => 'required|string|max:4000',
            'priority' => 'required|in:low,medium,high',
        ]);

        IssueReport::create([
            'user_id' => $request->user()->id,
            'subject' => $data['subject'],
            'description' => $data['description'],
            'priority' => $data['priority'],
            'status' => 'open',
        ]);

        return redirect()
            ->route('issue-reports.index')
            ->with('status', 'Issue report submitted.');
    }

    public function show(Request $request, IssueReport $issueReport)
    {
        if ((int) $issueReport->user_id !== (int) $request->user()->id) {
            abort(403);
        }

        return view('customer.issue_reports.show', [
            'report' => $issueReport,
        ]);
    }
}

=== app/Http/Controllers\CustomerOrderController.php ===
<?php
```

```
namespace App\Http\Controllers;

use App\Models\Book;
use Carbon\Carbon;
use Illuminate\Http\Request;

class CustomerOrderController extends Controller
{
    public function index(Request $request)
    {
        $statusFilter = $request->query('status', 'all');
        $timeFilter = $request->query('time', 'all');

        $orders = collect($request->session()->get('orders', []));

        if ($statusFilter !== 'all') {
            $orders = $orders->where('status', $statusFilter);
        }

        if ($timeFilter !== 'all') {
            $cutoff = $timeFilter === '7days' ? now()->subDays(7) : now()->subDays(30);
            $orders = $orders->filter(function ($order) use ($cutoff) {
                return Carbon::parse($order['created_at'])->greaterThanOrEqualTo($cutoff);
            });
        }

        $orders = $orders->map(function ($order) {
            $order['created_at'] = Carbon::parse($order['created_at']);
            $order['status_label'] = $this->statusLabel($order['status']);
            $order['items_count'] = count($order['items'] ?? []);
            $order['items_preview'] = collect($order['items'] ?? [])
                ->take(2)
                ->map(function ($item) {
                    $book = Book::find($item['book_id']);
                    return $book?->title ?? 'Unknown';
                })
                ->implode(', ');
            $order['store_name'] = $order['store']['store_name'] ?? 'BookHub';
            return $order;
        })->values();

        $activeRentals = $orders->filter(function ($order) {
            return $order['order_type'] === 'rent' && !in_array($order['status'], ['completed', 'cancelled'], true);
        })->values();

        return view('customer.order_history', [
            'orders' => $orders,
            'activeRentals' => $activeRentals,
            'statusFilter' => $statusFilter,
            'timeFilter' => $timeFilter,
        ]);
    }

    public function show(Request $request, $orderId)
    {
        $orders = collect($request->session()->get('orders', []));
        $order = $orders->firstWhere('id', (int) $orderId);

        if (!$order) {
            return redirect()
```

```
            ->route('orders.index')
            ->with('error', 'Order not found.');
        }

        $order['created_at'] = Carbon::parse($order['created_at']);
        $order['status_label'] = $this->statusLabel($order['status']);

        $items = collect($order['items'] ?? [])->map(function ($item) {
            $book = Book::find($item['book_id']);
            return [
                'book' => $book,
                'item_type' => $item['type'],
                'quantity' => $item['quantity'] ?? 1,
                'rental_days' => $item['rental_days'] ?? null,
                'price' => $item['price'] ?? 0,
            ];
        })->filter(fn ($item) => $item['book'])->values();

        $subtotal = $items->sum('price');

        return view('customer.order_detail', [
            'order' => $order,
            'items' => $items,
            'subtotal' => $subtotal,
            'delivery' => null,
        ]);
    }

    public function markFinished(Request $request, $orderId)
    {
        $orders = $request->session()->get('orders', []);
        foreach ($orders as &$order) {
            if ((int) $order['id'] === (int) $orderId) {
                $order['status'] = 'completed';
            }
        }
        unset($order);

        $request->session()->put('orders', $orders);

        return redirect()
            ->back()
            ->with('status', 'Order marked as completed.');
    }

    private function statusLabel(string $status): string
    {
        return match ($status) {
            'pending' => 'Pending',
            'approved' => 'Approved',
            'preparing' => 'Preparing',
            'ready' => 'Ready',
            'out_for_delivery' => 'Out for Delivery',
            'delivered' => 'Delivered',
            'completed' => 'Completed',
            'cancelled' => 'Declined',
            default => ucfirst(str_replace('_', ' ', $status)),
        };
    }
}
```

=== app/Http/Controllers\CustomerWishlistController.php ===

```php
<?php

namespace App\Http\Controllers;

use App\Models\Book;
use Illuminate\Http\Request;

class CustomerWishlistController extends Controller
{
    public function index(Request $request)
    {
        $ids = $this->getWishlistIds($request);

        $books = Book::query()
            ->whereIn('id', $ids)
            ->get()
            ->sortBy(function (Book $book) use ($ids) {
                return array_search($book->id, $ids, true);
            })
            ->values();

        return view('customer.wishlist', [
            'wishlistBooks' => $books,
            'wishlistCount' => $books->count(),
        ]);
    }

    public function add(Request $request, $bookId)
    {
        $book = Book::find($bookId);
        if (!$book) {
            return redirect()
                ->back()
                ->with('error', 'Book not found.');
        }

        $ids = $this->getWishlistIds($request);
        if (!in_array($book->id, $ids, true)) {
            $ids[] = $book->id;
            $request->session()->put('wishlist', $ids);
        }

        return redirect()
            ->back()
            ->with('status', 'Book added to wishlist.');
    }

    public function remove(Request $request, $bookId)
    {
        $ids = $this->getWishlistIds($request);
        $ids = array_values(array_filter($ids, fn ($id) => (int) $id !== (int) $bookId));
        $request->session()->put('wishlist', $ids);

        return redirect()
            ->back()
            ->with('status', 'Book removed from wishlist.');
    }

    public function clear(Request $request)
```

```
    {
        $request->session()->forget('wishlist');

        return redirect()
            ->back()
            ->with('status', 'Wishlist cleared.');
    }

    private function getWishlistIds(Request $request): array
    {
        $ids = $request->session()->get('wishlist', []);
        return array_values(array_unique(array_map('intval', $ids)));
    }
}

=== app/Http/Controllers\ProfileController.php ===
<?php

namespace App\Http\Controllers;

use App\Http\Requests\ProfileUpdateRequest;
use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Redirect;
use Inertia\Inertia;
use Inertia\Response;

class ProfileController extends Controller
{
    /**
     * Display the user's profile form.
     */
    public function edit(Request $request): Response
    {
        return Inertia::render('Profile/Edit', [
            'mustVerifyEmail' => $request->user() instanceof MustVerifyEmail,
            'status' => session('status'),
        ]);
    }

    /**
     * Update the user's profile information.
     */
    public function update(ProfileUpdateRequest $request): RedirectResponse
    {
        $request->user()->fill($request->validated());

        if ($request->user()->isDirty('email')) {
            $request->user()->email_verified_at = null;
        }

        $request->user()->save();

        return Redirect::route('profile.edit');
    }

    /**
     * Delete the user's account.
```

```
     */
    public function destroy(Request $request): RedirectResponse
    {
        $request->validate([
            'password' => ['required', 'current_password'],
        ]);

        $user = $request->user();

        Auth::logout();

        $user->delete();

        $request->session()->invalidate();
        $request->session()->regenerateToken();

        return Redirect::to('/');
    }
}

=== app/Http/Controllers\StoreController.php ===
<?php

namespace App\Http\Controllers;

use App\Models\Store;
use App\Models\StoreHour;
use App\Models\StoreService;
use App\Models\StorePolicy;
use App\Models\StorePaymentMethod;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Validator;
use Illuminate\Support\Str;
use Illuminate\Support\Facades\Log;

class StoreController extends Controller
{
    /**
     * Show the store registration form.
     *
     * @return \Illuminate\View\View
     */
    public function showRegistrationForm()
    {
        return view('store.registration');
    }

    /**
     * Handle the store registration process.
     *
     * @param  \Illuminate\Http\Request  $request
     * @return \Illuminate\Http\RedirectResponse
     */
    public function register(Request $request)
    {
        // Validate the request data
        $validator = $this->validateRegistration($request->all());

        if ($validator->fails()) {
```

```
        return redirect()->back()
            ->withErrors($validator)
            ->withInput()
            ->with('registration_error', true);
    }

    try {
        DB::beginTransaction();

        // Create the store
        $store = $this->createStore($request);

        // Create store services
        $this->createStoreServices($store, $request);

        // Create store hours
        $this->createStoreHours($store, $request);

        // Create store policies
        $this->createStorePolicies($store, $request);

        // Create payment methods
        $this->createPaymentMethods($store, $request);

        DB::commit();

        // Log the successful registration
        Log::info('New store registered', ['store_id' => $store->id, 'store_name' => $store->name]);

        // Redirect to success page with store details
        return redirect()->route('store.registration.success', ['store' => $store->id])
            ->with('success', 'Your bookstore has been successfully registered!')
            ->with('store', $store);

    } catch (\Exception $e) {
        DB::rollBack();

        Log::error('Store registration failed', [
            'error' => $e->getMessage(),
            'trace' => $e->getTraceAsString()
        ]);

        return redirect()->back()
            ->withInput()
            ->with('error', 'An error occurred during registration. Please try again. Error: ' . $e->getMessage());
    }
}

/**
 * Show registration success page.
 *
 * @param  int  $id
 * @return \Illuminate\View\View
 */
public function registrationSuccess($id)
{
    $store = Store::findOrFail($id);
    return view('store.registration-success', compact('store'));
}
```

```
/**
 * Validate the registration request.
 *
 * @param  array  $data
 * @return \Illuminate\Contracts\Validation\Validator
 */
protected function validateRegistration(array $data)
{
    return Validator::make($data, [
        // Store Information
        'store_name' => 'required|string|max:255|unique:stores,name',
        'owner_full_name' => 'required|string|max:255',
        'email' => 'required|email|max:255|unique:stores,email',
        'country_code' => 'required|string|max:10',
        'phone' => 'required|string|max:20|unique:stores,phone',
        'store_type' => 'required|string|in:bookstore,library,coffee_shop,educational,online_only,home_based
        'city' => 'required|string|max:100',
        'subcity' => 'nullable|string|max:100',
        'address' => 'required|string|max:255',
        'store_description' => 'nullable|string|max:1000',

        // Services
        'offers_rental' => 'sometimes|boolean',
        'offers_sale' => 'sometimes|boolean',
        'offers_delivery' => 'sometimes|boolean',
        'delivery_radius' => 'nullable|numeric|min:1|max:50',
        'delivery_fee' => 'nullable|numeric|min:0',
        'delivery_methods' => 'nullable|array',

        // Business Hours
        'open_monday' => 'sometimes|boolean',
        'open_tuesday' => 'sometimes|boolean',
        'open_wednesday' => 'sometimes|boolean',
        'open_thursday' => 'sometimes|boolean',
        'open_friday' => 'sometimes|boolean',
        'open_saturday' => 'sometimes|boolean',
        'open_sunday' => 'sometimes|boolean',
        'closed_monday' => 'sometimes|boolean',
        'closed_tuesday' => 'sometimes|boolean',
        'closed_wednesday' => 'sometimes|boolean',
        'closed_thursday' => 'sometimes|boolean',
        'closed_friday' => 'sometimes|boolean',
        'closed_saturday' => 'sometimes|boolean',
        'closed_sunday' => 'sometimes|boolean',

        // Times
        'open_time_monday' => 'nullable|date_format:H:i',
        'close_time_monday' => 'nullable|date_format:H:i',
        'open_time_tuesday' => 'nullable|date_format:H:i',
        'close_time_tuesday' => 'nullable|date_format:H:i',
        'open_time_wednesday' => 'nullable|date_format:H:i',
        'close_time_wednesday' => 'nullable|date_format:H:i',
        'open_time_thursday' => 'nullable|date_format:H:i',
        'close_time_thursday' => 'nullable|date_format:H:i',
        'open_time_friday' => 'nullable|date_format:H:i',
        'close_time_friday' => 'nullable|date_format:H:i',
        'open_time_saturday' => 'nullable|date_format:H:i',
        'close_time_saturday' => 'nullable|date_format:H:i',
        'open_time_sunday' => 'nullable|date_format:H:i',
        'close_time_sunday' => 'nullable|date_format:H:i',
```

```
        // Policies
        'rental_period' => 'required|integer|min:1|max:30',
        'rental_price' => 'required|numeric|min:0',
        'late_fee' => 'required|numeric|min:0',
        'security_deposit' => 'required|numeric|min:0',
        'max_books' => 'nullable|integer|min:1',
        'discount_percent' => 'nullable|integer|min:0|max:100',

        // Payment Methods
        'payment_methods' => 'nullable|array',

        // Terms
        'agree_terms' => 'required|accepted',
    ], [
        'store_name.required' => 'Store name is required',
        'store_name.unique' => 'This store name is already taken',
        'owner_full_name.required' => 'Owner full name is required',
        'email.required' => 'Email address is required',
        'email.email' => 'Please enter a valid email address',
        'email.unique' => 'This email is already registered',
        'phone.required' => 'Phone number is required',
        'phone.unique' => 'This phone number is already registered',
        'city.required' => 'City is required',
        'address.required' => 'Street address is required',
        'store_type.required' => 'Store type is required',
        'agree_terms.accepted' => 'You must agree to the terms and conditions',
        'rental_period.required' => 'Rental period is required',
        'rental_price.required' => 'Rental price is required',
        'late_fee.required' => 'Late fee is required',
        'security_deposit.required' => 'Security deposit is required',
    ]);
}

/**
 * Create a new store.
 *
 * @param  \Illuminate\Http\Request  $request
 * @return \App\Models\Store
 */
protected function createStore(Request $request)
{
    $store = new Store();
    $store->name = $request->store_name;
    $store->slug = Str::slug($request->store_name);
    $store->owner_name = $request->owner_full_name;
    $store->email = $request->email;
    $store->country_code = $request->country_code;
    $store->phone = $request->phone;
    $store->full_phone = $request->country_code . $request->phone;
    $store->store_type = $request->store_type;
    $store->city = $request->city;
    $store->subcity = $request->subcity;
    $store->address = $request->address;
    $store->description = $request->store_description;
    $store->status = 'pending'; // Requires admin approval
    $store->registration_date = now();

    // Generate a unique store code
    $store->store_code = $this->generateStoreCode();
```

```
    $store->save();

    return $store;
}

/**
 * Generate a unique store code.
 *
 * @return string
 */
protected function generateStoreCode()
{
    $prefix = 'BK';
    $timestamp = now()->format('ymd');
    $random = strtoupper(Str::random(4));

    $code = $prefix . $timestamp . $random;

    // Ensure uniqueness
    while (Store::where('store_code', $code)->exists()) {
        $random = strtoupper(Str::random(4));
        $code = $prefix . $timestamp . $random;
    }

    return $code;
}

/**
 * Create store services.
 *
 * @param  \App\Models\Store  $store
 * @param  \Illuminate\Http\Request  $request
 * @return void
 */
protected function createStoreServices(Store $store, Request $request)
{
    $service = new StoreService();
    $service->store_id = $store->id;
    $service->offers_rental = $request->has('offers_rental');
    $service->offers_sale = $request->has('offers_sale');
    $service->offers_delivery = $request->has('offers_delivery');
    $service->delivery_radius = $request->delivery_radius;
    $service->delivery_fee = $request->delivery_fee;

    // Store delivery methods as JSON if provided
    if ($request->has('delivery_methods')) {
        $service->delivery_methods = json_encode($request->delivery_methods);
    }

    $service->save();
}

/**
 * Create store business hours.
 *
 * @param  \App\Models\Store  $store
 * @param  \Illuminate\Http\Request  $request
 * @return void
 */
```

```
protected function createStoreHours(Store $store, Request $request)
{
    $days = ['monday', 'tuesday', 'wednesday', 'thursday', 'friday', 'saturday', 'sunday'];

    foreach ($days as $day) {
        $isOpen = $request->has('open_' . $day) && $request->input('open_' . $day) == 'on';
        $isClosed = $request->has('closed_' . $day) && $request->input('closed_' . $day) == 'on';

        $openTime = $request->input('open_time_' . $day);
        $closeTime = $request->input('close_time_' . $day);

        // If closed, set times to null
        if ($isClosed) {
            $openTime = null;
            $closeTime = null;
            $isOpen = false;
        }

        $storeHour = new StoreHour();
        $storeHour->store_id = $store->id;
        $storeHour->day_of_week = $day;
        $storeHour->is_open = $isOpen;
        $storeHour->is_closed = $isClosed;
        $storeHour->open_time = $openTime;
        $storeHour->close_time = $closeTime;
        $storeHour->save();
    }
}

/**
 * Create store policies.
 *
 * @param  \App\Models\Store  $store
 * @param  \Illuminate\Http\Request  $request
 * @return void
 */
protected function createStorePolicies(Store $store, Request $request)
{
    $policy = new StorePolicy();
    $policy->store_id = $store->id;
    $policy->rental_period_days = $request->rental_period;
    $policy->rental_price_per_day = $request->rental_price;
    $policy->late_fee_per_day = $request->late_fee;
    $policy->security_deposit = $request->security_deposit;
    $policy->max_books_per_customer = $request->max_books ?? 5;
    $policy->student_discount_percent = $request->discount_percent ?? 0;
    $policy->save();
}

/**
 * Create store payment methods.
 *
 * @param  \App\Models\Store  $store
 * @param  \Illuminate\Http\Request  $request
 * @return void
 */
protected function createPaymentMethods(Store $store, Request $request)
{
    if ($request->has('payment_methods')) {
        foreach ($request->payment_methods as $method) {
```

```
            $paymentMethod = new StorePaymentMethod();
            $paymentMethod->store_id = $store->id;
            $paymentMethod->payment_method = $method;
            $paymentMethod->is_active = true;
            $paymentMethod->save();
        }
    } else {
        // Default to cash if no methods selected
        $paymentMethod = new StorePaymentMethod();
        $paymentMethod->store_id = $store->id;
        $paymentMethod->payment_method = 'cash';
        $paymentMethod->is_active = true;
        $paymentMethod->save();
    }
}

/**
 * Get store types for dropdown.
 *
 * @return array
 */
public static function getStoreTypes()
{
    return [
        'bookstore' => '■ Traditional Book Store',
        'library' => '■■ Library & Reading Space',
        'coffee_shop' => '■ Coffee Shop with Books',
        'educational' => '■ Educational & Textbook Store',
        'online_only' => '■ Online Book Store',
        'home_based' => '■ Home-based Book Business',
        'religious' => '■ Religious Book Store',
        'children' => '■ Children\'s Book Store',
    ];
}

/**
 * Get Ethiopian cities for dropdown.
 *
 * @return array
 */
public static function getEthiopianCities()
{
    return [
        'addis_ababa' => 'Addis Ababa (■■■ ■■■)',
        'dire_dawa' => 'Dire Dawa (■■ ■■)',
        'bahir_dar' => 'Bahir Dar (■■■ ■■)',
        'mekele' => 'Mekele (■■■)',
        'hawassa' => 'Hawassa (■■■)',
        'gondar' => 'Gondar (■■■■)',
        'jimma' => 'Jimma (■■)',
        'desse' => 'Dessie (■■)',
        'harar' => 'Harar (■■■)',
        'adama' => 'Adama (■■■)',
        'jijiga' => 'Jijiga (■■■)',
        'shashamane' => 'Shashamane (■■■■)',
        'arba_minch' => 'Arba Minch (■■■ ■■■)',
        'other' => 'Other City',
    ];
}
}
```

=== app/Http/Controllers\StoreRegistrationController.php ===

```php
<?php

namespace App\Http\Controllers;

use App\Models\StoreRegistration;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Schema;
use Inertia\Inertia;

class StoreRegistrationController extends Controller
{
    public function create(Request $request)
    {
        if ($request->header('X-Inertia')) {
            return Inertia::location(url('/store/registration'));
        }

        return view('store.registration');
    }

    public function edit(Request $request)
    {
        if ($request->header('X-Inertia')) {
            return Inertia::location(url('/store/registration/update'));
        }

        $store = null;

        if ($request->filled('store_id') && Schema::hasTable('store_registrations')) {
            $store = StoreRegistration::find($request->input('store_id'));
        }

        return view('store.registration-update', [
            'store' => $store,
            'storeId' => $store?->id,
        ]);
    }

    public function show(Request $request)
    {
        if ($request->header('X-Inertia')) {
            return Inertia::location(url('/store/registration/view'));
        }

        $stores = collect();
        $storeSource = 'registrations';

        if (Schema::hasTable('store_registrations')) {
            $stores = StoreRegistration::query()->latest('id')->get();
        }

        if ($stores->isEmpty() && Schema::hasTable('stores')) {
            $stores = DB::table('stores')->orderByDesc('id')->get();
            $storeSource = 'stores';
        }

        return view('store.registration-view', compact('stores', 'storeSource'));
    }
```

```
public function store(Request $request)
{
    if (!Schema::hasTable('store_registrations')) {
        return redirect()
            ->back()
            ->withInput()
            ->with('error', 'Store registration table is missing. Run migrations first.');
    }

    $validated = $request->validate([
        'store_name' => 'required|string|max:255',
        'owner_full_name' => 'required|string|max:255',
        'email' => 'nullable|email|max:255',
        'country_code' => 'nullable|string|max:10',
        'phone' => 'nullable|string|max:30',
        'store_type' => 'nullable|string|max:50',
        'city' => 'nullable|string|max:100',
        'subcity' => 'nullable|string|max:100',
        'address' => 'nullable|string|max:255',
        'store_description' => 'nullable|string|max:2000',
        'delivery_radius' => 'nullable|integer|min:0',
        'delivery_fee' => 'nullable|numeric|min:0',
        'delivery_methods' => 'nullable|array',
        'delivery_methods.*' => 'string',
        'open_time_monday' => 'nullable|string|max:5',
        'close_time_monday' => 'nullable|string|max:5',
        'open_time_tuesday' => 'nullable|string|max:5',
        'close_time_tuesday' => 'nullable|string|max:5',
        'open_time_wednesday' => 'nullable|string|max:5',
        'close_time_wednesday' => 'nullable|string|max:5',
        'open_time_thursday' => 'nullable|string|max:5',
        'close_time_thursday' => 'nullable|string|max:5',
        'open_time_friday' => 'nullable|string|max:5',
        'close_time_friday' => 'nullable|string|max:5',
        'open_time_saturday' => 'nullable|string|max:5',
        'close_time_saturday' => 'nullable|string|max:5',
        'open_time_sunday' => 'nullable|string|max:5',
        'close_time_sunday' => 'nullable|string|max:5',
        'rental_period' => 'nullable|integer|min:1|max:365',
        'rental_price' => 'nullable|numeric|min:0',
        'late_fee' => 'nullable|numeric|min:0',
        'security_deposit' => 'nullable|numeric|min:0',
        'max_books' => 'nullable|integer|min:1|max:1000',
        'discount_percent' => 'nullable|integer|min:0|max:100',
        'payment_methods' => 'nullable|array',
        'payment_methods.*' => 'string',
        'agree_terms' => 'accepted',
    ]);

    $deliveryMethods = $request->input('delivery_methods', []);
    if (!is_array($deliveryMethods)) {
        $deliveryMethods = [$deliveryMethods];
    }

    $paymentMethods = $request->input('payment_methods', []);
    if (!is_array($paymentMethods)) {
        $paymentMethods = [$paymentMethods];
    }
```

```
    $payload = array_merge($validated, [
        'offers_rental' => $request->boolean('offers_rental'),
        'offers_sale' => $request->boolean('offers_sale'),
        'offers_delivery' => $request->boolean('offers_delivery'),
        'delivery_methods' => $deliveryMethods ?: null,
        'delivery_bike' => in_array('bike', $deliveryMethods, true),
        'delivery_car' => in_array('car', $deliveryMethods, true),
        'delivery_pickup' => in_array('pickup', $deliveryMethods, true),
        'open_monday' => $request->boolean('open_monday'),
        'closed_monday' => $request->boolean('closed_monday'),
        'open_tuesday' => $request->boolean('open_tuesday'),
        'closed_tuesday' => $request->boolean('closed_tuesday'),
        'open_wednesday' => $request->boolean('open_wednesday'),
        'closed_wednesday' => $request->boolean('closed_wednesday'),
        'open_thursday' => $request->boolean('open_thursday'),
        'closed_thursday' => $request->boolean('closed_thursday'),
        'open_friday' => $request->boolean('open_friday'),
        'closed_friday' => $request->boolean('closed_friday'),
        'open_saturday' => $request->boolean('open_saturday'),
        'closed_saturday' => $request->boolean('closed_saturday'),
        'open_sunday' => $request->boolean('open_sunday'),
        'closed_sunday' => $request->boolean('closed_sunday'),
        'payment_methods' => $paymentMethods ?: null,
        'agree_terms' => $request->boolean('agree_terms'),
    ]);

    StoreRegistration::create($payload);

    return redirect()
        ->route('store.registration.view')
        ->with('status', 'Store registration submitted.');
}

public function update(Request $request)
{
    if (!Schema::hasTable('store_registrations')) {
        return redirect()
            ->back()
            ->withInput()
            ->with('error', 'Store registration table is missing. Run migrations first.');
    }

    $validated = $request->validate([
        'store_name' => 'required|string|max:255',
        'owner_full_name' => 'required|string|max:255',
        'email' => 'nullable|email|max:255',
        'country_code' => 'nullable|string|max:10',
        'phone' => 'nullable|string|max:30',
        'store_type' => 'nullable|string|max:50',
        'city' => 'nullable|string|max:100',
        'subcity' => 'nullable|string|max:100',
        'address' => 'nullable|string|max:255',
        'store_description' => 'nullable|string|max:2000',
        'delivery_radius' => 'nullable|integer|min:0',
        'delivery_fee' => 'nullable|numeric|min:0',
        'delivery_methods' => 'nullable|array',
        'delivery_methods.*' => 'string',
        'open_time_monday' => 'nullable|string|max:5',
        'close_time_monday' => 'nullable|string|max:5',
        'open_time_tuesday' => 'nullable|string|max:5',
```

```
    'close_time_tuesday' => 'nullable|string|max:5',
    'open_time_wednesday' => 'nullable|string|max:5',
    'close_time_wednesday' => 'nullable|string|max:5',
    'open_time_thursday' => 'nullable|string|max:5',
    'close_time_thursday' => 'nullable|string|max:5',
    'open_time_friday' => 'nullable|string|max:5',
    'close_time_friday' => 'nullable|string|max:5',
    'open_time_saturday' => 'nullable|string|max:5',
    'close_time_saturday' => 'nullable|string|max:5',
    'open_time_sunday' => 'nullable|string|max:5',
    'close_time_sunday' => 'nullable|string|max:5',
    'rental_period' => 'nullable|integer|min:1|max:365',
    'rental_price' => 'nullable|numeric|min:0',
    'late_fee' => 'nullable|numeric|min:0',
    'security_deposit' => 'nullable|numeric|min:0',
    'max_books' => 'nullable|integer|min:1|max:1000',
    'discount_percent' => 'nullable|integer|min:0|max:100',
    'payment_methods' => 'nullable|array',
    'payment_methods.*' => 'string',
    'agree_terms' => 'accepted',
]);

$deliveryMethods = $request->input('delivery_methods', []);
if (!is_array($deliveryMethods)) {
    $deliveryMethods = [$deliveryMethods];
}

$paymentMethods = $request->input('payment_methods', []);
if (!is_array($paymentMethods)) {
    $paymentMethods = [$paymentMethods];
}

$payload = array_merge($validated, [
    'offers_rental' => $request->boolean('offers_rental'),
    'offers_sale' => $request->boolean('offers_sale'),
    'offers_delivery' => $request->boolean('offers_delivery'),
    'delivery_methods' => $deliveryMethods ?: null,
    'delivery_bike' => in_array('bike', $deliveryMethods, true),
    'delivery_car' => in_array('car', $deliveryMethods, true),
    'delivery_pickup' => in_array('pickup', $deliveryMethods, true),
    'open_monday' => $request->boolean('open_monday'),
    'closed_monday' => $request->boolean('closed_monday'),
    'open_tuesday' => $request->boolean('open_tuesday'),
    'closed_tuesday' => $request->boolean('closed_tuesday'),
    'open_wednesday' => $request->boolean('open_wednesday'),
    'closed_wednesday' => $request->boolean('closed_wednesday'),
    'open_thursday' => $request->boolean('open_thursday'),
    'closed_thursday' => $request->boolean('closed_thursday'),
    'open_friday' => $request->boolean('open_friday'),
    'closed_friday' => $request->boolean('closed_friday'),
    'open_saturday' => $request->boolean('open_saturday'),
    'closed_saturday' => $request->boolean('closed_saturday'),
    'open_sunday' => $request->boolean('open_sunday'),
    'closed_sunday' => $request->boolean('closed_sunday'),
    'payment_methods' => $paymentMethods ?: null,
    'agree_terms' => $request->boolean('agree_terms'),
]);

$registration = null;
if ($request->filled('store_id')) {
```

```
            $registration = StoreRegistration::find($request->input('store_id'));
        }

        if (!$registration && $request->filled('email')) {
            $registration = StoreRegistration::where('email', $request->input('email'))
                ->latest('id')
                ->first();
        }

        if (!$registration) {
            $registration = StoreRegistration::latest('id')->first();
        }

        if ($registration) {
            $registration->update($payload);
        } else {
            StoreRegistration::create($payload);
        }

        return redirect()
            ->route('store.registration.view')
            ->with('status', 'Store registration updated.');
    }

    public function destroy(Request $request, $storeId)
    {
        if (!Schema::hasTable('store_registrations')) {
            return redirect()
                ->route('store.registration.view')
                ->with('error', 'Store registration table is missing. Run migrations first.');
        }

        $store = StoreRegistration::find($storeId);

        if (!$store) {
            return redirect()
                ->route('store.registration.view')
                ->with('error', 'Store not found.');
        }

        $store->delete();

        return redirect()
            ->route('store.registration.view')
            ->with('status', 'Store deleted successfully.');
    }
}

=== app/Http/Controllers\Auth\AuthenticatedSessionController.php ===
<?php

namespace App\Http\Controllers\Auth;

use App\Http\Controllers\Controller;
use App\Http\Requests\Auth\LoginRequest;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Route;
use Inertia\Inertia;
```

```php
use Inertia\Response;

class AuthenticatedSessionController extends Controller
{
    /**
     * Display the login view.
     */
    public function create(): Response
    {
        return Inertia::render('Auth/Login', [
            'canResetPassword' => Route::has('password.request'),
            'status' => session('status'),
        ]);
    }

    /**
     * Handle an incoming authentication request.
     */
    public function store(LoginRequest $request): RedirectResponse
    {
        $request->authenticate();

        $request->session()->regenerate();

        $redirectTo = $this->redirectPathForAccountType($request->user()?->account_type);

        return redirect()->intended($redirectTo);
    }

    /**
     * Destroy an authenticated session.
     */
    public function destroy(Request $request): RedirectResponse
    {
        Auth::guard('web')->logout();

        $request->session()->invalidate();

        $request->session()->regenerateToken();

        return redirect('/');
    }

    private function redirectPathForAccountType(?string $accountType): string
    {
        if ($accountType === 'store_owner') {
            return route('store.dashboard', absolute: false);
        }

        if ($accountType === 'customer') {
            return route('customer.dashboard', absolute: false);
        }

        if (in_array($accountType, ['sub_admin', 'super_admin'], true)) {
            return route('admin.dashboard', absolute: false);
        }

        return route('dashboard', absolute: false);
    }
}
```

=== app/Http/Controllers\Auth\ConfirmablePasswordController.php ===

```php
<?php

namespace App\Http\Controllers\Auth;

use App\Http\Controllers\Controller;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\Validation\ValidationException;
use Inertia\Inertia;
use Inertia\Response;

class ConfirmablePasswordController extends Controller
{
    /**
     * Show the confirm password view.
     */
    public function show(): Response
    {
        return Inertia::render('Auth/ConfirmPassword');
    }

    /**
     * Confirm the user's password.
     */
    public function store(Request $request): RedirectResponse
    {
        if (! Auth::guard('web')->validate([
            'email' => $request->user()->email,
            'password' => $request->password,
        ])) {
            throw ValidationException::withMessages([
                'password' => __('auth.password'),
            ]);
        }

        $request->session()->put('auth.password_confirmed_at', time());

        return redirect()->intended(route('dashboard', absolute: false));
    }
}
```

=== app/Http/Controllers\Auth\EmailVerificationNotificationController.php ===

```php
<?php

namespace App\Http\Controllers\Auth;

use App\Http\Controllers\Controller;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;

class EmailVerificationNotificationController extends Controller
{
    /**
     * Send a new email verification notification.
     */
    public function store(Request $request): RedirectResponse
    {
        if ($request->user()->hasVerifiedEmail()) {
```

```
            return redirect()->intended(route('dashboard', absolute: false));
        }

        $request->user()->sendEmailVerificationNotification();

        return back()->with('status', 'verification-link-sent');
    }
}

=== app/Http/Controllers\Auth\EmailVerificationPromptController.php ===
<?php

namespace App\Http\Controllers\Auth;

use App\Http\Controllers\Controller;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Inertia\Inertia;
use Inertia\Response;

class EmailVerificationPromptController extends Controller
{
    /**
     * Display the email verification prompt.
     */
    public function __invoke(Request $request): RedirectResponse|Response
    {
        return $request->user()->hasVerifiedEmail()
                    ? redirect()->intended(route('dashboard', absolute: false))
                    : Inertia::render('Auth/VerifyEmail', ['status' => session('status')]);
    }
}

=== app/Http/Controllers\Auth\NewPasswordController.php ===
<?php

namespace App\Http\Controllers\Auth;

use App\Http\Controllers\Controller;
use Illuminate\Auth\Events\PasswordReset;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\Facades\Password;
use Illuminate\Support\Str;
use Illuminate\Validation\Rules;
use Illuminate\Validation\ValidationException;
use Inertia\Inertia;
use Inertia\Response;

class NewPasswordController extends Controller
{
    /**
     * Display the password reset view.
     */
    public function create(Request $request): Response
    {
        return Inertia::render('Auth/ResetPassword', [
            'email' => $request->email,
            'token' => $request->route('token'),
```

```
        ]);
    }

    /**
     * Handle an incoming new password request.
     *
     * @throws \Illuminate\Validation\ValidationException
     */
    public function store(Request $request): RedirectResponse
    {
        $request->validate([
            'token' => 'required',
            'email' => 'required|email',
            'password' => ['required', 'confirmed', Rules\Password::defaults()],
        ]);

        // Here we will attempt to reset the user's password. If it is successful we
        // will update the password on an actual user model and persist it to the
        // database. Otherwise we will parse the error and return the response.
        $status = Password::reset(
            $request->only('email', 'password', 'password_confirmation', 'token'),
            function ($user) use ($request) {
                $user->forceFill([
                    'password' => Hash::make($request->password),
                    'remember_token' => Str::random(60),
                ])->save();

                event(new PasswordReset($user));
            }
        );

        // If the password was successfully reset, we will redirect the user back to
        // the application's home authenticated view. If there is an error we can
        // redirect them back to where they came from with their error message.
        if ($status == Password::PASSWORD_RESET) {
            return redirect()->route('login')->with('status', __($status));
        }

        throw ValidationException::withMessages([
            'email' => [trans($status)],
        ]);
    }
}

=== app/Http/Controllers\Auth\PasswordController.php ===
<?php

namespace App\Http\Controllers\Auth;

use App\Http\Controllers\Controller;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Hash;
use Illuminate\Validation\Rules\Password;

class PasswordController extends Controller
{
    /**
     * Update the user's password.
     */
```

```
    public function update(Request $request): RedirectResponse
    {
        $validated = $request->validate([
            'current_password' => ['required', 'current_password'],
            'password' => ['required', Password::defaults(), 'confirmed'],
        ]);

        $request->user()->update([
            'password' => Hash::make($validated['password']),
        ]);

        return back();
    }
}

=== app/Http/Controllers\Auth\PasswordResetLinkController.php ===
<?php

namespace App\Http\Controllers\Auth;

use App\Http\Controllers\Controller;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Password;
use Illuminate\Validation\ValidationException;
use Inertia\Inertia;
use Inertia\Response;

class PasswordResetLinkController extends Controller
{
    /**
     * Display the password reset link request view.
     */
    public function create(): Response
    {
        return Inertia::render('Auth/ForgotPassword', [
            'status' => session('status'),
        ]);
    }

    /**
     * Handle an incoming password reset link request.
     *
     * @throws \Illuminate\Validation\ValidationException
     */
    public function store(Request $request): RedirectResponse
    {
        $request->validate([
            'email' => 'required|email',
        ]);

        // We will send the password reset link to this user. Once we have attempted
        // to send the link, we will examine the response then see the message we
        // need to show to the user. Finally, we'll send out a proper response.
        $status = Password::sendResetLink(
            $request->only('email')
        );

        if ($status == Password::RESET_LINK_SENT) {
            return back()->with('status', __($status));
```

```
        }

        throw ValidationException::withMessages([
            'email' => [trans($status)],
        ]);
    }
}

=== app/Http/Controllers\Auth\RegisteredUserController.php ===
<?php

namespace App\Http\Controllers\Auth;

use App\Http\Controllers\Controller;
use App\Models\User;
use Illuminate\Auth\Events\Registered;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Hash;
use Illuminate\Validation\Rules;
use Inertia\Inertia;
use Inertia\Response;

class RegisteredUserController extends Controller
{
    /**
     * Display the registration view.
     */
    public function create(): Response
    {
        return Inertia::render('Auth/Register');
    }

    /**
     * Handle an incoming registration request.
     *
     * @throws \Illuminate\Validation\ValidationException
     */
    public function store(Request $request): RedirectResponse
    {
        $request->validate([
            'name' => 'required|string|max:255',
            'email' => 'required|string|lowercase|email|max:255|unique:'.User::class,
            'password' => ['required', 'confirmed', Rules\Password::defaults()],
            'account_type' => 'required|in:customer,store_owner',
        ]);

        $user = User::create([
            'name' => $request->name,
            'email' => $request->email,
            'password' => Hash::make($request->password),
            'account_type' => $request->account_type, // Add this if you have this field
        ]);

        event(new Registered($user));
        Auth::login($user);

        $redirectTo = $this->redirectPathForAccountType($user->account_type);
```

```
        return redirect()->to($redirectTo);
    }

    private function redirectPathForAccountType(?string $accountType): string
    {
        if ($accountType === 'store_owner') {
            return route('store.dashboard', absolute: false);
        }

        if ($accountType === 'customer') {
            return route('customer.dashboard', absolute: false);
        }

        if (in_array($accountType, ['sub_admin', 'super_admin'], true)) {
            return route('admin.dashboard', absolute: false);
        }

        return route('dashboard', absolute: false);
    }
}

=== app/Http/Controllers\Auth\VerifyEmailController.php ===
<?php

namespace App\Http\Controllers\Auth;

use App\Http\Controllers\Controller;
use Illuminate\Auth\Events\Verified;
use Illuminate\Foundation\Auth\EmailVerificationRequest;
use Illuminate\Http\RedirectResponse;

class VerifyEmailController extends Controller
{
    /**
     * Mark the authenticated user's email address as verified.
     */
    public function __invoke(EmailVerificationRequest $request): RedirectResponse
    {
        if ($request->user()->hasVerifiedEmail()) {
            return redirect()->intended(route('dashboard', absolute: false).'?verified=1');
        }

        if ($request->user()->markEmailAsVerified()) {
            event(new Verified($request->user()));
        }

        return redirect()->intended(route('dashboard', absolute: false).'?verified=1');
    }
}

=== app/Models\Book.php ===
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Book extends Model
{
```

```
    use HasFactory;

    protected $fillable = [
        'user_id',
        'title',
        'author',
        'genre',
        'publication_year',
        'total_copies',
        'available_rent',
        'available_sale',
        'rental_price',
        'sale_price',
        'cover_image_path',
    ];

    protected $casts = [
        'publication_year' => 'integer',
        'total_copies' => 'integer',
        'available_rent' => 'integer',
        'available_sale' => 'integer',
        'rental_price' => 'decimal:2',
        'sale_price' => 'decimal:2',
    ];

    public function user()
    {
        return $this->belongsTo(User::class);
    }
}

=== app/Models\ChatConversation.php ===
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class ChatConversation extends Model
{
    use HasFactory;

    protected $fillable = [
        'customer_id',
        'assigned_admin_id',
        'subject',
        'status',
        'last_message_at',
    ];

    protected $casts = [
        'last_message_at' => 'datetime',
    ];

    public function customer()
    {
        return $this->belongsTo(User::class, 'customer_id');
    }
```

```
    public function assignedAdmin()
    {
        return $this->belongsTo(User::class, 'assigned_admin_id');
    }

    public function messages()
    {
        return $this->hasMany(ChatMessage::class, 'conversation_id');
    }

    public function latestMessage()
    {
        return $this->hasOne(ChatMessage::class, 'conversation_id')->latestOfMany();
    }
}
```

=== app/Models\ChatMessage.php ===

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class ChatMessage extends Model
{
    use HasFactory;

    protected $fillable = [
        'conversation_id',
        'sender_id',
        'sender_role',
        'message',
        'read_at',
    ];

    protected $casts = [
        'read_at' => 'datetime',
    ];

    public function conversation()
    {
        return $this->belongsTo(ChatConversation::class, 'conversation_id');
    }

    public function sender()
    {
        return $this->belongsTo(User::class, 'sender_id');
    }
}
```

=== app/Models\IssueReport.php ===

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class IssueReport extends Model
```

```
{
    use HasFactory;

    protected $fillable = [
        'user_id',
        'subject',
        'description',
        'priority',
        'status',
        'assigned_admin_id',
    ];

    public function user()
    {
        return $this->belongsTo(User::class, 'user_id');
    }

    public function assignedAdmin()
    {
        return $this->belongsTo(User::class, 'assigned_admin_id');
    }
}

=== app/Models\StoreRegistration.php ===
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class StoreRegistration extends Model
{
    protected $guarded = [];

    protected $casts = [
        'offers_rental' => 'boolean',
        'offers_sale' => 'boolean',
        'offers_delivery' => 'boolean',
        'delivery_methods' => 'array',
        'delivery_bike' => 'boolean',
        'delivery_car' => 'boolean',
        'delivery_pickup' => 'boolean',
        'open_monday' => 'boolean',
        'closed_monday' => 'boolean',
        'open_tuesday' => 'boolean',
        'closed_tuesday' => 'boolean',
        'open_wednesday' => 'boolean',
        'closed_wednesday' => 'boolean',
        'open_thursday' => 'boolean',
        'closed_thursday' => 'boolean',
        'open_friday' => 'boolean',
        'closed_friday' => 'boolean',
        'open_saturday' => 'boolean',
        'closed_saturday' => 'boolean',
        'open_sunday' => 'boolean',
        'closed_sunday' => 'boolean',
        'payment_methods' => 'array',
        'agree_terms' => 'boolean',
    ];
}
```

=== app/Models\User.php ===

```php
<?php

namespace App\Models;

// use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;

class User extends Authenticatable
{
    /** @use HasFactory<\Database\Factories\UserFactory> */
    use HasFactory, Notifiable;

    /**
     * The attributes that are mass assignable.
     *
     * @var list<string>
     */
    protected $fillable = [
        'name',
        'email',
        'password',
        'account_type',
    ];

    /**
     * The attributes that should be hidden for serialization.
     *
     * @var list<string>
     */
    protected $hidden = [
        'password',
        'remember_token',
    ];

    /**
     * Get the attributes that should be cast.
     *
     * @return array<string, string>
     */
    protected function casts(): array
    {
        return [
            'email_verified_at' => 'datetime',
            'password' => 'hashed',
        ];
    }
}
```

=== database\.gitignore ===

```
*.sqlite*
```

=== database\factories\UserFactory.php ===

```php
<?php

namespace Database\Factories;

use Illuminate\Database\Eloquent\Factories\Factory;
```

```
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\Str;

/**
 * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\User>
 */
class UserFactory extends Factory
{
    /**
     * The current password being used by the factory.
     */
    protected static ?string $password;

    /**
     * Define the model's default state.
     *
     * @return array<string, mixed>
     */
    public function definition(): array
    {
        return [
            'name' => fake()->name(),
            'email' => fake()->unique()->safeEmail(),
            'email_verified_at' => now(),
            'password' => static::$password ??= Hash::make('password'),
            'remember_token' => Str::random(10),
        ];
    }

    /**
     * Indicate that the model's email address should be unverified.
     */
    public function unverified(): static
    {
        return $this->state(fn (array $attributes) => [
            'email_verified_at' => null,
        ]);
    }
}

=== database\migrations\0001_01_01_000000_create_users_table.php ===
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('users', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->string('email')->unique();
            $table->timestamp('email_verified_at')->nullable();
            $table->string('password');
```

```
            $table->rememberToken();
            $table->timestamps();
        });

        Schema::create('password_reset_tokens', function (Blueprint $table) {
            $table->string('email')->primary();
            $table->string('token');
            $table->timestamp('created_at')->nullable();
        });

        Schema::create('sessions', function (Blueprint $table) {
            $table->string('id')->primary();
            $table->foreignId('user_id')->nullable()->index();
            $table->string('ip_address', 45)->nullable();
            $table->text('user_agent')->nullable();
            $table->longText('payload');
            $table->integer('last_activity')->index();
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('users');
        Schema::dropIfExists('password_reset_tokens');
        Schema::dropIfExists('sessions');
    }
};

=== database\migrations\0001_01_01_000001_create_cache_table.php ===
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('cache', function (Blueprint $table) {
            $table->string('key')->primary();
            $table->mediumText('value');
            $table->integer('expiration')->index();
        });

        Schema::create('cache_locks', function (Blueprint $table) {
            $table->string('key')->primary();
            $table->string('owner');
            $table->integer('expiration')->index();
        });
    }

    /**
     * Reverse the migrations.
```

```
     */
    public function down(): void
    {
        Schema::dropIfExists('cache');
        Schema::dropIfExists('cache_locks');
    }
};

=== database\migrations\0001_01_01_000002_create_jobs_table.php ===
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('jobs', function (Blueprint $table) {
            $table->id();
            $table->string('queue')->index();
            $table->longText('payload');
            $table->unsignedTinyInteger('attempts');
            $table->unsignedInteger('reserved_at')->nullable();
            $table->unsignedInteger('available_at');
            $table->unsignedInteger('created_at');
        });

        Schema::create('job_batches', function (Blueprint $table) {
            $table->string('id')->primary();
            $table->string('name');
            $table->integer('total_jobs');
            $table->integer('pending_jobs');
            $table->integer('failed_jobs');
            $table->longText('failed_job_ids');
            $table->mediumText('options')->nullable();
            $table->integer('cancelled_at')->nullable();
            $table->integer('created_at');
            $table->integer('finished_at')->nullable();
        });

        Schema::create('failed_jobs', function (Blueprint $table) {
            $table->id();
            $table->string('uuid')->unique();
            $table->text('connection');
            $table->text('queue');
            $table->longText('payload');
            $table->longText('exception');
            $table->timestamp('failed_at')->useCurrent();
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
```

```
    {
        Schema::dropIfExists('jobs');
        Schema::dropIfExists('job_batches');
        Schema::dropIfExists('failed_jobs');
    }
};
```

=== database\migrations\2026_03_10_000000_add_account_type_to_users_table.php ===

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::table('users', function (Blueprint $table) {
            $table->string('account_type')->default('customer')->after('password');
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::table('users', function (Blueprint $table) {
            $table->dropColumn('account_type');
        });
    }
};
```

=== database\migrations\2026_03_10_010000_create_store_registrations_table.php ===

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    public function up(): void
    {
        Schema::create('store_registrations', function (Blueprint $table) {
            $table->id();
            $table->string('store_name');
            $table->string('owner_full_name');
            $table->string('email')->nullable();
            $table->string('country_code', 10)->nullable();
            $table->string('phone', 30)->nullable();
            $table->string('store_type', 50)->nullable();
            $table->string('city', 100)->nullable();
            $table->string('subcity', 100)->nullable();
            $table->string('address')->nullable();
            $table->text('store_description')->nullable();
```

```
        $table->boolean('offers_rental')->default(false);
        $table->boolean('offers_sale')->default(false);
        $table->boolean('offers_delivery')->default(false);
        $table->unsignedSmallInteger('delivery_radius')->nullable();
        $table->decimal('delivery_fee', 10, 2)->nullable();
        $table->json('delivery_methods')->nullable();
        $table->boolean('delivery_bike')->default(false);
        $table->boolean('delivery_car')->default(false);
        $table->boolean('delivery_pickup')->default(false);

        $table->boolean('open_monday')->default(false);
        $table->time('open_time_monday')->nullable();
        $table->time('close_time_monday')->nullable();
        $table->boolean('closed_monday')->default(false);

        $table->boolean('open_tuesday')->default(false);
        $table->time('open_time_tuesday')->nullable();
        $table->time('close_time_tuesday')->nullable();
        $table->boolean('closed_tuesday')->default(false);

        $table->boolean('open_wednesday')->default(false);
        $table->time('open_time_wednesday')->nullable();
        $table->time('close_time_wednesday')->nullable();
        $table->boolean('closed_wednesday')->default(false);

        $table->boolean('open_thursday')->default(false);
        $table->time('open_time_thursday')->nullable();
        $table->time('close_time_thursday')->nullable();
        $table->boolean('closed_thursday')->default(false);

        $table->boolean('open_friday')->default(false);
        $table->time('open_time_friday')->nullable();
        $table->time('close_time_friday')->nullable();
        $table->boolean('closed_friday')->default(false);

        $table->boolean('open_saturday')->default(false);
        $table->time('open_time_saturday')->nullable();
        $table->time('close_time_saturday')->nullable();
        $table->boolean('closed_saturday')->default(false);

        $table->boolean('open_sunday')->default(false);
        $table->time('open_time_sunday')->nullable();
        $table->time('close_time_sunday')->nullable();
        $table->boolean('closed_sunday')->default(false);

        $table->unsignedSmallInteger('rental_period')->nullable();
        $table->decimal('rental_price', 10, 2)->nullable();
        $table->decimal('late_fee', 10, 2)->nullable();
        $table->decimal('security_deposit', 10, 2)->nullable();
        $table->unsignedSmallInteger('max_books')->nullable();
        $table->unsignedSmallInteger('discount_percent')->nullable();

        $table->json('payment_methods')->nullable();
        $table->boolean('agree_terms')->default(false);

        $table->timestamps();
    });
}
```

```
    public function down(): void
    {
        Schema::dropIfExists('store_registrations');
    }
};

=== database\migrations\2026_03_11_000001_create_books_table.php ===
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('books', function (Blueprint $table) {
            $table->id();
            $table->foreignId('user_id')->constrained()->cascadeOnDelete();
            $table->string('title');
            $table->string('author');
            $table->string('genre', 100);
            $table->unsignedSmallInteger('publication_year')->nullable();
            $table->unsignedInteger('total_copies');
            $table->unsignedInteger('available_rent');
            $table->unsignedInteger('available_sale');
            $table->decimal('rental_price', 10, 2);
            $table->decimal('sale_price', 10, 2);
            $table->string('cover_image_path')->nullable();
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('books');
    }
};

=== database\migrations\2026_03_11_130100_create_issue_reports_table.php ===
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
```

```
        Schema::create('issue_reports', function (Blueprint $table) {
            $table->id();
            $table->foreignId('user_id')->constrained()->cascadeOnDelete();
            $table->string('subject');
            $table->text('description');
            $table->string('priority')->default('medium');
            $table->string('status')->default('open');
            $table->foreignId('assigned_admin_id')->nullable()->constrained('users')->nullOnDelete();
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('issue_reports');
    }
};
```

=== database\migrations\2026_03_11_130200_create_chat_conversations_table.php ===

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('chat_conversations', function (Blueprint $table) {
            $table->id();
            $table->foreignId('customer_id')->constrained('users')->cascadeOnDelete();
            $table->foreignId('assigned_admin_id')->nullable()->constrained('users')->nullOnDelete();
            $table->string('subject')->nullable();
            $table->string('status')->default('open');
            $table->timestamp('last_message_at')->nullable();
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('chat_conversations');
    }
};
```

=== database\migrations\2026_03_11_130300_create_chat_messages_table.php ===

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
```

```php
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('chat_messages', function (Blueprint $table) {
            $table->id();
            $table->foreignId('conversation_id')->constrained('chat_conversations')->cascadeOnDelete();
            $table->foreignId('sender_id')->constrained('users')->cascadeOnDelete();
            $table->string('sender_role')->nullable();
            $table->text('message');
            $table->timestamp('read_at')->nullable();
            $table->timestamps();

            $table->index(['conversation_id', 'read_at']);
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('chat_messages');
    }
};
```

=== database\seeders\DatabaseSeeder.php ===

```php
<?php

namespace Database\Seeders;

use App\Models\User;
use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class DatabaseSeeder extends Seeder
{
    use WithoutModelEvents;

    /**
     * Seed the application's database.
     */
    public function run(): void
    {
        // User::factory(10)->create();

        User::factory()->create([
            'name' => 'Test User',
            'email' => 'test@example.com',
        ]);
    }
}
```

=== app/Http/Middleware\EnsureAccountType.php ===

```php
<?php
```

```
namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;
use Symfony\Component\HttpFoundation\Response;

class EnsureAccountType
{
    /**
     * Handle an incoming request.
     *
     * @param  array<int, string>  ...$types
     */
    public function handle(Request $request, Closure $next, ...$types): Response
    {
        $user = $request->user();

        if (!$user || empty($types)) {
            abort(403);
        }

        if (!in_array($user->account_type, $types, true)) {
            abort(403);
        }

        return $next($request);
    }
}

=== app/Http/Middleware\HandleInertiaRequests.php ===
<?php

namespace App\Http\Middleware;

use Illuminate\Http\Request;
use Inertia\Middleware;

class HandleInertiaRequests extends Middleware
{
    /**
     * The root template that is loaded on the first page visit.
     *
     * @var string
     */
    protected $rootView = 'app';

    /**
     * Determine the current asset version.
     */
    public function version(Request $request): ?string
    {
        return parent::version($request);
    }

    /**
     * Define the props that are shared by default.
     *
     * @return array<string, mixed>
     */
```

```
    public function share(Request $request): array
    {
        return [
            ...parent::share($request),
            'auth' => [
                'user' => $request->user(),
            ],
        ];
    }
}

=== app/Http/Requests\ProfileUpdateRequest.php ===
<?php

namespace App\Http\Requests;

use App\Models\User;
use Illuminate\Foundation\Http\FormRequest;
use Illuminate\Validation\Rule;

class ProfileUpdateRequest extends FormRequest
{
    /**
     * Get the validation rules that apply to the request.
     *
     * @return array<string, \Illuminate\Contracts\Validation\ValidationRule|array<mixed>|string>
     */
    public function rules(): array
    {
        return [
            'name' => ['required', 'string', 'max:255'],
            'email' => [
                'required',
                'string',
                'lowercase',
                'email',
                'max:255',
                Rule::unique(User::class)->ignore($this->user()->id),
            ],
        ];
    }
}

=== app/Http/Requests\Auth\LoginRequest.php ===
<?php

namespace App\Http\Requests\Auth;

use Illuminate\Auth\Events\Lockout;
use Illuminate\Foundation\Http\FormRequest;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\RateLimiter;
use Illuminate\Support\Str;
use Illuminate\Validation\ValidationException;

class LoginRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     */
```

```
public function authorize(): bool
{
    return true;
}

/**
 * Get the validation rules that apply to the request.
 *
 * @return array<string, \Illuminate\Contracts\Validation\ValidationRule|array<mixed>|string>
 */
public function rules(): array
{
    return [
        'email' => ['required', 'string', 'email'],
        'password' => ['required', 'string'],
    ];
}

/**
 * Attempt to authenticate the request's credentials.
 *
 * @throws \Illuminate\Validation\ValidationException
 */
public function authenticate(): void
{
    $this->ensureIsNotRateLimited();

    if (! Auth::attempt($this->only('email', 'password'), $this->boolean('remember'))) {
        RateLimiter::hit($this->throttleKey());

        throw ValidationException::withMessages([
            'email' => trans('auth.failed'),
        ]);
    }

    RateLimiter::clear($this->throttleKey());
}

/**
 * Ensure the login request is not rate limited.
 *
 * @throws \Illuminate\Validation\ValidationException
 */
public function ensureIsNotRateLimited(): void
{
    if (! RateLimiter::tooManyAttempts($this->throttleKey(), 5)) {
        return;
    }

    event(new Lockout($this));

    $seconds = RateLimiter::availableIn($this->throttleKey());

    throw ValidationException::withMessages([
        'email' => trans('auth.throttle', [
            'seconds' => $seconds,
            'minutes' => ceil($seconds / 60),
        ]),
    ]);
}
```

```
    /**
     * Get the rate limiting throttle key for the request.
     */
    public function throttleKey(): string
    {
        return Str::transliterate(Str::lower($this->string('email')).'|'.$this->ip());
    }
}

=== resources\css\app.css ===
@tailwind base;
@tailwind components;
@tailwind utilities;

=== resources\js\app.jsx ===
import '../css/app.css';
import './bootstrap';

import { createInertiaApp } from '@inertiajs/react';
import { resolvePageComponent } from 'laravel-vite-plugin/inertia-helpers';
import { createRoot } from 'react-dom/client';

const appName = import.meta.env.VITE_APP_NAME || 'Laravel';

createInertiaApp({
    title: (title) => `${title} - ${appName}`,
    resolve: (name) =>
        resolvePageComponent(
            `./Pages/${name}.jsx`,
            import.meta.glob('./Pages/**/*.jsx'),
        ),
    setup({ el, App, props }) {
        const root = createRoot(el);

        root.render(<App {...props} />);
    },
    progress: {
        color: '#4B5563',
    },
});

=== resources\js\bootstrap.js ===
import axios from 'axios';
window.axios = axios;

window.axios.defaults.headers.common['X-Requested-With'] = 'XMLHttpRequest';

=== resources\js\Components\ApplicationLogo.jsx ===
export default function ApplicationLogo(props) {
    return (
        <svg
            {...props}
            viewBox="0 0 316 316"
            xmlns="http://www.w3.org/2000/svg"
        >
            <path d="M305.8 81.125C305.77 80.995 305.69 80.885 305.65 80.755C305.56 80.525 305.49 80.28
        </svg>
    );
}
```

```
=== resources\js\Components\Checkbox.jsx ===
export default function Checkbox({ className = '', ...props }) {
    return (
        <input
            {...props}
            type="checkbox"
            className={
                'rounded border-gray-300 text-indigo-600 shadow-sm focus:ring-indigo-500 ' +
                className
            }
        />
    );
}

=== resources\js\Components\DangerButton.jsx ===
export default function DangerButton({
    className = '',
    disabled,
    children,
    ...props
}) {
    return (
        <button
            {...props}
            className={
                `inline-flex items-center rounded-md border border-transparent bg-red-600 px-4 py-2 text-xs font-s
                    disabled && 'opacity-25'
                } ` + className
            }
            disabled={disabled}
        >
            {children}
        </button>
    );
}

=== resources\js\Components\Dropdown.jsx ===
import { Transition } from '@headlessui/react';
import { Link } from '@inertiajs/react';
import { createContext, useContext, useState } from 'react';

const DropDownContext = createContext();

const Dropdown = ({ children }) => {
    const [open, setOpen] = useState(false);

    const toggleOpen = () => {
        setOpen((previousState) => !previousState);
    };

    return (
        <DropDownContext.Provider value={{ open, setOpen, toggleOpen }}>
            <div className="relative">{children}</div>
        </DropDownContext.Provider>
    );
};

const Trigger = ({ children }) => {
    const { open, setOpen, toggleOpen } = useContext(DropDownContext);
```

```
    return (
        <>
            <div onClick={toggleOpen}>{children}</div>

            {open && (
                <div
                    className="fixed inset-0 z-40"
                    onClick={() => setOpen(false)}
                ></div>
            )}
        </>
    );
};

const Content = ({
    align = 'right',
    width = '48',
    contentClasses = 'py-1 bg-white',
    children,
}) => {
    const { open, setOpen } = useContext(DropDownContext);

    let alignmentClasses = 'origin-top';

    if (align === 'left') {
        alignmentClasses = 'ltr:origin-top-left rtl:origin-top-right start-0';
    } else if (align === 'right') {
        alignmentClasses = 'ltr:origin-top-right rtl:origin-top-left end-0';
    }

    let widthClasses = '';

    if (width === '48') {
        widthClasses = 'w-48';
    }

    return (
        <>
            <Transition
                show={open}
                enter="transition ease-out duration-200"
                enterFrom="opacity-0 scale-95"
                enterTo="opacity-100 scale-100"
                leave="transition ease-in duration-75"
                leaveFrom="opacity-100 scale-100"
                leaveTo="opacity-0 scale-95"
            >
                <div
                    className={`absolute z-50 mt-2 rounded-md shadow-lg ${alignmentClasses} ${widthClasses}`
                    onClick={() => setOpen(false)}
                >
                    <div
                        className={
                            `rounded-md ring-1 ring-black ring-opacity-5 ` +
                            contentClasses
                        }
                    >
                        {children}
                    </div>
                </div>
```

```
            </Transition>
        </>
    );
};

const DropdownLink = ({ className = '', children, ...props }) => {
    return (
        <Link
            {...props}
            className={
                'block w-full px-4 py-2 text-start text-sm leading-5 text-gray-700 transition duration-150 ease-in-out
                className
            }
        >
            {children}
        </Link>
    );
};

Dropdown.Trigger = Trigger;
Dropdown.Content = Content;
Dropdown.Link = DropdownLink;

export default Dropdown;

=== resources\js\Components\InputError.jsx ===
export default function InputError({ message, className = '', ...props }) {
    return message ? (
        <p
            {...props}
            className={'text-sm text-red-600 ' + className}
        >
            {message}
        </p>
    ) : null;
}

=== resources\js\Components\InputLabel.jsx ===
export default function InputLabel({
    value,
    className = '',
    children,
    ...props
}) {
    return (
        <label
            {...props}
            className={
                `block text-sm font-medium text-gray-700 ` +
                className
            }
        >
            {value ? value : children}
        </label>
    );
}

=== resources\js\Components\Modal.jsx ===
import {
    Dialog,
```

```
    DialogPanel,
    Transition,
    TransitionChild,
} from '@headlessui/react';

export default function Modal({
    children,
    show = false,
    maxWidth = '2xl',
    closeable = true,
    onClose = () => {},
}) {
    const close = () => {
        if (closeable) {
            onClose();
        }
    };

    const maxWidthClass = {
        sm: 'sm:max-w-sm',
        md: 'sm:max-w-md',
        lg: 'sm:max-w-lg',
        xl: 'sm:max-w-xl',
        '2xl': 'sm:max-w-2xl',
    }[maxWidth];

    return (
        <Transition show={show} leave="duration-200">
            <Dialog
                as="div"
                id="modal"
                className="fixed inset-0 z-50 flex transform items-center overflow-y-auto px-4 py-6 transition-all s
                onClose={close}
            >
                <TransitionChild
                    enter="ease-out duration-300"
                    enterFrom="opacity-0"
                    enterTo="opacity-100"
                    leave="ease-in duration-200"
                    leaveFrom="opacity-100"
                    leaveTo="opacity-0"
                >
                    <div className="absolute inset-0 bg-gray-500/75" />
                </TransitionChild>

                <TransitionChild
                    enter="ease-out duration-300"
                    enterFrom="opacity-0 translate-y-4 sm:translate-y-0 sm:scale-95"
                    enterTo="opacity-100 translate-y-0 sm:scale-100"
                    leave="ease-in duration-200"
                    leaveFrom="opacity-100 translate-y-0 sm:scale-100"
                    leaveTo="opacity-0 translate-y-4 sm:translate-y-0 sm:scale-95"
                >
                    <DialogPanel
                        className={`mb-6 transform overflow-hidden rounded-lg bg-white shadow-xl transition-all sm
                    >
                        {children}
                    </DialogPanel>
                </TransitionChild>
            </Dialog>
```

```
        </Transition>
    );
}

=== resources\js\Components\NavLink.jsx ===
import { Link } from '@inertiajs/react';

export default function NavLink({
    active = false,
    className = '',
    children,
    ...props
}) {
    return (
        <Link
            {...props}
            className={
                'inline-flex items-center border-b-2 px-1 pt-1 text-sm font-medium leading-5 transition duration-150
                (active
                    ? 'border-indigo-400 text-gray-900 focus:border-indigo-700'
                    : 'border-transparent text-gray-500 hover:border-gray-300 hover:text-gray-700 focus:border-gray
                className
            }
        >
            {children}
        </Link>
    );
}

=== resources\js\Components\PrimaryButton.jsx ===
export default function PrimaryButton({
    className = '',
    disabled,
    children,
    ...props
}) {
    return (
        <button
            {...props}
            className={
                `inline-flex items-center rounded-md border border-transparent bg-gray-800 px-4 py-2 text-xs font-
                    disabled && 'opacity-25'
                } ` + className
            }
            disabled={disabled}
        >
            {children}
        </button>
    );
}

=== resources\js\Components\ResponsiveNavLink.jsx ===
import { Link } from '@inertiajs/react';

export default function ResponsiveNavLink({
    active = false,
    className = '',
    children,
    ...props
}) {
```

```
    return (
        <Link
            {...props}
            className={`flex w-full items-start border-l-4 py-2 pe-4 ps-3 ${
                active
                    ? 'border-indigo-400 bg-indigo-50 text-indigo-700 focus:border-indigo-700 focus:bg-indigo-100 f
                    : 'border-transparent text-gray-600 hover:border-gray-300 hover:bg-gray-50 hover:text-gray-800
            } text-base font-medium transition duration-150 ease-in-out focus:outline-none ${className}`}
        >
            {children}
        </Link>
    );
}

=== resources\js\Components\SecondaryButton.jsx ===
export default function SecondaryButton({
    type = 'button',
    className = '',
    disabled,
    children,
    ...props
}) {
    return (
        <button
            {...props}
            type={type}
            className={
                `inline-flex items-center rounded-md border border-gray-300 bg-white px-4 py-2 text-xs font-semib
                    disabled && 'opacity-25'
                } ` + className
            }
            disabled={disabled}
        >
            {children}
        </button>
    );
}

=== resources\js\Components\TextInput.jsx ===
import { forwardRef, useEffect, useImperativeHandle, useRef } from 'react';

export default forwardRef(function TextInput(
    { type = 'text', className = '', isFocused = false, ...props },
    ref,
) {
    const localRef = useRef(null);

    useImperativeHandle(ref, () => ({
        focus: () => localRef.current?.focus(),
    }));

    useEffect(() => {
        if (isFocused) {
            localRef.current?.focus();
        }
    }, [isFocused]);

    return (
        <input
            {...props}
```

```
            type={type}
            className={
                'rounded-md border-gray-300 shadow-sm focus:border-indigo-500 focus:ring-indigo-500 ' +
                className
            }
            ref={localRef}
        />
    );
});

=== resources\js\Layouts\AuthenticatedLayout.jsx ===
import ApplicationLogo from '@/Components/ApplicationLogo';
import Dropdown from '@/Components/Dropdown';
import NavLink from '@/Components/NavLink';
import ResponsiveNavLink from '@/Components/ResponsiveNavLink';
import { Link, usePage } from '@inertiajs/react';
import { useState } from 'react';

export default function AuthenticatedLayout({ header, children }) {
    const user = usePage().props.auth.user;

    const [showingNavigationDropdown, setShowingNavigationDropdown] =
        useState(false);

    return (
        <div className="min-h-screen bg-gray-100">
            <nav className="border-b border-gray-100 bg-white">
                <div className="mx-auto max-w-7xl px-4 sm:px-6 lg:px-8">
                    <div className="flex h-16 justify-between">
                        <div className="flex">
                            <div className="flex shrink-0 items-center">
                                <Link href="/">
                                    <ApplicationLogo className="block h-9 w-auto fill-current text-gray-800" />
                                </Link>
                            </div>

                            <div className="hidden space-x-8 sm:-my-px sm:ms-10 sm:flex">
                                <NavLink
                                    href={route('dashboard')}
                                    active={route().current('dashboard')}
                                >
                                    Dashboard
                                </NavLink>
                            </div>
                        </div>

                        <div className="hidden sm:ms-6 sm:flex sm:items-center">
                            <div className="relative ms-3">
                                <Dropdown>
                                    <Dropdown.Trigger>
                                        <span className="inline-flex rounded-md">
                                            <button
                                                type="button"
                                                className="inline-flex items-center rounded-md border border-transparent bg
                                            >
                                                {user.name}

                                                <svg
                                                    className="-me-0.5 ms-2 h-4 w-4"
                                                    xmlns="http://www.w3.org/2000/svg"
```

```
                    viewBox="0 0 20 20"
                    fill="currentColor"
                  >
                    <path
                      fillRule="evenodd"
                      d="M5.293 7.293a1 1 0 011.414 0L10 10.586l3.293-3.293a1 1 0 111.414
                      clipRule="evenodd"
                    />
                  </svg>
                </button>
              </span>
            </Dropdown.Trigger>

            <Dropdown.Content>
              <Dropdown.Link
                href={route('profile.edit')}
              >
                Profile
              </Dropdown.Link>
              <Dropdown.Link
                href={route('logout')}
                method="post"
                as="button"
              >
                Log Out
              </Dropdown.Link>
            </Dropdown.Content>
          </Dropdown>
        </div>
      </div>

      <div className="-me-2 flex items-center sm:hidden">
        <button
          onClick={() =>
            setShowingNavigationDropdown(
              (previousState) => !previousState,
            )
          }
          className="inline-flex items-center justify-center rounded-md p-2 text-gray-400 transiti
        >
          <svg
            className="h-6 w-6"
            stroke="currentColor"
            fill="none"
            viewBox="0 0 24 24"
          >
            <path
              className={
                !showingNavigationDropdown
                  ? 'inline-flex'
                  : 'hidden'
              }
              strokeLinecap="round"
              strokeLinejoin="round"
              strokeWidth="2"
              d="M4 6h16M4 12h16M4 18h16"
            />
            <path
              className={
                showingNavigationDropdown
```

```
                        ? 'inline-flex'
                        : 'hidden'
                    }
                    strokeLinecap="round"
                    strokeLinejoin="round"
                    strokeWidth="2"
                    d="M6 18L18 6M6 6l12 12"
                />
            </svg>
        </button>
    </div>
  </div>

  <div
    className={
      (showingNavigationDropdown ? 'block' : 'hidden') +
      ' sm:hidden'
    }
  >
    <div className="space-y-1 pb-3 pt-2">
      <ResponsiveNavLink
        href={route('dashboard')}
        active={route().current('dashboard')}
      >
        Dashboard
      </ResponsiveNavLink>
    </div>

    <div className="border-t border-gray-200 pb-1 pt-4">
      <div className="px-4">
        <div className="text-base font-medium text-gray-800">
          {user.name}
        </div>
        <div className="text-sm font-medium text-gray-500">
          {user.email}
        </div>
      </div>

      <div className="mt-3 space-y-1">
        <ResponsiveNavLink href={route('profile.edit')}>
          Profile
        </ResponsiveNavLink>
        <ResponsiveNavLink
          method="post"
          href={route('logout')}
          as="button"
        >
          Log Out
        </ResponsiveNavLink>
      </div>
    </div>
  </div>
</nav>

{header && (
  <header className="bg-white shadow">
    <div className="mx-auto max-w-7xl px-4 py-6 sm:px-6 lg:px-8">
      {header}
    </div>
```

```
            </header>
        )}

        <main>{children}</main>
    </div>
  );
}

=== resources\js\Layouts\GuestLayout.jsx ===
import ApplicationLogo from '@/Components/ApplicationLogo';
import { Link } from '@inertiajs/react';

export default function GuestLayout({ children }) {
  return (
    <div className="flex min-h-screen flex-col items-center bg-gray-100 pt-6 sm:justify-center sm:pt-0">
      <div>
        <Link href="/">
          <ApplicationLogo className="h-20 w-20 fill-current text-gray-500" />
        </Link>
      </div>

      <div className="mt-6 w-full overflow-hidden bg-white px-6 py-4 shadow-md sm:max-w-md sm:roun
        {children}
      </div>
    </div>
  );
}

=== resources\js\Pages\Welcome.jsx ===
import { Head, Link } from '@inertiajs/react';

const css = `
  :root {
    --primary:        #5b4cff;
    --primary-dark:   #3d2fe0;
    --primary-light:  #9b8fff;
    --primary-soft:   rgba(91,76,255,0.10);
    --primary-glow:   rgba(91,76,255,0.28);
    --accent:         #f5b042;
    --accent-soft:    rgba(245,176,66,0.12);
    --success:        #00c98b;
    --success-soft:   rgba(0,201,139,0.10);
    --danger:         #ff4d6d;
    --rent-color:     #5b4cff;
    --buy-color:      #00c98b;
    --bg-base:        #edecf8;
    --bg-surface:     #f2f1fc;
    --bg-raised:      #e8e7f4;
    --bg-card:        #faf9ff;
    --text-primary:   #14102b;
    --text-secondary: #4e4a64;
    --text-muted:     #8a86a0;
    --border:         rgba(91,76,255,0.13);
    --border-soft:    rgba(91,76,255,0.07);
    --shadow-sm:  0 2px 8px rgba(20,16,43,0.06);
    --shadow:     0 4px 18px rgba(20,16,43,0.10);
    --shadow-lg:  0 10px 36px rgba(20,16,43,0.13);
    --shadow-xl:  0 20px 60px rgba(20,16,43,0.18);
    --radius-sm: 10px; --radius: 14px; --radius-lg: 20px; --radius-xl: 28px;
    --t-fast: 140ms cubic-bezier(0.4,0,0.2,1);
```

```
    --t:      260ms cubic-bezier(0.4,0,0.2,1);
    --header-h: 68px;
}
[data-theme="dark"] {
    --primary: #7b6fff; --primary-dark: #5b4cff; --primary-light: #b3abff;
    --primary-soft: rgba(123,111,255,0.13); --primary-glow: rgba(123,111,255,0.25);
    --accent: #ffc155;
    --bg-base: #0c0a1a; --bg-surface: #12101e; --bg-raised: #1a1730; --bg-card: #161328;
    --text-primary: #ede9ff; --text-secondary: #9c97b8; --text-muted: #635e7a;
    --border: rgba(123,111,255,0.16); --border-soft: rgba(123,111,255,0.08);
    --shadow-xl: 0 20px 60px rgba(0,0,0,0.60);
}

*, *::before, *::after { box-sizing: border-box; margin: 0; padding: 0; }
html { scroll-behavior: smooth; }

body {
    font-family: 'Outfit', system-ui, sans-serif;
    background: var(--bg-base);
    color: var(--text-primary);
    min-height: 100vh;
    -webkit-font-smoothing: antialiased;
    transition: background-color var(--t), color var(--t);
}

body::before {
    content: '';
    position: fixed; inset: 0; z-index: 0; pointer-events: none;
    background:
        radial-gradient(ellipse 65% 50% at 5% 0%,   rgba(91,76,255,0.12) 0%, transparent 60%),
        radial-gradient(ellipse 45% 40% at 95% 90%, rgba(155,143,255,0.09) 0%, transparent 55%),
        radial-gradient(ellipse 30% 35% at 52% 50%, rgba(245,176,66,0.04) 0%, transparent 65%);
}
[data-theme="dark"] body::before {
    background:
        radial-gradient(ellipse 60% 50% at 5% 0%,   rgba(123,111,255,0.18) 0%, transparent 60%),
        radial-gradient(ellipse 40% 40% at 95% 92%, rgba(0,201,139,0.06)   0%, transparent 55%);
}

header {
    position: sticky; top: 0; z-index: 200;
    height: var(--header-h);
    background: rgba(240,239,254,0.78);
    backdrop-filter: blur(18px) saturate(160%);
    -webkit-backdrop-filter: blur(18px) saturate(160%);
    border-bottom: 1px solid var(--border);
    transition: background var(--t), border-color var(--t);
}
[data-theme="dark"] header { background: rgba(18,16,30,0.82); }

.header-inner {
    max-width: 1340px; margin: 0 auto;
    padding: 0 1.5rem;
    height: 100%;
    display: flex; align-items: center; justify-content: space-between; gap: 1rem;
}

.logo {
    display: flex; align-items: center; gap: 0.6rem;
    text-decoration: none; cursor: pointer; flex-shrink: 0;
```

```
}
.logo-icon {
    width: 38px; height: 38px; border-radius: 11px;
    background: linear-gradient(135deg, var(--primary) 0%, var(--primary-dark) 100%);
    display: flex; align-items: center; justify-content: center;
    font-size: 1rem; color: #fff;
    box-shadow: 0 4px 14px var(--primary-glow);
}
.logo-text { font-size: 1.05rem; font-weight: 800; color: var(--text-primary); letter-spacing: -0.02em; }
.logo-text span { color: var(--primary); }

.header-search {
    flex: 1; max-width: 420px;
    display: flex; align-items: center;
    background: var(--bg-raised); border: 1.5px solid var(--border);
    border-radius: 999px; overflow: hidden;
    transition: all 200ms;
}
.header-search:focus-within {
    border-color: var(--primary); background: var(--bg-surface);
    box-shadow: 0 0 0 4px var(--primary-soft);
}
.header-search i { padding: 0 0.8rem 0 1.1rem; color: var(--text-muted); font-size: 0.95rem; flex-shrink: 0;
.header-search input {
    flex: 1; border: none; background: transparent; outline: none;
    font-family: 'Outfit', sans-serif; font-size: 0.87rem; color: var(--text-primary);
    padding: 0.6rem 0;
}
.header-search input::placeholder { color: var(--text-muted); }
.search-btn {
    background: var(--primary); color: #fff; border: none;
    padding: 0.52rem 1.1rem; font-family: 'Outfit', sans-serif;
    font-size: 0.82rem; font-weight: 700; cursor: pointer;
    border-radius: 0 999px 999px 0;
    transition: background var(--t-fast);
}
.search-btn:hover { background: var(--primary-dark); }

.nav-right { display: flex; align-items: center; gap: 0.4rem; flex-shrink: 0; }
.nav-btn {
    display: flex; align-items: center; gap: 0.4rem;
    padding: 0.42rem 0.85rem; border-radius: 999px;
    border: 1.5px solid transparent; background: transparent;
    font-family: 'Outfit', sans-serif; font-size: 0.82rem; font-weight: 600;
    color: var(--text-secondary); cursor: pointer;
    transition: all var(--t-fast); text-decoration: none;
}
.nav-btn:hover { color: var(--primary); background: var(--primary-soft); border-color: var(--border); }
.nav-btn.active { color: var(--primary); }
.nav-btn i { font-size: 0.95rem; }

.nav-pill {
    padding: 0.5rem 1.1rem; border-radius: 999px;
    background: var(--primary); color: #fff; border: none;
    font-family: 'Outfit', sans-serif; font-size: 0.82rem; font-weight: 700;
    cursor: pointer; transition: all var(--t-fast); text-decoration: none;
    display: flex; align-items: center; gap: 0.35rem;
    box-shadow: 0 4px 14px var(--primary-glow);
}
.nav-pill:hover { background: var(--primary-dark); transform: translateY(-1px); }
```

```
.nav-pill-outline {
    background: transparent; color: var(--primary);
    border: 1.5px solid var(--primary);
    box-shadow: none;
}
.nav-pill-outline:hover { background: var(--primary-soft); transform: none; }

.theme-btn {
    width: 36px; height: 36px; border-radius: 10px;
    background: var(--bg-raised); border: 1.5px solid var(--border);
    display: flex; align-items: center; justify-content: center;
    color: var(--text-muted); font-size: 0.9rem;
    cursor: pointer; transition: all var(--t-fast);
}
.theme-btn:hover { color: var(--primary); border-color: var(--primary); background: var(--primary-soft); }

.cart-btn { position: relative; }
.cart-badge {
    position: absolute; top: -4px; right: -4px;
    width: 18px; height: 18px; border-radius: 50%;
    background: var(--danger); color: #fff;
    font-size: 0.62rem; font-weight: 800;
    display: flex; align-items: center; justify-content: center;
    border: 2px solid var(--bg-base);
}

.mob-menu-btn {
    display: none;
    width: 36px; height: 36px; border-radius: 10px;
    background: var(--bg-raised); border: 1.5px solid var(--border);
    align-items: center; justify-content: center;
    color: var(--text-secondary); font-size: 1.1rem; cursor: pointer;
}

.hero {
    position: relative; overflow: hidden;
    background: linear-gradient(155deg, #0f1a3a 0%, #1a1050 48%, #0d1030 100%);
    padding: 5.5rem 1.5rem 4.5rem;
    text-align: center;
    z-index: 1;
}
.hero::before {
    content: ''; position: absolute; inset: 0; pointer-events: none;
    background:
        radial-gradient(ellipse 80% 70% at 20% -10%, rgba(91,76,255,0.55) 0%, transparent 55%),
        radial-gradient(ellipse 55% 55% at 90% 110%, rgba(245,176,66,0.22) 0%, transparent 55%),
        radial-gradient(ellipse 40% 40% at 50% 120%, rgba(0,201,139,0.12) 0%, transparent 55%);
}
.hero-ring {
    position: absolute; border-radius: 50%; border: 1px solid rgba(255,255,255,0.05);
    pointer-events: none;
}
.hero-ring-1 { width: 500px; height: 500px; top: -200px; right: -150px; }
.hero-ring-2 { width: 320px; height: 320px; bottom: -120px; left: -80px; border-color: rgba(245,176,66,0.07
.hero-ring-3 { width: 180px; height: 180px; top: 30%; left: 8%; border-color: rgba(91,76,255,0.2); }

.hero-inner { position: relative; z-index: 1; max-width: 760px; margin: 0 auto; }
.hero-eyebrow {
    display: inline-flex; align-items: center; gap: 0.5rem;
    padding: 0.32rem 0.95rem; border-radius: 999px;
```

```
    background: rgba(255,255,255,0.10); border: 1px solid rgba(255,255,255,0.18);
    font-size: 0.75rem; font-weight: 700; text-transform: uppercase;
    letter-spacing: 1.1px; color: var(--accent);
    margin-bottom: 1.4rem; backdrop-filter: blur(6px);
}
.live-dot {
    width: 6px; height: 6px; border-radius: 50%; background: var(--success);
    box-shadow: 0 0 0 3px rgba(0,201,139,0.22);
    animation: blink 2s ease-in-out infinite;
}
@keyframes blink { 0%,100%{opacity:1} 50%{opacity:0.3} }

.hero h1 {
    font-size: clamp(2.2rem, 5vw, 3.6rem); font-weight: 900;
    color: #fff; line-height: 1.08; letter-spacing: -0.035em;
    margin-bottom: 1.2rem;
}
.hero h1 em { font-style: normal; color: var(--accent); }
.hero p {
    font-size: 1.05rem; color: rgba(255,255,255,0.58);
    max-width: 560px; margin: 0 auto 2.5rem; line-height: 1.7;
}

.hero-search {
    display: flex; max-width: 580px; margin: 0 auto 2rem;
    background: rgba(255,255,255,0.10); backdrop-filter: blur(12px);
    border: 1.5px solid rgba(255,255,255,0.18);
    border-radius: 999px; overflow: hidden;
    box-shadow: 0 12px 40px rgba(0,0,0,0.22);
}
.hero-search i {
    padding: 0 0.8rem 0 1.5rem; color: rgba(255,255,255,0.5); font-size: 1.05rem;
    display: flex; align-items: center; flex-shrink: 0;
}
.hero-search input {
    flex: 1; border: none; background: transparent; outline: none;
    font-family: 'Outfit', sans-serif; font-size: 0.95rem; color: #fff;
    padding: 1.05rem 0;
}
.hero-search input::placeholder { color: rgba(255,255,255,0.38); }
.hero-search-btn {
    background: var(--primary); color: #fff; border: none;
    padding: 0 1.8rem; font-family: 'Outfit', sans-serif;
    font-size: 0.9rem; font-weight: 700; cursor: pointer;
    border-radius: 0 999px 999px 0;
    display: flex; align-items: center; gap: 0.45rem;
    transition: background var(--t-fast);
}
.hero-search-btn:hover { background: var(--primary-dark); }

.hero-stats {
    display: flex; align-items: center; justify-content: center; gap: 2rem;
    flex-wrap: wrap;
}
.hero-stat {
    display: flex; align-items: center; gap: 0.5rem;
    font-size: 0.82rem; color: rgba(255,255,255,0.45); font-weight: 500;
}
.hero-stat strong { color: rgba(255,255,255,0.78); font-weight: 700; }
.hero-stat i { color: var(--accent); font-size: 0.8rem; }
```

```
.stat-sep { width: 4px; height: 4px; border-radius: 50%; background: rgba(255,255,255,0.14); }

.page-body {
    max-width: 1340px; margin: 0 auto;
    padding: 2.5rem 1.5rem 4rem;
    position: relative; z-index: 1;
}

.filter-bar {
    background: var(--bg-card); border: 1px solid var(--border);
    border-radius: var(--radius-lg); padding: 1.25rem 1.5rem;
    margin-bottom: 2.5rem;
    display: flex; align-items: center; gap: 1rem; flex-wrap: wrap;
    box-shadow: var(--shadow-sm);
}
.filter-label {
    font-size: 0.72rem; font-weight: 800; text-transform: uppercase;
    letter-spacing: 1.1px; color: var(--text-muted); flex-shrink: 0;
}
.filter-tags { display: flex; gap: 0.55rem; flex-wrap: wrap; }
.filter-tag {
    padding: 0.4rem 1rem; border-radius: 999px;
    border: 1.5px solid var(--border); background: var(--bg-raised);
    font-family: 'Outfit', sans-serif; font-size: 0.8rem; font-weight: 600;
    color: var(--text-secondary); cursor: pointer;
    transition: all var(--t-fast);
}
.filter-tag:hover { border-color: var(--primary); color: var(--primary); background: var(--primary-soft); }
.filter-tag.active {
    background: var(--primary); color: #fff; border-color: var(--primary);
    box-shadow: 0 4px 12px var(--primary-glow);
}

.section-hd {
    display: flex; align-items: center; justify-content: space-between;
    margin-bottom: 1.5rem; gap: 1rem;
}
.section-hd-left { display: flex; align-items: center; gap: 0.7rem; }
.section-icon {
    width: 36px; height: 36px; border-radius: 10px;
    background: var(--primary-soft); border: 1px solid var(--border);
    display: flex; align-items: center; justify-content: center;
    font-size: 0.9rem; color: var(--primary);
}
.section-title { font-size: 1.25rem; font-weight: 800; color: var(--text-primary); letter-spacing: -0.02em; }
.section-sub { font-size: 0.8rem; color: var(--text-muted); margin-top: 0.1rem; }
.view-all {
    display: inline-flex; align-items: center; gap: 0.35rem;
    font-size: 0.8rem; font-weight: 700; color: var(--primary);
    text-decoration: none; padding: 0.38rem 0.9rem;
    border-radius: 999px; border: 1.5px solid var(--border);
    background: var(--bg-raised); transition: all var(--t-fast); cursor: pointer;
}
.view-all:hover { background: var(--primary-soft); border-color: var(--primary); }

.book-grid {
    display: grid;
    grid-template-columns: repeat(auto-fill, minmax(268px, 1fr));
    gap: 1.5rem;
    margin-bottom: 3.5rem;
```

```
}

.book-card {
    background: var(--bg-card); border: 1px solid var(--border);
    border-radius: var(--radius-lg); overflow: hidden;
    display: flex; flex-direction: column;
    transition: transform var(--t), box-shadow var(--t), border-color var(--t);
    box-shadow: var(--shadow-sm);
    cursor: pointer;
}
.book-card:hover {
    transform: translateY(-6px);
    box-shadow: var(--shadow-lg);
    border-color: rgba(91,76,255,0.25);
}

.book-img { height: 240px; position: relative; overflow: hidden; background: var(--bg-raised); }
.book-img img { width: 100%; height: 100%; object-fit: cover; transition: transform 0.55s ease; }
.book-card:hover .book-img img { transform: scale(1.07); }

.book-img::after {
    content: ''; position: absolute; inset: 0;
    background: linear-gradient(to top, rgba(14,10,35,0.55) 0%, transparent 55%);
    opacity: 0; transition: opacity var(--t);
}
.book-card:hover .book-img::after { opacity: 1; }

.store-badge {
    position: absolute; top: 12px; left: 12px; z-index: 2;
    padding: 0.3rem 0.75rem; border-radius: 999px;
    background: rgba(14,10,35,0.65); backdrop-filter: blur(8px);
    border: 1px solid rgba(255,255,255,0.15);
    font-size: 0.68rem; font-weight: 700; color: #fff;
    letter-spacing: 0.3px;
}

.book-wish {
    position: absolute; top: 10px; right: 10px; z-index: 2;
    width: 32px; height: 32px; border-radius: 50%;
    background: rgba(14,10,35,0.55); backdrop-filter: blur(6px);
    border: 1px solid rgba(255,255,255,0.15);
    display: flex; align-items: center; justify-content: center;
    color: rgba(255,255,255,0.7); font-size: 0.85rem; cursor: pointer;
    transition: all var(--t-fast); opacity: 0;
}
.book-card:hover .book-wish { opacity: 1; }
.book-wish:hover { background: var(--danger); color: #fff; border-color: var(--danger); }

.quick-view {
    position: absolute; bottom: 0; left: 0; right: 0; z-index: 3;
    padding: 0.7rem 1rem;
    display: flex; align-items: center; justify-content: center;
    gap: 0.4rem; font-size: 0.78rem; font-weight: 700; color: #fff;
    transform: translateY(100%); transition: transform 0.22s ease;
    background: rgba(91,76,255,0.85); backdrop-filter: blur(6px);
}
.book-card:hover .quick-view { transform: translateY(0); }

.book-body { padding: 1.2rem 1.25rem; flex: 1; display: flex; flex-direction: column; }
.book-title { font-size: 1rem; font-weight: 800; color: var(--text-primary); letter-spacing: -0.015em; margin-b
```

```
.book-author { font-size: 0.8rem; color: var(--text-muted); margin-bottom: 0.75rem; font-weight: 500; }
.book-desc {
    font-size: 0.82rem; color: var(--text-secondary); line-height: 1.6;
    display: -webkit-box; -webkit-line-clamp: 3; -webkit-box-orient: vertical;
    overflow: hidden; flex: 1; margin-bottom: 1rem;
}

.book-rating { display: flex; align-items: center; gap: 0.35rem; margin-bottom: 0.9rem; }
.stars { color: var(--accent); font-size: 0.75rem; letter-spacing: 1px; }
.rating-num { font-size: 0.75rem; color: var(--text-muted); font-weight: 600; }

.pricing-row {
    display: flex; gap: 0; margin-bottom: 1rem;
    border: 1px solid var(--border); border-radius: var(--radius-sm); overflow: hidden;
}
.price-pill {
    flex: 1; padding: 0.6rem 0.5rem; text-align: center;
    display: flex; flex-direction: column; align-items: center; gap: 0.1rem;
}
.price-pill:first-child { border-right: 1px solid var(--border); }
.price-tag { font-size: 0.62rem; font-weight: 700; text-transform: uppercase; letter-spacing: 0.7px; color: va
.price-amount { font-size: 1.05rem; font-weight: 900; letter-spacing: -0.02em; }
.price-period { font-size: 0.6rem; color: var(--text-muted); }
.price-rent .price-amount { color: var(--rent-color); }
.price-buy  .price-amount { color: var(--buy-color); }

.book-actions { display: grid; grid-template-columns: 1fr 1fr; gap: 0.55rem; }
.btn {
    padding: 0.65rem 0.5rem; border-radius: var(--radius-sm); border: none;
    font-family: 'Outfit', sans-serif; font-size: 0.8rem; font-weight: 700;
    cursor: pointer; display: flex; align-items: center; justify-content: center;
    gap: 0.4rem; transition: all var(--t-fast);
}
.btn i { font-size: 0.85rem; }
.btn-rent { background: var(--primary-soft); color: var(--primary); border: 1.5px solid var(--border); }
.btn-rent:hover { background: var(--primary); color: #fff; border-color: var(--primary); }
.btn-buy { background: var(--success-soft); color: var(--success); border: 1.5px solid rgba(0,201,139,0.2);
.btn-buy:hover { background: var(--success); color: #fff; border-color: var(--success); }

.categories-section { margin-bottom: 3.5rem; }
.cat-grid {
    display: grid;
    grid-template-columns: repeat(auto-fill, minmax(160px, 1fr));
    gap: 1rem;
}
.cat-card {
    background: var(--bg-card); border: 1px solid var(--border);
    border-radius: var(--radius-lg); padding: 1.5rem 1rem;
    text-align: center; cursor: pointer;
    transition: all var(--t);
    box-shadow: var(--shadow-sm);
}
.cat-card:hover { border-color: var(--primary); transform: translateY(-4px); box-shadow: var(--shadow); }
.cat-icon-wrap {
    width: 52px; height: 52px; border-radius: 14px; margin: 0 auto 0.85rem;
    background: var(--primary-soft); border: 1px solid var(--border);
    display: flex; align-items: center; justify-content: center;
    font-size: 1.4rem; color: var(--primary);
    transition: all var(--t);
}
```

```
.cat-card:hover .cat-icon-wrap { background: var(--primary); color: #fff; box-shadow: 0 6px 18px var(--prim
.cat-name { font-size: 0.83rem; font-weight: 700; color: var(--text-secondary); transition: color var(--t); }
.cat-card:hover .cat-name { color: var(--primary); }
.cat-count { font-size: 0.72rem; color: var(--text-muted); margin-top: 0.2rem; }

.promo-banner {
    background: linear-gradient(135deg, #1a1050 0%, var(--primary) 55%, #3d2fe0 100%);
    border-radius: var(--radius-xl); padding: 2.5rem 2.5rem;
    display: flex; align-items: center; justify-content: space-between;
    gap: 1.5rem; flex-wrap: wrap; margin-bottom: 3.5rem;
    position: relative; overflow: hidden;
    box-shadow: 0 12px 40px var(--primary-glow);
}
.promo-banner::before {
    content: ''; position: absolute; inset: 0; pointer-events: none;
    background: radial-gradient(ellipse 60% 100% at 80% 50%, rgba(245,176,66,0.18) 0%, transparent 60%
}
.promo-deco { position: absolute; border-radius: 50%; pointer-events: none; border: 1px solid rgba(255,25
.promo-deco-1 { width: 220px; height: 220px; top: -80px; right: 22%; }
.promo-deco-2 { width: 140px; height: 140px; bottom: -60px; right: 10%; border-color: rgba(245,176,66,0.1
.promo-text { position: relative; z-index: 1; }
.promo-eyebrow { font-size: 0.7rem; font-weight: 800; text-transform: uppercase; letter-spacing: 1.2px; col
.promo-text h2 { font-size: clamp(1.4rem, 3vw, 2rem); font-weight: 900; color: #fff; letter-spacing: -0.03em;
.promo-text p { font-size: 0.88rem; color: rgba(255,255,255,0.58); max-width: 380px; }
.promo-actions { display: flex; gap: 0.75rem; flex-wrap: wrap; position: relative; z-index: 1; }
.promo-btn {
    padding: 0.75rem 1.5rem; border-radius: 999px;
    font-family: 'Outfit', sans-serif; font-size: 0.88rem; font-weight: 700;
    cursor: pointer; transition: all var(--t-fast); border: none;
    display: flex; align-items: center; gap: 0.45rem;
}
.promo-btn-primary { background: #fff; color: var(--primary); }
.promo-btn-primary:hover { background: var(--accent); color: #fff; }
.promo-btn-outline { background: rgba(255,255,255,0.12); color: #fff; border: 1px solid rgba(255,255,255,0
.promo-btn-outline:hover { background: rgba(255,255,255,0.22); }

footer {
    background: var(--bg-card); border-top: 1px solid var(--border);
    padding: 3rem 1.5rem 1.5rem;
    position: relative; z-index: 1;
}
.footer-inner {
    max-width: 1340px; margin: 0 auto;
    display: grid; grid-template-columns: 1.4fr repeat(3, 1fr); gap: 2.5rem;
    margin-bottom: 2.5rem;
}
.footer-brand .logo { margin-bottom: 0.85rem; }
.footer-brand p { font-size: 0.82rem; color: var(--text-muted); line-height: 1.65; max-width: 240px; }
.footer-socials { display: flex; gap: 0.5rem; margin-top: 1.2rem; }
.social-icon {
    width: 34px; height: 34px; border-radius: 9px;
    background: var(--bg-raised); border: 1.5px solid var(--border);
    display: flex; align-items: center; justify-content: center;
    color: var(--text-muted); font-size: 0.9rem; cursor: pointer;
    transition: all var(--t-fast); text-decoration: none;
}
.social-icon:hover { color: var(--primary); border-color: var(--primary); background: var(--primary-soft); }

.footer-col h4 { font-size: 0.78rem; font-weight: 800; text-transform: uppercase; letter-spacing: 1px; color: v
.footer-links { list-style: none; display: flex; flex-direction: column; gap: 0.55rem; }
```

```
    .footer-links a { font-size: 0.82rem; color: var(--text-muted); text-decoration: none; font-weight: 500; transit
    .footer-links a:hover { color: var(--primary); }

    .footer-bottom {
        max-width: 1340px; margin: 0 auto;
        padding-top: 1.5rem; border-top: 1px solid var(--border-soft);
        display: flex; align-items: center; justify-content: space-between;
        gap: 1rem; flex-wrap: wrap;
    }
    .footer-copy { font-size: 0.77rem; color: var(--text-muted); }
    .footer-badges { display: flex; gap: 0.5rem; flex-wrap: wrap; }
    .foot-badge {
        display: inline-flex; align-items: center; gap: 0.35rem;
        padding: 0.28rem 0.75rem; border-radius: 999px;
        background: var(--bg-raised); border: 1px solid var(--border);
        font-size: 0.7rem; font-weight: 700; color: var(--text-muted);
    }
    .foot-badge i { color: var(--success); }

    @media (max-width: 900px) {
        .footer-inner { grid-template-columns: 1fr 1fr; }
        .header-search { display: none; }
        .mob-menu-btn { display: flex; }
        .nav-right .nav-btn { display: none; }
    }
    @media (max-width: 600px) {
        .hero { padding: 3.5rem 1.25rem 3rem; }
        .hero-stats { gap: 1rem; }
        .stat-sep { display: none; }
        .footer-inner { grid-template-columns: 1fr; }
        .promo-banner { padding: 2rem 1.5rem; }
        .book-grid { grid-template-columns: 1fr; }
        .cat-grid { grid-template-columns: repeat(3, 1fr); }
    }
`;

export default function Welcome({ auth, laravelVersion, phpVersion }) {
    const redirectToLogin = () => {
        window.location.href = route('login');
    };

    const handleWishlistClick = (e) => {
        e.stopPropagation();
        const btn = e.currentTarget;
        const icon = btn.querySelector('i');
        if (icon.className.includes('bi-heart-fill')) {
            icon.className = 'bi bi-heart';
            btn.style.background = '';
            btn.style.color = '';
            btn.style.borderColor = '';
        } else {
            icon.className = 'bi bi-heart-fill';
            btn.style.background = 'var(--danger)';
            btn.style.color = '#fff';
            btn.style.borderColor = 'var(--danger)';
            btn.style.opacity = '1';
        }
    };

    const handleFilterClick = (e) => {
```

```
    document.querySelectorAll('.filter-tag').forEach(t => t.classList.remove('active'));
    e.currentTarget.classList.add('active');
    redirectToLogin();
};

const handleThemeToggle = () => {
    const html = document.documentElement;
    const themeIcon = document.getElementById('themeIcon');
    const isDark = html.getAttribute('data-theme') !== 'dark';
    html.setAttribute('data-theme', isDark ? 'dark' : 'light');
    if (themeIcon) themeIcon.className = isDark ? 'bi bi-moon-stars-fill' : 'bi bi-sun-fill';
    localStorage.setItem('bh-theme', isDark ? 'dark' : 'light');
};

const handleSearchKeyPress = (e) => {
    if (e.key === 'Enter') redirectToLogin();
};

// Apply saved theme on mount
if (typeof window !== 'undefined') {
    const saved = localStorage.getItem('bh-theme');
    const prefersDark = window.matchMedia('(prefers-color-scheme: dark)').matches;
    const isDark = saved ? saved === 'dark' : prefersDark;
    document.documentElement.setAttribute('data-theme', isDark ? 'dark' : 'light');
}

return (
    <>
        <Head title="BookHub Store · Find Your Next Read">
            <meta charSet="UTF-8" />
            <meta name="viewport" content="width=device-width, initial-scale=1.0" />
            <link rel="preconnect" href="https://fonts.googleapis.com" />
            <link href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;600;700;800;900&
            <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icon
        </Head>

        <style dangerouslySetInnerHTML={{ __html: css }} />

        {/* HEADER */}
        <header>
            <div className="header-inner">
                <a className="logo" onClick={redirectToLogin}>
                    <div className="logo-icon"><i className="bi bi-book-half"></i></div>
                    <span className="logo-text">Book<span>Hub</span></span>
                </a>

                <div className="header-search">
                    <i className="bi bi-search"></i>
                    <input
                        type="text"
                        id="headerSearch"
                        placeholder="Search books, authors, genres…"
                        onKeyPress={handleSearchKeyPress}
                    />
                    <button className="search-btn" onClick={redirectToLogin}>Search</button>
                </div>

                <nav className="nav-right">
                    <button className="nav-btn" onClick={redirectToLogin}>
                        <i className="bi bi-house"></i> Home
```

```
            </button>
            <button className="nav-btn" onClick={redirectToLogin}>
                <i className="bi bi-shop"></i> Stores
            </button>
            <button className="nav-btn" onClick={redirectToLogin}>
                <i className="bi bi-book-open"></i> My Books
            </button>
            <button className="nav-btn" onClick={() => window.location.href = route('contact')}>
                <i className="bi bi-envelope"></i> Contact
            </button>

            <div style={{ width: '1px', height: '22px', background: 'var(--border)', margin: '0 0.2rem' }}></di

            <button className="cart-btn nav-btn" onClick={redirectToLogin}>
                <i className="bi bi-bag"></i>
                <span className="cart-badge"></span>
            </button>

            <a className="nav-pill nav-pill-outline" href={route('login')}>
                Login
            </a>
            <a className="nav-pill" href={route('register')}>
                <i className="bi bi-person-plus"></i> Register
            </a>
            <button className="theme-btn" id="themeToggle" aria-label="Toggle theme" onClick={hand
                <i className="bi bi-sun-fill" id="themeIcon"></i>
            </button>
            <button className="mob-menu-btn" id="mobMenu"><i className="bi bi-list"></i></button>
        </nav>
    </div>
</header>

{/* HERO */}
<section className="hero">
    <div className="hero-ring hero-ring-1"></div>
    <div className="hero-ring hero-ring-2"></div>
    <div className="hero-ring hero-ring-3"></div>
    <div className="hero-inner">
        <div className="hero-eyebrow">
            <span className="live-dot"></span>
            books · stores · updated daily
        </div>
        <h1>Discover Your Next<br /><em>Favourite</em> Book</h1>
        <p>Browse thousands of books from multiple stores. Rent affordably or own forever — your lite

        <div className="hero-search">
            <i className="bi bi-search"></i>
            <input
                type="text"
                id="heroSearch"
                placeholder="Search for books, authors, or genres…"
                onKeyPress={handleSearchKeyPress}
            />
            <button className="hero-search-btn" onClick={redirectToLogin}>
                <i className="bi bi-arrow-right"></i> Search
            </button>
        </div>

        <div className="hero-stats">
            <div className="hero-stat"><i className="bi bi-book-fill"></i> <strong></strong> books</di
```

```
            <div className="stat-sep"></div>
            <div className="hero-stat"><i className="bi bi-shop"></i> <strong></strong> partner store
            <div className="stat-sep"></div>
            <div className="hero-stat"><i className="bi bi-people-fill"></i> <strong></strong> readers
            <div className="stat-sep"></div>
            <div className="hero-stat"><i className="bi bi-shield-check"></i> <strong>Secure</strong
        </div>
    </div>
</section>

{/* PAGE BODY */}
<main className="page-body">

    {/* Store Filter Bar */}
    <div className="filter-bar">
        <span className="filter-label">Filter by store</span>
        <div className="filter-tags">
            <button className="filter-tag active" onClick={handleFilterClick}>All Stores</button>
            <button className="filter-tag" onClick={handleFilterClick}>Book Haven</button>
            <button className="filter-tag" onClick={handleFilterClick}>Literary Lounge</button>
            <button className="filter-tag" onClick={handleFilterClick}>Page Turners</button>
            <button className="filter-tag" onClick={handleFilterClick}>Novel Nook</button>
            <button className="filter-tag" onClick={handleFilterClick}>The Reading Room</button>
        </div>
    </div>

    {/* Featured Books */}
    <section>
        <div className="section-hd">
            <div className="section-hd-left">
                <div className="section-icon"><i className="bi bi-star-fill"></i></div>
                <div>
                    <div className="section-title">Featured This Week</div>
                    <div className="section-sub">Hand-picked by our editors</div>
                </div>
            </div>
            <a className="view-all" onClick={redirectToLogin}>View All <i className="bi bi-arrow-right
        </div>

        <div className="book-grid">
            {/* Book 1 */}
            <div className="book-card">
                <div className="book-img">
                    <span className="store-badge">Book Haven</span>
                    <button className="book-wish" onClick={handleWishlistClick}><i className="bi bi-hea
                    <div className="quick-view"><i className="bi bi-eye"></i> Quick View</div>
                    <img src="https://images.unsplash.com/photo-1544716278-ca5e3f4abd8c?auto=format
                </div>
                <div className="book-body">
                    <div className="book-title">The Silent Patient</div>
                    <div className="book-author">Alex Michaelides</div>
                    <div className="book-rating">
                        <span className="stars">★★★★★</span>
                        <span className="rating-num">4.9 · 2.1k reviews</span>
                    </div>
                    <div className="book-desc">A psychological thriller about a woman who shoots her hu
                    <div className="pricing-row">
                        <div className="price-pill price-rent">
                            <span className="price-tag">Rent</span>
                            <span className="price-amount">$4.99</span>
```

```
                <span className="price-period">/month</span>
            </div>
            <div className="price-pill price-buy">
                <span className="price-tag">Buy</span>
                <span className="price-amount">$24.99</span>
                <span className="price-period">one-time</span>
            </div>
        </div>
        <div className="book-actions">
            <button className="btn btn-rent" onClick={redirectToLogin}><i className="bi bi-arr
            <button className="btn btn-buy" onClick={redirectToLogin}><i className="bi bi-bag
        </div>
    </div>
</div>

{/* Book 2 */}
<div className="book-card">
    <div className="book-img">
        <span className="store-badge">Literary Lounge</span>
        <button className="book-wish" onClick={handleWishlistClick}><i className="bi bi-hea
        <div className="quick-view"><i className="bi bi-eye"></i> Quick View</div>
        <img src="https://images.unsplash.com/photo-1512820790803-83ca734da794?auto=for
    </div>
    <div className="book-body">
        <div className="book-title">Project Hail Mary</div>
        <div className="book-author">Andy Weir</div>
        <div className="book-rating">
            <span className="stars">★★★★★</span>
            <span className="rating-num">4.8 · 3.4k reviews</span>
        </div>
        <div className="book-desc">A lone astronaut must save the earth from disaster in this
        <div className="pricing-row">
            <div className="price-pill price-rent">
                <span className="price-tag">Rent</span>
                <span className="price-amount">$5.99</span>
                <span className="price-period">/month</span>
            </div>
            <div className="price-pill price-buy">
                <span className="price-tag">Buy</span>
                <span className="price-amount">$28.99</span>
                <span className="price-period">one-time</span>
            </div>
        </div>
        <div className="book-actions">
            <button className="btn btn-rent" onClick={redirectToLogin}><i className="bi bi-arr
            <button className="btn btn-buy" onClick={redirectToLogin}><i className="bi bi-bag
        </div>
    </div>
</div>

{/* Book 3 */}
<div className="book-card">
    <div className="book-img">
        <span className="store-badge">Page Turners</span>
        <button className="book-wish" onClick={handleWishlistClick}><i className="bi bi-hea
        <div className="quick-view"><i className="bi bi-eye"></i> Quick View</div>
        <img src="https://images.unsplash.com/photo-1543002588-bfa74002ed7e?auto=format
    </div>
    <div className="book-body">
        <div className="book-title">Klara and the Sun</div>
```

```
            <div className="book-author">Kazuo Ishiguro</div>
            <div className="book-rating">
              <span className="stars">★★★★■</span>
              <span className="rating-num">4.4 · 1.8k reviews</span>
            </div>
            <div className="book-desc">A magnificent novel from the Nobel laureate — author of
            <div className="pricing-row">
              <div className="price-pill price-rent">
                <span className="price-tag">Rent</span>
                <span className="price-amount">$3.99</span>
                <span className="price-period">/month</span>
              </div>
              <div className="price-pill price-buy">
                <span className="price-tag">Buy</span>
                <span className="price-amount">$22.50</span>
                <span className="price-period">one-time</span>
              </div>
            </div>
            <div className="book-actions">
              <button className="btn btn-rent" onClick={redirectToLogin}><i className="bi bi-arr
              <button className="btn btn-buy" onClick={redirectToLogin}><i className="bi bi-bag
            </div>
          </div>
        </div>

        {/* Book 4 */}
        <div className="book-card">
          <div className="book-img">
            <span className="store-badge">Novel Nook</span>
            <button className="book-wish" onClick={handleWishlistClick}><i className="bi bi-hea
            <div className="quick-view"><i className="bi bi-eye"></i> Quick View</div>
            <img src="https://images.unsplash.com/photo-1516979187457-637abb4f9353?auto=for
          </div>
          <div className="book-body">
            <div className="book-title">The Midnight Library</div>
            <div className="book-author">Matt Haig</div>
            <div className="book-rating">
              <span className="stars">★★★★★</span>
              <span className="rating-num">4.7 · 5.2k reviews</span>
            </div>
            <div className="book-desc">Between life and death there is a library, and within that li
            <div className="pricing-row">
              <div className="price-pill price-rent">
                <span className="price-tag">Rent</span>
                <span className="price-amount">$4.50</span>
                <span className="price-period">/month</span>
              </div>
              <div className="price-pill price-buy">
                <span className="price-tag">Buy</span>
                <span className="price-amount">$26.75</span>
                <span className="price-period">one-time</span>
              </div>
            </div>
            <div className="book-actions">
              <button className="btn btn-rent" onClick={redirectToLogin}><i className="bi bi-arr
              <button className="btn btn-buy" onClick={redirectToLogin}><i className="bi bi-bag
            </div>
          </div>
        </div>
      </div>
```

```
</section>

{/* Promo Banner */}
<div className="promo-banner">
   <div className="promo-deco promo-deco-1"></div>
   <div className="promo-deco promo-deco-2"></div>
   <div className="promo-text">
      <div className="promo-eyebrow"><i className="bi bi-lightning-charge-fill"></i> Limited Tir
      <h2>Rent &amp; Buy &amp; Sell Books</h2>
      <p>Sign up today and enjoy unlimited rentals from all 6 partner stores — no credit card need
   </div>
   <div className="promo-actions">
      <button className="promo-btn promo-btn-primary" onClick={() => window.location.href = rou
         <i className="bi bi-person-plus"></i> Create Free Account
      </button>
      <button className="promo-btn promo-btn-outline" onClick={redirectToLogin}>
         <i className="bi bi-arrow-right"></i> Browse Books
      </button>
   </div>
</div>

{/* Categories */}
<section className="categories-section">
   <div className="section-hd">
      <div className="section-hd-left">
         <div className="section-icon"><i className="bi bi-grid-fill"></i></div>
         <div>
            <div className="section-title">Browse by Category</div>
            <div className="section-sub">Find your perfect genre</div>
         </div>
      </div>
      <a className="view-all" onClick={redirectToLogin}>All Categories <i className="bi bi-arrow
   </div>
   <div className="cat-grid">
      <div className="cat-card" onClick={redirectToLogin}>
         <div className="cat-icon-wrap"><i className="bi bi-incognito"></i></div>
         <div className="cat-name">Mystery &amp; Thriller</div>
         <div className="cat-count">284 books</div>
      </div>
      <div className="cat-card" onClick={redirectToLogin}>
         <div className="cat-icon-wrap"><i className="bi bi-rocket-takeoff-fill"></i></div>
         <div className="cat-name">Science Fiction</div>
         <div className="cat-count">197 books</div>
      </div>
      <div className="cat-card" onClick={redirectToLogin}>
         <div className="cat-icon-wrap"><i className="bi bi-heart-fill"></i></div>
         <div className="cat-name">Romance</div>
         <div className="cat-count">341 books</div>
      </div>
      <div className="cat-card" onClick={redirectToLogin}>
         <div className="cat-icon-wrap"><i className="bi bi-magic"></i></div>
         <div className="cat-name">Fantasy</div>
         <div className="cat-count">212 books</div>
      </div>
      <div className="cat-card" onClick={redirectToLogin}>
         <div className="cat-icon-wrap"><i className="bi bi-mortarboard-fill"></i></div>
         <div className="cat-name">Non-Fiction</div>
         <div className="cat-count">256 books</div>
      </div>
      <div className="cat-card" onClick={redirectToLogin}>
```

```
            <div className="cat-icon-wrap"><i className="bi bi-stars"></i></div>
            <div className="cat-name">Young Adult</div>
            <div className="cat-count">192 books</div>
        </div>
    </div>
</section>

{/* Popular This Month */}
<section>
    <div className="section-hd">
        <div className="section-hd-left">
            <div className="section-icon"><i className="bi bi-fire"></i></div>
            <div>
                <div className="section-title">Popular This Month</div>
                <div className="section-sub">Trending across all stores</div>
            </div>
        </div>
        <a className="view-all" onClick={redirectToLogin}>View All <i className="bi bi-arrow-right
    </div>

    <div className="book-grid">
        {/* Book 5 */}
        <div className="book-card">
            <div className="book-img">
                <span className="store-badge">The Reading Room</span>
                <button className="book-wish" onClick={handleWishlistClick}><i className="bi bi-hea
                <div className="quick-view"><i className="bi bi-eye"></i> Quick View</div>
                <img src="https://images.unsplash.com/photo-1589998059171-988d887df646?auto=for
            </div>
            <div className="book-body">
                <div className="book-title">Educated: A Memoir</div>
                <div className="book-author">Tara Westover</div>
                <div className="book-rating"><span className="stars">★★★★★</span><span class
                <div className="book-desc">A memoir about a young girl who, kept out of school, leav
                <div className="pricing-row">
                    <div className="price-pill price-rent"><span className="price-tag">Rent</span><s
                    <div className="price-pill price-buy"><span className="price-tag">Buy</span><sp
                </div>
                <div className="book-actions">
                    <button className="btn btn-rent" onClick={redirectToLogin}><i className="bi bi-arr
                    <button className="btn btn-buy" onClick={redirectToLogin}><i className="bi bi-bag
                </div>
            </div>
        </div>

        {/* Book 6 */}
        <div className="book-card">
            <div className="book-img">
                <span className="store-badge">Book Haven</span>
                <button className="book-wish" onClick={handleWishlistClick}><i className="bi bi-hea
                <div className="quick-view"><i className="bi bi-eye"></i> Quick View</div>
                <img src="https://images.unsplash.com/photo-1541963463532-d68292c34b19?auto=for
            </div>
            <div className="book-body">
                <div className="book-title">Where the Crawdads Sing</div>
                <div className="book-author">Delia Owens</div>
                <div className="book-rating"><span className="stars">★★★★★</span><span class
                <div className="book-desc">For years, rumors of the "Marsh Girl" have haunted Barkl
                <div className="pricing-row">
                    <div className="price-pill price-rent"><span className="price-tag">Rent</span><s
```

```
                <div className="price-pill price-buy"><span className="price-tag">Buy</span><sp
              </div>
              <div className="book-actions">
                <button className="btn btn-rent" onClick={redirectToLogin}><i className="bi bi-arr
                <button className="btn btn-buy" onClick={redirectToLogin}><i className="bi bi-bag
              </div>
            </div>
          </div>

          {/* Book 7 */}
          <div className="book-card">
            <div className="book-img">
              <span className="store-badge">Literary Lounge</span>
              <button className="book-wish" onClick={handleWishlistClick}><i className="bi bi-hea
              <div className="quick-view"><i className="bi bi-eye"></i> Quick View</div>
              <img src="https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?auto=for
            </div>
            <div className="book-body">
              <div className="book-title">The Four Winds</div>
              <div className="book-author">Kristin Hannah</div>
              <div className="book-rating"><span className="stars">★★★★★</span><span class
              <div className="book-desc">An epic novel of love and heroism and hope, set against
              <div className="pricing-row">
                <div className="price-pill price-rent"><span className="price-tag">Rent</span><s
                <div className="price-pill price-buy"><span className="price-tag">Buy</span><sp
              </div>
              <div className="book-actions">
                <button className="btn btn-rent" onClick={redirectToLogin}><i className="bi bi-arr
                <button className="btn btn-buy" onClick={redirectToLogin}><i className="bi bi-bag
              </div>
            </div>
          </div>

          {/* Book 8 */}
          <div className="book-card">
            <div className="book-img">
              <span className="store-badge">Page Turners</span>
              <button className="book-wish" onClick={handleWishlistClick}><i className="bi bi-hea
              <div className="quick-view"><i className="bi bi-eye"></i> Quick View</div>
              <img src="https://images.unsplash.com/photo-1513475382585-d06e58bcb0e0?auto=for
            </div>
            <div className="book-body">
              <div className="book-title">The Invisible Life of Addie LaRue</div>
              <div className="book-author">V.E. Schwab</div>
              <div className="book-rating"><span className="stars">★★★★■</span><span class
              <div className="book-desc">A life no one will remember. A story you will never forget.
              <div className="pricing-row">
                <div className="price-pill price-rent"><span className="price-tag">Rent</span><s
                <div className="price-pill price-buy"><span className="price-tag">Buy</span><sp
              </div>
              <div className="book-actions">
                <button className="btn btn-rent" onClick={redirectToLogin}><i className="bi bi-arr
                <button className="btn btn-buy" onClick={redirectToLogin}><i className="bi bi-bag
              </div>
            </div>
          </div>
        </div>
      </section>

    </main>
```

```
        {/* FOOTER */}
        <footer>
          <div className="footer-inner">
            <div className="footer-brand">
              <a className="logo" onClick={redirectToLogin}>
                <div className="logo-icon"><i className="bi bi-book-half"></i></div>
                <span className="logo-text">Book<span>Hub</span></span>
              </a>
              <p>Your one-stop destination for buying and renting books from multiple partner stores. Find
              <div className="footer-socials">
                <a className="social-icon" onClick={redirectToLogin}><i className="bi bi-facebook"></i
                <a className="social-icon" onClick={redirectToLogin}><i className="bi bi-twitter-x"></i>
                <a className="social-icon" onClick={redirectToLogin}><i className="bi bi-instagram"></
                <a className="social-icon" onClick={redirectToLogin}><i className="bi bi-goodreads"><
              </div>
            </div>
            <div className="footer-col">
              <h4>Quick Links</h4>
              <ul className="footer-links">
                <li><a onClick={redirectToLogin}>Home</a></li>
                <li><a onClick={redirectToLogin}>All Books</a></li>
                <li><a onClick={redirectToLogin}>Stores</a></li>
                <li><a onClick={redirectToLogin}>Categories</a></li>
                <li><a onClick={redirectToLogin}>My Account</a></li>
              </ul>
            </div>
            <div className="footer-col">
              <h4>Support</h4>
              <ul className="footer-links">
                <li><a onClick={redirectToLogin}>FAQ</a></li>
                <li><a onClick={redirectToLogin}>Shipping Info</a></li>
                <li><a onClick={redirectToLogin}>Return Policy</a></li>
                <li><a onClick={redirectToLogin}>Rental Terms</a></li>
                <li><a onClick={() => window.location.href = route('contact')}>Contact Us</a></li>
              </ul>
            </div>
            <div className="footer-col">
              <h4>Account</h4>
              <ul className="footer-links">
                <li><a onClick={redirectToLogin}>Sign In</a></li>
                <li><a onClick={() => window.location.href = route('register')}>Create Account</a></li>
                <li><a onClick={redirectToLogin}>My Reading List</a></li>
                <li><a onClick={redirectToLogin}>Order History</a></li>
                <li><a onClick={redirectToLogin}>Admin Login</a></li>
              </ul>
            </div>
          </div>
          <div className="footer-bottom">
            <div className="footer-copy">© 2025 BookHub Store. All rights reserved. Books from multiple
            <div className="footer-badges">
              <span className="foot-badge"><i className="bi bi-shield-check"></i> SSL Secured</span
              <span className="foot-badge"><i className="bi bi-lock-fill"></i> 256-bit Encrypted</span>
              <span className="foot-badge"><i className="bi bi-patch-check-fill"></i> Verified Stores</s
            </div>
          </div>
        </footer>
      </>
    );
}
```

=== resources\js\Pages\Auth\ConfirmPassword.jsx ===

```
import InputError from '@/Components/InputError';
import InputLabel from '@/Components/InputLabel';
import PrimaryButton from '@/Components/PrimaryButton';
import TextInput from '@/Components/TextInput';
import GuestLayout from '@/Layouts/GuestLayout';
import { Head, useForm } from '@inertiajs/react';

export default function ConfirmPassword() {
    const { data, setData, post, processing, errors, reset } = useForm({
        password: '',
    });

    const submit = (e) => {
        e.preventDefault();

        post(route('password.confirm'), {
            onFinish: () => reset('password'),
        });
    };

    return (
        <GuestLayout>
            <Head title="Confirm Password" />

            <div className="mb-4 text-sm text-gray-600">
                This is a secure area of the application. Please confirm your
                password before continuing.
            </div>

            <form onSubmit={submit}>
                <div className="mt-4">
                    <InputLabel htmlFor="password" value="Password" />

                    <TextInput
                        id="password"
                        type="password"
                        name="password"
                        value={data.password}
                        className="mt-1 block w-full"
                        isFocused={true}
                        onChange={(e) => setData('password', e.target.value)}
                    />

                    <InputError message={errors.password} className="mt-2" />
                </div>

                <div className="mt-4 flex items-center justify-end">
                    <PrimaryButton className="ms-4" disabled={processing}>
                        Confirm
                    </PrimaryButton>
                </div>
            </form>
        </GuestLayout>
    );
}
```

=== resources\js\Pages\Auth\ForgotPassword.jsx ===

```
import InputError from '@/Components/InputError';
import PrimaryButton from '@/Components/PrimaryButton';
```

```
import TextInput from '@/Components/TextInput';
import GuestLayout from '@/Layouts/GuestLayout';
import { Head, useForm } from '@inertiajs/react';

export default function ForgotPassword({ status }) {
    const { data, setData, post, processing, errors } = useForm({
        email: '',
    });

    const submit = (e) => {
        e.preventDefault();

        post(route('password.email'));
    };

    return (
        <GuestLayout>
            <Head title="Forgot Password" />

            <div className="mb-4 text-sm text-gray-600">
                Forgot your password? No problem. Just let us know your email
                address and we will email you a password reset link that will
                allow you to choose a new one.
            </div>

            {status && (
                <div className="mb-4 text-sm font-medium text-green-600">
                    {status}
                </div>
            )}

            <form onSubmit={submit}>
                <TextInput
                    id="email"
                    type="email"
                    name="email"
                    value={data.email}
                    className="mt-1 block w-full"
                    isFocused={true}
                    onChange={(e) => setData('email', e.target.value)}
                />

                <InputError message={errors.email} className="mt-2" />

                <div className="mt-4 flex items-center justify-end">
                    <PrimaryButton className="ms-4" disabled={processing}>
                        Email Password Reset Link
                    </PrimaryButton>
                </div>
            </form>
        </GuestLayout>
    );
}

=== resources\js\Pages\Auth\Login.jsx ===
import Checkbox from '@/Components/Checkbox';
import InputError from '@/Components/InputError';
import InputLabel from '@/Components/InputLabel';
import PrimaryButton from '@/Components/PrimaryButton';
import TextInput from '@/Components/TextInput';
```

```
import GuestLayout from '@/Layouts/GuestLayout';
import { Head, Link, useForm } from '@inertiajs/react';

export default function Login({ status, canResetPassword }) {
    const { data, setData, post, processing, errors, reset } = useForm({
        email: '',
        password: '',
        remember: false,
    });

    const submit = (e) => {
        e.preventDefault();

        post(route('login'), {
            onFinish: () => reset('password'),
        });
    };

    return (
        <GuestLayout>
            <Head title="Log in" />

            {status && (
                <div className="mb-4 text-sm font-medium text-green-600">
                    {status}
                </div>
            )}

            <form onSubmit={submit}>
                <div>
                    <InputLabel htmlFor="email" value="Email" />

                    <TextInput
                        id="email"
                        type="email"
                        name="email"
                        value={data.email}
                        className="mt-1 block w-full"
                        autoComplete="username"
                        isFocused={true}
                        onChange={(e) => setData('email', e.target.value)}
                    />

                    <InputError message={errors.email} className="mt-2" />
                </div>

                <div className="mt-4">
                    <InputLabel htmlFor="password" value="Password" />

                    <TextInput
                        id="password"
                        type="password"
                        name="password"
                        value={data.password}
                        className="mt-1 block w-full"
                        autoComplete="current-password"
                        onChange={(e) => setData('password', e.target.value)}
                    />

                    <InputError message={errors.password} className="mt-2" />
```

```
            </div>

            <div className="mt-4 block">
                <label className="flex items-center">
                    <Checkbox
                        name="remember"
                        checked={data.remember}
                        onChange={(e) =>
                            setData('remember', e.target.checked)
                        }
                    />
                    <span className="ms-2 text-sm text-gray-600">
                        Remember me
                    </span>
                </label>
            </div>

            <div className="mt-4 flex items-center justify-end">
                {canResetPassword && (
                    <Link
                        href={route('password.request')}
                        className="rounded-md text-sm text-gray-600 underline hover:text-gray-900 focus:outline
                    >
                        Forgot your password?
                    </Link>
                )}

                <PrimaryButton className="ms-4" disabled={processing}>
                    Log in
                </PrimaryButton>
            </div>
        </form>
    </GuestLayout>
  );
}

=== resources\js\Pages\Auth\Register.jsx ===
import { useState, useEffect } from 'react';
import { Head, Link, useForm } from '@inertiajs/react';
import InputError from '@/Components/InputError';
import InputLabel from '@/Components/InputLabel';
import PrimaryButton from '@/Components/PrimaryButton';
import TextInput from '@/Components/TextInput';

export default function Register() {
    const { data, setData, post, processing, errors, reset } = useForm({
        name: '',
        email: '',
        password: '',
        password_confirmation: '',
        account_type: 'customer',
        terms: false,
    });

    const [showPassword, setShowPassword] = useState(false);
    const [showConfirmPassword, setShowConfirmPassword] = useState(false);
    const [passwordStrength, setPasswordStrength] = useState({ percentage: 0, text: '', color: 'rgba(91,76,255
    const [fieldErrors, setFieldErrors] = useState({ name: '', email: '', password: '', password_confirmation: '', te
    const [formProgress, setFormProgress] = useState(1);
```

```
useEffect(() => {
    if (data.password) {
        let strength = 0;
        if (data.password.length >= 8) strength++;
        if (data.password.length >= 12) strength++;
        if (/[a-z]/.test(data.password)) strength++;
        if (/[A-Z]/.test(data.password)) strength++;
        if (/[0-9]/.test(data.password)) strength++;
        if (/[^a-zA-Z0-9]/.test(data.password)) strength++;
        const pct = Math.min((strength / 6) * 100, 100);
        if (strength <= 2) setPasswordStrength({ percentage: pct, text: 'Weak', color: '#ff4d6d' });
        else if (strength <= 4) setPasswordStrength({ percentage: pct, text: 'Fair', color: '#f5b042' });
        else setPasswordStrength({ percentage: pct, text: 'Strong', color: '#00c98b' });
    } else {
        setPasswordStrength({ percentage: 0, text: '', color: 'rgba(91,76,255,0.15)' });
    }
}, [data.password]);

useEffect(() => {
    const fields = ['name', 'email', 'password', 'password_confirmation'];
    const filled = fields.filter(f => data[f] && data[f].trim() !== '').length;
    setFormProgress(Math.min(Math.ceil((filled / fields.length) * 3), 3) || 1);
}, [data]);

const validateName = (v) => {
    if (!/^[a-zA-Z0-9_]{3,20}$/.test(v)) {
        setFieldErrors(p => ({ ...p, name: 'Username must be 3–20 characters: letters, numbers, underscores
        return false;
    }
    setFieldErrors(p => ({ ...p, name: '' }));
    return true;
};

const validateEmail = (v) => {
    if (!/^[^\s@]+@[^\s@]+\.[^\s@]+$/.test(v)) {
        setFieldErrors(p => ({ ...p, email: 'Please enter a valid email address' }));
        return false;
    }
    setFieldErrors(p => ({ ...p, email: '' }));
    return true;
};

const validatePassword = (v) => {
    if (!/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d).{8,}$/.test(v)) {
        setFieldErrors(p => ({ ...p, password: 'Min 8 chars with uppercase, lowercase & number' }));
        return false;
    }
    setFieldErrors(p => ({ ...p, password: '' }));
    return true;
};

const validateMatch = (pw, cpw) => {
    if (pw !== cpw) {
        setFieldErrors(p => ({ ...p, password_confirmation: 'Passwords do not match' }));
        return false;
    }
    setFieldErrors(p => ({ ...p, password_confirmation: '' }));
    return true;
};
```

```
const submit = (e) => {
    e.preventDefault();
    const ok = [
        validateName(data.name),
        validateEmail(data.email),
        validatePassword(data.password),
        validateMatch(data.password, data.password_confirmation),
    ].every(Boolean);
    if (!data.terms) {
        setFieldErrors(p => ({ ...p, terms: 'You must agree to the Terms & Privacy Policy' }));
        return;
    }
    if (ok) post(route('register'), { onFinish: () => reset('password', 'password_confirmation') });
};

const fieldState = (field) => {
    if (!data[field]) return '';
    return fieldErrors[field] ? 'err' : 'ok';
};

const benefits = [
    { icon: 'bi-book-half',        text: 'Access thousands of books across all partner stores' },
    { icon: 'bi-arrow-repeat',     text: 'Rent affordably or buy to own — your choice' },
    { icon: 'bi-shield-check',     text: 'Bank-level security & encrypted checkout' },
    { icon: 'bi-bell',             text: 'Personalized recommendations & reading lists' },
    { icon: 'bi-headset',          text: '24/7 customer support, always here for you' },
    { icon: 'bi-phone',            text: 'Read on any device, anywhere, anytime' },
];

return (
    <>
        <Head title="Create Account — BookHub" />
        <link rel="preconnect" href="https://fonts.googleapis.com" />
        <link href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;600;700;800;900&dis
        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.

        <style>{`
            *, *::before, *::after { box-sizing: border-box; margin: 0; padding: 0; }

            /* ■■ full-screen override — kills GuestLayout chrome ■■ */
            body, #app, #app > div { margin: 0 !important; padding: 0 !important; background: #0c0a1a !import

            .rp-root {
                font-family: 'Outfit', system-ui, sans-serif;
                display: flex;
                min-height: 100vh;
                width: 100%;
                -webkit-font-smoothing: antialiased;
            }

            /* ■■■
```

```
    flex-direction: column;
    justify-content: center;
    padding: 3.5rem 3rem;
}

.rp-left::before {
    content: '';
    position: absolute; inset: 0; pointer-events: none;
    background:
        radial-gradient(ellipse 80% 60% at 10% -10%, rgba(91,76,255,0.55) 0%, transparent 55%),
        radial-gradient(ellipse 55% 50% at 90% 110%, rgba(245,176,66,0.22) 0%, transparent 55%);
}

.rp-ring {
    position: absolute; border-radius: 50%; pointer-events: none;
    border: 1px solid rgba(255,255,255,0.06);
}
.rp-ring-1 { width: 480px; height: 480px; top: -180px; right: -180px; }
.rp-ring-2 { width: 300px; height: 300px; bottom: -120px; left: -80px; border-color: rgba(245,176,66
.rp-ring-3 { width: 160px; height: 160px; top: 38%; left: 6%; border-color: rgba(91,76,255,0.2); }

.rp-left-inner { position: relative; z-index: 1; }

.rp-brand {
    display: flex; align-items: center; gap: 0.65rem;
    text-decoration: none; margin-bottom: 2.8rem;
}
.rp-brand-icon {
    width: 42px; height: 42px; border-radius: 12px;
    background: linear-gradient(135deg, #5b4cff 0%, #3d2fe0 100%);
    display: flex; align-items: center; justify-content: center;
    font-size: 1.1rem; color: #fff;
    box-shadow: 0 4px 18px rgba(91,76,255,0.45);
}
.rp-brand-text {
    font-size: 1.15rem; font-weight: 800;
    color: #fff; letter-spacing: -0.02em;
}
.rp-brand-text span { color: #f5b042; }

.rp-eyebrow {
    display: inline-flex; align-items: center; gap: 0.5rem;
    padding: 0.3rem 0.9rem; border-radius: 999px;
    background: rgba(255,255,255,0.10); border: 1px solid rgba(255,255,255,0.18);
    font-size: 0.7rem; font-weight: 700; text-transform: uppercase;
    letter-spacing: 1.1px; color: #f5b042;
    margin-bottom: 1.2rem;
}
.rp-dot {
    width: 6px; height: 6px; border-radius: 50%; background: #00c98b;
    box-shadow: 0 0 0 3px rgba(0,201,139,0.25);
    animation: blink 2s ease-in-out infinite;
}
@keyframes blink { 0%,100%{opacity:1} 50%{opacity:0.3} }

.rp-left h1 {
    font-size: clamp(1.9rem, 3vw, 2.8rem); font-weight: 900;
    color: #fff; line-height: 1.1; letter-spacing: -0.035em;
    margin-bottom: 1rem;
}
```

```
.rp-left h1 em { font-style: normal; color: #f5b042; }

.rp-left > .rp-left-inner > p {
    font-size: 0.95rem; color: rgba(255,255,255,0.5);
    line-height: 1.7; margin-bottom: 2.5rem; max-width: 340px;
}

.rp-benefits-title {
    font-size: 0.7rem; font-weight: 800; text-transform: uppercase;
    letter-spacing: 1.2px; color: rgba(255,255,255,0.4);
    margin-bottom: 1rem;
}

.rp-benefits { display: flex; flex-direction: column; gap: 0.7rem; }

.rp-benefit {
    display: flex; align-items: center; gap: 0.85rem;
    padding: 0.75rem 1rem; border-radius: 12px;
    background: rgba(255,255,255,0.06);
    border: 1px solid rgba(255,255,255,0.09);
    backdrop-filter: blur(6px);
    transition: background 200ms;
}
.rp-benefit:hover { background: rgba(255,255,255,0.10); }

.rp-benefit-icon {
    width: 34px; height: 34px; border-radius: 9px; flex-shrink: 0;
    background: rgba(91,76,255,0.25); border: 1px solid rgba(91,76,255,0.35);
    display: flex; align-items: center; justify-content: center;
    font-size: 0.95rem; color: #9b8fff;
}
.rp-benefit span {
    font-size: 0.82rem; color: rgba(255,255,255,0.65);
    font-weight: 500; line-height: 1.4;
}

/* ═══════════════════════════════
   RIGHT PANEL
═══════════════════════════════ */
.rp-right {
    flex: 1;
    background: #f5f4ff;
    min-height: 100vh;
    display: flex;
    flex-direction: column;
    overflow-y: auto;
}

.rp-right-top {
    display: flex; align-items: center; justify-content: space-between;
    padding: 1.4rem 2.5rem;
    border-bottom: 1px solid rgba(91,76,255,0.1);
    background: rgba(255,255,255,0.7);
    backdrop-filter: blur(12px);
    position: sticky; top: 0; z-index: 10;
}

.rp-back {
    display: flex; align-items: center; gap: 0.45rem;
    font-size: 0.82rem; font-weight: 700; color: #4e4a64;
```

```
    text-decoration: none; padding: 0.42rem 0.9rem;
    border-radius: 999px; border: 1.5px solid rgba(91,76,255,0.18);
    background: rgba(255,255,255,0.8);
    transition: all 180ms;
}
.rp-back:hover { color: #5b4cff; border-color: #5b4cff; background: rgba(91,76,255,0.06); }
.rp-back i { font-size: 0.85rem; }

.rp-top-login {
    font-size: 0.82rem; color: #8a86a0;
}
.rp-top-login a {
    color: #5b4cff; font-weight: 700; text-decoration: none; margin-left: 0.3rem;
}
.rp-top-login a:hover { text-decoration: underline; }

.rp-form-wrap {
    flex: 1;
    display: flex; align-items: flex-start; justify-content: center;
    padding: 2.5rem 2.5rem 3rem;
}

.rp-form-inner {
    width: 100%; max-width: 520px;
}

/* heading */
.rp-form-head { margin-bottom: 1.8rem; }
.rp-form-head h2 {
    font-size: clamp(1.55rem, 2.5vw, 2rem); font-weight: 900;
    color: #14102b; letter-spacing: -0.03em; margin-bottom: 0.35rem;
}
.rp-form-head p { font-size: 0.87rem; color: #8a86a0; }

/* progress */
.rp-progress {
    display: flex; align-items: center;
    gap: 0; margin-bottom: 2rem;
}
.rp-step {
    display: flex; flex-direction: column; align-items: center; gap: 0.35rem;
    flex: 1; position: relative;
}
.rp-step::after {
    content: '';
    position: absolute; top: 16px; left: 50%; right: -50%;
    height: 2px; background: rgba(91,76,255,0.15); z-index: 0;
}
.rp-step:last-child::after { display: none; }
.rp-step.active::after { background: rgba(91,76,255,0.4); }

.rp-step-circle {
    width: 32px; height: 32px; border-radius: 50%; z-index: 1;
    background: rgba(91,76,255,0.12); border: 2px solid rgba(91,76,255,0.2);
    color: #8a86a0; font-size: 0.8rem; font-weight: 800;
    display: flex; align-items: center; justify-content: center;
    transition: all 260ms;
}
.rp-step.active .rp-step-circle {
    background: #5b4cff; border-color: #5b4cff;
```

```
    color: #fff; box-shadow: 0 4px 14px rgba(91,76,255,0.4);
}
.rp-step-label {
    font-size: 0.72rem; font-weight: 700;
    color: #8a86a0; letter-spacing: 0.3px;
}
.rp-step.active .rp-step-label { color: #5b4cff; }

/* server error banner */
.rp-errors {
    margin-bottom: 1.25rem;
    display: flex; flex-direction: column; gap: 0.5rem;
}
.rp-err-item {
    display: flex; align-items: center; gap: 0.55rem;
    padding: 0.65rem 0.9rem; border-radius: 10px;
    background: #fff0f3; border: 1.5px solid rgba(255,77,109,0.25);
    font-size: 0.8rem; color: #a0143a; font-weight: 600;
}
.rp-err-item i { color: #ff4d6d; flex-shrink: 0; }

/* form fields */
.rp-field { margin-bottom: 1.2rem; }
.rp-label {
    display: block; font-size: 0.78rem; font-weight: 700;
    color: #4e4a64; margin-bottom: 0.5rem; letter-spacing: 0.2px;
}
.rp-input-wrap { position: relative; }
.rp-input-icon {
    position: absolute; left: 14px; top: 50%; transform: translateY(-50%);
    color: #b0aac8; font-size: 0.95rem; pointer-events: none; z-index: 2;
}
.rp-input-wrap input,
.rp-input-wrap select {
    width: 100%;
    padding: 0.8rem 1rem 0.8rem 2.6rem;
    border: 1.5px solid rgba(91,76,255,0.18);
    border-radius: 11px; font-family: 'Outfit', sans-serif;
    font-size: 0.9rem; color: #14102b;
    background: #fff;
    outline: none;
    transition: all 200ms;
    -webkit-appearance: none;
}
.rp-input-wrap input:focus,
.rp-input-wrap select:focus {
    border-color: #5b4cff;
    box-shadow: 0 0 0 3px rgba(91,76,255,0.12);
}
.rp-input-wrap input.ok { border-color: #00c98b; }
.rp-input-wrap input.ok:focus { box-shadow: 0 0 0 3px rgba(0,201,139,0.12); }
.rp-input-wrap input.err,
.rp-input-wrap select.err { border-color: #ff4d6d; }
.rp-input-wrap input.err:focus { box-shadow: 0 0 0 3px rgba(255,77,109,0.12); }
.rp-input-wrap input::placeholder { color: #b0aac8; }

.rp-eye-btn {
    position: absolute; right: 12px; top: 50%; transform: translateY(-50%);
    background: none; border: none; cursor: pointer;
    color: #b0aac8; font-size: 0.9rem; padding: 4px; z-index: 3;
```

```
    transition: color 160ms;
}
.rp-eye-btn:hover { color: #5b4cff; }

.rp-field-err {
    display: flex; align-items: center; gap: 0.35rem;
    font-size: 0.75rem; color: #ff4d6d; font-weight: 600;
    margin-top: 0.35rem;
}
.rp-field-err i { font-size: 0.7rem; }

/* password strength */
.rp-strength { display: flex; align-items: center; gap: 0.75rem; margin-top: 0.5rem; }
.rp-strength-bar {
    flex: 1; height: 5px; border-radius: 999px;
    background: rgba(91,76,255,0.1); overflow: hidden;
}
.rp-strength-fill {
    height: 100%; border-radius: 999px;
    transition: width 300ms ease, background-color 300ms ease;
}
.rp-strength-label {
    font-size: 0.73rem; font-weight: 700;
    min-width: 48px; text-align: right;
}

/* two-col row */
.rp-row { display: grid; grid-template-columns: 1fr 1fr; gap: 1rem; }

/* terms */
.rp-terms {
    display: flex; align-items: flex-start; gap: 0.75rem;
    padding: 1rem; border-radius: 11px;
    background: rgba(91,76,255,0.05);
    border: 1.5px solid rgba(91,76,255,0.12);
    margin-bottom: 1.4rem; cursor: pointer;
    transition: border-color 200ms;
}
.rp-terms:has(input:checked) { border-color: #5b4cff; background: rgba(91,76,255,0.08); }
.rp-terms input[type="checkbox"] {
    width: 18px; height: 18px; border-radius: 5px; cursor: pointer;
    accent-color: #5b4cff; flex-shrink: 0; margin-top: 2px;
}
.rp-terms-text {
    font-size: 0.8rem; color: #4e4a64; line-height: 1.55;
}
.rp-terms-text a {
    color: #5b4cff; font-weight: 700; text-decoration: none;
}
.rp-terms-text a:hover { text-decoration: underline; }

/* submit button */
.rp-submit {
    width: 100%;
    padding: 0.9rem 1.5rem;
    background: linear-gradient(135deg, #5b4cff 0%, #3d2fe0 100%);
    color: #fff; border: none; border-radius: 12px;
    font-family: 'Outfit', sans-serif; font-size: 0.95rem; font-weight: 800;
    cursor: pointer; letter-spacing: 0.2px;
    display: flex; align-items: center; justify-content: center; gap: 0.6rem;
```

```
        transition: all 200ms;
        box-shadow: 0 6px 22px rgba(91,76,255,0.35);
        margin-bottom: 0;
    }
    .rp-submit:hover:not(:disabled) {
        transform: translateY(-2px);
        box-shadow: 0 10px 30px rgba(91,76,255,0.45);
    }
    .rp-submit:active:not(:disabled) { transform: translateY(0); }
    .rp-submit:disabled { opacity: 0.65; cursor: not-allowed; }

    /* divider */
    .rp-divider {
        display: flex; align-items: center; gap: 0.75rem;
        margin: 1.2rem 0; color: #b0aac8; font-size: 0.75rem; font-weight: 600;
    }
    .rp-divider::before, .rp-divider::after {
        content: ''; flex: 1; height: 1px; background: rgba(91,76,255,0.12);
    }

    .rp-login-cta {
        text-align: center;
        font-size: 0.85rem; color: #8a86a0;
    }
    .rp-login-cta a {
        color: #5b4cff; font-weight: 700;
        text-decoration: none; margin-left: 0.25rem;
    }
    .rp-login-cta a:hover { text-decoration: underline; }

    /* ■■■
```

```
            <span className="rp-brand-text">Book<span>Hub</span></span>
        </a>

        <div className="rp-eyebrow">
            <span className="rp-dot"></span>
            Join the community
        </div>

        <h1>Your Next <em>Great Read</em><br />Awaits You</h1>
        <p>Create a free account and unlock thousands of books from multiple stores — rent afforda

        <div className="rp-benefits-title">Why BookHub?</div>
        <div className="rp-benefits">
            {benefits.map((b, i) => (
                <div className="rp-benefit" key={i}>
                    <div className="rp-benefit-icon"><i className={`bi ${b.icon}`}></i></div>
                    <span>{b.text}</span>
                </div>
            ))}
        </div>
    </div>
</div>

{/* ■■ RIGHT ■■ */}
<div className="rp-right">

    {/* sticky top bar */}
    <div className="rp-right-top">
        <Link href="/" className="rp-back">
            <i className="bi bi-arrow-left"></i> Back to Home
        </Link>
        <div className="rp-top-login">
            Already have an account?
            <Link href={route('login')}>Sign in</Link>
        </div>
    </div>

    <div className="rp-form-wrap">
        <div className="rp-form-inner">

            {/* heading */}
            <div className="rp-form-head">
                <h2>Create your account</h2>
                <p>Fill in your details below to get started — it takes under a minute.</p>
            </div>

            {/* progress */}
            <div className="rp-progress">
                {['Account', 'Profile', 'Complete'].map((label, i) => (
                    <div className={`rp-step ${formProgress >= i + 1 ? 'active' : ''}`} key={i}>
                        <div className="rp-step-circle">
                            {formProgress > i + 1
                                ? <i className="bi bi-check-lg" style={{ fontSize: '0.8rem' }}></i>
                                : i + 1}
                        </div>
                        <div className="rp-step-label">{label}</div>
                    </div>
                ))}
            </div>
```

```
{/* server errors */}
{Object.keys(errors).length > 0 && (
    <div className="rp-errors">
        {Object.entries(errors).map(([k, v]) => v && (
            <div key={k} className="rp-err-item">
                <i className="bi bi-exclamation-circle-fill"></i>
                {v}
            </div>
        ))}
    </div>
)}

<form onSubmit={submit}>

    {/* Username + Email row */}
    <div className="rp-row">
        <div className="rp-field">
            <label className="rp-label" htmlFor="name">Username <span style={{color:'#ff4d
            <div className="rp-input-wrap">
                <i className="bi bi-person rp-input-icon"></i>
                <input
                    id="name" type="text" name="name"
                    value={data.name}
                    className={fieldState('name')}
                    placeholder="e.g. book_lover42"
                    onChange={e => { setData('name', e.target.value); validateName(e.target.valu
                    required
                />
            </div>
            {fieldErrors.name && (
                <div className="rp-field-err">
                    <i className="bi bi-exclamation-circle-fill"></i>
                    {fieldErrors.name}
                </div>
            )}
        </div>

        <div className="rp-field">
            <label className="rp-label" htmlFor="email">Email Address <span style={{color:'#
            <div className="rp-input-wrap">
                <i className="bi bi-envelope rp-input-icon"></i>
                <input
                    id="email" type="email" name="email"
                    value={data.email}
                    className={fieldState('email')}
                    placeholder="you@example.com"
                    onChange={e => { setData('email', e.target.value); validateEmail(e.target.valu
                    required
                />
            </div>
            {fieldErrors.email && (
                <div className="rp-field-err">
                    <i className="bi bi-exclamation-circle-fill"></i>
                    {fieldErrors.email}
                </div>
            )}
        </div>
    </div>

    {/* Account type */}
```

```
<div className="rp-field">
    <label className="rp-label" htmlFor="account_type">Account Type <span style={{co
    <div className="rp-input-wrap">
        <i className="bi bi-person-badge rp-input-icon"></i>
        <select
            id="account_type" name="account_type"
            value={data.account_type}
            onChange={e => setData('account_type', e.target.value)}
            required
        >
            <option value="customer">Customer — Browse & Buy/Rent Books</option>
            <option value="store_owner">Store Owner — List & Sell Books</option>
        </select>
    </div>
</div>

{/* Password + Confirm row */}
<div className="rp-row">
    <div className="rp-field">
        <label className="rp-label" htmlFor="password">Password <span style={{color:'#
        <div className="rp-input-wrap">
            <i className="bi bi-lock rp-input-icon"></i>
            <input
                id="password"
                type={showPassword ? 'text' : 'password'}
                name="password"
                value={data.password}
                className={fieldState('password')}
                placeholder="Min 8 characters"
                onChange={e => {
                    setData('password', e.target.value);
                    validatePassword(e.target.value);
                    if (data.password_confirmation) validateMatch(e.target.value, data.passwor
                }}
                required
            />
            <button type="button" className="rp-eye-btn" onClick={() => setShowPasswor
                <i className={`bi bi-${showPassword ? 'eye-slash' : 'eye'}`}></i>
            </button>
        </div>
        {data.password && (
            <div className="rp-strength">
                <div className="rp-strength-bar">
                    <div className="rp-strength-fill"
                        style={{ width: `${passwordStrength.percentage}%`, backgroundColor: pa
                    </div>
                </div>
                <span className="rp-strength-label" style={{ color: passwordStrength.color }
                    {passwordStrength.text}
                </span>
            </div>
        )}
        {fieldErrors.password && (
            <div className="rp-field-err">
                <i className="bi bi-exclamation-circle-fill"></i>
                {fieldErrors.password}
            </div>
        )}
    </div>
```

```
    <div className="rp-field">
        <label className="rp-label" htmlFor="password_confirmation">Confirm Password
        <div className="rp-input-wrap">
            <i className="bi bi-lock-fill rp-input-icon"></i>
            <input
                id="password_confirmation"
                type={showConfirmPassword ? 'text' : 'password'}
                name="password_confirmation"
                value={data.password_confirmation}
                className={fieldState('password_confirmation')}
                placeholder="Repeat your password"
                onChange={e => {
                    setData('password_confirmation', e.target.value);
                    validateMatch(data.password, e.target.value);
                }}
                required
            />
            <button type="button" className="rp-eye-btn" onClick={() => setShowConfirmP
                <i className={`bi bi-${showConfirmPassword ? 'eye-slash' : 'eye'}`}></i>
            </button>
        </div>
        {fieldErrors.password_confirmation && (
            <div className="rp-field-err">
                <i className="bi bi-exclamation-circle-fill"></i>
                {fieldErrors.password_confirmation}
            </div>
        )}
    </div>
</div>

{/* Terms */}
<label className="rp-terms">
    <input
        type="checkbox" id="terms" name="terms"
        checked={data.terms}
        onChange={e => {
            setData('terms', e.target.checked);
            setFieldErrors(p => ({ ...p, terms: e.target.checked ? '' : 'You must agree to contin
        }}
    />
    <span className="rp-terms-text">
        I agree to the <a href="#">Terms of Service</a> and <a href="#">Privacy Policy</a
        I understand my data will be processed in accordance with these policies.
    </span>
</label>
{fieldErrors.terms && (
    <div className="rp-field-err" style={{ marginTop: '-0.8rem', marginBottom: '1rem' }}>
        <i className="bi bi-exclamation-circle-fill"></i>
        {fieldErrors.terms}
    </div>
)}

{/* Submit */}
<button type="submit" className="rp-submit" disabled={processing}>
    {processing
        ? <><i className="bi bi-arrow-repeat" style={{ animation: 'spin 1s linear infinite' }}>
        : <><i className="bi bi-person-check-fill"></i> Create My Account</>
    }
</button>
```

```
                        <div className="rp-divider">or</div>

                        <div className="rp-login-cta">
                            Already have an account?
                            <Link href={route('login')}>Sign in here</Link>
                        </div>

                    </form>
                </div>
            </div>
        </div>

        </div>

        <style>{`
            @keyframes spin { from { transform: rotate(0deg); } to { transform: rotate(360deg); } }
        `}</style>
    </>
  );
}
```

=== resources\js\Pages\Auth\ResetPassword.jsx ===

```
import InputError from '@/Components/InputError';
import InputLabel from '@/Components/InputLabel';
import PrimaryButton from '@/Components/PrimaryButton';
import TextInput from '@/Components/TextInput';
import GuestLayout from '@/Layouts/GuestLayout';
import { Head, useForm } from '@inertiajs/react';

export default function ResetPassword({ token, email }) {
    const { data, setData, post, processing, errors, reset } = useForm({
        token: token,
        email: email,
        password: '',
        password_confirmation: '',
    });

    const submit = (e) => {
        e.preventDefault();

        post(route('password.store'), {
            onFinish: () => reset('password', 'password_confirmation'),
        });
    };

    return (
        <GuestLayout>
            <Head title="Reset Password" />

            <form onSubmit={submit}>
                <div>
                    <InputLabel htmlFor="email" value="Email" />

                    <TextInput
                        id="email"
                        type="email"
                        name="email"
                        value={data.email}
                        className="mt-1 block w-full"
                        autoComplete="username"
```

```
                onChange={(e) => setData('email', e.target.value)}
            />

            <InputError message={errors.email} className="mt-2" />
        </div>

        <div className="mt-4">
            <InputLabel htmlFor="password" value="Password" />

            <TextInput
                id="password"
                type="password"
                name="password"
                value={data.password}
                className="mt-1 block w-full"
                autoComplete="new-password"
                isFocused={true}
                onChange={(e) => setData('password', e.target.value)}
            />

            <InputError message={errors.password} className="mt-2" />
        </div>

        <div className="mt-4">
            <InputLabel
                htmlFor="password_confirmation"
                value="Confirm Password"
            />

            <TextInput
                type="password"
                id="password_confirmation"
                name="password_confirmation"
                value={data.password_confirmation}
                className="mt-1 block w-full"
                autoComplete="new-password"
                onChange={(e) =>
                    setData('password_confirmation', e.target.value)
                }
            />

            <InputError
                message={errors.password_confirmation}
                className="mt-2"
            />
        </div>

        <div className="mt-4 flex items-center justify-end">
            <PrimaryButton className="ms-4" disabled={processing}>
                Reset Password
            </PrimaryButton>
        </div>
    </form>
</GuestLayout>
);
}
```

=== resources\js\Pages\Auth\VerifyEmail.jsx ===

```
import PrimaryButton from '@/Components/PrimaryButton';
import GuestLayout from '@/Layouts/GuestLayout';
```

```
import { Head, Link, useForm } from '@inertiajs/react';

export default function VerifyEmail({ status }) {
    const { post, processing } = useForm({});

    const submit = (e) => {
        e.preventDefault();

        post(route('verification.send'));
    };

    return (
        <GuestLayout>
            <Head title="Email Verification" />

            <div className="mb-4 text-sm text-gray-600">
                Thanks for signing up! Before getting started, could you verify
                your email address by clicking on the link we just emailed to
                you? If you didn't receive the email, we will gladly send you
                another.
            </div>

            {status === 'verification-link-sent' && (
                <div className="mb-4 text-sm font-medium text-green-600">
                    A new verification link has been sent to the email address
                    you provided during registration.
                </div>
            )}

            <form onSubmit={submit}>
                <div className="mt-4 flex items-center justify-between">
                    <PrimaryButton disabled={processing}>
                        Resend Verification Email
                    </PrimaryButton>

                    <Link
                        href={route('logout')}
                        method="post"
                        as="button"
                        className="rounded-md text-sm text-gray-600 underline hover:text-gray-900 focus:outline-n
                    >
                        Log Out
                    </Link>
                </div>
            </form>
        </GuestLayout>
    );
}

=== resources\js\Pages\Customer\Dashboard.jsx ===
import AuthenticatedLayout from '@/Layouts/AuthenticatedLayout';
import { Head } from '@inertiajs/react';

export default function CustomerDashboard() {
    return (
        <AuthenticatedLayout
            header={
                <h2 className="text-xl font-semibold leading-tight text-gray-800">
                    Customer Dashboard
                </h2>
```

```
            }
        >
            <Head title="Customer Dashboard" />

            <div className="py-12">
                <div className="mx-auto max-w-7xl sm:px-6 lg:px-8">
                    <div className="overflow-hidden bg-white shadow-sm sm:rounded-lg">
                        <div className="p-6 text-gray-900">
                            Welcome to your customer dashboard.
                        </div>
                    </div>
                </div>
            </div>
        </AuthenticatedLayout>
    );
}

=== resources\js\Pages\Profile\Edit.jsx ===
import AuthenticatedLayout from '@/Layouts/AuthenticatedLayout';
import { Head } from '@inertiajs/react';
import DeleteUserForm from './Partials/DeleteUserForm';
import UpdatePasswordForm from './Partials/UpdatePasswordForm';
import UpdateProfileInformationForm from './Partials/UpdateProfileInformationForm';

export default function Edit({ mustVerifyEmail, status }) {
    return (
        <AuthenticatedLayout
            header={
                <h2 className="text-xl font-semibold leading-tight text-gray-800">
                    Profile
                </h2>
            }
        >
            <Head title="Profile" />

            <div className="py-12">
                <div className="mx-auto max-w-7xl space-y-6 sm:px-6 lg:px-8">
                    <div className="bg-white p-4 shadow sm:rounded-lg sm:p-8">
                        <UpdateProfileInformationForm
                            mustVerifyEmail={mustVerifyEmail}
                            status={status}
                            className="max-w-xl"
                        />
                    </div>

                    <div className="bg-white p-4 shadow sm:rounded-lg sm:p-8">
                        <UpdatePasswordForm className="max-w-xl" />
                    </div>

                    <div className="bg-white p-4 shadow sm:rounded-lg sm:p-8">
                        <DeleteUserForm className="max-w-xl" />
                    </div>
                </div>
            </div>
        </AuthenticatedLayout>
    );
}

=== resources\js\Pages\Profile\Partials\DeleteUserForm.jsx ===
import DangerButton from '@/Components/DangerButton';
```

```
import InputError from '@/Components/InputError';
import InputLabel from '@/Components/InputLabel';
import Modal from '@/Components/Modal';
import SecondaryButton from '@/Components/SecondaryButton';
import TextInput from '@/Components/TextInput';
import { useForm } from '@inertiajs/react';
import { useRef, useState } from 'react';

export default function DeleteUserForm({ className = '' }) {
    const [confirmingUserDeletion, setConfirmingUserDeletion] = useState(false);
    const passwordInput = useRef();

    const {
        data,
        setData,
        delete: destroy,
        processing,
        reset,
        errors,
        clearErrors,
    } = useForm({
        password: '',
    });

    const confirmUserDeletion = () => {
        setConfirmingUserDeletion(true);
    };

    const deleteUser = (e) => {
        e.preventDefault();

        destroy(route('profile.destroy'), {
            preserveScroll: true,
            onSuccess: () => closeModal(),
            onError: () => passwordInput.current.focus(),
            onFinish: () => reset(),
        });
    };

    const closeModal = () => {
        setConfirmingUserDeletion(false);

        clearErrors();
        reset();
    };

    return (
        <section className={`space-y-6 ${className}`}>
            <header>
                <h2 className="text-lg font-medium text-gray-900">
                    Delete Account
                </h2>

                <p className="mt-1 text-sm text-gray-600">
                    Once your account is deleted, all of its resources and data
                    will be permanently deleted. Before deleting your account,
                    please download any data or information that you wish to
                    retain.
                </p>
            </header>
```

```
        <DangerButton onClick={confirmUserDeletion}>
            Delete Account
        </DangerButton>

        <Modal show={confirmingUserDeletion} onClose={closeModal}>
            <form onSubmit={deleteUser} className="p-6">
                <h2 className="text-lg font-medium text-gray-900">
                    Are you sure you want to delete your account?
                </h2>

                <p className="mt-1 text-sm text-gray-600">
                    Once your account is deleted, all of its resources and
                    data will be permanently deleted. Please enter your
                    password to confirm you would like to permanently delete
                    your account.
                </p>

                <div className="mt-6">
                    <InputLabel
                        htmlFor="password"
                        value="Password"
                        className="sr-only"
                    />

                    <TextInput
                        id="password"
                        type="password"
                        name="password"
                        ref={passwordInput}
                        value={data.password}
                        onChange={(e) =>
                            setData('password', e.target.value)
                        }
                        className="mt-1 block w-3/4"
                        isFocused
                        placeholder="Password"
                    />

                    <InputError
                        message={errors.password}
                        className="mt-2"
                    />
                </div>

                <div className="mt-6 flex justify-end">
                    <SecondaryButton onClick={closeModal}>
                        Cancel
                    </SecondaryButton>

                    <DangerButton className="ms-3" disabled={processing}>
                        Delete Account
                    </DangerButton>
                </div>
            </form>
        </Modal>
    </section>
  );
}
```

=== resources\js\Pages\Profile\Partials\UpdatePasswordForm.jsx ===

```
import InputError from '@/Components/InputError';
import InputLabel from '@/Components/InputLabel';
import PrimaryButton from '@/Components/PrimaryButton';
import TextInput from '@/Components/TextInput';
import { Transition } from '@headlessui/react';
import { useForm } from '@inertiajs/react';
import { useRef } from 'react';

export default function UpdatePasswordForm({ className = '' }) {
    const passwordInput = useRef();
    const currentPasswordInput = useRef();

    const {
        data,
        setData,
        errors,
        put,
        reset,
        processing,
        recentlySuccessful,
    } = useForm({
        current_password: '',
        password: '',
        password_confirmation: '',
    });

    const updatePassword = (e) => {
        e.preventDefault();

        put(route('password.update'), {
            preserveScroll: true,
            onSuccess: () => reset(),
            onError: (errors) => {
                if (errors.password) {
                    reset('password', 'password_confirmation');
                    passwordInput.current.focus();
                }

                if (errors.current_password) {
                    reset('current_password');
                    currentPasswordInput.current.focus();
                }
            },
        });
    };

    return (
        <section className={className}>
            <header>
                <h2 className="text-lg font-medium text-gray-900">
                    Update Password
                </h2>

                <p className="mt-1 text-sm text-gray-600">
                    Ensure your account is using a long, random password to stay
                    secure.
                </p>
            </header>
```

```
<form onSubmit={updatePassword} className="mt-6 space-y-6">
    <div>
        <InputLabel
            htmlFor="current_password"
            value="Current Password"
        />

        <TextInput
            id="current_password"
            ref={currentPasswordInput}
            value={data.current_password}
            onChange={(e) =>
                setData('current_password', e.target.value)
            }
            type="password"
            className="mt-1 block w-full"
            autoComplete="current-password"
        />

        <InputError
            message={errors.current_password}
            className="mt-2"
        />
    </div>

    <div>
        <InputLabel htmlFor="password" value="New Password" />

        <TextInput
            id="password"
            ref={passwordInput}
            value={data.password}
            onChange={(e) => setData('password', e.target.value)}
            type="password"
            className="mt-1 block w-full"
            autoComplete="new-password"
        />

        <InputError message={errors.password} className="mt-2" />
    </div>

    <div>
        <InputLabel
            htmlFor="password_confirmation"
            value="Confirm Password"
        />

        <TextInput
            id="password_confirmation"
            value={data.password_confirmation}
            onChange={(e) =>
                setData('password_confirmation', e.target.value)
            }
            type="password"
            className="mt-1 block w-full"
            autoComplete="new-password"
        />

        <InputError
            message={errors.password_confirmation}
```

```
                    className="mt-2"
                />
            </div>

            <div className="flex items-center gap-4">
                <PrimaryButton disabled={processing}>Save</PrimaryButton>

                <Transition
                    show={recentlySuccessful}
                    enter="transition ease-in-out"
                    enterFrom="opacity-0"
                    leave="transition ease-in-out"
                    leaveTo="opacity-0"
                >
                    <p className="text-sm text-gray-600">
                        Saved.
                    </p>
                </Transition>
            </div>
        </form>
    </section>
  );
}
```

=== resources\js\Pages\Profile\Partials\UpdateProfileInformationForm.jsx ===

```
import InputError from '@/Components/InputError';
import InputLabel from '@/Components/InputLabel';
import PrimaryButton from '@/Components/PrimaryButton';
import TextInput from '@/Components/TextInput';
import { Transition } from '@headlessui/react';
import { Link, useForm, usePage } from '@inertiajs/react';

export default function UpdateProfileInformation({
    mustVerifyEmail,
    status,
    className = '',
}) {
    const user = usePage().props.auth.user;

    const { data, setData, patch, errors, processing, recentlySuccessful } =
        useForm({
            name: user.name,
            email: user.email,
        });

    const submit = (e) => {
        e.preventDefault();

        patch(route('profile.update'));
    };

    return (
        <section className={className}>
            <header>
                <h2 className="text-lg font-medium text-gray-900">
                    Profile Information
                </h2>

                <p className="mt-1 text-sm text-gray-600">
                    Update your account's profile information and email address.
```

```
    </p>
</header>

<form onSubmit={submit} className="mt-6 space-y-6">
    <div>
        <InputLabel htmlFor="name" value="Name" />

        <TextInput
            id="name"
            className="mt-1 block w-full"
            value={data.name}
            onChange={(e) => setData('name', e.target.value)}
            required
            isFocused
            autoComplete="name"
        />

        <InputError className="mt-2" message={errors.name} />
    </div>

    <div>
        <InputLabel htmlFor="email" value="Email" />

        <TextInput
            id="email"
            type="email"
            className="mt-1 block w-full"
            value={data.email}
            onChange={(e) => setData('email', e.target.value)}
            required
            autoComplete="username"
        />

        <InputError className="mt-2" message={errors.email} />
    </div>

    {mustVerifyEmail && user.email_verified_at === null && (
        <div>
            <p className="mt-2 text-sm text-gray-800">
                Your email address is unverified.
                <Link
                    href={route('verification.send')}
                    method="post"
                    as="button"
                    className="rounded-md text-sm text-gray-600 underline hover:text-gray-900 focus:outl
                >
                    Click here to re-send the verification email.
                </Link>
            </p>

            {status === 'verification-link-sent' && (
                <div className="mt-2 text-sm font-medium text-green-600">
                    A new verification link has been sent to your
                    email address.
                </div>
            )}
        </div>
    )}

    <div className="flex items-center gap-4">
```

```
                <PrimaryButton disabled={processing}>Save</PrimaryButton>

                <Transition
                    show={recentlySuccessful}
                    enter="transition ease-in-out"
                    enterFrom="opacity-0"
                    leave="transition ease-in-out"
                    leaveTo="opacity-0"
                >
                    <p className="text-sm text-gray-600">
                        Saved.
                    </p>
                </Transition>
            </div>
        </form>
    </section>
  );
}

=== resources\js\Pages\store\base.html ===
<!DOCTYPE html>
<html lang="en" data-bs-theme="light">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>{% block title %}Book Collection Tracker{% endblock %}</title>

    <!-- Bootstrap 5 CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
    <!-- Bootstrap Icons -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.3/font/bootstrap-icons.css">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">
    <!-- Google Fonts -->
    <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap

    <style>
        :root {
            --primary-color: #4e73df;
            --primary-dark: #3a56c4;
            --secondary-color: #858796;
            --success-color: #1cc88a;
            --info-color: #36b9cc;
            --warning-color: #f6c23e;
            --danger-color: #e74a3b;
            --light-color: #f8f9fc;
            --dark-color: #5a5c69;
            --sidebar-width: 250px;
            --transition-speed: 0.3s;
            --brand-color: #4361ee;
        }

        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body {
            font-family: 'Poppins', sans-serif;
```

```
    background-color: #f8f9fc;
    color: #333;
    overflow-x: hidden;
    min-height: 100vh;
    padding-top: 70px;
}

.navbar {
    background-color: white;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.15);
    padding: 0.75rem 0;
    position: fixed;
    top: 0;
    right: 0;
    left: 0;
    z-index: 1030;
    transition: all var(--transition-speed) ease;
    height: 70px;
}

.navbar-brand {
    font-weight: 700;
    font-size: 1.3rem;
    color: var(--brand-color);
    display: flex;
    align-items: center;
}

.nav-user-img {
    width: 40px;
    height: 40px;
    border-radius: 50%;
    object-fit: cover;
    border: 2px solid #e3e6f0;
}

#sidebar {
    width: var(--sidebar-width);
    background-color: white;
    color: #858796;
    position: fixed;
    top: 70px;
    left: 0;
    height: calc(100vh - 70px);
    z-index: 1000;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.15);
    transition: all var(--transition-speed) ease;
    overflow-y: auto;
    display: flex;
    flex-direction: column;
}

.sidebar-heading {
    padding: 1.5rem 1rem 0.5rem;
    font-size: 0.8rem;
    text-transform: uppercase;
    color: #b7b9cc;
    font-weight: 700;
    letter-spacing: 0.5px;
}
```

```
.sidebar-item {
    padding: 0.75rem 1rem;
    display: flex;
    align-items: center;
    color: #3a3b45;
    text-decoration: none;
    border-left: 3px solid transparent;
    transition: all 0.2s;
    white-space: nowrap;
}

.sidebar-item:hover,
.sidebar-item.active {
    color: var(--brand-color);
    background-color: #f8f9fc;
    border-left-color: var(--brand-color);
}

.sidebar-item i {
    margin-right: 10px;
    width: 20px;
    text-align: center;
    font-size: 1.1rem;
}

.sidebar-item.logout-bottom {
    margin-top: auto;
    border-top: 1px solid #e3e6f0;
}

.main-content {
    margin-left: var(--sidebar-width);
    padding: 20px;
    min-height: calc(100vh - 70px);
    transition: all var(--transition-speed) ease;
}

.header-nav-item {
    display: flex;
    align-items: center;
    gap: 8px;
    padding: 8px 16px;
    border-radius: 20px;
    background: #f8f9fc;
    color: #5a5c69;
    text-decoration: none;
    transition: all 0.3s;
    font-weight: 500;
    margin-right: 10px;
}

.header-nav-item:hover,
.header-nav-item.active {
    background: var(--brand-color);
    color: white;
}

.notification-badge {
    position: absolute;
```

```
    top: -5px;
    right: -5px;
    padding: 0.25em 0.6em;
    font-size: 0.75rem;
}

.dropdown-menu {
    border: none;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.2);
    border-radius: 10px;
}

@media (max-width: 768px) {
    #sidebar {
        transform: translateX(-100%);
        width: 280px;
    }

    .main-content {
        margin-left: 0;
    }

    .sidebar-open #sidebar {
        transform: translateX(0);
    }

    .sidebar-open::after {
        content: '';
        position: fixed;
        top: 0;
        left: 0;
        right: 0;
        bottom: 0;
        background-color: rgba(0, 0, 0, 0.5);
        z-index: 999;
    }
}

body[data-bs-theme="dark"] {
    background-color: #12151e;
    color: #adb5bd;
}

body[data-bs-theme="dark"] .navbar {
    background-color: #1a1d28;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(0, 0, 0, 0.3);
}

body[data-bs-theme="dark"] #sidebar {
    background-color: #1a1d28;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(0, 0, 0, 0.3);
}

body[data-bs-theme="dark"] .sidebar-item {
    color: #adb5bd;
}

body[data-bs-theme="dark"] .sidebar-item:hover,
body[data-bs-theme="dark"] .sidebar-item.active {
    background-color: #12151e;
```

```
            color: var(--brand-color);
        }

        body[data-bs-theme="dark"] .sidebar-item.logout-bottom {
            border-top-color: #2a2d38;
        }

        body[data-bs-theme="dark"] .dropdown-menu {
            background-color: #1a1d28;
        }

        body[data-bs-theme="dark"] .dropdown-item {
            color: #adb5bd;
        }

        body[data-bs-theme="dark"] .dropdown-item:hover {
            background-color: #12151e;
            color: var(--brand-color);
        }

        #sidebar::-webkit-scrollbar {
            width: 5px;
        }

        #sidebar::-webkit-scrollbar-track {
            background: #f1f1f1;
        }

        #sidebar::-webkit-scrollbar-thumb {
            background: #c1c1c1;
            border-radius: 10px;
        }

        #sidebar::-webkit-scrollbar-thumb:hover {
            background: #a8a8a8;
        }
    </style>

    {% block extra_css %}{% endblock %}
</head>
<body>
    <nav class="navbar navbar-expand-lg">
        <div class="container-fluid px-4">
            <button class="btn btn-link text-dark me-3 d-lg-none" id="sidebarToggle">
                <i class="bi bi-list" style="font-size: 1.5rem;"></i>
            </button>

            <a class="navbar-brand" href="{% url 'store_dashboard' %}">
                <i class="bi bi-shop me-2"></i>
                <span>My Book Store</span>
            </a>
<!--
            <div class="d-none d-lg-flex align-items-center ms-4">
                <a href="{% url 'store_dashboard' %}" class="header-nav-item {% if request.resolver_match.url_na
                    <span>Analytics</span>
                </a>
                <a href="{% url 'store_orders' %}" class="header-nav-item {% if request.resolver_match.url_name
                    <span>Orders</span>
                    {% if pending_orders_count %}
                    <span class="badge bg-danger">{{ pending_orders_count }}</span>
```

```
        {% endif %}
    </a>
    <a href="{% url 'customer_profile' %}" class="header-nav-item {% if request.resolver_match.url_na
        <span>Account</span>
    </a>
</div>-->

<div class="d-flex align-items-center ms-auto">
    <div class="me-4 d-none d-md-block">
        <span class="text-muted">Welcome,</span>
        <span class="fw-bold ms-1">{{ account_owner|default:request.user.get_full_name|default:reque
    </div>

    <div class="form-check form-switch me-4">
        <input class="form-check-input" type="checkbox" id="darkModeToggle">
        <label class="form-check-label" for="darkModeToggle">
            <i class="bi bi-moon-fill"></i>
        </label>
    </div>

    <div class="dropdown me-4">
        <a href="#" class="text-dark position-relative" id="notificationDropdown" data-bs-toggle="dropdo
            <i class="bi bi-bell" style="font-size: 1.3rem;"></i>
            <span class="position-absolute top-0 start-100 translate-middle badge rounded-pill bg-dange
                {{ pending_orders_count|default:"0" }}
            </span>
        </a>
        <ul class="dropdown-menu dropdown-menu-end p-3" style="width: 300px;">
            <li><h6 class="dropdown-header">Quick Alerts</h6></li>
            <li>
                <a class="dropdown-item" href="{% url 'store_orders' %}">
                    <i class="bi bi-hourglass-split text-warning me-2"></i>
                    Pending Orders: {{ pending_orders_count|default:"0" }}
                </a>
            </li>
            <li>
                <a class="dropdown-item" href="{% url 'store_wishlist' %}">
                    <i class="bi bi-heart text-danger me-2"></i>
                    Wishlist Items: {{ wishlist_count|default:"0" }}
                </a>
            </li>
        </ul>
    </div>
```

```
            <div class="dropdown">
                <a href="#" class="d-flex align-items-center text-dark text-decoration-none dropdown-toggle" id=
                    <img src="{{ current_avatar_url }}" alt="User" class="nav-user-img me-2">
                    <span class="d-none d-md-inline">{{ current_display_name|default:account_owner|default:re
                </a>
                <ul class="dropdown-menu dropdown-menu-end">
                    <li><a class="dropdown-item" href="{% url 'profile_store_owner' %}"><i class="bi bi-person m
                    <li><hr class="dropdown-divider"></li>
                    <li><a class="dropdown-item" href="{% url 'logout' %}"><i class="bi bi-box-arrow-right me-2">
                </ul>
            </div>

        </div>
    </div>
</nav>

<div id="sidebar">
    <div class="sidebar-heading">Order Management</div>
    <a href="{% url 'store_dashboard' %}" class="sidebar-item {% if request.resolver_match.url_name == 's
        <i class="bi bi-speedometer2"></i>
        <span>Dashboard</span>
    </a>
    <a href="{% url 'store_orders' %}" class="sidebar-item {% if request.resolver_match.url_name == 'store_
        <i class="bi bi-receipt"></i>
        <span>Order Management</span>
        {% if pending_orders_count %}
        <span class="badge bg-danger ms-auto">{{ pending_orders_count }}</span>
        {% endif %}
    </a>
    <a href="{% url 'store_wishlist' %}" class="sidebar-item {% if request.resolver_match.url_name == 'store
        <i class="bi bi-heart"></i>
        <span>Wishlisted Books</span>
        <span class="badge bg-warning ms-auto">{{ wishlist_count|default:"0" }}</span>
    </a>


     <div class="sidebar-heading">Messages Management</div>
<a class="sidebar-item {% if request.resolver_match.url_name == 'store_chat_list' %}active{% endif %}"
```

```
  href="{% url 'store_chat_list' %}">
    <i class="bi bi-chat-dots me-2"></i>
    Customer Chats
    {% if total_unread %}
    <span class="badge bg-danger ms-auto">{{ total_unread }}</span>
    {% endif %}
</a>
<a class="sidebar-item {% if request.resolver_match.url_name == 'support_chat_list' %}active{% endif %}
    <i class="bi bi-headset me-2"></i>
    Support Chats
</a>
<a class="sidebar-item {% if request.resolver_match.url_name == 'issue_report_create' or request.resolve
    <i class="bi bi-flag me-2"></i>
    Report Customer
</a>

    <div class="sidebar-heading">Store Management</div>
    <a href="{% url 'store_registration' %}" class="sidebar-item {% if request.resolver_match.url_name == 's
        <i class="bi bi-shop"></i>
        <span>Register Store</span>
    </a>
    <a href="{% url 'store_registration_view' %}" class="sidebar-item {% if request.resolver_match.url_name
        <i class="bi bi-list-ul"></i>
        <span>View Stores</span>
    </a>

    <div class="sidebar-heading">Book Management</div>
    <a href="{% url 'add_book_registration' %}" class="sidebar-item {% if request.resolver_match.url_name
        <i class="bi bi-plus-circle"></i>
        <span>Add Book</span>
    </a>
    <a href="{% url 'view_inventory' %}" class="sidebar-item {% if request.resolver_match.url_name == 'vie
        <i class="bi bi-archive"></i>
        <span>View Inventory</span>
        <span class="badge bg-success ms-auto">{{ store_metrics.total_books|default:"0" }}</span>
    </a>
    <a href="{% url 'manage_books' %}" class="sidebar-item {% if request.resolver_match.url_name == 'ma
        <i class="bi bi-pencil-square"></i>
        <span>Manage Books</span>
    </a>

    <a href="{% url 'logout' %}" class="sidebar-item logout-bottom">
        <i class="bi bi-box-arrow-right"></i>
        <span>Logout</span>
    </a>
</div>

<div class="main-content">
    {% block content %}{% endblock %}
</div>




<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script>
    const sidebarToggle = document.getElementById('sidebarToggle');
    const darkModeToggle = document.getElementById('darkModeToggle');
    const sidebar = document.getElementById('sidebar');
```

```
        const body = document.body;

        const isDarkMode = localStorage.getItem('darkMode') === 'true';
        if (isDarkMode && darkModeToggle) {
            body.setAttribute('data-bs-theme', 'dark');
            darkModeToggle.checked = true;
        }

        if (sidebarToggle) {
            sidebarToggle.addEventListener('click', () => {
                body.classList.toggle('sidebar-open');
            });
        }

        document.addEventListener('click', (e) => {
            if (
                window.innerWidth <= 768 &&
                body.classList.contains('sidebar-open') &&
                sidebar &&
                !sidebar.contains(e.target) &&
                sidebarToggle &&
                !sidebarToggle.contains(e.target)
            ) {
                body.classList.remove('sidebar-open');
            }
        });

        if (darkModeToggle) {
            darkModeToggle.addEventListener('change', () => {
                if (darkModeToggle.checked) {
                    body.setAttribute('data-bs-theme', 'dark');
                    localStorage.setItem('darkMode', 'true');
                } else {
                    body.setAttribute('data-bs-theme', 'light');
                    localStorage.setItem('darkMode', 'false');
                }
            });
        }
    </script>
    {% block extra_js %}{% endblock %}
</body>
</html>

=== resources\js\Pages\store\Dashboard.html ===
<!DOCTYPE html>
<html lang="en" data-bs-theme="light">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>BookTracker | Store Dashboard</title>
    <!-- Bootstrap 5 CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css" rel="styleshee
    <!-- Bootstrap Icons -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.3/font/bootstrap-icons.css">
    <!-- Google Fonts -->
    <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap
    <style>
        :root {
            --primary-color: #4e73df;
            --primary-dark: #3a56c4;
```

```
    --secondary-color: #858796;
    --success-color: #1cc88a;
    --info-color: #36b9cc;
    --warning-color: #f6c23e;
    --danger-color: #e74a3b;
    --light-color: #f8f9fc;
    --dark-color: #5a5c69;
    --sidebar-width: 250px;
    --sidebar-collapsed-width: 80px;
    --transition-speed: 0.3s;
    --book-color: #4361ee;
    --read-color: #1cc88a;
    --reading-color: #f6c23e;
    --toread-color: #e74a3b;
}

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

body {
    font-family: 'Poppins', sans-serif;
    background-color: #f8f9fc;
    color: #333;
    overflow-x: hidden;
    min-height: 100vh;
    padding-top: 70px;
}

/* Navbar Styling */
.navbar {
    background-color: white;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.15);
    padding: 0.75rem 0;
    position: fixed;
    top: 0;
    right: 0;
    left: 0;
    z-index: 1030;
    transition: all var(--transition-speed) ease;
    height: 70px;
}

.navbar-brand {
    font-weight: 700;
    font-size: 1.5rem;
    color: var(--book-color);
    display: flex;
    align-items: center;
}

.nav-user-img {
    width: 40px;
    height: 40px;
    border-radius: 50%;
    object-fit: cover;
    border: 2px solid #e3e6f0;
}
```

```
/* Sidebar Styling */
#sidebar {
    width: var(--sidebar-width);
    background-color: white;
    color: #858796;
    position: fixed;
    top: 70px;
    left: 0;
    height: calc(100vh - 70px);
    z-index: 1000;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.15);
    transition: all var(--transition-speed) ease;
    overflow-y: auto;
    display: flex;
    flex-direction: column;
}

.sidebar-heading {
    padding: 1.5rem 1rem 0.5rem;
    font-size: 0.8rem;
    text-transform: uppercase;
    color: #b7b9cc;
    font-weight: 700;
    letter-spacing: 0.5px;
}

.sidebar-item {
    padding: 0.75rem 1rem;
    display: flex;
    align-items: center;
    color: #3a3b45;
    text-decoration: none;
    border-left: 3px solid transparent;
    transition: all 0.2s;
    white-space: nowrap;
}

.sidebar-item:hover,
.sidebar-item.active {
    color: var(--book-color);
    background-color: #f8f9fc;
    border-left-color: var(--book-color);
}

.sidebar-item i {
    margin-right: 10px;
    width: 20px;
    text-align: center;
    font-size: 1.1rem;
}

.sidebar-item span {
    transition: opacity var(--transition-speed);
}

/* Logout button in sidebar */
.sidebar-item.logout-btn {
    margin-top: auto;
    border-top: 1px solid #e3e6f0;
```

```
    padding: 0.75rem 1rem;
    display: flex;
    align-items: center;
    color: #3a3b45;
    text-decoration: none;
    border-left: 3px solid transparent;
    transition: all 0.2s;
    white-space: nowrap;
    width: 100%;
    background: none;
    border: none;
    cursor: pointer;
    text-align: left;
}

.sidebar-item.logout-btn:hover {
    color: var(--book-color);
    background-color: #f8f9fc;
    border-left-color: var(--book-color);
}

/* Main Content Area */
#content {
    margin-left: var(--sidebar-width);
    padding: 20px;
    min-height: calc(100vh - 70px);
    transition: all var(--transition-speed) ease;
}

/* Cards */
.dashboard-card {
    border-radius: 10px;
    border: none;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.1);
    transition: all 0.3s;
    overflow: hidden;
    height: 100%;
}

.dashboard-card:hover {
    transform: translateY(-5px);
    box-shadow: 0 0.5rem 2rem 0 rgba(58, 59, 69, 0.2);
}

.card-icon {
    font-size: 2.5rem;
    opacity: 0.8;
}

.border-left-book {
    border-left: 4px solid var(--book-color) !important;
}

.border-left-revenue {
    border-left: 4px solid var(--success-color) !important;
}

.border-left-rental {
    border-left: 4px solid var(--warning-color) !important;
}
```

```
.border-left-delivery {
    border-left: 4px solid var(--danger-color) !important;
}

/* Store Stats Cards */
.store-stat-card {
    border-radius: 8px;
    padding: 15px;
    margin-bottom: 15px;
    background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
    color: white;
    position: relative;
    overflow: hidden;
}

.store-stat-card::before {
    content: '';
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background: rgba(255, 255, 255, 0.1);
}

.store-stat-card.revenue {
    background: linear-gradient(135deg, #f093fb 0%, #f5576c 100%);
}

.store-stat-card.books {
    background: linear-gradient(135deg, #4facfe 0%, #00f2fe 100%);
}

.store-stat-card.rentals {
    background: linear-gradient(135deg, #43e97b 0%, #38f9d7 100%);
}

.store-stat-card.deliveries {
    background: linear-gradient(135deg, #fa709a 0%, #fee140 100%);
}

.store-stat-card.customers {
    background: linear-gradient(135deg, #a8edea 0%, #fed6e3 100%);
    color: #333;
}

.store-stat-card.owner {
    background: linear-gradient(135deg, #3a506b 0%, #1c2541 100%);
}

.store-stat-card.pending {
    background: linear-gradient(135deg, #f6d365 0%, #fda085 100%);
}

.store-stat-card.active {
    background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
}

.store-stat-card.completed {
```

```
    background: linear-gradient(135deg, #2af598 0%, #009efd 100%);
}

.store-stat-card.declined {
    background: linear-gradient(135deg, #ff758c 0%, #ff7eb3 100%);
}

.store-stat-card.today {
    background: linear-gradient(135deg, #4facfe 0%, #00f2fe 100%);
}

.store-stat-card.month {
    background: linear-gradient(135deg, #43e97b 0%, #38f9d7 100%);
}

/* Recent Orders Styling */
.order-card {
    border: 1px solid #e3e6f0;
    border-radius: 8px;
    margin-bottom: 15px;
    padding: 15px;
    transition: all 0.3s;
    background: white;
}

.order-card:hover {
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
    transform: translateY(-2px);
}

.order-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 10px;
    padding-bottom: 10px;
    border-bottom: 1px dashed #e3e6f0;
}

.order-actions {
    display: flex;
    gap: 10px;
    margin-top: 15px;
}

/* Inventory Alerts */
.alert-card {
    border-left: 4px solid #f6c23e;
    background-color: #fff9e6;
    border-radius: 8px;
    padding: 15px;
    margin-bottom: 15px;
}

.alert-card.danger {
    border-left-color: #e74a3b;
    background-color: #ffeaea;
}

/* Quick Actions Grid */
```

```
.quick-actions-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
    gap: 15px;
    margin-top: 20px;
}

.quick-action-btn {
    padding: 20px;
    border-radius: 10px;
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    text-align: center;
    background: white;
    border: 2px solid #e3e6f0;
    transition: all 0.3s;
    cursor: pointer;
}

.quick-action-btn:hover {
    transform: translateY(-5px);
    box-shadow: 0 10px 20px rgba(0, 0, 0, 0.1);
    border-color: var(--book-color);
}

/* Dark Mode Styles */
body[data-bs-theme="dark"] {
    background-color: #12151e;
    color: #adb5bd;
}

body[data-bs-theme="dark"] .navbar {
    background-color: #1a1d28;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(0, 0, 0, 0.3);
}

body[data-bs-theme="dark"] #sidebar {
    background-color: #1a1d28;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(0, 0, 0, 0.3);
}

body[data-bs-theme="dark"] .dashboard-card {
    background-color: #1a1d28;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(0, 0, 0, 0.3);
}

body[data-bs-theme="dark"] .sidebar-item {
    color: #adb5bd;
}

body[data-bs-theme="dark"] .sidebar-item:hover,
body[data-bs-theme="dark"] .sidebar-item.active {
    background-color: #12151e;
    color: var(--book-color);
}

body[data-bs-theme="dark"] .sidebar-item.logout-btn {
    border-top-color: #2a2d38;
```

```
    color: #adb5bd;
}

body[data-bs-theme="dark"] .sidebar-item.logout-btn:hover {
    background-color: #12151e;
    color: var(--book-color);
}

body[data-bs-theme="dark"] .table {
    color: #adb5bd;
}

body[data-bs-theme="dark"] .table-hover tbody tr:hover {
    background-color: rgba(255, 255, 255, 0.05);
}

/* Quick Action Buttons */
.quick-action-btn {
    padding: 15px;
    border-radius: 8px;
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    text-align: center;
    height: 100%;
    transition: all 0.3s;
}

.quick-action-btn:hover {
    transform: translateY(-5px);
}

/* Status Badges */
.badge-read {
    background-color: var(--read-color);
}

.badge-reading {
    background-color: var(--reading-color);
}

.badge-toread {
    background-color: var(--toread-color);
}

/* Activity Timeline */
.timeline {
    position: relative;
    padding-left: 30px;
}

.timeline-item {
    position: relative;
    margin-bottom: 20px;
}

.timeline-marker {
    position: absolute;
    left: -30px;
```

```
    top: 0;
    width: 20px;
    height: 20px;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    color: white;
    font-size: 0.8rem;
}

.timeline-content {
    padding: 10px 15px;
    background-color: rgba(78, 115, 223, 0.05);
    border-radius: 8px;
    border-left: 3px solid var(--book-color);
}

/* Responsive Adjustments */
@media (max-width: 768px) {
    #sidebar {
        transform: translateX(-100%);
        width: 280px;
    }

    #content {
        margin-left: 0;
    }

    .sidebar-open #sidebar {
        transform: translateX(0);
    }

    .sidebar-open::after {
        content: '';
        position: fixed;
        top: 0;
        left: 0;
        right: 0;
        bottom: 0;
        background-color: rgba(0, 0, 0, 0.5);
        z-index: 999;
    }

    .quick-actions-grid {
        grid-template-columns: 1fr;
    }
}

/* Animations */
.fade-in {
    animation: fadeIn 0.5s ease-in-out;
}

@keyframes fadeIn {
    from {
        opacity: 0;
        transform: translateY(20px);
    }
```

```
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

/* Scrollbar Styling */
#sidebar::-webkit-scrollbar {
    width: 5px;
}

#sidebar::-webkit-scrollbar-track {
    background: #f1f1f1;
}

#sidebar::-webkit-scrollbar-thumb {
    background: #c1c1c1;
    border-radius: 10px;
}

#sidebar::-webkit-scrollbar-thumb:hover {
    background: #a8a8a8;
}

body[data-bs-theme="dark"] #sidebar::-webkit-scrollbar-track {
    background: #2a2d38;
}

body[data-bs-theme="dark"] #sidebar::-webkit-scrollbar-thumb {
    background: #4a4d58;
}

body[data-bs-theme="dark"] #sidebar::-webkit-scrollbar-thumb:hover {
    background: #5a5d68;
}

/* Badge Notification */
.notification-badge {
    position: absolute;
    top: -5px;
    right: -5px;
    padding: 0.25em 0.6em;
    font-size: 0.75rem;
}

/* Dropdown Menu */
.dropdown-menu {
    border: none;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.2);
    border-radius: 10px;
}

body[data-bs-theme="dark"] .dropdown-menu {
    background-color: #1a1d28;
}

body[data-bs-theme="dark"] .dropdown-item {
    color: #adb5bd;
}
```

```
body[data-bs-theme="dark"] .dropdown-item:hover {
    background-color: #12151e;
    color: var(--book-color);
}

/* Dropdown Logout Button Styling */
.dropdown-item.logout-btn {
    padding: 0.5rem 1rem;
    color: #212529;
    text-decoration: none;
    display: flex;
    align-items: center;
    width: 100%;
    text-align: left;
    background: none;
    border: none;
    cursor: pointer;
}

.dropdown-item.logout-btn:hover {
    background-color: #f8f9fa;
    color: var(--book-color);
}

body[data-bs-theme="dark"] .dropdown-item.logout-btn {
    color: #adb5bd;
}

body[data-bs-theme="dark"] .dropdown-item.logout-btn:hover {
    background-color: #12151e;
    color: var(--book-color);
}

/* Book Status Colors */
.book-status-read {
    color: var(--read-color);
}

.book-status-reading {
    color: var(--reading-color);
}

.book-status-toread {
    color: var(--toread-color);
}

/* Header Navigation */
.header-nav {
    display: flex;
    align-items: center;
    gap: 20px;
    padding: 10px 0;
    border-bottom: 1px solid #e3e6f0;
    margin-bottom: 20px;
}

.header-nav-item {
    display: flex;
    align-items: center;
    gap: 8px;
```

```
            padding: 8px 16px;
            border-radius: 20px;
            background: #f8f9fc;
            color: #5a5c69;
            text-decoration: none;
            transition: all 0.3s;
            font-weight: 500;
        }

        .header-nav-item:hover {
            background: var(--book-color);
            color: white;
        }

        .header-nav-item.active {
            background: var(--book-color);
            color: white;
        }

        .header-nav-item .badge {
            font-size: 0.7em;
            padding: 2px 6px;
        }
    </style>
</head>

<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg">
        <div class="container-fluid px-4">
            <!-- Sidebar Toggle Button -->
            <button class="btn btn-link text-dark me-3 d-lg-none" id="sidebarToggle">
                <i class="bi bi-list" style="font-size: 1.5rem;"></i>
            </button>

            <!-- Brand -->
            <a class="navbar-brand" href="#">
                <i class="bi bi-shop me-2"></i>
                <span>■ My Book Store</span>
            </a>

            <!-- Navbar Items -->
            <div class="d-flex align-items-center ms-auto">
                <!-- Store Name Display -->
                <div class="me-4 d-none d-md-block">
                    <span class="text-muted">Welcome,</span>
                    <span class="fw-bold ms-1">John Doe</span>
                </div>

                <!-- Dark Mode Toggle -->
                <div class="form-check form-switch me-4">
                    <input class="form-check-input" type="checkbox" id="darkModeToggle">
                    <label class="form-check-label" for="darkModeToggle">
                        <i class="bi bi-moon-fill"></i>
                    </label>
                </div>

                <!-- Notifications -->
                <div class="dropdown me-4">
                    <a href="#" class="text-dark position-relative" id="notificationDropdown" data-bs-toggle="dropdo
```

```
                <i class="bi bi-bell" style="font-size: 1.3rem;"></i>
                <span class="position-absolute top-0 start-100 translate-middle badge rounded-pill bg-dange
                    3
                </span>
            </a>
            <ul class="dropdown-menu dropdown-menu-end p-3" style="width: 300px;">
                <li>
                    <h6 class="dropdown-header">Book Alerts</h6>
                </li>
                <li><a class="dropdown-item" href="#"><i class="bi bi-exclamation-triangle text-warning me-2
                <li><a class="dropdown-item" href="#"><i class="bi bi-clock text-info me-2"></i>5 rentals due
                <li><a class="dropdown-item" href="#"><i class="bi bi-cart-check text-success me-2"></i>Ne
                <li>
                    <hr class="dropdown-divider">
                </li>
                <li><a class="dropdown-item text-center" href="#">View all alerts</a></li>
            </ul>
        </div>

        <!-- User Dropdown -->
<div class="dropdown">
    <a href="#" class="d-flex align-items-center text-dark text-decoration-none dropdown-toggle" id="userDrop
        <img src="https://ui-avatars.com/api/?name=John+Doe&background=4361ee&color=fff&size=128" alt=
        <span class="d-none d-md-inline">John Doe</span>
    </a>
    <ul class="dropdown-menu dropdown-menu-end">
        <!-- ■ FIXED: profile.edit instead of profile -->
        <li>
            <a class="dropdown-item" href="{{ route('profile.edit') }}">
                <i class="bi bi-person me-2"></i>Profile
            </a>
        </li>
        <li><hr class="dropdown-divider"></li>
        <!-- ■ Logout is correct - route name 'logout' exists in auth.php -->
        <li>
            <form method="POST" action="{{ route('logout') }}" class="d-inline w-100">
                @csrf
                <button type="submit" class="dropdown-item logout-btn">
                    <i class="bi bi-box-arrow-right me-2"></i>Logout
                </button>
            </form>
        </li>
    </ul>
</div>
            </div>
        </div>
    </nav>

    <!-- Sidebar -->
    <div id="sidebar">
        <div class="sidebar-heading">Order Management</div>
        <a href="#" class="sidebar-item active">
            <i class="bi bi-speedometer2"></i> <span>Dashboard</span>
        </a>

        <!-- ORDER MANAGEMENT -->
        <a href="#" class="sidebar-item">
            <i class="bi bi-receipt"></i> <span>Order Management</span>
            <span class="badge bg-danger ms-auto">5</span>
        </a>
```

```
        <a href="#" class="sidebar-item">
            <i class="bi bi-heart"></i> <span>Wishlisted Books</span>
            <span class="badge bg-warning ms-auto">3</span>
        </a>

        <div class="sidebar-heading">Messages Management</div>
        <a href="#" class="sidebar-item">
            <i class="bi bi-chat-dots me-2"></i>
            Messages
            <span class="badge bg-danger ms-auto">2</span>
        </a>

        <div class="sidebar-heading">Store Management</div>
        <a href="{{ route('store.registration.create') }}" class="sidebar-item">
            <i class="bi bi-cart"></i> <span>Register Store</span>
        </a>
        <a href="#" class="sidebar-item">
            <i class="bi bi-list"></i> <span>View Stores</span>
        </a>

        <div class="sidebar-heading">Book Management</div>
        <a href="#" class="sidebar-item">
            <i class="bi bi-cart"></i> <span>Add Book</span>
        </a>
        <a href="#" class="sidebar-item">
            <i class="bi bi-people"></i> <span>View Inventory</span>
            <span class="badge bg-success ms-auto">42</span>
        </a>
        <a href="#" class="sidebar-item">
            <i class="bi bi-pencil-square"></i>
            <span>Manage Books</span>
        </a>
  <!-- Logout Button in Sidebar -->
<form method="POST" action="{{ route('logout') }}" class="w-100">
    @csrf
    <button type="submit" class="sidebar-item logout-btn w-100">
        <i class="bi bi-box-arrow-right"></i>
        <span>Logout</span>
    </button>
</form>
    </div>

    <!-- Main Content -->
    <div id="content">
        <div class="container-fluid">
            <div class="d-flex justify-content-between align-items-center mb-4">
                <h1 class="h3 mb-0 text-gray-800">Dashboard</h1>
            </div>

            <!-- Stats Row -->
            <div class="row">
                <div class="col-xl-3 col-md-6 mb-4">
                    <div class="store-stat-card owner h-100">
                        <div class="d-flex justify-content-between align-items-center">
                            <div>
                                <div class="text-white-50 small text-uppercase fw-bold mb-1">Account Owner</div>
                                <div class="h5 mb-0 fw-bold text-white">
                                    John Doe
                                </div>
```

```
            </div>
            <i class="bi bi-person-badge card-icon text-white-50"></i>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="store-stat-card pending h-100">
        <div class="d-flex justify-content-between align-items-center">
            <div>
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Pending Approval</div>
                <div class="h5 mb-0 fw-bold text-white">
                    8
                </div>
            </div>
            <i class="bi bi-hourglass-split card-icon text-white-50"></i>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="store-stat-card active h-100">
        <div class="d-flex justify-content-between align-items-center">
            <div>
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Active Orders</div>
                <div class="h5 mb-0 fw-bold text-white">12</div>
            </div>
            <i class="bi bi-gear card-icon text-white-50"></i>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="store-stat-card completed h-100">
        <div class="d-flex justify-content-between align-items-center">
            <div>
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Completed</div>
                <div class="h5 mb-0 fw-bold text-white">45</div>
            </div>
            <i class="bi bi-check-circle card-icon text-white-50"></i>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="store-stat-card declined h-100">
        <div class="d-flex justify-content-between align-items-center">
            <div>
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Declined</div>
                <div class="h5 mb-0 fw-bold text-white">3</div>
            </div>
            <i class="bi bi-x-circle card-icon text-white-50"></i>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="store-stat-card today h-100">
        <div class="d-flex justify-content-between align-items-center">
            <div>
```

```
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Today's Revenue</div>
                <div class="h5 mb-0 fw-bold text-white">
                    $1,245.50
                </div>
            </div>
            <i class="bi bi-cash-stack card-icon text-white-50"></i>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="store-stat-card month h-100">
        <div class="d-flex justify-content-between align-items-center">
            <div>
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Monthly Revenue</div>
                <div class="h5 mb-0 fw-bold text-white">
                    $15,780.25
                </div>
            </div>
            <i class="bi bi-calendar-range card-icon text-white-50"></i>
        </div>
    </div>
</div>
</div>

<!-- Recent Orders -->
<div class="row">
    <div class="col-12">
        <div class="card shadow mb-4">
            <div class="card-header py-3 d-flex flex-row align-items-center justify-content-between">
                <h6 class="m-0 fw-bold text-primary">Recent Orders</h6>
                <div class="dropdown no-arrow">
                    <a href="#" class="btn btn-sm btn-primary">View All</a>
                </div>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table class="table table-hover align-middle">
                        <thead>
                            <tr>
                                <th>Order ID</th>
                                <th>Customer</th>
                                <th>Date</th>
                                <th>Amount</th>
                                <th>Status</th>
                            </tr>
                        </thead>
                        <tbody>
                            <tr>
                                <td>#1001</td>
                                <td>Alice Johnson</td>
                                <td>Mar 10, 2026</td>
                                <td>$89.99</td>
                                <td>
                                    <span class="badge bg-warning">
                                        Pending
                                    </span>
                                </td>
                            </tr>
                            <tr>
```

```
                                <td>#1002</td>
                                <td>Bob Smith</td>
                                <td>Mar 10, 2026</td>
                                <td>$45.50</td>
                                <td>
                                    <span class="badge bg-success">
                                        Completed
                                    </span>
                                </td>
                            </tr>
                            <tr>
                                <td>#1003</td>
                                <td>Carol Davis</td>
                                <td>Mar 9, 2026</td>
                                <td>$120.00</td>
                                <td>
                                    <span class="badge bg-success">
                                        Completed
                                    </span>
                                </td>
                            </tr>
                            <tr>
                                <td>#1004</td>
                                <td>David Wilson</td>
                                <td>Mar 9, 2026</td>
                                <td>$34.95</td>
                                <td>
                                    <span class="badge bg-secondary">
                                        Processing
                                    </span>
                                </td>
                            </tr>
                            <tr>
                                <td>#1005</td>
                                <td>Emma Brown</td>
                                <td>Mar 8, 2026</td>
                                <td>$67.30</td>
                                <td>
                                    <span class="badge bg-success">
                                        Completed
                                    </span>
                                </td>
                            </tr>
                        </tbody>
                    </table>
                </div>
            </div>
        </div>
    </div>
</div>

<!-- Bootstrap JS Bundle with Popper -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/js/bootstrap.bundle.min.js"></script>

<script>
    // DOM Elements
    const sidebarToggle = document.getElementById('sidebarToggle');
    const darkModeToggle = document.getElementById('darkModeToggle');
```

```
const sidebar = document.getElementById('sidebar');
const body = document.body;

// Check for saved dark mode preference
const isDarkMode = localStorage.getItem('darkMode') === 'true';

// Apply dark mode if previously enabled
if (isDarkMode) {
    body.setAttribute('data-bs-theme', 'dark');
    darkModeToggle.checked = true;
}

// Toggle Sidebar on Mobile
sidebarToggle.addEventListener('click', () => {
    body.classList.toggle('sidebar-open');
});

// Close sidebar when clicking outside on mobile
document.addEventListener('click', (e) => {
    if (window.innerWidth <= 768 &&
        body.classList.contains('sidebar-open') &&
        !sidebar.contains(e.target) &&
        !sidebarToggle.contains(e.target)) {
        body.classList.remove('sidebar-open');
    }
});

// Toggle Dark Mode
darkModeToggle.addEventListener('change', () => {
    if (darkModeToggle.checked) {
        body.setAttribute('data-bs-theme', 'dark');
        localStorage.setItem('darkMode', 'true');
    } else {
        body.setAttribute('data-bs-theme', 'light');
        localStorage.setItem('darkMode', 'false');
    }
});

// Sidebar Navigation
document.querySelectorAll('.sidebar-item').forEach(item => {
    item.addEventListener('click', function(e) {
        // Don't trigger active state for logout button
        if (this.classList.contains('logout-btn')) return;

        document.querySelectorAll('.sidebar-item').forEach(el => {
            el.classList.remove('active');
        });
        this.classList.add('active');

        if (window.innerWidth <= 768) {
            body.classList.remove('sidebar-open');
        }
    });
});

// Initialize tooltips
document.addEventListener('DOMContentLoaded', function() {
    var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'));
    var tooltipList = tooltipTriggerList.map(function(tooltipTriggerEl) {
        return new bootstrap.Tooltip(tooltipTriggerEl);
```

```
            });
        });
    </script>
</body>
</html>

=== resources\js\Pages\store\registration_store.html ===
{% extends 'store/base.html' %}
{% load static %}

{% block title %}Register Your Book Store - BookHub Ethiopia{% endblock %}

{% block extra_css %}
<style>
    :root {
        --primary-blue: #1e40af;
        --secondary-blue: #3b82f6;
        --light-blue: #dbeafe;
        --accent-blue: #60a5fa;
        --dark-blue: #1e3a8a;
        --success-green: #10b981;
        --warning-orange: #f59e0b;
        --error-red: #ef4444;
        --gray-50: #f8fafc;
        --gray-100: #f1f5f9;
        --gray-200: #e2e8f0;
        --gray-300: #cbd5e1;
        --gray-600: #475569;
        --gray-700: #334155;
        --shadow-sm: 0 1px 3px rgba(0,0,0,0.12);
        --shadow-md: 0 4px 6px rgba(0,0,0,0.1);
        --shadow-lg: 0 10px 25px rgba(0,0,0,0.15);
        --shadow-xl: 0 20px 40px rgba(0,0,0,0.2);
    }

    body {
        font-family: 'Inter', -apple-system, BlinkMacSystemFont, sans-serif;
    }

    .registration-container {
        background: linear-gradient(135deg, var(--primary-blue) 0%, var(--dark-blue) 100%);
        min-height: 100vh;
        padding: 30px 0;
        position: relative;
        overflow-x: hidden;
    }

    .registration-container::before {
        content: '';
        position: absolute;
        top: 0;
        left: 0;
        right: 0;
        bottom: 0;
        background:
            radial-gradient(circle at 20% 80%, rgba(255,255,255,0.1) 0%, transparent 50%),
            radial-gradient(circle at 80% 20%, rgba(255,255,255,0.05) 0%, transparent 50%);
        pointer-events: none;
    }
```

```
.registration-card {
    background: white;
    border-radius: 24px;
    box-shadow: var(--shadow-xl);
    overflow: hidden;
    position: relative;
    z-index: 1;
    margin: 20px 0;
}

.registration-header {
    background: linear-gradient(135deg, var(--primary-blue), var(--secondary-blue));
    color: white;
    padding: 40px 30px;
    text-align: center;
    position: relative;
}

.registration-header::after {
    content: '';
    position: absolute;
    bottom: 0;
    left: 0;
    right: 0;
    height: 4px;
    background: linear-gradient(to right, var(--success-green), var(--accent-blue));
}

.ethiopia-flag {
    font-size: 64px;
    margin-bottom: 20px;
    display: inline-block;
    filter: drop-shadow(0 4px 8px rgba(0,0,0,0.2));
    animation: float 3s ease-in-out infinite;
}

@keyframes float {
    0%, 100% { transform: translateY(0) rotate(0deg); }
    50% { transform: translateY(-10px) rotate(2deg); }
}

.header-title {
    font-size: 2.5rem;
    font-weight: 800;
    margin-bottom: 10px;
    background: linear-gradient(to right, #ffffff, var(--light-blue));
    -webkit-background-clip: text;
    background-clip: text;
    -webkit-text-fill-color: transparent;
    text-shadow: 0 2px 4px rgba(0,0,0,0.1);
}

.header-subtitle {
    font-size: 1.1rem;
    opacity: 0.9;
    max-width: 600px;
    margin: 0 auto;
    line-height: 1.6;
}
```

```
/* Progress Steps */
.progress-container {
    padding: 30px;
    background: var(--gray-50);
    border-bottom: 1px solid var(--gray-200);
}

.steps {
    display: flex;
    justify-content: space-between;
    position: relative;
    margin: 0 40px;
}

.steps::before {
    content: '';
    position: absolute;
    top: 50%;
    left: 40px;
    right: 40px;
    height: 3px;
    background: var(--gray-300);
    transform: translateY(-50%);
    z-index: 1;
}

.step {
    display: flex;
    flex-direction: column;
    align-items: center;
    position: relative;
    z-index: 2;
}

.step-circle {
    width: 60px;
    height: 60px;
    background: white;
    border: 3px solid var(--gray-300);
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    font-weight: 700;
    font-size: 20px;
    color: var(--gray-600);
    margin-bottom: 12px;
    transition: all 0.4s cubic-bezier(0.4, 0, 0.2, 1);
    box-shadow: var(--shadow-sm);
}

.step.active .step-circle {
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    color: white;
    border-color: var(--secondary-blue);
    transform: scale(1.1);
    box-shadow: 0 8px 20px rgba(37, 99, 235, 0.3);
}

.step.completed .step-circle {
```

```
    background: linear-gradient(135deg, var(--success-green), #34d399);
    color: white;
    border-color: var(--success-green);
}

.step.completed .step-circle::after {
    content: '✓';
    font-size: 24px;
}

.step-label {
    font-size: 14px;
    font-weight: 600;
    color: var(--gray-600);
    text-align: center;
    max-width: 120px;
    line-height: 1.4;
}

.step.active .step-label {
    color: var(--primary-blue);
    transform: translateY(2px);
}

/* Form Sections */
.form-section {
    padding: 40px;
    display: none;
    animation: fadeInUp 0.5s ease-out;
}

@keyframes fadeInUp {
    from {
        opacity: 0;
        transform: translateY(20px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

.form-section.active {
    display: block;
}

.section-header {
    display: flex;
    align-items: flex-start;
    gap: 20px;
    margin-bottom: 40px;
    padding-bottom: 20px;
    border-bottom: 2px solid var(--gray-200);
}

.section-icon {
    width: 70px;
    height: 70px;
    background: linear-gradient(135deg, var(--light-blue), #bfdbfe);
    border-radius: 18px;
```

```
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 32px;
    color: var(--primary-blue);
    flex-shrink: 0;
}

.section-content {
    flex: 1;
}

.section-title {
    font-size: 2rem;
    font-weight: 700;
    color: var(--gray-700);
    margin: 0 0 8px 0;
    line-height: 1.2;
}

.section-subtitle {
    color: var(--gray-600);
    font-size: 1.1rem;
    line-height: 1.6;
    margin: 0;
}

/* Form Elements */
.form-group {
    margin-bottom: 32px;
    position: relative;
}

.form-label {
    display: flex;
    align-items: center;
    gap: 8px;
    font-weight: 600;
    color: var(--gray-700);
    margin-bottom: 12px;
    font-size: 15px;
}

.form-label i {
    color: var(--secondary-blue);
    font-size: 18px;
}

.required-field::after {
    content: "*";
    color: var(--error-red);
    margin-left: 4px;
}

.form-control, .form-select {
    width: 100%;
    padding: 16px 20px;
    font-size: 16px;
    line-height: 1.5;
    color: var(--gray-700);
```

```
    background-color: white;
    border: 2px solid var(--gray-300);
    border-radius: 12px;
    transition: all 0.3s ease;
    font-family: inherit;
}

.form-control:focus, .form-select:focus {
    outline: none;
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
    transform: translateY(-1px);
}

.form-control.is-invalid {
    border-color: var(--error-red);
    background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='24' he
    background-repeat: no-repeat;
    background-position: right 16px center;
    background-size: 20px;
    padding-right: 48px;
}

.form-control.is-valid {
    border-color: var(--success-green);
    background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='24' he
    background-repeat: no-repeat;
    background-position: right 16px center;
    background-size: 20px;
    padding-right: 48px;
}

.input-with-icon {
    position: relative;
}

.input-icon {
    position: absolute;
    left: 20px;
    top: 50%;
    transform: translateY(-50%);
    color: var(--gray-600);
    font-size: 20px;
    z-index: 1;
}

.input-with-icon .form-control {
    padding-left: 56px;
}

/* Error Messages */
.error-message {
    display: none;
    align-items: center;
    gap: 8px;
    color: var(--error-red);
    font-size: 14px;
    margin-top: 8px;
    padding: 8px 12px;
    background: #fef2f2;
```

```
    border-radius: 8px;
    border-left: 4px solid var(--error-red);
}

.error-message.show {
    display: flex;
    animation: slideIn 0.3s ease;
}

@keyframes slideIn {
    from {
        opacity: 0;
        transform: translateX(-10px);
    }
    to {
        opacity: 1;
        transform: translateX(0);
    }
}

.error-message i {
    flex-shrink: 0;
}

/* Phone Input */
.phone-input-group {
    display: flex;
    gap: 16px;
    align-items: stretch;
}

.country-code-select {
    flex: 0 0 180px;
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    border: 2px solid var(--gray-300);
    border-radius: 12px;
    padding: 16px;
    font-weight: 600;
    color: var(--gray-700);
    font-size: 16px;
    transition: all 0.3s;
}

.country-code-select:focus {
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
}

.ethiopian-flag {
    display: inline-flex;
    align-items: center;
    gap: 10px;
    padding: 6px 16px;
    background: linear-gradient(135deg, #da1212, #f8d210, #078930);
    color: white;
    border-radius: 24px;
    font-weight: 600;
    font-size: 15px;
    box-shadow: var(--shadow-sm);
}
```

```
/* Service Cards */
.service-cards-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
    gap: 24px;
    margin-bottom: 40px;
}

.service-card {
    background: white;
    border: 2px solid var(--gray-200);
    border-radius: 18px;
    padding: 28px 24px;
    text-align: center;
    cursor: pointer;
    transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
    position: relative;
    overflow: hidden;
}

.service-card::before {
    content: '';
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    height: 4px;
    background: linear-gradient(to right, var(--secondary-blue), var(--primary-blue));
    transform: scaleX(0);
    transition: transform 0.3s;
}

.service-card:hover {
    border-color: var(--secondary-blue);
    transform: translateY(-6px);
    box-shadow: var(--shadow-lg);
}

.service-card:hover::before {
    transform: scaleX(1);
}

.service-card.active {
    border-color: var(--secondary-blue);
    background: linear-gradient(135deg, #f0f9ff, #e0f2fe);
    transform: translateY(-4px);
    box-shadow: 0 12px 24px rgba(59, 130, 246, 0.15);
}

.service-card.active::before {
    transform: scaleX(1);
}

.service-icon {
    font-size: 56px;
    margin-bottom: 20px;
    display: block;
    transition: all 0.3s;
}
```

```
.service-card.active .service-icon {
    transform: scale(1.1);
}

.service-title {
    font-size: 20px;
    font-weight: 700;
    color: var(--gray-700);
    margin-bottom: 10px;
}

.service-description {
    color: var(--gray-600);
    font-size: 15px;
    line-height: 1.5;
    margin: 0;
}

/* Store Hours Card */
.store-hours-card {
    background: white;
    border-radius: 18px;
    border: 2px solid var(--gray-200);
    padding: 32px;
    margin-bottom: 40px;
    transition: all 0.3s;
}

.store-hours-card:hover {
    border-color: var(--secondary-blue);
    box-shadow: var(--shadow-md);
}

.store-hours-table {
    width: 100%;
    border-collapse: separate;
    border-spacing: 0;
}

.store-hours-table th {
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    padding: 18px 20px;
    text-align: left;
    font-weight: 600;
    color: var(--gray-700);
    border-bottom: 2px solid var(--gray-200);
    font-size: 15px;
}

.store-hours-table td {
    padding: 20px;
    border-bottom: 1px solid var(--gray-100);
    transition: background-color 0.2s;
}

.store-hours-table tr:hover td {
    background: var(--gray-50);
}
```

```
/* Terms Card */
.terms-card {
    background: linear-gradient(135deg, var(--gray-50), var(--gray-100));
    border-radius: 18px;
    padding: 32px;
    margin-bottom: 32px;
    border: 2px solid var(--gray-200);
}

.terms-header {
    display: flex;
    align-items: center;
    gap: 20px;
    margin-bottom: 24px;
}

.terms-icon {
    width: 60px;
    height: 60px;
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    border-radius: 14px;
    display: flex;
    align-items: center;
    justify-content: center;
    color: white;
    font-size: 28px;
    flex-shrink: 0;
}

.terms-content {
    max-height: 300px;
    overflow-y: auto;
    padding-right: 16px;
}

.terms-content::-webkit-scrollbar {
    width: 8px;
}

.terms-content::-webkit-scrollbar-track {
    background: var(--gray-100);
    border-radius: 4px;
}

.terms-content::-webkit-scrollbar-thumb {
    background: var(--gray-300);
    border-radius: 4px;
}

.terms-content::-webkit-scrollbar-thumb:hover {
    background: var(--gray-400);
}

/* Currency Input */
.currency-input-group {
    display: flex;
    border-radius: 12px;
    overflow: hidden;
    border: 2px solid var(--gray-300);
    transition: all 0.3s;
```

```
}

.currency-input-group:focus-within {
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
}

.currency-symbol {
    padding: 0 24px;
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    color: var(--gray-700);
    font-weight: 600;
    font-size: 20px;
    display: flex;
    align-items: center;
    justify-content: center;
    min-width: 80px;
    border-right: 2px solid var(--gray-300);
}

.et-birr {
    color: var(--primary-blue);
    font-weight: 700;
}

.currency-input-group .form-control {
    border: none;
    box-shadow: none;
    border-radius: 0;
}

/* Navigation Buttons */
.navigation-buttons {
    display: flex;
    justify-content: space-between;
    padding: 32px;
    background: var(--gray-50);
    border-top: 1px solid var(--gray-200);
    gap: 16px;
}

.btn {
    padding: 18px 40px;
    font-size: 16px;
    font-weight: 600;
    border-radius: 12px;
    border: none;
    cursor: pointer;
    transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
    display: inline-flex;
    align-items: center;
    justify-content: center;
    gap: 12px;
    font-family: inherit;
    min-width: 160px;
}

.btn-primary {
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    color: white;
```

```
    box-shadow: 0 8px 20px rgba(37, 99, 235, 0.2);
}

.btn-primary:hover {
    transform: translateY(-3px);
    box-shadow: 0 15px 30px rgba(37, 99, 235, 0.3);
}

.btn-primary:active {
    transform: translateY(-1px);
}

.btn-secondary {
    background: white;
    color: var(--gray-600);
    border: 2px solid var(--gray-300);
}

.btn-secondary:hover {
    border-color: var(--secondary-blue);
    color: var(--secondary-blue);
    background: var(--gray-50);
    transform: translateY(-2px);
    box-shadow: var(--shadow-sm);
}

.btn i {
    font-size: 20px;
}

/* Success Badge */
.success-badge {
    display: inline-flex;
    align-items: center;
    gap: 10px;
    padding: 10px 20px;
    background: linear-gradient(135deg, var(--success-green), #34d399);
    color: white;
    border-radius: 24px;
    font-weight: 600;
    font-size: 15px;
    margin-left: 16px;
    box-shadow: var(--shadow-sm);
}

/* Info Card */
.info-card {
    background: linear-gradient(135deg, #e0f2fe, #bae6fd);
    border: 2px solid #7dd3fc;
    border-radius: 18px;
    padding: 28px;
    margin-bottom: 32px;
}

.info-card-header {
    display: flex;
    align-items: center;
    gap: 16px;
    margin-bottom: 16px;
}
```

```
.info-card-icon {
    color: #0369a1;
    font-size: 32px;
}

/* Responsive Design */
@media (max-width: 768px) {
    .registration-header {
        padding: 30px 20px;
    }

    .header-title {
        font-size: 2rem;
    }

    .steps {
        margin: 0 20px;
    }

    .steps::before {
        left: 20px;
        right: 20px;
    }

    .step-circle {
        width: 50px;
        height: 50px;
        font-size: 18px;
    }

    .form-section {
        padding: 30px 20px;
    }

    .section-header {
        flex-direction: column;
        gap: 16px;
    }

    .section-icon {
        width: 60px;
        height: 60px;
        font-size: 28px;
    }

    .service-cards-grid {
        grid-template-columns: 1fr;
    }

    .phone-input-group {
        flex-direction: column;
        gap: 12px;
    }

    .country-code-select {
        flex: 0 0 auto;
    }

    .navigation-buttons {
```

```
            padding: 24px 20px;
            flex-direction: column;
        }

        .btn {
            width: 100%;
            min-width: auto;
        }
    }

    @media (max-width: 480px) {
        .store-hours-table {
            display: block;
            overflow-x: auto;
        }

        .section-title {
            font-size: 1.8rem;
        }

        .registration-card {
            margin: 10px;
        }
    }

    /* Helper Text */
    .helper-text {
        display: block;
        color: var(--gray-600);
        font-size: 14px;
        margin-top: 8px;
        line-height: 1.5;
    }

    /* Loading State */
    .btn.loading {
        position: relative;
        color: transparent;
    }

    .btn.loading::after {
        content: '';
        position: absolute;
        width: 24px;
        height: 24px;
        border: 3px solid rgba(255, 255, 255, 0.3);
        border-top-color: white;
        border-radius: 50%;
        animation: spin 1s linear infinite;
    }

    @keyframes spin {
        to { transform: rotate(360deg); }
    }
</style>
{% endblock %}

{% block content %}
<div class="registration-container">
    <div class="container">
```

```
<div class="row justify-content-center">
    <div class="col-12">
        <div class="registration-card">

            <!-- Header -->
            <div class="registration-header">

                <h1 class="header-title">Open Your Book Store</h1>
                <p class="header-subtitle">Join Ethiopia's premier book sharing platform and connect with re
            </div>

            <!-- Progress Steps -->
            <div class="progress-container">
                <div class="steps">
                    <div class="step active" data-step="1">
                        <div class="step-circle">1</div>
                        <span class="step-label">Store Details</span>
                    </div>
                    <div class="step" data-step="2">
                        <div class="step-circle">2</div>
                        <span class="step-label">Services</span>
                    </div>
                    <div class="step" data-step="3">
                        <div class="step-circle">3</div>
                        <span class="step-label">Policies</span>
                    </div>
                    <div class="step" data-step="4">
                        <div class="step-circle">4</div>
                        <span class="step-label">Account</span>
                    </div>
                </div>
            </div>

            <!-- Registration Form -->
            <form method="POST" action="{% url 'store_registration' %}" id="storeRegistrationForm" encityp
                {% csrf_token %}

                <!-- Step 1: Store & Owner Information -->
                <div class="form-section active" id="step1">
                    <div class="section-header">
                        <div class="section-icon">
                            <i class="bi bi-shop"></i>
                        </div>
                        <div class="section-content">
                            <h2 class="section-title">Store Information</h2>
                            <p class="section-subtitle">Tell us about your bookstore and contact details</p>
                        </div>
                    </div>

                    <!-- Store Name -->
                    <div class="form-group">
                        <label for="store_name" class="form-label required-field">
                            <i class="bi bi-building"></i>
                            Store Name
                        </label>
                        <div class="input-with-icon">
                            <i class="bi bi-shop input-icon"></i>
                            <input type="text"
                                   class="form-control"
                                   id="store_name"
```

```
                name="store_name"
                placeholder="e.g., Addis Book House"
                required>
        </div>
        <span class="helper-text">Choose a memorable name for your bookstore</span>
        <div class="error-message" id="store_name_error">
            <i class="bi bi-exclamation-circle"></i>
            <span></span>
        </div>
    </div>

    <div class="row">
        <div class="col-md-6">
            <div class="form-group">
                <label for="owner_name" class="form-label required-field">
                    <i class="bi bi-person"></i>
                    Owner Full Name
                </label>
                <div class="input-with-icon">
                    <i class="bi bi-person input-icon"></i>
                    <input type="text"
                           class="form-control"
                           id="owner_name"
                           name="owner_full_name"
                           placeholder="e.g., Selamawit Abebe"
                           required>
                </div>
                <div class="error-message" id="owner_name_error">
                    <i class="bi bi-exclamation-circle"></i>
                    <span></span>
                </div>
            </div>
        </div>

        <div class="col-md-6">
            <div class="form-group">
                <label for="email" class="form-label required-field">
                    <i class="bi bi-envelope"></i>
                    Email Address
                </label>
                <div class="input-with-icon">
                    <i class="bi bi-envelope input-icon"></i>
                    <input type="email"
                           class="form-control"
                           id="email"
                           name="email"
                           placeholder="contact@yourbookstore.com"
                           required>
                </div>
                <div class="error-message" id="email_error">
                    <i class="bi bi-exclamation-circle"></i>
                    <span></span>
                </div>
            </div>
        </div>
    </div>

    <!-- Phone Number -->
    <div class="form-group">
        <label for="phone" class="form-label required-field">
```

```
            <i class="bi bi-phone"></i>
            Phone Number
        </label>
        <div class="phone-input-group">
            <select class="form-select country-code-select" name="country_code" id="country_co
                <option value="+251" selected>
                    <span class="ethiopian-flag">
                        ■■ +251
                    </span>
                </option>
                <option value="+1">■■ +1 (USA)</option>
                <option value="+44">■■ +44 (UK)</option>
                <option value="+91">■■ +91 (India)</option>
            </select>
            <div class="input-with-icon" style="flex: 1;">
                <i class="bi bi-phone input-icon"></i>
                <input type="tel"
                       class="form-control"
                       id="phone"
                       name="phone"
                       pattern="[0-9]{9}"
                       placeholder="911223344"
                       required
                       oninput="formatEthiopianPhone(this)">
            </div>
        </div>
        <span class="helper-text">Enter your 9-digit Ethiopian mobile number</span>
        <div class="error-message" id="phone_error">
            <i class="bi bi-exclamation-circle"></i>
            <span></span>
        </div>
    </div>

    <!-- Store Type -->
    <div class="form-group">
        <label for="store_type" class="form-label required-field">
            <i class="bi bi-tag"></i>
            Store Type
        </label>
        <select class="form-select" id="store_type" name="store_type" required>
            <option value="">Select your store type</option>
            <option value="bookstore">■ Traditional Book Store</option>
            <option value="library">■■ Library & Reading Space</option>
            <option value="coffee_shop">■ Coffee Shop with Books</option>
            <option value="educational">■ Educational & Textbook Store</option>
            <option value="online_only">■ Online Book Store</option>
            <option value="home_based">■ Home-based Book Business</option>
            <option value="religious">■ Religious Book Store</option>
            <option value="children">■ Children's Book Store</option>
        </select>
        <div class="error-message" id="store_type_error">
            <i class="bi bi-exclamation-circle"></i>
            <span></span>
        </div>
    </div>

    <!-- Location -->
    <div class="info-card">
        <div class="info-card-header">
            <i class="bi bi-geo-alt-fill info-card-icon"></i>
```

```
            <h5 class="mb-0" style="color: #0369a1;">Store Location</h5>
        </div>

        <div class="row">
            <div class="col-md-6">
                <div class="form-group">
                    <label for="city" class="form-label required-field">City</label>
                    <select class="form-select" id="city" name="city" required>
                        <option value="">Select your city</option>
                        <option value="addis_ababa">Addis Ababa (■■■ ■■■)</option>
                        <option value="dire_dawa">Dire Dawa (■■ ■■)</option>
                        <option value="bahir_dar">Bahir Dar (■■■ ■■)</option>
                        <option value="mekele">Mekele (■■■)</option>
                        <option value="hawassa">Hawassa (■■■)</option>
                        <option value="gondar">Gondar (■■■■)</option>
                        <option value="jimma">Jimma (■■)</option>
                        <option value="desse">Dessie (■■)</option>
                        <option value="harar">Harar (■■■)</option>
                        <option value="adama">Adama (■■■)</option>
                        <option value="jijiga">Jijiga (■■■)</option>
                        <option value="shashamane">Shashamane (■■■■)</option>
                        <option value="arba_minch">Arba Minch (■■■ ■■■)</option>
                        <option value="other">Other City</option>
                    </select>
                    <div class="error-message" id="city_error">
                        <i class="bi bi-exclamation-circle"></i>
                        <span></span>
                    </div>
                </div>
            </div>

            <div class="col-md-6">
                <div class="form-group">
                    <label for="subcity" class="form-label">Subcity / Woreda</label>
                    <input type="text"
                           class="form-control"
                           id="subcity"
                           name="subcity"
                           placeholder="e.g., Bole, Kirkos, Piazza">
                </div>
            </div>
        </div>

        <div class="form-group">
            <label for="address" class="form-label required-field">Street Address</label>
            <input type="text"
                   class="form-control"
                   id="address"
                   name="address"
                   placeholder="e.g., Bole Road, Near Edna Mall"
                   required>
            <div class="error-message" id="address_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>

    <!-- Store Description -->
    <div class="form-group">
```

```
        <label for="store_description" class="form-label">
            <i class="bi bi-card-text"></i>
            Store Description (Optional)
        </label>
        <textarea class="form-control"
                  id="store_description"
                  name="store_description"
                  rows="4"
                  placeholder="Describe your store in English or Amharic..."></textarea>
        <span class="helper-text">Tell customers what makes your bookstore special</span>
    </div>
</div>



<!-- Step 2: Services & Hours -->
<div class="form-section" id="step2">
    <div class="section-header">
        <div class="section-icon">
            <i class="bi bi-gear"></i>
        </div>
        <div class="section-content">
            <h2 class="section-title">Services & Business Hours</h2>
            <p class="section-subtitle">Choose services you offer and set your operating hours</
        </div>
    </div>

    <!-- Services Offered -->
    <div class="mb-5">
        <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Services Offered</h5
        <div class="service-cards-grid">
            <div class="service-card active" data-service="rental">
                <div class="service-icon">■</div>
                <h5 class="service-title">Book Rentals</h5>
                <p class="service-description">■■■■ ■■■■■</p>
                <input type="checkbox" name="offers_rental" class="d-none" checked>
            </div>
            <div class="service-card active" data-service="sale">
```

```
                <div class="service-icon">■</div>
                <h5 class="service-title">Book Sales</h5>
                <p class="service-description">■■■■■ ■■■</p>
                <input type="checkbox" name="offers_sale" class="d-none" checked>
            </div>
            <div class="service-card active" data-service="delivery">
                <div class="service-icon">■</div>
                <h5 class="service-title">Home Delivery</h5>
                <p class="service-description">■■ ■■ ■■■■■</p>
                <input type="checkbox" name="offers_delivery" class="d-none" checked>
            </div>
        </div>
    </div>

    <!-- Delivery Settings -->
    <div class="store-hours-card">
        <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Delivery Settings</h5
        <div class="row">
            <div class="col-md-6">
                <div class="form-group">
                    <label for="delivery_radius" class="form-label">Delivery Radius</label>
                    <div class="input-group">
                        <input type="number"
                               class="form-control"
                               id="delivery_radius"
                               name="delivery_radius"
                               min="1"
                               max="50"
                               value="10">
                        <span class="input-group-text">km</span>
                    </div>
                    <span class="helper-text">Kilometers from your store</span>
                </div>
            </div>
            <div class="col-md-6">
                <div class="form-group">
                    <label for="delivery_fee" class="form-label">Delivery Fee</label>
                    <div class="currency-input-group">
                        <span class="currency-symbol">
                            <span class="et-birr">■■</span>
                        </span>
                        <input type="number"
                               class="form-control"
                               id="delivery_fee"
                               name="delivery_fee"
                               min="0"
                               step="10"
                               value="50">
                    </div>
                    <span class="helper-text">Fee in Ethiopian Birr</span>
                </div>
            </div>
        </div>

        <div class="form-group mt-4">
            <label class="form-label">Delivery Methods</label>
            <div class="row">
                <div class="col-md-4">
                    <div class="form-check mb-3">
                        <input class="form-check-input"
```

```
                    type="checkbox"
                    id="delivery_bike"
                    name="delivery_methods"
                    value="bike"
                    checked>
                <label class="form-check-label" for="delivery_bike">
                  ■ Bike Delivery
                </label>
              </div>
            </div>
            <div class="col-md-4">
              <div class="form-check mb-3">
                <input class="form-check-input"
                    type="checkbox"
                    id="delivery_car"
                    name="delivery_methods"
                    value="car">
                <label class="form-check-label" for="delivery_car">
                  ■ Car Delivery
                </label>
              </div>
            </div>
            <div class="col-md-4">
              <div class="form-check mb-3">
                <input class="form-check-input"
                    type="checkbox"
                    id="delivery_pickup"
                    name="delivery_methods"
                    value="pickup"
                    checked>
                <label class="form-check-label" for="delivery_pickup">
                  ■ Store Pickup
                </label>
              </div>
            </div>
          </div>
        </div>
      </div>

      <!-- Business Hours -->
      <div class="store-hours-card">
        <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Business Hours (Eth
        <div class="table-responsive">
          <table class="store-hours-table">
            <thead>
              <tr>
                <th>Day</th>
                <th>Open</th>
                <th>Opening Time</th>
                <th>Closing Time</th>
                <th>Closed</th>
              </tr>
            </thead>
            <tbody>
              <tr>
                <td><strong>Monday</strong></td>
                <td>
                  <div class="form-check form-switch">
                    <input class="form-check-input"
                        type="checkbox"
```

```
                    name="open_monday"
                    id="open_monday" checked>
            </div>
        </td>
        <td>
            <input type="time"
                class="form-control"
                name="open_time_monday"
                value="08:30">
        </td>
        <td>
            <input type="time"
                class="form-control"
                name="close_time_monday"
                value="20:30">
        </td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                    type="checkbox"
                    name="closed_monday"
                    id="closed_monday">
            </div>
        </td>
    </tr>

    <tr>
        <td><strong>Tuesday</strong></td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                    type="checkbox"
                    name="open_tuesday"
                    id="open_tuesday" checked>
            </div>
        </td>
        <td>
            <input type="time"
                class="form-control"
                name="open_time_tuesday"
                value="08:30">
        </td>
        <td>
            <input type="time"
                class="form-control"
                name="close_time_tuesday"
                value="20:30">
        </td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                    type="checkbox"
                    name="closed_tuesday"
                    id="closed_tuesday">
            </div>
        </td>
    </tr>

    <tr>
        <td><strong>Wednesday</strong></td>
```

```
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="open_wednesday"
                id="open_wednesday" checked>
        </div>
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="open_time_wednesday"
            value="08:30">
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="close_time_wednesday"
            value="20:30">
    </td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="closed_wednesday"
                id="closed_wednesday">
        </div>
    </td>
</tr>

<tr>
    <td><strong>Thursday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="open_thursday"
                id="open_thursday" checked>
        </div>
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="open_time_thursday"
            value="08:30">
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="close_time_thursday"
            value="20:30">
    </td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="closed_thursday"
                id="closed_thursday">
        </div>
    </td>
```

```
</tr>

<tr>
    <td><strong>Friday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                   type="checkbox"
                   name="open_friday"
                   id="open_friday" checked>
        </div>
    </td>
    <td>
        <input type="time"
               class="form-control"
               name="open_time_friday"
               value="08:30">
    </td>
    <td>
        <input type="time"
               class="form-control"
               name="close_time_friday"
               value="20:30">
    </td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                   type="checkbox"
                   name="closed_friday"
                   id="closed_friday">
        </div>
    </td>
</tr>

<tr>
    <td><strong>Saturday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                   type="checkbox"
                   name="open_saturday"
                   id="open_saturday" checked>
        </div>
    </td>
    <td>
        <input type="time"
               class="form-control"
               name="open_time_saturday"
               value="08:30">
    </td>
    <td>
        <input type="time"
               class="form-control"
               name="close_time_saturday"
               value="20:30">
    </td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                   type="checkbox"
```

```
                    name="closed_saturday"
                    id="closed_saturday">
                </div>
            </td>
        </tr>

        <tr>
            <td><strong>Sunday</strong></td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                        type="checkbox"
                        name="open_sunday"
                        id="open_sunday">
                </div>
            </td>
            <td>
                <input type="time"
                    class="form-control"
                    name="open_time_sunday"
                    value="08:30" disabled>
            </td>
            <td>
                <input type="time"
                    class="form-control"
                    name="close_time_sunday"
                    value="20:30" disabled>
            </td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                        type="checkbox"
                        name="closed_sunday"
                        id="closed_sunday" checked>
                </div>
            </td>
        </tr>
    </tbody>
  </table>
</div>
<div class="alert alert-info mt-4 mb-0">
  <i class="bi bi-info-circle me-2"></i>
  <small>Note: Most Ethiopian businesses are closed on Sundays. Adjust hours accord
</div>
</div>
</div>
```

```
<!-- Step 3: Policies -->
<div class="form-section" id="step3">
    <div class="section-header">
        <div class="section-icon">
            <i class="bi bi-file-text"></i>
        </div>
        <div class="section-content">
            <h2 class="section-title">Store Policies</h2>
            <p class="section-subtitle">Set your rental policies and pricing in Ethiopian Birr</p>
        </div>
    </div>

    <!-- Rental Policies -->
    <div class="row">
        <div class="col-md-6">
            <div class="form-group">
                <label for="rental_period" class="form-label required-field">
                    <i class="bi bi-calendar"></i>
                    Default Rental Period
                </label>
                <div class="input-group">
                    <input type="number"
                           class="form-control"
                           id="rental_period"
                           name="rental_period"
                           min="1"
                           max="30"
                           value="7"
                           required>
                    <span class="input-group-text">days</span>
                </div>
                <span class="helper-text">Standard rental duration</span>
                <div class="error-message" id="rental_period_error">
                    <i class="bi bi-exclamation-circle"></i>
                    <span></span>
                </div>
            </div>
        </div>

        <div class="col-md-6">
            <div class="form-group">
                <label for="rental_price" class="form-label required-field">
                    <i class="bi bi-cash-stack"></i>
                    Rental Price per Day
                </label>
                <div class="currency-input-group">
                    <span class="currency-symbol">
                        <span class="et-birr">■■</span>
                    </span>
                    <input type="number"
                           class="form-control"
                           id="rental_price"
                           name="rental_price"
                           min="0"
                           step="10"
                           value="50"
                           required>
```

```
            </div>
            <span class="helper-text">Daily rental rate in Birr</span>
            <div class="error-message" id="rental_price_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>
</div>

<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <label for="late_fee" class="form-label required-field">
                <i class="bi bi-clock-history"></i>
                Late Fee per Day
            </label>
            <div class="currency-input-group">
                <span class="currency-symbol">
                    <span class="et-birr">■■</span>
                </span>
                <input type="number"
                       class="form-control"
                       id="late_fee"
                       name="late_fee"
                       min="0"
                       step="5"
                       value="20"
                       required>
            </div>
            <span class="helper-text">Charged for each overdue day</span>
            <div class="error-message" id="late_fee_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label for="security_deposit" class="form-label required-field">
                <i class="bi bi-shield-check"></i>
                Security Deposit
            </label>
            <div class="currency-input-group">
                <span class="currency-symbol">
                    <span class="et-birr">■■</span>
                </span>
                <input type="number"
                       class="form-control"
                       id="security_deposit"
                       name="security_deposit"
                       min="0"
                       step="50"
                       value="500"
                       required>
            </div>
            <span class="helper-text">Refundable deposit for rentals</span>
            <div class="error-message" id="security_deposit_error">
                <i class="bi bi-exclamation-circle"></i>
```

```
                <span></span>
            </div>
        </div>
    </div>
</div>

<!-- Additional Settings -->
<div class="store-hours-card">
    <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Additional Settings</
    <div class="row">
        <div class="col-md-6">
            <div class="form-group">
                <label for="max_books" class="form-label">
                    <i class="bi bi-book"></i>
                    Max Books per Customer
                </label>
                <div class="input-group">
                    <input type="number"
                           class="form-control"
                           id="max_books"
                           name="max_books"
                           min="1"
                           value="5">
                    <span class="input-group-text">books</span>
                </div>
            </div>
        </div>

        <div class="col-md-6">
            <div class="form-group">
                <label for="discount_percent" class="form-label">
                    <i class="bi bi-percent"></i>
                    Student Discount
                </label>
                <div class="input-group">
                    <input type="number"
                           class="form-control"
                           id="discount_percent"
                           name="discount_percent"
                           min="0"
                           max="50"
                           value="10">
                    <span class="input-group-text">%</span>
                </div>
                <span class="helper-text">Discount for students with ID</span>
            </div>
        </div>
    </div>
</div>

<!-- Payment Methods -->
<div class="store-hours-card">
    <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Accepted Payment M
    <div class="row">
        <div class="col-md-3">
            <div class="form-check mb-3">
                <input class="form-check-input"
                       type="checkbox"
                       id="cash_payment"
                       name="payment_methods"
```

```
                    value="cash"
                    checked>
                <label class="form-check-label" for="cash_payment">
                    ■ Cash (■■)
                </label>
            </div>
        </div>
        <div class="col-md-3">
            <div class="form-check mb-3">
                <input class="form-check-input"
                    type="checkbox"
                    id="telebirr_payment"
                    name="payment_methods"
                    value="telebirr"
                    checked>
                <label class="form-check-label" for="telebirr_payment">
                    ■ Telebirr
                </label>
            </div>
        </div>
        <div class="col-md-3">
            <div class="form-check mb-3">
                <input class="form-check-input"
                    type="checkbox"
                    id="cbe_payment"
                    name="payment_methods"
                    value="cbe">
                <label class="form-check-label" for="cbe_payment">
                    ■ CBE Birr
                </label>
            </div>
        </div>
        <div class="col-md-3">
            <div class="form-check mb-3">
                <input class="form-check-input"
                    type="checkbox"
                    id="bank_transfer"
                    name="payment_methods"
                    value="bank">
                <label class="form-check-label" for="bank_transfer">
                    ■ Bank Transfer
                </label>
            </div>
        </div>
    </div>
</div>

<!-- Terms & Conditions -->
<div class="terms-card">
    <div class="terms-header">
        <div class="terms-icon">
            <i class="bi bi-file-earmark-text"></i>
        </div>
        <div>
            <h5 class="mb-1">Terms & Conditions</h5>
            <small class="text-muted">Please read and agree to continue</small>
        </div>
    </div>

    <div class="terms-content">
```

```
            <h6>■■ ■■ ■■■■■ (Terms & Conditions)</h6>
            <p class="mb-3">By registering your store, you agree to the following terms:</p>
            <ol class="mb-3">
                <li><strong>Payment Handling:</strong> All transactions are handled offline in Eth
                <li><strong>Inventory Management:</strong> You are responsible for maintaining
                <li><strong>Customer Service:</strong> Respond to customer inquiries and orders
                <li><strong>Rental Policies:</strong> Honor the rental periods, prices, and return p
                <li><strong>Book Condition:</strong> Maintain books in good condition and accura
                <li><strong>Delivery Commitment:</strong> If you offer delivery, provide accurate
                <li><strong>Legal Compliance:</strong> Comply with Ethiopian copyright laws and
                <li><strong>Data Privacy:</strong> Protect customer information and only use it fo
            </ol>
            <p class="mb-0"><strong>■■■■■ ■■■■■:</strong> BookHub serves as a platform
        </div>

        <div class="form-check mt-4">
            <input class="form-check-input"
                   type="checkbox"
                   id="agree_terms"
                   name="agree_terms"
                   required>
            <label class="form-check-label" for="agree_terms">
                ■ I have read and agree to the Terms & Conditions / ■■■■ ■■■■ ■■■■■■
            </label>
            <div class="error-message" id="agree_terms_error">
                <i class="bi bi-exclamation-circle"></i>
                <span>You must agree to the terms to continue</span>
            </div>
        </div>
    </div>
</div>
```

```
<!-- Step 4: Account Setup -->
<div class="form-section" id="step4">
    <div class="section-header">
        <div class="section-icon">
            <i class="bi bi-lock"></i>
        </div>
        <div class="section-content">
            <h2 class="section-title">Account Setup</h2>
            <p class="section-subtitle">Create your login credentials and store profile</p>
            <span class="success-badge">
                <i class="bi bi-check-circle"></i>
                Almost done!
            </span>
        </div>
    </div>



    <!-- Success Message -->
    <div class="info-card">
        <div class="info-card-header">
            <i class="bi bi-rocket-takeoff info-card-icon"></i>
            <h5 class="mb-0" style="color: #0369a1;">Ready to Launch Your Store!</h5>
        </div>
        <p class="mb-0">Complete your registration to start managing your bookstore online. Y
    </div>
```

```
    <!-- Next Steps -->
    <div class="info-card">
        <div class="info-card-header">
            <i class="bi bi-check-circle info-card-icon"></i>
            <h5 class="mb-0" style="color: #0369a1;">What Happens Next?</h5>
        </div>
        <div class="row">
            <div class="col-md-6">
                <ul class="mb-0">
                    <li>■ Instant store profile creation</li>
                    <li>■ Start adding books immediately</li>
                    <li>■ Accept orders from customers</li>
                </ul>
            </div>
            <div class="col-md-6">
                <ul class="mb-0">
                    <li>■ Manage orders from mobile</li>
                    <li>■ View sales analytics</li>
                    <li>■ Get listed in local searches</li>
                </ul>
            </div>
        </div>
    </div>
</div>


<!-- Navigation Buttons -->
<div class="navigation-buttons">
    <button type="button" class="btn btn-secondary" id="prevBtn" style="display: none;">
        <i class="bi bi-arrow-left"></i>
        Previous
    </button>
    <button type="button" class="btn btn-primary" id="nextBtn">
```

```
                    Next Step
                    <i class="bi bi-arrow-right"></i>
                </button>
                <button type="submit" class=" text-center btn btn-primary" id="submitBtn" style="display: n
                    <i class="bi bi-check-circle"></i>
                    Complete Registration
                </button>
            </div>
        </form>
    </div>




        </div>
    </div>
  </div>
</div>
{% endblock %}

{% block extra_js %}
<script>
document.addEventListener('DOMContentLoaded', function() {
    let currentStep = 1;
    const totalSteps = 4;
    const form = document.getElementById('storeRegistrationForm');

    // Initialize password toggles
    initializePasswordToggles();

    // Initialize service cards
    initializeServiceCards();

    // Initialize business hours toggles
    initializeBusinessHours();

    // Initialize step navigation
    initializeStepNavigation();

    // Initialize form validation
    initializeFormValidation();

    // Initialize form submission
    initializeFormSubmission();

    // Initialize auto-slug generation
    initializeAutoSlug();

    function initializePasswordToggles() {
        document.querySelectorAll('.password-toggle').forEach(function(toggle) {
            toggle.addEventListener('click', function() {
                const targetId = this.getAttribute('data-target');
                const passwordInput = document.getElementById(targetId);
                const icon = this.querySelector('i');

                if (passwordInput.type === 'password') {
                    passwordInput.type = 'text';
                    icon.className = 'bi bi-eye-slash';
                } else {
                    passwordInput.type = 'password';
```

```
            icon.className = 'bi bi-eye';
        }
    });
});
}

function initializeServiceCards() {
    document.querySelectorAll('.service-card').forEach(function(card) {
        card.addEventListener('click', function() {
            const checkbox = this.querySelector('input[type="checkbox"]');
            checkbox.checked = !checkbox.checked;

            if (checkbox.checked) {
                this.classList.add('active');
            } else {
                this.classList.remove('active');
            }
        });

        // Set initial active state
        const checkbox = card.querySelector('input[type="checkbox"]');
        if (checkbox.checked) {
            card.classList.add('active');
        }
    });
}

function initializeBusinessHours() {
    // Toggle closed days logic
    document.querySelectorAll('input[name^="closed_"]').forEach(function(checkbox) {
        checkbox.addEventListener('change', function() {
            const day = this.name.split('_')[1];
            const openCheckbox = document.querySelector(`input[name="open_${day}"]`);
            const openTime = document.querySelector(`input[name="open_time_${day}"]`);
            const closeTime = document.querySelector(`input[name="close_time_${day}"]`);

            if (this.checked) {
                openCheckbox.checked = false;
                openTime.disabled = true;
                closeTime.disabled = true;
            } else {
                openTime.disabled = false;
                closeTime.disabled = false;
            }
        });
    });

    // Toggle open/close logic
    document.querySelectorAll('input[name^="open_"]').forEach(function(checkbox) {
        checkbox.addEventListener('change', function() {
            const day = this.name.split('_')[1];
            const closedCheckbox = document.querySelector(`input[name="closed_${day}"]`);
            const openTime = document.querySelector(`input[name="open_time_${day}"]`);
            const closeTime = document.querySelector(`input[name="close_time_${day}"]`);

            if (!this.checked) {
                closedCheckbox.checked = true;
                openTime.disabled = true;
                closeTime.disabled = true;
            } else {
```

```
                closedCheckbox.checked = false;
                openTime.disabled = false;
                closeTime.disabled = false;
            }
        });
    });
}

function initializeStepNavigation() {
    // Next button click
    document.getElementById('nextBtn').addEventListener('click', function() {
        if (validateStep(currentStep)) {
            if (currentStep < totalSteps) {
                currentStep++;
                showStep(currentStep);
            }
        }
    });

    // Previous button click
    document.getElementById('prevBtn').addEventListener('click', function() {
        if (currentStep > 1) {
            currentStep--;
            showStep(currentStep);
        }
    });
}

function showStep(step) {
    // Hide all steps
    document.querySelectorAll('.form-section').forEach(function(section) {
        section.classList.remove('active');
    });

    // Show current step
    document.getElementById(`step${step}`).classList.add('active');

    // Update step indicators
    document.querySelectorAll('.step').forEach(function(stepEl) {
        const stepNumber = parseInt(stepEl.getAttribute('data-step'));
        stepEl.classList.remove('active', 'completed');

        if (stepNumber === step) {
            stepEl.classList.add('active');
        } else if (stepNumber < step) {
            stepEl.classList.add('completed');
        }
    });

    // Update navigation buttons
    document.getElementById('prevBtn').style.display = step === 1 ? 'none' : 'flex';
    document.getElementById('nextBtn').style.display = step === totalSteps ? 'none' : 'flex';
    document.getElementById('submitBtn').style.display = step === totalSteps ? 'flex' : 'none';

    // Scroll to top of form
    document.querySelector('.form-section.active').scrollIntoView({ behavior: 'smooth', block: 'start' });
}

function validateStep(step) {
    let isValid = true;
```

```
// Clear previous errors
clearErrors();

// Step 1 validation
if (step === 1) {
    const requiredFields = ['store_name', 'owner_name', 'email', 'phone', 'city', 'address', 'store_type'];

    requiredFields.forEach(function(field) {
        const input = document.getElementById(field);
        const error = document.getElementById(`${field}_error`);

        if (!input.value.trim()) {
            isValid = false;
            showError(input, error, 'This field is required');
        } else {
            clearError(input, error);

            // Email validation
            if (field === 'email') {
                const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
                if (!emailRegex.test(input.value)) {
                    isValid = false;
                    showError(input, error, 'Please enter a valid email address');
                }
            }

            // Phone validation
            if (field === 'phone') {
                const phoneRegex = /^[0-9]{9}$/;
                if (!phoneRegex.test(input.value)) {
                    isValid = false;
                    showError(input, error, 'Please enter a valid 9-digit phone number');
                }
            }
        }
    });
}

// Step 3 validation (terms agreement)
if (step === 3) {
    const agreeTerms = document.getElementById('agree_terms');
    const error = document.getElementById('agree_terms_error');

    if (!agreeTerms.checked) {
        isValid = false;
        showError(agreeTerms, error, 'You must agree to the terms and conditions');
    } else {
        clearError(agreeTerms, error);
    }
}

// Step 4 validation (passwords)
if (step === 4) {
    const password = document.getElementById('password');
    const confirmPassword = document.getElementById('confirm_password');
    const passwordError = document.getElementById('password_error');
    const confirmError = document.getElementById('confirm_password_error');

    // Optional: only validate password fields when present in DOM
```

```
        if (password && confirmPassword) {
            if (password.value.length < 8) {
                isValid = false;
                showError(password, passwordError, 'Password must be at least 8 characters');
            } else {
                clearError(password, passwordError);
            }

            if (password.value !== confirmPassword.value) {
                isValid = false;
                showError(confirmPassword, confirmError, 'Passwords do not match');
            } else {
                clearError(confirmPassword, confirmError);
            }
        }
    }

    return isValid;
}

function showError(input, errorElement, message) {
    if (input) {
        input.classList.add('is-invalid');
        input.classList.remove('is-valid');
    }
    if (!errorElement) {
        return;
    }
    const errorText = errorElement.querySelector('span');
    if (errorText) {
        errorText.textContent = message;
    }
    errorElement.classList.add('show');
}

function clearError(input, errorElement) {
    if (input) {
        input.classList.remove('is-invalid');
        input.classList.add('is-valid');
    }
    if (errorElement) {
        errorElement.classList.remove('show');
    }
}

function clearErrors() {
    document.querySelectorAll('.error-message').forEach(function(error) {
        error.classList.remove('show');
    });

    document.querySelectorAll('.form-control, .form-select').forEach(function(input) {
        input.classList.remove('is-invalid', 'is-valid');
    });
}

function initializeFormValidation() {
    // Real-time validation for required fields
    document.querySelectorAll('[required]').forEach(function(input) {
        input.addEventListener('blur', function() {
            const field = this.id;
```

```
        const error = document.getElementById(`${field}_error`);

        const hasValue = this.type === 'checkbox' ? this.checked : this.value.trim();
        if (!hasValue && this.hasAttribute('required')) {
            showError(this, error, 'This field is required');
        } else {
            clearError(this, error);
        }
    });
});

// Real-time email validation
const emailInput = document.getElementById('email');
if (emailInput) {
    emailInput.addEventListener('blur', function() {
        const error = document.getElementById('email_error');
        const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;

        if (this.value && !emailRegex.test(this.value)) {
            showError(this, error, 'Please enter a valid email address');
        } else if (this.value) {
            clearError(this, error);
        }
    });
}

// Real-time phone validation
const phoneInput = document.getElementById('phone');
if (phoneInput) {
    phoneInput.addEventListener('blur', function() {
        const error = document.getElementById('phone_error');
        const phoneRegex = /^[0-9]{9}$/;

        if (this.value && !phoneRegex.test(this.value)) {
            showError(this, error, 'Please enter a valid 9-digit phone number');
        } else if (this.value) {
            clearError(this, error);
        }
    });
}

// Optional real-time password validation (only when fields exist)
const passwordInput = document.getElementById('password');
const confirmPasswordInput = document.getElementById('confirm_password');
if (passwordInput && confirmPasswordInput) {
    passwordInput.addEventListener('input', function() {
        const error = document.getElementById('password_error');
        const confirmError = document.getElementById('confirm_password_error');

        if (this.value.length > 0 && this.value.length < 8) {
            showError(this, error, 'Password must be at least 8 characters');
        } else if (this.value.length >= 8) {
            clearError(this, error);
        }

        if (confirmPasswordInput.value && this.value !== confirmPasswordInput.value) {
            showError(confirmPasswordInput, confirmError, 'Passwords do not match');
        } else if (confirmPasswordInput.value && this.value === confirmPasswordInput.value) {
            clearError(confirmPasswordInput, confirmError);
        }
```

```
        });

        confirmPasswordInput.addEventListener('input', function() {
            const error = document.getElementById('confirm_password_error');
            if (this.value && passwordInput.value !== this.value) {
                showError(this, error, 'Passwords do not match');
            } else if (this.value && passwordInput.value === this.value) {
                clearError(this, error);
            }
        });
    }
}

function initializeFormSubmission() {
    form.addEventListener('submit', function(e) {
        if (!validateStep(currentStep)) {
            e.preventDefault();
            return;
        }

        const submitBtn = document.getElementById('submitBtn');
        if (submitBtn) {
            submitBtn.innerHTML = '<i class="bi bi-hourglass-split"></i> Registering...';
            submitBtn.disabled = true;
            submitBtn.classList.add('loading');
        }
    });
}

function initializeAutoSlug() {
    const storeNameInput = document.getElementById('store_name');
    const storeSlugInput = document.getElementById('store_slug');

    if (storeNameInput && storeSlugInput) {
        storeNameInput.addEventListener('input', function() {
            if (!storeSlugInput.value) {
                const slug = this.value
                    .toLowerCase()
                    .replace(/[^a-z0-9\s]/g, '')
                    .replace(/\s+/g, '-')
                    .substring(0, 30);
                storeSlugInput.value = slug;
            }
        });
    }

    // Format Ethiopian phone number
    window.formatEthiopianPhone = function(input) {
        let value = input.value.replace(/\D/g, '');

        if (value.length > 9) {
            value = value.substring(0, 9);
        }

        input.value = value;
    };
}

// Initialize first step
showStep(currentStep);
```

```
});
</script>
{% endblock %}

=== resources\js\Pages\store\registration_update_store.html ===
{% extends 'base.html' %}
{% load static %}

{% block title %}Register Your Book Store - BookHub Ethiopia{% endblock %}

{% block extra_css %}
<style>
    :root {
        --primary-blue: #1e40af;
        --secondary-blue: #3b82f6;
        --light-blue: #dbeafe;
        --accent-blue: #60a5fa;
        --dark-blue: #1e3a8a;
        --success-green: #10b981;
        --warning-orange: #f59e0b;
        --error-red: #ef4444;
        --gray-50: #f8fafc;
        --gray-100: #f1f5f9;
        --gray-200: #e2e8f0;
        --gray-300: #cbd5e1;
        --gray-600: #475569;
        --gray-700: #334155;
        --shadow-sm: 0 1px 3px rgba(0,0,0,0.12);
        --shadow-md: 0 4px 6px rgba(0,0,0,0.1);
        --shadow-lg: 0 10px 25px rgba(0,0,0,0.15);
        --shadow-xl: 0 20px 40px rgba(0,0,0,0.2);
    }

    body {
        font-family: 'Inter', -apple-system, BlinkMacSystemFont, sans-serif;
    }

    .registration-container {
        background: linear-gradient(135deg, var(--primary-blue) 0%, var(--dark-blue) 100%);
        min-height: 100vh;
        padding: 30px 0;
        position: relative;
        overflow-x: hidden;
    }

    .registration-container::before {
        content: '';
        position: absolute;
        top: 0;
        left: 0;
        right: 0;
        bottom: 0;
        background:
            radial-gradient(circle at 20% 80%, rgba(255,255,255,0.1) 0%, transparent 50%),
            radial-gradient(circle at 80% 20%, rgba(255,255,255,0.05) 0%, transparent 50%);
        pointer-events: none;
    }

    .registration-card {
        background: white;
```

```
    border-radius: 24px;
    box-shadow: var(--shadow-xl);
    overflow: hidden;
    position: relative;
    z-index: 1;
    margin: 20px 0;
}

.registration-header {
    background: linear-gradient(135deg, var(--primary-blue), var(--secondary-blue));
    color: white;
    padding: 40px 30px;
    text-align: center;
    position: relative;
}

.registration-header::after {
    content: '';
    position: absolute;
    bottom: 0;
    left: 0;
    right: 0;
    height: 4px;
    background: linear-gradient(to right, var(--success-green), var(--accent-blue));
}

.ethiopia-flag {
    font-size: 64px;
    margin-bottom: 20px;
    display: inline-block;
    filter: drop-shadow(0 4px 8px rgba(0,0,0,0.2));
    animation: float 3s ease-in-out infinite;
}

@keyframes float {
    0%, 100% { transform: translateY(0) rotate(0deg); }
    50% { transform: translateY(-10px) rotate(2deg); }
}

.header-title {
    font-size: 2.5rem;
    font-weight: 800;
    margin-bottom: 10px;
    background: linear-gradient(to right, #ffffff, var(--light-blue));
    -webkit-background-clip: text;
    background-clip: text;
    -webkit-text-fill-color: transparent;
    text-shadow: 0 2px 4px rgba(0,0,0,0.1);
}

.header-subtitle {
    font-size: 1.1rem;
    opacity: 0.9;
    max-width: 600px;
    margin: 0 auto;
    line-height: 1.6;
}

/* Progress Steps */
.progress-container {
```

```
    padding: 30px;
    background: var(--gray-50);
    border-bottom: 1px solid var(--gray-200);
}

.steps {
    display: flex;
    justify-content: space-between;
    position: relative;
    margin: 0 40px;
}

.steps::before {
    content: '';
    position: absolute;
    top: 50%;
    left: 40px;
    right: 40px;
    height: 3px;
    background: var(--gray-300);
    transform: translateY(-50%);
    z-index: 1;
}

.step {
    display: flex;
    flex-direction: column;
    align-items: center;
    position: relative;
    z-index: 2;
}

.step-circle {
    width: 60px;
    height: 60px;
    background: white;
    border: 3px solid var(--gray-300);
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    font-weight: 700;
    font-size: 20px;
    color: var(--gray-600);
    margin-bottom: 12px;
    transition: all 0.4s cubic-bezier(0.4, 0, 0.2, 1);
    box-shadow: var(--shadow-sm);
}

.step.active .step-circle {
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    color: white;
    border-color: var(--secondary-blue);
    transform: scale(1.1);
    box-shadow: 0 8px 20px rgba(37, 99, 235, 0.3);
}

.step.completed .step-circle {
    background: linear-gradient(135deg, var(--success-green), #34d399);
    color: white;
```

```
    border-color: var(--success-green);
}

.step.completed .step-circle::after {
    content: '✓';
    font-size: 24px;
}

.step-label {
    font-size: 14px;
    font-weight: 600;
    color: var(--gray-600);
    text-align: center;
    max-width: 120px;
    line-height: 1.4;
}

.step.active .step-label {
    color: var(--primary-blue);
    transform: translateY(2px);
}

/* Form Sections */
.form-section {
    padding: 40px;
    display: none;
    animation: fadeInUp 0.5s ease-out;
}

@keyframes fadeInUp {
    from {
        opacity: 0;
        transform: translateY(20px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

.form-section.active {
    display: block;
}

.section-header {
    display: flex;
    align-items: flex-start;
    gap: 20px;
    margin-bottom: 40px;
    padding-bottom: 20px;
    border-bottom: 2px solid var(--gray-200);
}

.section-icon {
    width: 70px;
    height: 70px;
    background: linear-gradient(135deg, var(--light-blue), #bfdbfe);
    border-radius: 18px;
    display: flex;
    align-items: center;
```

```
    justify-content: center;
    font-size: 32px;
    color: var(--primary-blue);
    flex-shrink: 0;
}

.section-content {
    flex: 1;
}

.section-title {
    font-size: 2rem;
    font-weight: 700;
    color: var(--gray-700);
    margin: 0 0 8px 0;
    line-height: 1.2;
}

.section-subtitle {
    color: var(--gray-600);
    font-size: 1.1rem;
    line-height: 1.6;
    margin: 0;
}

/* Form Elements */
.form-group {
    margin-bottom: 32px;
    position: relative;
}

.form-label {
    display: flex;
    align-items: center;
    gap: 8px;
    font-weight: 600;
    color: var(--gray-700);
    margin-bottom: 12px;
    font-size: 15px;
}

.form-label i {
    color: var(--secondary-blue);
    font-size: 18px;
}

.required-field::after {
    content: "*";
    color: var(--error-red);
    margin-left: 4px;
}

.form-control, .form-select {
    width: 100%;
    padding: 16px 20px;
    font-size: 16px;
    line-height: 1.5;
    color: var(--gray-700);
    background-color: white;
    border: 2px solid var(--gray-300);
```

```
    border-radius: 12px;
    transition: all 0.3s ease;
    font-family: inherit;
}

.form-control:focus, .form-select:focus {
    outline: none;
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
    transform: translateY(-1px);
}

.form-control.is-invalid {
    border-color: var(--error-red);
    background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='24' he
    background-repeat: no-repeat;
    background-position: right 16px center;
    background-size: 20px;
    padding-right: 48px;
}

.form-control.is-valid {
    border-color: var(--success-green);
    background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='24' he
    background-repeat: no-repeat;
    background-position: right 16px center;
    background-size: 20px;
    padding-right: 48px;
}

.input-with-icon {
    position: relative;
}

.input-icon {
    position: absolute;
    left: 20px;
    top: 50%;
    transform: translateY(-50%);
    color: var(--gray-600);
    font-size: 20px;
    z-index: 1;
}

.input-with-icon .form-control {
    padding-left: 56px;
}

/* Error Messages */
.error-message {
    display: none;
    align-items: center;
    gap: 8px;
    color: var(--error-red);
    font-size: 14px;
    margin-top: 8px;
    padding: 8px 12px;
    background: #fef2f2;
    border-radius: 8px;
    border-left: 4px solid var(--error-red);
```

```
}

.error-message.show {
    display: flex;
    animation: slideIn 0.3s ease;
}

@keyframes slideIn {
    from {
        opacity: 0;
        transform: translateX(-10px);
    }
    to {
        opacity: 1;
        transform: translateX(0);
    }
}

.error-message i {
    flex-shrink: 0;
}

/* Phone Input */
.phone-input-group {
    display: flex;
    gap: 16px;
    align-items: stretch;
}

.country-code-select {
    flex: 0 0 180px;
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    border: 2px solid var(--gray-300);
    border-radius: 12px;
    padding: 16px;
    font-weight: 600;
    color: var(--gray-700);
    font-size: 16px;
    transition: all 0.3s;
}

.country-code-select:focus {
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
}

.ethiopian-flag {
    display: inline-flex;
    align-items: center;
    gap: 10px;
    padding: 6px 16px;
    background: linear-gradient(135deg, #da1212, #f8d210, #078930);
    color: white;
    border-radius: 24px;
    font-weight: 600;
    font-size: 15px;
    box-shadow: var(--shadow-sm);
}

/* Service Cards */
```

```
.service-cards-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
    gap: 24px;
    margin-bottom: 40px;
}

.service-card {
    background: white;
    border: 2px solid var(--gray-200);
    border-radius: 18px;
    padding: 28px 24px;
    text-align: center;
    cursor: pointer;
    transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
    position: relative;
    overflow: hidden;
}

.service-card::before {
    content: '';
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    height: 4px;
    background: linear-gradient(to right, var(--secondary-blue), var(--primary-blue));
    transform: scaleX(0);
    transition: transform 0.3s;
}

.service-card:hover {
    border-color: var(--secondary-blue);
    transform: translateY(-6px);
    box-shadow: var(--shadow-lg);
}

.service-card:hover::before {
    transform: scaleX(1);
}

.service-card.active {
    border-color: var(--secondary-blue);
    background: linear-gradient(135deg, #f0f9ff, #e0f2fe);
    transform: translateY(-4px);
    box-shadow: 0 12px 24px rgba(59, 130, 246, 0.15);
}

.service-card.active::before {
    transform: scaleX(1);
}

.service-icon {
    font-size: 56px;
    margin-bottom: 20px;
    display: block;
    transition: all 0.3s;
}

.service-card.active .service-icon {
```

```
    transform: scale(1.1);
}

.service-title {
    font-size: 20px;
    font-weight: 700;
    color: var(--gray-700);
    margin-bottom: 10px;
}

.service-description {
    color: var(--gray-600);
    font-size: 15px;
    line-height: 1.5;
    margin: 0;
}

/* Store Hours Card */
.store-hours-card {
    background: white;
    border-radius: 18px;
    border: 2px solid var(--gray-200);
    padding: 32px;
    margin-bottom: 40px;
    transition: all 0.3s;
}

.store-hours-card:hover {
    border-color: var(--secondary-blue);
    box-shadow: var(--shadow-md);
}

.store-hours-table {
    width: 100%;
    border-collapse: separate;
    border-spacing: 0;
}

.store-hours-table th {
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    padding: 18px 20px;
    text-align: left;
    font-weight: 600;
    color: var(--gray-700);
    border-bottom: 2px solid var(--gray-200);
    font-size: 15px;
}

.store-hours-table td {
    padding: 20px;
    border-bottom: 1px solid var(--gray-100);
    transition: background-color 0.2s;
}

.store-hours-table tr:hover td {
    background: var(--gray-50);
}

/* Terms Card */
.terms-card {
```

```
    background: linear-gradient(135deg, var(--gray-50), var(--gray-100));
    border-radius: 18px;
    padding: 32px;
    margin-bottom: 32px;
    border: 2px solid var(--gray-200);
}

.terms-header {
    display: flex;
    align-items: center;
    gap: 20px;
    margin-bottom: 24px;
}

.terms-icon {
    width: 60px;
    height: 60px;
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    border-radius: 14px;
    display: flex;
    align-items: center;
    justify-content: center;
    color: white;
    font-size: 28px;
    flex-shrink: 0;
}

.terms-content {
    max-height: 300px;
    overflow-y: auto;
    padding-right: 16px;
}

.terms-content::-webkit-scrollbar {
    width: 8px;
}

.terms-content::-webkit-scrollbar-track {
    background: var(--gray-100);
    border-radius: 4px;
}

.terms-content::-webkit-scrollbar-thumb {
    background: var(--gray-300);
    border-radius: 4px;
}

.terms-content::-webkit-scrollbar-thumb:hover {
    background: var(--gray-400);
}

/* Currency Input */
.currency-input-group {
    display: flex;
    border-radius: 12px;
    overflow: hidden;
    border: 2px solid var(--gray-300);
    transition: all 0.3s;
}
```

```
.currency-input-group:focus-within {
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
}

.currency-symbol {
    padding: 0 24px;
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    color: var(--gray-700);
    font-weight: 600;
    font-size: 20px;
    display: flex;
    align-items: center;
    justify-content: center;
    min-width: 80px;
    border-right: 2px solid var(--gray-300);
}

.et-birr {
    color: var(--primary-blue);
    font-weight: 700;
}

.currency-input-group .form-control {
    border: none;
    box-shadow: none;
    border-radius: 0;
}

/* Navigation Buttons */
.navigation-buttons {
    display: flex;
    justify-content: space-between;
    padding: 32px;
    background: var(--gray-50);
    border-top: 1px solid var(--gray-200);
    gap: 16px;
}

.btn {
    padding: 18px 40px;
    font-size: 16px;
    font-weight: 600;
    border-radius: 12px;
    border: none;
    cursor: pointer;
    transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
    display: inline-flex;
    align-items: center;
    justify-content: center;
    gap: 12px;
    font-family: inherit;
    min-width: 160px;
}

.btn-primary {
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    color: white;
    box-shadow: 0 8px 20px rgba(37, 99, 235, 0.2);
}
```

```
.btn-primary:hover {
    transform: translateY(-3px);
    box-shadow: 0 15px 30px rgba(37, 99, 235, 0.3);
}

.btn-primary:active {
    transform: translateY(-1px);
}

.btn-secondary {
    background: white;
    color: var(--gray-600);
    border: 2px solid var(--gray-300);
}

.btn-secondary:hover {
    border-color: var(--secondary-blue);
    color: var(--secondary-blue);
    background: var(--gray-50);
    transform: translateY(-2px);
    box-shadow: var(--shadow-sm);
}

.btn i {
    font-size: 20px;
}

/* Success Badge */
.success-badge {
    display: inline-flex;
    align-items: center;
    gap: 10px;
    padding: 10px 20px;
    background: linear-gradient(135deg, var(--success-green), #34d399);
    color: white;
    border-radius: 24px;
    font-weight: 600;
    font-size: 15px;
    margin-left: 16px;
    box-shadow: var(--shadow-sm);
}

/* Info Card */
.info-card {
    background: linear-gradient(135deg, #e0f2fe, #bae6fd);
    border: 2px solid #7dd3fc;
    border-radius: 18px;
    padding: 28px;
    margin-bottom: 32px;
}

.info-card-header {
    display: flex;
    align-items: center;
    gap: 16px;
    margin-bottom: 16px;
}

.info-card-icon {
```

```
    color: #0369a1;
    font-size: 32px;
}

/* Responsive Design */
@media (max-width: 768px) {
    .registration-header {
        padding: 30px 20px;
    }

    .header-title {
        font-size: 2rem;
    }

    .steps {
        margin: 0 20px;
    }

    .steps::before {
        left: 20px;
        right: 20px;
    }

    .step-circle {
        width: 50px;
        height: 50px;
        font-size: 18px;
    }

    .form-section {
        padding: 30px 20px;
    }

    .section-header {
        flex-direction: column;
        gap: 16px;
    }

    .section-icon {
        width: 60px;
        height: 60px;
        font-size: 28px;
    }

    .service-cards-grid {
        grid-template-columns: 1fr;
    }

    .phone-input-group {
        flex-direction: column;
        gap: 12px;
    }

    .country-code-select {
        flex: 0 0 auto;
    }

    .navigation-buttons {
        padding: 24px 20px;
        flex-direction: column;
```

```
        }

        .btn {
            width: 100%;
            min-width: auto;
        }
    }

    @media (max-width: 480px) {
        .store-hours-table {
            display: block;
            overflow-x: auto;
        }

        .section-title {
            font-size: 1.8rem;
        }

        .registration-card {
            margin: 10px;
        }
    }

    /* Helper Text */
    .helper-text {
        display: block;
        color: var(--gray-600);
        font-size: 14px;
        margin-top: 8px;
        line-height: 1.5;
    }

    /* Loading State */
    .btn.loading {
        position: relative;
        color: transparent;
    }

    .btn.loading::after {
        content: '';
        position: absolute;
        width: 24px;
        height: 24px;
        border: 3px solid rgba(255, 255, 255, 0.3);
        border-top-color: white;
        border-radius: 50%;
        animation: spin 1s linear infinite;
    }

    @keyframes spin {
        to { transform: rotate(360deg); }
    }
</style>
{% endblock %}

{% block content %}
<div class="registration-container">
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-12">
```

```
<div class="registration-card">

    <!-- Header -->
    <div class="registration-header">
        <span class="ethiopia-flag">■■</span>
        <h1 class="header-title">Open Your Book Store</h1>
        <p class="header-subtitle">Join Ethiopia's premier book sharing platform and connect with re
    </div>

    <!-- Progress Steps -->
    <div class="progress-container">
        <div class="steps">
            <div class="step active" data-step="1">
                <div class="step-circle">1</div>
                <span class="step-label">Store Details</span>
            </div>
            <div class="step" data-step="2">
                <div class="step-circle">2</div>
                <span class="step-label">Services</span>
            </div>
            <div class="step" data-step="3">
                <div class="step-circle">3</div>
                <span class="step-label">Policies</span>
            </div>
            <div class="step" data-step="4">
                <div class="step-circle">4</div>
                <span class="step-label">Account</span>
            </div>
        </div>
    </div>

    <!-- Registration Form -->
    <form method="POST" action="{% url 'edit_store' store.id %}" id="storeRegistrationForm" encty
        {% csrf_token %}

        <!-- Step 1: Store & Owner Information -->
        <div class="form-section active" id="step1">
            <div class="section-header">
                <div class="section-icon">
                    <i class="bi bi-shop"></i>
                </div>
                <div class="section-content">
                    <h2 class="section-title">Store Information</h2>
                    <p class="section-subtitle">Tell us about your bookstore and contact details</p>
                </div>
            </div>

            <!-- Store Name -->
            <div class="form-group">
                <label for="store_name" class="form-label required-field">
                    <i class="bi bi-building"></i>
                    Store Name
                </label>
                <div class="input-with-icon">
                    <i class="bi bi-shop input-icon"></i>
                    <input type="text"
                           class="form-control"
                           id="store_name"
                           name="store_name"
                           placeholder="e.g., Addis Book House"
```

```
                required
                value="{{ store.store_name|default:'' }}">
        </div>
        <span class="helper-text">Choose a memorable name for your bookstore</span>
        <div class="error-message" id="store_name_error">
            <i class="bi bi-exclamation-circle"></i>
            <span></span>
        </div>
    </div>

    <div class="row">
        <div class="col-md-6">
            <div class="form-group">
                <label for="owner_name" class="form-label required-field">
                    <i class="bi bi-person"></i>
                    Owner Full Name
                </label>
                <div class="input-with-icon">
                    <i class="bi bi-person input-icon"></i>
                    <input type="text"
                           class="form-control"
                           id="owner_name"
                           name="owner_full_name"
                           placeholder="e.g., Selamawit Abebe"
                           required
                           value="{{ store.owner_full_name|default:'' }}">
                </div>
                <div class="error-message" id="owner_name_error">
                    <i class="bi bi-exclamation-circle"></i>
                    <span></span>
                </div>
            </div>
        </div>

        <div class="col-md-6">
            <div class="form-group">
                <label for="email" class="form-label required-field">
                    <i class="bi bi-envelope"></i>
                    Email Address
                </label>
                <div class="input-with-icon">
                    <i class="bi bi-envelope input-icon"></i>
                    <input type="email"
                           class="form-control"
                           id="email"
                           name="email"
                           placeholder="contact@yourbookstore.com"
                           required
                           value="{{ store.email|default:'' }}">
                </div>
                <div class="error-message" id="email_error">
                    <i class="bi bi-exclamation-circle"></i>
                    <span></span>
                </div>
            </div>
        </div>
    </div>

    <!-- Phone Number -->
    <div class="form-group">
```

```
    <label for="phone" class="form-label required-field">
        <i class="bi bi-phone"></i>
        Phone Number
    </label>
    <div class="phone-input-group">
        <select class="form-select country-code-select" name="country_code" id="country_co
            <option value="+251" selected>
                <span class="ethiopian-flag">
                    ■■ +251
                </span>
            </option>
            <option value="+1">■■ +1 (USA)</option>
            <option value="+44">■■ +44 (UK)</option>
            <option value="+91">■■ +91 (India)</option>
        </select>
        <div class="input-with-icon" style="flex: 1;">
            <i class="bi bi-phone input-icon"></i>
            <input type="tel"
                   class="form-control"
                   id="phone"
                   name="phone"
                   pattern="[0-9]{9}"
                   placeholder="911223344"
                   required
                   value="{{ store.phone|default:'' }}"
                   oninput="formatEthiopianPhone(this)">
        </div>
    </div>
    <span class="helper-text">Enter your 9-digit Ethiopian mobile number</span>
    <div class="error-message" id="phone_error">
        <i class="bi bi-exclamation-circle"></i>
        <span></span>
    </div>
</div>

<!-- Store Type -->
<div class="form-group">
    <label for="store_type" class="form-label required-field">
        <i class="bi bi-tag"></i>
        Store Type
    </label>
    <select class="form-select" id="store_type" name="store_type" required>
        <option value="">Select your store type</option>
        <option value="bookstore" {% if store.store_type == 'bookstore' %}selected{% endif %
        <option value="library" {% if store.store_type == 'library' %}selected{% endif %}>■■ L
        <option value="coffee_shop" {% if store.store_type == 'coffee_shop' %}selected{% en
        <option value="educational" {% if store.store_type == 'educational' %}selected{% end
        <option value="online_only" {% if store.store_type == 'online_only' %}selected{% end
        <option value="home_based" {% if store.store_type == 'home_based' %}selected{% e
        <option value="religious" {% if store.store_type == 'religious' %}selected{% endif %}>
        <option value="children" {% if store.store_type == 'children' %}selected{% endif %}>■
    </select>
    <div class="error-message" id="store_type_error">
        <i class="bi bi-exclamation-circle"></i>
        <span></span>
    </div>
</div>

<!-- Location -->
<div class="info-card">
```

```
<div class="info-card-header">
   <i class="bi bi-geo-alt-fill info-card-icon"></i>
   <h5 class="mb-0" style="color: #0369a1;">Store Location</h5>
</div>

<div class="row">
   <div class="col-md-6">
      <div class="form-group">
         <label for="city" class="form-label required-field">City</label>
         <select class="form-select" id="city" name="city" required>
            <option value="">Select your city</option>
            <option value="addis_ababa" {% if store.city == 'addis_ababa' %}selected{% e
            <option value="dire_dawa" {% if store.city == 'dire_dawa' %}selected{% endif
            <option value="bahir_dar" {% if store.city == 'bahir_dar' %}selected{% endif %
            <option value="mekele" {% if store.city == 'mekele' %}selected{% endif %}>Me
            <option value="hawassa" {% if store.city == 'hawassa' %}selected{% endif %}
            <option value="gondar" {% if store.city == 'gondar' %}selected{% endif %}>Go
            <option value="jimma" {% if store.city == 'jimma' %}selected{% endif %}>Jimm
            <option value="desse" {% if store.city == 'desse' %}selected{% endif %}>Dess
            <option value="harar" {% if store.city == 'harar' %}selected{% endif %}>Harar
            <option value="adama" {% if store.city == 'adama' %}selected{% endif %}>Ada
            <option value="jijiga" {% if store.city == 'jijiga' %}selected{% endif %}>Jijiga (
            <option value="shashamane" {% if store.city == 'shashamane' %}selected{% e
            <option value="arba_minch" {% if store.city == 'arba_minch' %}selected{% end
            <option value="other" {% if store.city == 'other' %}selected{% endif %}>Other
         </select>
         <div class="error-message" id="city_error">
            <i class="bi bi-exclamation-circle"></i>
            <span></span>
         </div>
      </div>
   </div>

   <div class="col-md-6">
      <div class="form-group">
         <label for="subcity" class="form-label">Subcity / Woreda</label>
         <input type="text"
               class="form-control"
               id="subcity"
               name="subcity"
               placeholder="e.g., Bole, Kirkos, Piazza"
               value="{{ store.subcity|default:'' }}">
      </div>
   </div>
</div>

<div class="form-group">
   <label for="address" class="form-label required-field">Street Address</label>
   <input type="text"
         class="form-control"
         id="address"
         name="address"
         placeholder="e.g., Bole Road, Near Edna Mall"
         required
         value="{{ store.address|default:'' }}">
   <div class="error-message" id="address_error">
      <i class="bi bi-exclamation-circle"></i>
      <span></span>
   </div>
</div>
```

```
            </div>

            <!-- Store Description -->
            <div class="form-group">
                <label for="store_description" class="form-label">
                    <i class="bi bi-card-text"></i>
                    Store Description (Optional)
                </label>
                <textarea class="form-control"
                          id="store_description"
                          name="store_description"
                          rows="4"
                          placeholder="Describe your store in English or Amharic...">{{ store.store_descript
                <span class="helper-text">Tell customers what makes your bookstore special</span>
            </div>
        </div>

        <!-- Step 2: Services & Hours -->
        <div class="form-section" id="step2">
            <div class="section-header">
                <div class="section-icon">
                    <i class="bi bi-gear"></i>
                </div>
                <div class="section-content">
                    <h2 class="section-title">Services & Business Hours</h2>
                    <p class="section-subtitle">Choose services you offer and set your operating hours</
                </div>
            </div>

            <!-- Services Offered -->
            <div class="mb-5">
                <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Services Offered</h5
                <div class="service-cards-grid">
                    <div class="service-card active" data-service="rental">
                        <div class="service-icon">■</div>
                        <h5 class="service-title">Book Rentals</h5>
                        <p class="service-description">■■■■ ■■■■■</p>
                        <input type="checkbox" name="offers_rental" class="d-none" checked>
                    </div>
                    <div class="service-card active" data-service="sale">
                        <div class="service-icon">■</div>
                        <h5 class="service-title">Book Sales</h5>
                        <p class="service-description">■■■■■ ■■■</p>
                        <input type="checkbox" name="offers_sale" class="d-none" checked>
                    </div>
                    <div class="service-card active" data-service="delivery">
                        <div class="service-icon">■</div>
                        <h5 class="service-title">Home Delivery</h5>
                        <p class="service-description">■■ ■■ ■■■■■</p>
                        <input type="checkbox" name="offers_delivery" class="d-none" checked>
                    </div>
                </div>
            </div>

            <!-- Delivery Settings -->
            <div class="store-hours-card">
                <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Delivery Settings</h5
                <div class="row">
                    <div class="col-md-6">
                        <div class="form-group">
```

```
                <label for="delivery_radius" class="form-label">Delivery Radius</label>
                <div class="input-group">
                    <input type="number"
                           class="form-control"
                           id="delivery_radius"
                           name="delivery_radius"
                           min="1"
                           max="50"
                           value="{{ store.delivery_radius|default:'10' }}">
                    <span class="input-group-text">km</span>
                </div>
                <span class="helper-text">Kilometers from your store</span>
            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">
                <label for="delivery_fee" class="form-label">Delivery Fee</label>
                <div class="currency-input-group">
                    <span class="currency-symbol">
                        <span class="et-birr">■■</span>
                    </span>
                    <input type="number"
                           class="form-control"
                           id="delivery_fee"
                           name="delivery_fee"
                           min="0"
                           step="10"
                           value="{{ store.delivery_fee|default:'50' }}">
                </div>
                <span class="helper-text">Fee in Ethiopian Birr</span>
            </div>
        </div>
    </div>

    <div class="form-group mt-4">
        <label class="form-label">Delivery Methods</label>
        <div class="row">
            <div class="col-md-4">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="delivery_bike"
                           name="delivery_methods"
                           value="bike"
                           {% if 'bike' in store.delivery_methods %}checked{% endif %}>
                    <label class="form-check-label" for="delivery_bike">
                        ■ Bike Delivery
                    </label>
                </div>
            </div>
            <div class="col-md-4">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="delivery_car"
                           name="delivery_methods"
                           value="car"
                           {% if 'car' in store.delivery_methods %}checked{% endif %}>
                    <label class="form-check-label" for="delivery_car">
                        ■ Car Delivery
```

```
                    </label>
                  </div>
                </div>
                <div class="col-md-4">
                  <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="delivery_pickup"
                           name="delivery_methods"
                           value="pickup"
                           {% if 'pickup' in store.delivery_methods %}checked{% endif %}>
                    <label class="form-check-label" for="delivery_pickup">
                      ■ Store Pickup
                    </label>
                  </div>
                </div>
              </div>
            </div>
          </div>

          <!-- Business Hours -->
          <div class="store-hours-card">
            <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Business Hours (Eth
            <div class="table-responsive">
              <table class="store-hours-table">
                <thead>
                  <tr>
                    <th>Day</th>
                    <th>Open</th>
                    <th>Opening Time</th>
                    <th>Closing Time</th>
                    <th>Closed</th>
                  </tr>
                </thead>
                <tbody>
                  <tr>
                    <td><strong>Monday</strong></td>
                    <td>
                      <div class="form-check form-switch">
                        <input class="form-check-input"
                               type="checkbox"
                               name="open_monday"
                               id="open_monday"
                               {% if store.open_monday %}checked{% endif %}>
                      </div>
                    </td>
                    <td>
                      <input type="time"
                             class="form-control"
                             name="open_time_monday"
                             value="{{ store.open_time_monday|default:'08:30' }}">
                    </td>
                    <td>
                      <input type="time"
                             class="form-control"
                             name="close_time_monday"
                             value="{{ store.close_time_monday|default:'20:30' }}">
                    </td>
                    <td>
                      <div class="form-check form-switch">
```

```
            <input class="form-check-input"
                type="checkbox"
                name="closed_monday"
                id="closed_monday"
                {% if store.closed_monday %}checked{% endif %}>
        </div>
    </td>
</tr>

<tr>
    <td><strong>Tuesday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="open_tuesday"
                id="open_tuesday"
                {% if store.open_tuesday %}checked{% endif %}>
        </div>
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="open_time_tuesday"
            value="{{ store.open_time_tuesday|default:'08:30' }}">
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="close_time_tuesday"
            value="{{ store.close_time_tuesday|default:'20:30' }}">
    </td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="closed_tuesday"
                id="closed_tuesday"
                {% if store.closed_tuesday %}checked{% endif %}>
        </div>
    </td>
</tr>

<tr>
    <td><strong>Wednesday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="open_wednesday"
                id="open_wednesday"
                {% if store.open_wednesday %}checked{% endif %}>
        </div>
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="open_time_wednesday"
            value="{{ store.open_time_wednesday|default:'08:30' }}">
    </td>
```

```
            <td>
                <input type="time"
                        class="form-control"
                        name="close_time_wednesday"
                        value="{{ store.close_time_wednesday|default:'20:30' }}">
            </td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                            type="checkbox"
                            name="closed_wednesday"
                            id="closed_wednesday"
                            {% if store.closed_wednesday %}checked{% endif %}>
                </div>
            </td>
        </tr>

        <tr>
            <td><strong>Thursday</strong></td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                            type="checkbox"
                            name="open_thursday"
                            id="open_thursday"
                            {% if store.open_thursday %}checked{% endif %}>
                </div>
            </td>
            <td>
                <input type="time"
                        class="form-control"
                        name="open_time_thursday"
                        value="{{ store.open_time_thursday|default:'08:30' }}">
            </td>
            <td>
                <input type="time"
                        class="form-control"
                        name="close_time_thursday"
                        value="{{ store.close_time_thursday|default:'20:30' }}">
            </td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                            type="checkbox"
                            name="closed_thursday"
                            id="closed_thursday"
                            {% if store.closed_thursday %}checked{% endif %}>
                </div>
            </td>
        </tr>

        <tr>
            <td><strong>Friday</strong></td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                            type="checkbox"
                            name="open_friday"
                            id="open_friday"
                            {% if store.open_friday %}checked{% endif %}>
```

```
            </div>
        </td>
        <td>
            <input type="time"
                   class="form-control"
                   name="open_time_friday"
                   value="{{ store.open_time_friday|default:'08:30' }}">
        </td>
        <td>
            <input type="time"
                   class="form-control"
                   name="close_time_friday"
                   value="{{ store.close_time_friday|default:'20:30' }}">
        </td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                       type="checkbox"
                       name="closed_friday"
                       id="closed_friday"
                       {% if store.closed_friday %}checked{% endif %}>
            </div>
        </td>
    </tr>

    <tr>
        <td><strong>Saturday</strong></td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                       type="checkbox"
                       name="open_saturday"
                       id="open_saturday"
                       {% if store.open_saturday %}checked{% endif %}>
            </div>
        </td>
        <td>
            <input type="time"
                   class="form-control"
                   name="open_time_saturday"
                   value="{{ store.open_time_saturday|default:'08:30' }}">
        </td>
        <td>
            <input type="time"
                   class="form-control"
                   name="close_time_saturday"
                   value="{{ store.close_time_saturday|default:'20:30' }}">
        </td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                       type="checkbox"
                       name="closed_saturday"
                       id="closed_saturday"
                       {% if store.closed_saturday %}checked{% endif %}>
            </div>
        </td>
    </tr>

    <tr>
```

```
                    <td><strong>Sunday</strong></td>
                    <td>
                        <div class="form-check form-switch">
                            <input class="form-check-input"
                                   type="checkbox"
                                   name="open_sunday"
                                   id="open_sunday"
                                   {% if store.open_sunday %}checked{% endif %}>
                        </div>
                    </td>
                    <td>
                        <input type="time"
                               class="form-control"
                               name="open_time_sunday"
                               value="{{ store.open_time_sunday|default:'08:30' }}"
                               {% if not store.open_sunday %}disabled{% endif %}>
                    </td>
                    <td>
                        <input type="time"
                               class="form-control"
                               name="close_time_sunday"
                               value="{{ store.close_time_sunday|default:'20:30' }}"
                               {% if not store.open_sunday %}disabled{% endif %}>
                    </td>
                    <td>
                        <div class="form-check form-switch">
                            <input class="form-check-input"
                                   type="checkbox"
                                   name="closed_sunday"
                                   id="closed_sunday"
                                   {% if store.closed_sunday %}checked{% endif %}>
                        </div>
                    </td>
                </tr>
            </tbody>
        </table>
    </div>
    <div class="alert alert-info mt-4 mb-0">
        <i class="bi bi-info-circle me-2"></i>
        <small>Note: Most Ethiopian businesses are closed on Sundays. Adjust hours accord
    </div>
  </div>
</div>

<!-- Step 3: Policies -->
<div class="form-section" id="step3">
  <div class="section-header">
    <div class="section-icon">
        <i class="bi bi-file-text"></i>
    </div>
    <div class="section-content">
        <h2 class="section-title">Store Policies</h2>
        <p class="section-subtitle">Set your rental policies and pricing in Ethiopian Birr</p>
    </div>
  </div>

  <!-- Rental Policies -->
  <div class="row">
    <div class="col-md-6">
        <div class="form-group">
```

```
            <label for="rental_period" class="form-label required-field">
                <i class="bi bi-calendar"></i>
                Default Rental Period
            </label>
            <div class="input-group">
                <input type="number"
                        class="form-control"
                        id="rental_period"
                        name="rental_period"
                        min="1"
                        max="30"
                        value="{{ store.rental_period|default:'7' }}"
                        required>
                <span class="input-group-text">days</span>
            </div>
            <span class="helper-text">Standard rental duration</span>
            <div class="error-message" id="rental_period_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label for="rental_price" class="form-label required-field">
                <i class="bi bi-cash-stack"></i>
                Rental Price per Day
            </label>
            <div class="currency-input-group">
                <span class="currency-symbol">
                    <span class="et-birr">■■</span>
                </span>
                <input type="number"
                        class="form-control"
                        id="rental_price"
                        name="rental_price"
                        min="0"
                        step="10"
                        value="{{ store.rental_price|default:'50' }}"
                        required>
            </div>
            <span class="helper-text">Daily rental rate in Birr</span>
            <div class="error-message" id="rental_price_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>
</div>

<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <label for="late_fee" class="form-label required-field">
                <i class="bi bi-clock-history"></i>
                Late Fee per Day
            </label>
            <div class="currency-input-group">
                <span class="currency-symbol">
```

```
                <span class="et-birr">■■</span>
            </span>
            <input type="number"
                class="form-control"
                id="late_fee"
                name="late_fee"
                min="0"
                step="5"
                value="{{ store.late_fee|default:'20' }}"
                required>
        </div>
        <span class="helper-text">Charged for each overdue day</span>
        <div class="error-message" id="late_fee_error">
            <i class="bi bi-exclamation-circle"></i>
            <span></span>
        </div>
    </div>
</div>

<div class="col-md-6">
    <div class="form-group">
        <label for="security_deposit" class="form-label required-field">
            <i class="bi bi-shield-check"></i>
            Security Deposit
        </label>
        <div class="currency-input-group">
            <span class="currency-symbol">
                <span class="et-birr">■■</span>
            </span>
            <input type="number"
                class="form-control"
                id="security_deposit"
                name="security_deposit"
                min="0"
                step="50"
                value="{{ store.security_deposit|default:'500' }}"
                required>
        </div>
        <span class="helper-text">Refundable deposit for rentals</span>
        <div class="error-message" id="security_deposit_error">
            <i class="bi bi-exclamation-circle"></i>
            <span></span>
        </div>
    </div>
</div>
</div>

<!-- Additional Settings -->
<div class="store-hours-card">
    <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Additional Settings</
    <div class="row">
        <div class="col-md-6">
            <div class="form-group">
                <label for="max_books" class="form-label">
                    <i class="bi bi-book"></i>
                    Max Books per Customer
                </label>
                <div class="input-group">
                    <input type="number"
                        class="form-control"
```

```
                    id="max_books"
                    name="max_books"
                    min="1"
                    value="{{ store.max_books|default:'5' }}">
                <span class="input-group-text">books</span>
            </div>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label for="discount_percent" class="form-label">
                <i class="bi bi-percent"></i>
                Student Discount
            </label>
            <div class="input-group">
                <input type="number"
                    class="form-control"
                    id="discount_percent"
                    name="discount_percent"
                    min="0"
                    max="50"
                    value="{{ store.discount_percent|default:'10' }}">
                <span class="input-group-text">%</span>
            </div>
            <span class="helper-text">Discount for students with ID</span>
        </div>
    </div>
  </div>
</div>

<!-- Payment Methods -->
<div class="store-hours-card">
  <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Accepted Payment M
  <div class="row">
    <div class="col-md-3">
        <div class="form-check mb-3">
            <input class="form-check-input"
                type="checkbox"
                id="cash_payment"
                name="payment_methods"
                value="cash"
                {% if 'cash' in store.payment_methods %}checked{% endif %}>
            <label class="form-check-label" for="cash_payment">
                ■ Cash (■■)
            </label>
        </div>
    </div>
    <div class="col-md-3">
        <div class="form-check mb-3">
            <input class="form-check-input"
                type="checkbox"
                id="telebirr_payment"
                name="payment_methods"
                value="telebirr"
                {% if 'telebirr' in store.payment_methods %}checked{% endif %}>
            <label class="form-check-label" for="telebirr_payment">
                ■ Telebirr
            </label>
        </div>
```

```
            </div>
            <div class="col-md-3">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="cbe_payment"
                           name="payment_methods"
                           value="cbe"
                           {% if 'cbe' in store.payment_methods %}checked{% endif %}>
                    <label class="form-check-label" for="cbe_payment">
                        ■ CBE Birr
                    </label>
                </div>
            </div>
            <div class="col-md-3">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="bank_transfer"
                           name="payment_methods"
                           value="bank"
                           {% if 'bank' in store.payment_methods %}checked{% endif %}>
                    <label class="form-check-label" for="bank_transfer">
                        ■ Bank Transfer
                    </label>
                </div>
            </div>
        </div>
    </div>

    <!-- Terms & Conditions -->
    <div class="terms-card">
        <div class="terms-header">
            <div class="terms-icon">
                <i class="bi bi-file-earmark-text"></i>
            </div>
            <div>
                <h5 class="mb-1">Terms & Conditions</h5>
                <small class="text-muted">Please read and agree to continue</small>
            </div>
        </div>

        <div class="terms-content">
            <h6>■■ ■■ ■■■■■ (Terms & Conditions)</h6>
            <p class="mb-3">By registering your store, you agree to the following terms:</p>
            <ol class="mb-3">
                <li><strong>Payment Handling:</strong> All transactions are handled offline in Eth
                <li><strong>Inventory Management:</strong> You are responsible for maintaining
                <li><strong>Customer Service:</strong> Respond to customer inquiries and orders
                <li><strong>Rental Policies:</strong> Honor the rental periods, prices, and return p
                <li><strong>Book Condition:</strong> Maintain books in good condition and accura
                <li><strong>Delivery Commitment:</strong> If you offer delivery, provide accurate
                <li><strong>Legal Compliance:</strong> Comply with Ethiopian copyright laws and
                <li><strong>Data Privacy:</strong> Protect customer information and only use it fo
            </ol>
            <p class="mb-0"><strong>■■■■■ ■■■■■:</strong> BookHub serves as a platform
        </div>

        <div class="form-check mt-4">
            <input class="form-check-input"
```

```
                    type="checkbox"
                    id="agree_terms"
                    name="agree_terms"
                    required
                    {% if store.agree_terms %}checked{% endif %}>
                <label class="form-check-label" for="agree_terms">
                    ■ I have read and agree to the Terms & Conditions / ■■■■ ■■■■ ■■■■■■
                </label>
                <div class="error-message" id="agree_terms_error">
                    <i class="bi bi-exclamation-circle"></i>
                    <span>You must agree to the terms to continue</span>
                </div>
            </div>
        </div>
    </div>

    <!-- Step 4: Account Setup -->
    <div class="form-section" id="step4">
        <div class="section-header">
            <div class="section-icon">
                <i class="bi bi-lock"></i>
            </div>
            <div class="section-content">
                <h2 class="section-title">Account Setup</h2>
                <p class="section-subtitle">Create your login credentials and store profile</p>
                <span class="success-badge">
                    <i class="bi bi-check-circle"></i>
                    Almost done!
                </span>
            </div>
        </div>

        <!-- Success Message -->
        <div class="info-card">
            <div class="info-card-header">
                <i class="bi bi-rocket-takeoff info-card-icon"></i>
                <h5 class="mb-0" style="color: #0369a1;">Ready to Launch Your Store!</h5>
            </div>
            <p class="mb-0">Complete your registration to start managing your bookstore online. Y
        </div>

        <!-- Next Steps -->
        <div class="info-card">
            <div class="info-card-header">
                <i class="bi bi-check-circle info-card-icon"></i>
                <h5 class="mb-0" style="color: #0369a1;">What Happens Next?</h5>
            </div>
            <div class="row">
                <div class="col-md-6">
                    <ul class="mb-0">
                        <li>■ Instant store profile creation</li>
                        <li>■ Start adding books immediately</li>
                        <li>■ Accept orders from customers</li>
                    </ul>
                </div>
                <div class="col-md-6">
                    <ul class="mb-0">
                        <li>■ Manage orders from mobile</li>
                        <li>■ View sales analytics</li>
                        <li>■ Get listed in local searches</li>
```

```
                    </ul>
                  </div>
                </div>
              </div>
            </div>

            <!-- Navigation Buttons -->
            <div class="navigation-buttons">
              <button type="button" class="btn btn-secondary" id="prevBtn" style="display: none;">
                <i class="bi bi-arrow-left"></i>
                Previous
              </button>
              <button type="button" class="btn btn-primary" id="nextBtn">
                Next Step
                <i class="bi bi-arrow-right"></i>
              </button>
              <button type="submit" class="btn btn-primary" id="submitBtn" style="display: none;">
                <i class="bi bi-check-circle"></i>
                Complete Registration
              </button>
            </div>
          </form>
        </div>

        <!-- Login Link -->
        <div class="text-center mt-4 text-white">
          <p class="mb-2">Already have a store account?</p>
          <a href="{% url 'login' %}" class="btn btn-outline-light btn-lg">
            <i class="bi bi-box-arrow-in-right me-2"></i>
            Login to Your Store
          </a>
        </div>
      </div>
    </div>
  </div>
</div>
{% endblock %}

{% block extra_js %}
<script>
document.addEventListener('DOMContentLoaded', function() {
  let currentStep = 1;
  const totalSteps = 4;
  const form = document.getElementById('storeRegistrationForm');

  // Initialize password toggles
  initializePasswordToggles();

  // Initialize service cards
  initializeServiceCards();

  // Initialize business hours toggles
  initializeBusinessHours();

  // Initialize step navigation
  initializeStepNavigation();

  // Initialize form validation
  initializeFormValidation();
```

```
// Initialize form submission
initializeFormSubmission();

// Initialize auto-slug generation
initializeAutoSlug();

function initializePasswordToggles() {
    document.querySelectorAll('.password-toggle').forEach(function(toggle) {
        toggle.addEventListener('click', function() {
            const targetId = this.getAttribute('data-target');
            const passwordInput = document.getElementById(targetId);
            const icon = this.querySelector('i');

            if (passwordInput.type === 'password') {
                passwordInput.type = 'text';
                icon.className = 'bi bi-eye-slash';
            } else {
                passwordInput.type = 'password';
                icon.className = 'bi bi-eye';
            }
        });
    });
}

function initializeServiceCards() {
    document.querySelectorAll('.service-card').forEach(function(card) {
        card.addEventListener('click', function() {
            const checkbox = this.querySelector('input[type="checkbox"]');
            checkbox.checked = !checkbox.checked;

            if (checkbox.checked) {
                this.classList.add('active');
            } else {
                this.classList.remove('active');
            }
        });

        // Set initial active state
        const checkbox = card.querySelector('input[type="checkbox"]');
        if (checkbox.checked) {
            card.classList.add('active');
        }
    });
}

function initializeBusinessHours() {
    // Toggle closed days logic
    document.querySelectorAll('input[name^="closed_"]').forEach(function(checkbox) {
        checkbox.addEventListener('change', function() {
            const day = this.name.split('_')[1];
            const openCheckbox = document.querySelector(`input[name="open_${day}"]`);
            const openTime = document.querySelector(`input[name="open_time_${day}"]`);
            const closeTime = document.querySelector(`input[name="close_time_${day}"]`);

            if (this.checked) {
                openCheckbox.checked = false;
                openTime.disabled = true;
                closeTime.disabled = true;
            } else {
                openTime.disabled = false;
```

```
                closeTime.disabled = false;
            }
        });
    });

    // Toggle open/close logic
    document.querySelectorAll('input[name^="open_"]').forEach(function(checkbox) {
        checkbox.addEventListener('change', function() {
            const day = this.name.split('_')[1];
            const closedCheckbox = document.querySelector(`input[name="closed_${day}"]`);
            const openTime = document.querySelector(`input[name="open_time_${day}"]`);
            const closeTime = document.querySelector(`input[name="close_time_${day}"]`);

            if (!this.checked) {
                closedCheckbox.checked = true;
                openTime.disabled = true;
                closeTime.disabled = true;
            } else {
                closedCheckbox.checked = false;
                openTime.disabled = false;
                closeTime.disabled = false;
            }
        });
    });
}

function initializeStepNavigation() {
    // Next button click
    document.getElementById('nextBtn').addEventListener('click', function() {
        if (validateStep(currentStep)) {
            if (currentStep < totalSteps) {
                currentStep++;
                showStep(currentStep);
            }
        }
    });

    // Previous button click
    document.getElementById('prevBtn').addEventListener('click', function() {
        if (currentStep > 1) {
            currentStep--;
            showStep(currentStep);
        }
    });
}

function showStep(step) {
    // Hide all steps
    document.querySelectorAll('.form-section').forEach(function(section) {
        section.classList.remove('active');
    });

    // Show current step
    document.getElementById(`step${step}`).classList.add('active');

    // Update step indicators
    document.querySelectorAll('.step').forEach(function(stepEl) {
        const stepNumber = parseInt(stepEl.getAttribute('data-step'));
        stepEl.classList.remove('active', 'completed');
```

```
        if (stepNumber === step) {
            stepEl.classList.add('active');
        } else if (stepNumber < step) {
            stepEl.classList.add('completed');
        }
    });

    // Update navigation buttons
    document.getElementById('prevBtn').style.display = step === 1 ? 'none' : 'flex';
    document.getElementById('nextBtn').style.display = step === totalSteps ? 'none' : 'flex';
    document.getElementById('submitBtn').style.display = step === totalSteps ? 'flex' : 'none';

    // Scroll to top of form
    document.querySelector('.form-section.active').scrollIntoView({ behavior: 'smooth', block: 'start' });
}

function validateStep(step) {
    let isValid = true;

    // Clear previous errors
    clearErrors();

    // Step 1 validation
    if (step === 1) {
        const requiredFields = ['store_name', 'owner_name', 'email', 'phone', 'city', 'address', 'store_type'];

        requiredFields.forEach(function(field) {
            const input = document.getElementById(field);
            const error = document.getElementById(`${field}_error`);

            if (!input.value.trim()) {
                isValid = false;
                showError(input, error, 'This field is required');
            } else {
                clearError(input, error);

                // Email validation
                if (field === 'email') {
                    const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
                    if (!emailRegex.test(input.value)) {
                        isValid = false;
                        showError(input, error, 'Please enter a valid email address');
                    }
                }

                // Phone validation
                if (field === 'phone') {
                    const phoneRegex = /^[0-9]{9}$/;
                    if (!phoneRegex.test(input.value)) {
                        isValid = false;
                        showError(input, error, 'Please enter a valid 9-digit phone number');
                    }
                }
            }
        });
    }

    // Step 3 validation (terms agreement)
    if (step === 3) {
        const agreeTerms = document.getElementById('agree_terms');
```

```
        const error = document.getElementById('agree_terms_error');

        if (!agreeTerms.checked) {
            isValid = false;
            showError(agreeTerms, error, 'You must agree to the terms and conditions');
        } else {
            clearError(agreeTerms, error);
        }
    }

    // Step 4 validation (passwords)
    if (step === 4) {
        const password = document.getElementById('password');
        const confirmPassword = document.getElementById('confirm_password');
        const passwordError = document.getElementById('password_error');
        const confirmError = document.getElementById('confirm_password_error');

        // Password validation
        if (password && password.value.length < 8) {
            isValid = false;
            showError(password, passwordError, 'Password must be at least 8 characters');
        } else if (password) {
            clearError(password, passwordError);
        }

        // Confirm password validation
        if (confirmPassword && password.value !== confirmPassword.value) {
            isValid = false;
            showError(confirmPassword, confirmError, 'Passwords do not match');
        } else if (confirmPassword) {
            clearError(confirmPassword, confirmError);
        }
    }

    return isValid;
}

function showError(input, errorElement, message) {
    input.classList.add('is-invalid');
    errorElement.querySelector('span').textContent = message;
    errorElement.classList.add('show');
}

function clearError(input, errorElement) {
    input.classList.remove('is-invalid');
    input.classList.add('is-valid');
    errorElement.classList.remove('show');
}

function clearErrors() {
    document.querySelectorAll('.error-message').forEach(function(error) {
        error.classList.remove('show');
    });

    document.querySelectorAll('.form-control, .form-select').forEach(function(input) {
        input.classList.remove('is-invalid', 'is-valid');
    });
}

function initializeFormValidation() {
```

```
// Real-time validation for required fields
document.querySelectorAll('[required]').forEach(function(input) {
    input.addEventListener('blur', function() {
        const field = this.id;
        const error = document.getElementById(`${field}_error`);

        if (!this.value.trim() && this.hasAttribute('required')) {
            showError(this, error, 'This field is required');
        } else {
            clearError(this, error);
        }
    });
});

// Real-time email validation
document.getElementById('email').addEventListener('blur', function() {
    const error = document.getElementById('email_error');
    const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;

    if (this.value && !emailRegex.test(this.value)) {
        showError(this, error, 'Please enter a valid email address');
    } else if (this.value) {
        clearError(this, error);
    }
});

// Real-time phone validation
document.getElementById('phone').addEventListener('blur', function() {
    const error = document.getElementById('phone_error');
    const phoneRegex = /^[0-9]{9}$/;

    if (this.value && !phoneRegex.test(this.value)) {
        showError(this, error, 'Please enter a valid 9-digit phone number');
    } else if (this.value) {
        clearError(this, error);
    }
});

// Real-time password validation (if password fields exist)
const password = document.getElementById('password');
const confirmPassword = document.getElementById('confirm_password');

if (password) {
    password.addEventListener('input', function() {
        const error = document.getElementById('password_error');
        const confirmError = document.getElementById('confirm_password_error');

        if (this.value.length > 0 && this.value.length < 8) {
            showError(this, error, 'Password must be at least 8 characters');
        } else if (this.value.length >= 8) {
            clearError(this, error);
        }

        // Update confirm password validation
        if (confirmPassword && confirmPassword.value && this.value !== confirmPassword.value) {
            showError(confirmPassword, confirmError, 'Passwords do not match');
        } else if (confirmPassword && confirmPassword.value && this.value === confirmPassword.value) {
            clearError(confirmPassword, confirmError);
        }
    });
```

```
    }

    if (confirmPassword) {
        // Real-time confirm password validation
        confirmPassword.addEventListener('input', function() {
            const error = document.getElementById('confirm_password_error');
            const password = document.getElementById('password');

            if (this.value && password.value !== this.value) {
                showError(this, error, 'Passwords do not match');
            } else if (this.value && password.value === this.value) {
                clearError(this, error);
            }
        });
    }
}

function initializeFormSubmission() {
    form.addEventListener('submit', function(e) {
        // Validate current step before allowing normal form POST
        if (!validateStep(currentStep)) {
            e.preventDefault();
            return;
        }

        // Show loading state and allow form to submit normally to the server
        const submitBtn = document.getElementById('submitBtn');
        submitBtn.innerHTML = '<i class="bi bi-hourglass-split"></i> Saving...';
        submitBtn.disabled = true;
        submitBtn.classList.add('loading');
        // do not preventDefault() so the browser performs the POST to the server
    });
}

function initializeAutoSlug() {
    const storeNameInput = document.getElementById('store_name');
    const storeSlugInput = document.getElementById('store_slug');

    if (storeNameInput && storeSlugInput) {
        storeNameInput.addEventListener('input', function() {
            if (!storeSlugInput.value) {
                const slug = this.value
                    .toLowerCase()
                    .replace(/[^a-z0-9\s]/g, '')
                    .replace(/\s+/g, '-')
                    .substring(0, 30);
                storeSlugInput.value = slug;
            }
        });
    }

    // Format Ethiopian phone number
    window.formatEthiopianPhone = function(input) {
        let value = input.value.replace(/\D/g, '');

        if (value.length > 9) {
            value = value.substring(0, 9);
        }

        input.value = value;
```

```
        };
    }

    // Initialize first step
    showStep(currentStep);
});
</script>
{% endblock %}

=== resources\js\Pages\store\registration_view_store.html ===
{% extends 'base.html' %}
{% load static %}

{% block content %}

<div class="container-fluid py-4">

    <!-- Header + Add Button -->
    <div class="d-flex justify-content-between align-items-center mb-4">
        <h4 class="mb-0 fw-semibold text-dark">Store Management</h4>
        <a href="{% url 'store_registration' %}" class="btn btn-primary btn-lg shadow-sm">
            <i class="fas fa-plus me-2"></i>Add New Store
        </a>
    </div>

    <div class="card shadow border-0">
        <div class="card-body p-0">
            <div class="table-responsive">
                <table class="table table-hover table-bordered align-middle mb-0 small">
                    <thead class="bg-dark text-white text-center">
                        <tr>
                            <th class="py-3">ID</th>
                            <th class="py-3">Store Name</th>
                            <th class="py-3">Owner</th>
                            <th class="py-3">Email</th>
                            <th class="py-3">Phone</th>
                            <th class="py-3">Type</th>
                            <th class="py-3">City</th>
                            <th class="py-3">Sub City</th>
                            <th class="py-3">Address</th>
                            <th class="py-3">Description</th>

                            <!-- Services -->
                            <th class="py-3">Rental</th>
                            <th class="py-3">Sale</th>
                            <th class="py-3">Delivery</th>
                            <th class="py-3">Del. Fee</th>
                            <th class="py-3">Bike</th>
                            <th class="py-3">Car</th>
                            <th class="py-3">Pickup</th>

                            <!-- Working Days - grouped visually -->
                            <th colspan="4" class="bg-secondary text-white">Monday</th>
                            <th colspan="4" class="bg-secondary text-white">Tuesday</th>
                            <th colspan="4" class="bg-secondary text-white">Wednesday</th>
                            <th colspan="4" class="bg-secondary text-white">Thursday</th>
                            <th colspan="4" class="bg-secondary text-white">Friday</th>
                            <th colspan="4" class="bg-secondary text-white">Saturday</th>
                            <th colspan="4" class="bg-secondary text-white">Sunday</th>
```

```
            <!-- Rental Terms -->
            <th class="py-3">Period</th>
            <th class="py-3">Price</th>
            <th class="py-3">Late Fee</th>
            <th class="py-3">Deposit</th>
            <th class="py-3">Max Books</th>
            <th class="py-3">Discount</th>
            <th class="py-3">Payments</th>
            <th class="py-3">Terms</th>

            <th class="py-3">Actions</th>
        </tr>
        <!-- Second header row for day details -->
        <tr class="bg-dark text-white text-center small fw-normal">
            <th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th
            <!-- Services -->
            <th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th>
            <!-- Monday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Tuesday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Wednesday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Thursday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Friday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Saturday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Sunday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Rental -->
            <th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th>
            <th></th>
        </tr>
    </thead>

    <tbody class="text-center">
        {% for store in stores %}
```

```
<tr>
    <td class="fw-bold text-muted">{{ store.id }}</td>
    <td class="fw-semibold">{{ store.store_name }}</td>
    <td>{{ store.owner_full_name }}</td>
    <td class="text-nowrap">{{ store.email }}</td>
    <td>{{ store.phone }}</td>
    <td>{{ store.store_type }}</td>
    <td>{{ store.city }}</td>
    <td>{{ store.sub_city }}</td>
    <td class="text-start">{{ store.address }}</td>
    <td class="text-start text-truncate" style="max-width: 180px;" title="{{ store.store_descriptio
        {{ store.store_description|truncatewords:8|default:"—" }}
    </td>

    <td><span class="badge bg-success-subtle text-success">{{ store.offers_rental|yesno:"Ye
    <td><span class="badge bg-success-subtle text-success">{{ store.offers_sale|yesno:"Yes,
    <td><span class="badge bg-info-subtle text-info">{{ store.offers_delivery|yesno:"Yes,No" }
    <td class="fw-medium">${{ store.delivery_fee|default:"0.00" }}</td>
    <td>{{ store.delivery_bike|yesno:"Yes,No" }}</td>
    <td>{{ store.delivery_car|yesno:"Yes,No" }}</td>
    <td>{{ store.delivery_pickup|yesno:"Yes,No" }}</td>

    <!-- Monday -->
    <td>{{ store.open_monday|yesno:"<span class='text-success'>Yes</span>,—" }}</td>
    <td>{{ store.open_time_monday|default:"—" }}</td>
    <td>{{ store.close_time_monday|default:"—" }}</td>
      <td>{{ store.close_monday|yesno:"Closed,—" }}</td>

    <!-- Tuesday -->
    <td>{{ store.open_tuesday|yesno:"<span class='text-success'>Yes</span>,—" }}</td>
    <td>{{ store.open_time_tuesday|default:"—" }}</td>
    <td>{{ store.close_time_tuesday|default:"—" }}</td>
        <td>{{ store.close_tuesday|yesno:"Closed,—" }}</td>

    <!-- Wednesday -->
    <td>{{ store.open_wednesday|yesno:"<span class='text-success'>Yes</span>,—" }}</td>
    <td>{{ store.open_time_wednesday|default:"—" }}</td>
    <td>{{ store.close_time_wednesday|default:"—" }}</td>
      <td>{{ store.close_wednesday|yesno:"Closed,—" }}</td>

    <!-- Thursday -->
    <td>{{ store.open_thursday|yesno:"<span class='text-success'>Yes</span>,—" }}</td>
    <td>{{ store.open_time_thursday|default:"—" }}</td>
    <td>{{ store.close_time_thursday|default:"—" }}</td>
        <td>{{ store.close_thursday|yesno:"Closed,—" }}</td>

    <!-- Friday -->
    <td>{{ store.open_friday|yesno:"<span class='text-success'>Yes</span>,—" }}</td>
    <td>{{ store.open_time_friday|default:"—" }}</td>
    <td>{{ store.close_time_friday|default:"—" }}</td>
      <td>{{ store.close_friday|yesno:"Closed,—" }}</td>

    <!-- Saturday -->
    <td>{{ store.open_saturday|yesno:"<span class='text-success'>Yes</span>,—" }}</td>
    <td>{{ store.open_time_saturday|default:"—" }}</td>
    <td>{{ store.close_time_saturday|default:"—" }}</td>
        <td>{{ store.close_saturday|yesno:"Closed,—" }}</td>

    <!-- Sunday -->
    <td>{{ store.open_sunday|yesno:"<span class='text-success'>Yes</span>,—" }}</td>
```

```
                    <td>{{ store.open_time_sunday|default:"—" }}</td>
                    <td>{{ store.close_time_sunday|default:"—" }}</td>
                      <td>{{ store.close_sunday|yesno:"Closed,—" }}</td>

                    <!-- Rental Terms -->
                    <td>{{ store.rental_period|default:"—" }}</td>
                    <td class="fw-medium">${{ store.rental_price|default:"0.00" }}</td>
                    <td>${{ store.late_fee|default:"0.00" }}</td>
                    <td>${{ store.security_deposit|default:"0.00" }}</td>
                    <td>{{ store.max_books|default:"—" }}</td>
                    <td>{{ store.discount_percent|default:"0" }}%</td>
                    <td class="text-start">{{ store.payment_methods|default:"—" }}</td>
                           <td>{{ store.agree_terms|yesno:"<span class='text-success'>Yes</span>,No" }}</td>

                    <td class="text-nowrap">
                      <a href="{% url 'edit_store' store.id %}" class="btn btn-outline-primary btn-sm me-2">
                        <i class="far fa-edit"></i>edit
                      </a>
                      <form action="{% url 'delete_store' store.id %}" method="post" class="d-inline">
                        {% csrf_token %}
                        <button type="submit" class="btn btn-outline-danger btn-sm"
                                onclick="return confirm('Delete this store permanently?');">
                          <i class="far fa-trash-alt"></i>delete
                        </button>
                      </form>
                    </td>
                  </tr>
                  {% empty %}
                  <tr>
                    <td colspan="70" class="text-center py-5 text-muted fs-5">
                      <i class="fas fa-store-slash me-2"></i>No stores found.
                    </td>
                  </tr>
                  {% endfor %}
                </tbody>
              </table>
            </div>
          </div>
        </div>

</div>

{% endblock %}

=== resources\views\app.blade.php ===
<!DOCTYPE html>
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">

        <title inertia>{{ config('app.name', 'Laravel') }}</title>

        <!-- Fonts -->
        <link rel="preconnect" href="https://fonts.bunny.net">
        <link href="https://fonts.bunny.net/css?family=figtree:400,500,600&display=swap" rel="stylesheet" />

        <!-- Scripts -->
        @routes
        @viteReactRefresh
```

```
        @vite(['resources/js/app.jsx', "resources/js/Pages/{$page['component']}.jsx"])
        @inertiaHead
    </head>
    <body class="font-sans antialiased">
        @inertia
    </body>
</html>

=== resources\views\admin\base.html ===
<!DOCTYPE html>
<html lang="en" data-theme="light">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="BookHub Admin Dashboard - Manage your bookstore platform">
    <title>{% block title %}BookHub Admin{% endblock %}</title>

    <link rel="preconnect" href="https://cdn.jsdelivr.net">
    <link rel="preconnect" href="https://fonts.googleapis.com">

    <!-- Bootstrap 5 CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet">
    <!-- Bootstrap Icons -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.c
    <!-- Google Fonts: Outfit + Lora -->
    <link href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;600;700;800&family=Lora
    <!-- AOS Animation -->
    <link href="https://unpkg.com/aos@2.3.1/dist/aos.css" rel="stylesheet">
    <!-- Chart.js -->
    <script src="https://cdn.jsdelivr.net/npm/chart.js@4.4.1"></script>

    <style>
        /* ===== LIGHT THEME VARIABLES ===== */
        :root,
        [data-theme="light"] {
            /* Brand */
            --primary:          #5b4cff;
            --primary-dark:     #3d2fe0;
            --primary-light:    #9b8fff;
            --primary-soft:     rgba(91, 76, 255, 0.08);
            --primary-glow:     rgba(91, 76, 255, 0.22);

            /* Semantic */
            --success:   #00c98b;
            --warning:   #ffb703;
            --danger:    #ff4d6d;
            --info:      #38bdf8;

            /* Surface / Text */
            --bg-base:      #e8e7f2;       /* medium lavender-gray — the page background */
            --bg-surface:   #f0effe;       /* card/panel face — warm off-white, not pure white */
            --bg-raised:    #e9e8f5;       /* inputs, table headers, chips — slightly darker */
            --bg-overlay:   rgba(240,239,254,0.80);

            --text-primary:   #14102b;
            --text-secondary: #4e4a64;
            --text-muted:     #8a86a0;

            --border:       rgba(91, 76, 255, 0.15);
```

```
    --border-soft:  rgba(91, 76, 255, 0.09);

    /* Sidebar */
    --sidebar-bg:        #14102b;
    --sidebar-text:      rgba(255,255,255,0.6);
    --sidebar-active-bg: rgba(91,76,255,0.25);
    --sidebar-active:    #ffffff;
    --sidebar-hover-bg:  rgba(255,255,255,0.07);
    --sidebar-heading:   rgba(255,255,255,0.3);
    --sidebar-border:    rgba(255,255,255,0.08);
    --sidebar-icon:      rgba(155,143,255,0.9);

    /* Navbar */
    --navbar-bg:     rgba(228,227,242,0.92);
    --navbar-border: rgba(91,76,255,0.14);

    /* Shadows */
    --shadow-xs: 0 1px 3px rgba(20,16,43,0.06);
    --shadow-sm: 0 2px 8px rgba(20,16,43,0.08);
    --shadow:    0 4px 20px rgba(20,16,43,0.10);
    --shadow-lg: 0 12px 40px rgba(20,16,43,0.14);
    --shadow-xl: 0 20px 60px rgba(20,16,43,0.18);

    /* Layout */
    --sidebar-width: 272px;
    --header-height: 70px;
    --radius:    14px;
    --radius-lg: 22px;
    --radius-xl: 32px;

    /* Transitions */
    --t-fast: 150ms cubic-bezier(0.4,0,0.2,1);
    --t:      280ms cubic-bezier(0.4,0,0.2,1);
    --t-slow: 500ms cubic-bezier(0.4,0,0.2,1);
}

/* ===== DARK THEME VARIABLES ===== */
[data-theme="dark"] {
    --primary:          #7b6fff;
    --primary-dark:     #5b4cff;
    --primary-light:    #b3abff;
    --primary-soft:     rgba(123,111,255,0.15);
    --primary-glow:     rgba(123,111,255,0.30);

    --success:   #00e5a0;
    --warning:   #ffd166;
    --danger:    #ff6b87;
    --info:      #67d7f5;

    --bg-base:      #0c0a1a;       /* deep indigo-black */
    --bg-surface:   #13111f;
    --bg-raised:    #1a1730;
    --bg-overlay:   rgba(19,17,31,0.85);

    --text-primary:   #ede9ff;
    --text-secondary: #9c97b8;
    --text-muted:     #635e7a;

    --border:       rgba(123,111,255,0.18);
    --border-soft:  rgba(123,111,255,0.09);
```

```
    --sidebar-bg:        #0a0818;
    --sidebar-text:      rgba(255,255,255,0.55);
    --sidebar-active-bg: rgba(123,111,255,0.22);
    --sidebar-active:    #ede9ff;
    --sidebar-hover-bg:  rgba(255,255,255,0.05);
    --sidebar-heading:   rgba(255,255,255,0.25);
    --sidebar-border:    rgba(255,255,255,0.06);
    --sidebar-icon:      rgba(179,171,255,0.85);

    --navbar-bg:     rgba(12,10,26,0.88);
    --navbar-border: rgba(123,111,255,0.15);

    --shadow-xs: 0 1px 3px rgba(0,0,0,0.30);
    --shadow-sm: 0 2px 8px rgba(0,0,0,0.40);
    --shadow:    0 4px 20px rgba(0,0,0,0.45);
    --shadow-lg: 0 12px 40px rgba(0,0,0,0.55);
    --shadow-xl: 0 20px 60px rgba(0,0,0,0.65);
}

/* ===== BASE ===== */
*, *::before, *::after { box-sizing: border-box; margin: 0; padding: 0; }
html { scroll-behavior: smooth; }

body {
    font-family: 'Outfit', system-ui, sans-serif;
    background-color: var(--bg-base);
    min-height: 100vh;
    color: var(--text-primary);
    line-height: 1.6;
    padding-top: var(--header-height);
    transition: background-color var(--t), color var(--t);
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
}

/* Background mesh pattern */
body::before {
    content: '';
    position: fixed;
    inset: 0;
    z-index: 0;
    pointer-events: none;
    background:
        radial-gradient(ellipse 80% 50% at 10% 0%, rgba(91,76,255,0.10) 0%, transparent 60%),
        radial-gradient(ellipse 60% 40% at 90% 80%, rgba(155,143,255,0.08) 0%, transparent 55%),
        radial-gradient(ellipse 50% 60% at 50% 50%, rgba(91,76,255,0.04) 0%, transparent 70%);
    transition: opacity var(--t-slow);
}
[data-theme="dark"] body::before {
    background:
        radial-gradient(ellipse 70% 50% at 5% 0%,  rgba(123,111,255,0.12) 0%, transparent 60%),
        radial-gradient(ellipse 60% 50% at 95% 90%, rgba(0,201,139,0.06) 0%, transparent 55%),
        radial-gradient(ellipse 40% 30% at 50% 50%, rgba(91,76,255,0.04) 0%, transparent 70%);
}

/* Ensure content sits above pseudo-element */
.navbar, #sidebar, #content { position: relative; z-index: 1; }

/* ===== ACCESSIBILITY ===== */
```

```
.sr-only { position:absolute; width:1px; height:1px; padding:0; margin:-1px; overflow:hidden; clip:rect(0,0
:focus-visible { outline: 2px solid var(--primary); outline-offset: 3px; }

.skip-link { position:absolute; top:-50px; left:0; background:var(--primary); color:#fff; padding:10px 18px;
.skip-link:focus { top:0; }

/* ===== NAVBAR ===== */
.navbar {
    background: var(--navbar-bg);
    backdrop-filter: blur(20px);
    -webkit-backdrop-filter: blur(20px);
    border-bottom: 1px solid var(--navbar-border);
    box-shadow: var(--shadow-sm);
    height: var(--header-height);
    position: fixed;
    top: 0; left: 0; right: 0;
    z-index: 1030;
    padding: 0 1.5rem;
    transition: all var(--t);
}
.navbar.scrolled {
    background: var(--navbar-bg);
    box-shadow: var(--shadow);
}

.navbar-brand {
    font-family: 'Outfit', sans-serif;
    font-weight: 800;
    font-size: 1.45rem;
    letter-spacing: -0.02em;
    display: flex;
    align-items: center;
    gap: 0.5rem;
    text-decoration: none;
    transition: transform var(--t-fast);
}
.navbar-brand:hover { transform: scale(1.02); }

.brand-icon {
    width: 36px;
    height: 36px;
    background: linear-gradient(135deg, var(--primary) 0%, var(--primary-light) 100%);
    border-radius: 10px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.1rem;
    color: #fff;
    box-shadow: 0 4px 12px var(--primary-glow);
}

.brand-text-main { color: var(--text-primary); }
.brand-text-accent { color: var(--primary); }

/* Header Nav */
.header-nav {
    display: flex;
    align-items: center;
    gap: 0.25rem;
    margin-left: 1.5rem;
```

```
}
.header-nav-item {
    display: flex;
    align-items: center;
    gap: 0.45rem;
    padding: 0.45rem 0.9rem;
    border-radius: 999px;
    color: var(--text-secondary);
    text-decoration: none;
    font-weight: 500;
    font-size: 0.875rem;
    transition: all var(--t-fast);
    border: 1px solid transparent;
}
.header-nav-item:hover, .header-nav-item.active {
    color: var(--primary);
    background: var(--primary-soft);
    border-color: var(--border);
}
.header-nav-item .badge {
    font-size: 0.68rem;
    padding: 0.22rem 0.5rem;
}

/* Icon Buttons */
.icon-btn {
    width: 38px;
    height: 38px;
    border-radius: 10px;
    background: transparent;
    border: 1px solid var(--border);
    display: flex;
    align-items: center;
    justify-content: center;
    color: var(--text-secondary);
    cursor: pointer;
    transition: all var(--t-fast);
    position: relative;
}
.icon-btn:hover {
    background: var(--primary-soft);
    border-color: var(--primary);
    color: var(--primary);
    box-shadow: 0 0 0 3px var(--primary-soft);
}

/* Theme Toggle */
.theme-toggle {
    width: 52px;
    height: 28px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: 999px;
    cursor: pointer;
    position: relative;
    transition: all var(--t-fast);
    display: flex;
    align-items: center;
    padding: 0 3px;
}
```

```
.theme-toggle-thumb {
    width: 22px;
    height: 22px;
    border-radius: 50%;
    background: linear-gradient(135deg, var(--warning), #ff9d00);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 0.75rem;
    color: #fff;
    transition: transform var(--t), background var(--t);
    box-shadow: var(--shadow-sm);
}
[data-theme="dark"] .theme-toggle-thumb {
    transform: translateX(24px);
    background: linear-gradient(135deg, var(--primary), var(--primary-light));
}

/* User Avatar */
.nav-avatar {
    width: 36px;
    height: 36px;
    border-radius: 10px;
    object-fit: cover;
    border: 2px solid var(--border);
    box-shadow: var(--shadow-xs);
    transition: all var(--t-fast);
}
.nav-avatar:hover { transform: scale(1.06); border-color: var(--primary); box-shadow: 0 0 0 3px var(--pri

/* Notification dot */
.notif-dot {
    position: absolute;
    top: 6px;
    right: 6px;
    width: 8px;
    height: 8px;
    background: var(--danger);
    border-radius: 50%;
    border: 2px solid var(--bg-base);
    animation: ping 2s cubic-bezier(0, 0, 0.2, 1) infinite;
}
@keyframes ping {
    0%   { box-shadow: 0 0 0 0 rgba(255,77,109,0.5); }
    70%  { box-shadow: 0 0 0 6px rgba(255,77,109,0); }
    100% { box-shadow: 0 0 0 0 rgba(255,77,109,0); }
}

/* Welcome pill */
.welcome-pill {
    display: flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.35rem 0.8rem;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: 999px;
    font-size: 0.85rem;
}
.welcome-pill .dot {
```

```
    width: 8px; height: 8px;
    background: var(--success);
    border-radius: 50%;
    box-shadow: 0 0 0 3px rgba(0,201,139,0.2);
}
.welcome-pill strong { color: var(--primary); font-weight: 600; }
.welcome-pill small { color: var(--text-muted); }

/* ===== SIDEBAR ===== */
#sidebar {
    width: var(--sidebar-width);
    background: var(--sidebar-bg);
    position: fixed;
    top: var(--header-height);
    left: 0;
    height: calc(100vh - var(--header-height));
    z-index: 1020;
    box-shadow: var(--shadow-lg);
    display: flex;
    flex-direction: column;
    transition: transform var(--t), width var(--t);
    overflow-y: auto;
    overflow-x: hidden;
    border-right: 1px solid var(--sidebar-border);
}

/* Sidebar decorative glow */
#sidebar::before {
    content: '';
    position: absolute;
    top: -80px;
    left: -80px;
    width: 260px;
    height: 260px;
    border-radius: 50%;
    background: radial-gradient(circle, rgba(91,76,255,0.15) 0%, transparent 70%);
    pointer-events: none;
}
#sidebar::after {
    content: '';
    position: absolute;
    bottom: 60px;
    right: -60px;
    width: 180px;
    height: 180px;
    border-radius: 50%;
    background: radial-gradient(circle, rgba(0,201,139,0.08) 0%, transparent 70%);
    pointer-events: none;
}

.sidebar-heading {
    padding: 1.25rem 1.25rem 0.4rem;
    font-size: 0.68rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 2px;
    color: var(--sidebar-heading);
}

.sidebar-item {
```

```
    display: flex;
    align-items: center;
    gap: 0.75rem;
    padding: 0.7rem 1.1rem;
    margin: 0.15rem 0.75rem;
    color: var(--sidebar-text);
    text-decoration: none;
    border-radius: var(--radius);
    font-weight: 500;
    font-size: 0.9rem;
    transition: all var(--t-fast);
    position: relative;
    overflow: hidden;
}
.sidebar-item:hover {
    color: var(--sidebar-active);
    background: var(--sidebar-hover-bg);
}
.sidebar-item.active {
    color: var(--sidebar-active);
    background: var(--sidebar-active-bg);
    border: 1px solid rgba(123,111,255,0.3);
}
.sidebar-item.active::before {
    content: '';
    position: absolute;
    left: 0;
    top: 20%;
    height: 60%;
    width: 3px;
    background: var(--primary);
    border-radius: 0 3px 3px 0;
}

.sidebar-item i {
    width: 22px;
    text-align: center;
    font-size: 1rem;
    color: var(--sidebar-icon);
    flex-shrink: 0;
}
.sidebar-item.active i { color: var(--primary-light); }

.sidebar-item .badge {
    margin-left: auto;
    font-size: 0.7rem;
    padding: 0.2rem 0.55rem;
    font-weight: 600;
    border-radius: 999px;
}

.sidebar-divider {
    height: 1px;
    background: var(--sidebar-border);
    margin: 0.5rem 1.25rem;
}

.sidebar-footer {
    margin-top: auto;
    padding: 1rem;
```

```
    border-top: 1px solid var(--sidebar-border);
}

.sidebar-item.logout { color: rgba(255,107,135,0.75); }
.sidebar-item.logout:hover { background: rgba(255,77,109,0.12); color: var(--danger); }
.sidebar-item.logout i { color: rgba(255,107,135,0.75); }

/* ===== MAIN CONTENT ===== */
#content {
    margin-left: var(--sidebar-width);
    padding: 2rem;
    min-height: calc(100vh - var(--header-height));
    transition: margin-left var(--t);
}

/* Page Header */
.page-header {
    margin-bottom: 2rem;
    padding-bottom: 1.5rem;
    border-bottom: 1px solid var(--border);
}
.page-title {
    font-family: 'Outfit', sans-serif;
    font-size: 1.75rem;
    font-weight: 700;
    letter-spacing: -0.02em;
    margin-bottom: 0.4rem;
    color: var(--text-primary);
}
.page-subtitle { color: var(--text-muted); font-size: 0.95rem; }

/* ===== SURFACE CARDS ===== */
.dashboard-card {
    background: var(--bg-surface);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    box-shadow: var(--shadow-sm);
    transition: all var(--t);
    height: 100%;
    overflow: hidden;
}
.dashboard-card:hover {
    transform: translateY(-3px);
    box-shadow: var(--shadow-lg);
    border-color: var(--primary-light);
}
[data-theme="dark"] .dashboard-card {
    background: var(--bg-surface);
}

.card-header {
    padding: 1.1rem 1.4rem;
    border-bottom: 1px solid var(--border-soft);
    background: transparent;
}
.card-title {
    font-size: 1rem;
    font-weight: 600;
    margin: 0;
    display: flex;
```

```
    align-items: center;
    gap: 0.5rem;
    color: var(--text-primary);
}
.card-body { padding: 1.4rem; }

/* ===== STAT CARDS ===== */
.stat-card {
    border-radius: var(--radius-lg);
    padding: 1.5rem;
    color: #fff;
    position: relative;
    overflow: hidden;
    border: none;
    box-shadow: var(--shadow-lg);
    transition: all var(--t);
    cursor: pointer;
    isolation: isolate;
}
.stat-card::before {
    content: '';
    position: absolute;
    inset: 0;
    background: inherit;
    filter: brightness(1.15);
    clip-path: polygon(70% 0, 100% 0, 100% 60%, 70% 100%, 40% 40%);
    z-index: -1;
}
.stat-card::after {
    content: '';
    position: absolute;
    top: -30px;
    right: -30px;
    width: 120px;
    height: 120px;
    border-radius: 50%;
    background: rgba(255,255,255,0.12);
}
.stat-card:hover { transform: translateY(-5px); box-shadow: var(--shadow-xl); }

.stat-card.users   { background: linear-gradient(135deg, #5b4cff 0%, #9b6bff 100%); }
.stat-card.stores  { background: linear-gradient(135deg, #00c98b 0%, #00b4d8 100%); }
.stat-card.books   { background: linear-gradient(135deg, #38bdf8 0%, #5b4cff 100%); }
.stat-card.orders  { background: linear-gradient(135deg, #ffb703 0%, #ff6b35 100%); }
.stat-card.revenue { background: linear-gradient(135deg, #ff4d6d 0%, #c9184a 100%); }

.stat-card .card-icon {
    font-size: 1.8rem;
    opacity: 0.9;
    margin-bottom: 1rem;
    display: block;
}
.stat-card .stat-value {
    font-size: 2rem;
    font-weight: 800;
    letter-spacing: -0.03em;
    margin-bottom: 0.2rem;
    line-height: 1;
}
.stat-card .stat-label {
```

```
    font-size: 0.88rem;
    opacity: 0.85;
    font-weight: 500;
}
.stat-card .stat-change {
    display: inline-flex;
    align-items: center;
    gap: 0.25rem;
    font-size: 0.78rem;
    margin-top: 0.75rem;
    padding: 0.2rem 0.6rem;
    background: rgba(255,255,255,0.2);
    border-radius: 999px;
    backdrop-filter: blur(4px);
}

/* ===== ALERTS ===== */
.alert-custom {
    border-radius: var(--radius);
    padding: 0.9rem 1.1rem;
    margin-bottom: 1rem;
    border: 1px solid var(--border);
    background: var(--bg-surface);
    box-shadow: var(--shadow);
    border-left: 4px solid;
    display: flex;
    align-items: center;
    gap: 0.75rem;
    animation: slideIn 0.3s ease;
}
.alert-custom.success { border-left-color: var(--success); }
.alert-custom.error   { border-left-color: var(--danger); }
.alert-custom.warning { border-left-color: var(--warning); }
.alert-custom.info    { border-left-color: var(--info); }

@keyframes slideIn {
    from { opacity:0; transform:translateY(-12px); }
    to   { opacity:1; transform:translateY(0); }
}

/* ===== TABLES ===== */
.table-container {
    background: var(--bg-surface);
    border-radius: var(--radius-lg);
    padding: 1.4rem;
    box-shadow: var(--shadow-sm);
    border: 1px solid var(--border);
    overflow-x: auto;
}
.table { margin-bottom: 0; --bs-table-bg: transparent; }
.table thead th {
    border-bottom: 2px solid var(--border);
    color: var(--text-muted);
    font-weight: 600;
    font-size: 0.72rem;
    text-transform: uppercase;
    letter-spacing: 0.8px;
    padding: 0.9rem 0.75rem;
    background: transparent;
}
```

```
.table tbody tr {
    transition: all var(--t-fast);
    border-bottom: 1px solid var(--border-soft);
}
.table tbody tr:last-child { border-bottom: none; }
.table tbody tr:hover { background: var(--primary-soft); }
.table td { padding: 0.9rem 0.75rem; vertical-align: middle; color: var(--text-primary); }

.ref-badge {
    font-weight: 600;
    color: var(--primary);
    background: var(--primary-soft);
    padding: 0.3rem 0.7rem;
    border-radius: 999px;
    display: inline-flex;
    align-items: center;
    gap: 0.35rem;
    font-size: 0.82rem;
    border: 1px solid var(--border);
}

.avatar {
    width: 34px;
    height: 34px;
    border-radius: 9px;
    display: inline-flex;
    align-items: center;
    justify-content: center;
    font-weight: 700;
    font-size: 0.85rem;
    background: linear-gradient(135deg, var(--primary), var(--primary-light));
    color: white;
    box-shadow: var(--shadow-xs);
}

/* Status Badges */
.badge-status {
    padding: 0.28rem 0.65rem;
    border-radius: 999px;
    font-size: 0.72rem;
    font-weight: 600;
    text-transform: uppercase;
    letter-spacing: 0.4px;
}
.badge-status.read    { background: rgba(0,201,139,0.12); color: var(--success); border: 1px solid rgba(
.badge-status.reading { background: rgba(255,183,3,0.12);  color: var(--warning); border: 1px solid rgba
.badge-status.toread  { background: rgba(255,77,109,0.12); color: var(--danger);  border: 1px solid rgba

/* ===== QUICK ACTIONS ===== */
.quick-actions-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(160px, 1fr));
    gap: 0.9rem;
    margin-top: 1rem;
}
.quick-action-btn {
    padding: 1.2rem;
    border-radius: var(--radius);
    display: flex;
    flex-direction: column;
```

```
    align-items: center;
    gap: 0.65rem;
    text-align: center;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    text-decoration: none;
    color: var(--text-secondary);
    transition: all var(--t-fast);
    cursor: pointer;
}
.quick-action-btn:hover {
    transform: translateY(-3px);
    border-color: var(--primary);
    box-shadow: 0 8px 24px var(--primary-soft), var(--shadow);
    color: var(--primary);
    background: var(--bg-surface);
}
.quick-action-btn i { font-size: 1.4rem; }
.quick-action-btn span { font-weight: 500; font-size: 0.85rem; }

/* ===== TIMELINE ===== */
.timeline { position:relative; padding-left:2rem; }
.timeline::before { content:''; position:absolute; left:7px; top:10px; bottom:10px; width:2px; background:v
.timeline-item { position:relative; padding-bottom:1.4rem; }
.timeline-item:last-child { padding-bottom:0; }
.timeline-marker { position:absolute; left:-2rem; top:5px; width:16px; height:16px; border-radius:50%; ba
.timeline-content { padding:0.7rem 0.9rem; background:var(--primary-soft); border-radius:var(--radius);

/* ===== DROPDOWNS ===== */
.dropdown-menu {
    border: 1px solid var(--border);
    box-shadow: var(--shadow-xl);
    border-radius: var(--radius);
    padding: 0.4rem;
    background: var(--bg-surface);
    backdrop-filter: blur(20px);
    -webkit-backdrop-filter: blur(20px);
}
[data-theme="dark"] .dropdown-menu {
    background: var(--bg-raised);
}
.dropdown-item {
    border-radius: 8px;
    padding: 0.5rem 0.9rem;
    font-size: 0.9rem;
    transition: all var(--t-fast);
    display: flex;
    align-items: center;
    gap: 0.5rem;
    color: var(--text-secondary);
}
.dropdown-item:hover {
    background: var(--primary-soft);
    color: var(--primary);
}
.dropdown-item i { width: 18px; text-align: center; }

/* ===== BUTTONS ===== */
.btn-primary {
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
```

```
    border: none;
    padding: 0.5rem 1.25rem;
    font-weight: 600;
    font-family: 'Outfit', sans-serif;
    border-radius: var(--radius);
    transition: all var(--t-fast);
    box-shadow: 0 4px 12px var(--primary-glow);
}
.btn-primary:hover { transform: translateY(-2px); box-shadow: 0 8px 20px var(--primary-glow); }

.btn-outline-primary {
    border: 1px solid var(--primary);
    color: var(--primary);
    border-radius: var(--radius);
    font-weight: 500;
    transition: all var(--t-fast);
}
.btn-outline-primary:hover { background: var(--primary); border-color: var(--primary); transform: translate

/* ===== FORMS ===== */
.form-control, .form-select {
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: var(--radius);
    padding: 0.6rem 1rem;
    color: var(--text-primary);
    transition: all var(--t-fast);
}
.form-control:focus, .form-select:focus {
    border-color: var(--primary);
    box-shadow: 0 0 0 3px var(--primary-soft);
    background: var(--bg-surface);
    color: var(--text-primary);
}
[data-theme="dark"] .form-control,
[data-theme="dark"] .form-select { background: var(--bg-raised); color: var(--text-primary); }
[data-theme="dark"] .form-control::placeholder { color: var(--text-muted); }

/* ===== SCROLLBAR ===== */
::-webkit-scrollbar { width: 5px; height: 5px; }
::-webkit-scrollbar-track { background: transparent; }
::-webkit-scrollbar-thumb { background: var(--border); border-radius: 3px; }
::-webkit-scrollbar-thumb:hover { background: var(--primary); }
#sidebar::-webkit-scrollbar-thumb { background: rgba(91,76,255,0.35); }
#sidebar::-webkit-scrollbar-thumb:hover { background: var(--primary); }

/* ===== RESPONSIVE ===== */
@media (max-width: 992px) {
    #sidebar { transform: translateX(-100%); }
    #content { margin-left: 0; }
    body.sidebar-open #sidebar { transform: translateX(0); }
    body.sidebar-open::after {
        content: '';
        position: fixed;
        inset: 0;
        background: rgba(0,0,0,0.5);
        z-index: 1015;
        backdrop-filter: blur(4px);
    }
    .header-nav { display: none !important; }
```

```
}
@media (max-width: 576px) {
    .navbar { padding: 0 1rem; }
    #content { padding: 1rem; }
    .page-title { font-size: 1.4rem; }
    .quick-actions-grid { grid-template-columns: 1fr 1fr; }
    .stat-card .stat-value { font-size: 1.6rem; }
}

/* ===== ANIMATIONS ===== */
.fade-in-up { animation: fadeInUp 0.45s cubic-bezier(0.4,0,0.2,1) both; }
@keyframes fadeInUp {
    from { opacity:0; transform:translateY(16px); }
    to   { opacity:1; transform:translateY(0); }
}

/* Stagger helpers */
.stagger-1 { animation-delay: 0.05s; }
.stagger-2 { animation-delay: 0.10s; }
.stagger-3 { animation-delay: 0.15s; }
.stagger-4 { animation-delay: 0.20s; }

/* ===== SKELETON ===== */
.skeleton {
    background: linear-gradient(90deg, var(--bg-raised) 25%, var(--border) 50%, var(--bg-raised) 75%);
    background-size: 200% 100%;
    animation: shimmer 1.5s infinite;
    border-radius: var(--radius);
}
@keyframes shimmer {
    0%   { background-position: 200% 0; }
    100% { background-position: -200% 0; }
}

/* ===== TOAST ===== */
.toast-container { z-index: 1100; }
.toast-custom {
    background: var(--bg-surface);
    border: 1px solid var(--border);
    border-radius: var(--radius);
    box-shadow: var(--shadow-xl);
    color: var(--text-primary);
}

/* ===== PRINT ===== */
@media print {
    .navbar, #sidebar, .no-print { display: none !important; }
    #content { margin-left: 0; padding: 0; }
}

/* ===== SECTION DIVIDERS ===== */
.section-label {
    font-size: 0.72rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 1.5px;
    color: var(--text-muted);
    margin-bottom: 1rem;
}
```

```
        /* Chip badges */
        .chip {
            display: inline-flex;
            align-items: center;
            gap: 0.35rem;
            padding: 0.25rem 0.7rem;
            border-radius: 999px;
            font-size: 0.78rem;
            font-weight: 600;
            background: var(--primary-soft);
            color: var(--primary);
            border: 1px solid var(--border);
        }

        /* Gradient text utility */
        .gradient-text {
            background: linear-gradient(135deg, var(--primary), var(--primary-light));
            -webkit-background-clip: text;
            -webkit-text-fill-color: transparent;
            background-clip: text;
        }
    </style>
    {% block extra_css %}{% endblock %}
</head>

<body>
    <!-- Skip Link -->
    <a href="#content" class="skip-link">Skip to main content</a>

    <!-- ===== NAVBAR ===== -->
    <nav class="navbar" role="navigation" aria-label="Main navigation">
        <div class="container-fluid px-0 d-flex align-items-center gap-2">

            <!-- Sidebar Toggle (mobile) -->
            <button class="icon-btn d-lg-none border-0"
                    id="sidebarToggle"
                    aria-label="Toggle sidebar"
                    aria-expanded="false"
                    aria-controls="sidebar"
                    style="background:transparent;">
                <i class="bi bi-list" style="font-size:1.3rem;"></i>
            </button>

            <!-- Brand -->
            <a class="navbar-brand me-0" href="{% url 'dashboard_super' %}">
                <div class="brand-icon">
                    <i class="bi bi-book-half"></i>
                </div>
                <span class="brand-text-main">Book<span class="brand-text-accent">Hub</span></span>
            </a>

            <!-- Header Nav -->
            <nav class="header-nav d-none d-lg-flex" aria-label="Secondary navigation">
                <a href="#" class="header-nav-item active" aria-current="page">
                    <i class="bi bi-graph-up-arrow"></i>
                    <span>Analytics</span>
                </a>
                <a href="#" class="header-nav-item">
                    <i class="bi bi-people"></i>
                    <span>Users</span>
```

```
        <span class="badge bg-danger rounded-pill">12</span>
    </a>
    <a href="#" class="header-nav-item">
        <i class="bi bi-shop"></i>
        <span>Stores</span>
    </a>
</nav>

<!-- Right actions -->
<div class="d-flex align-items-center ms-auto gap-2">

    <!-- Welcome (desktop) -->
    <div class="welcome-pill d-none d-lg-flex">
        <span class="dot"></span>
        <small>Hey,</small>
        <strong>{{ request.user.username }}</strong>
    </div>

    <!-- Theme Toggle -->
    <button class="theme-toggle"
            id="themeToggle"
            aria-label="Toggle theme"
            title="Toggle dark/light mode">
        <div class="theme-toggle-thumb" id="themeThumb">
            <i class="bi bi-sun-fill" id="themeIcon" style="font-size:0.7rem;"></i>
        </div>
    </button>

    <!-- Notifications -->
    <div class="dropdown">
        <button class="icon-btn"
                data-bs-toggle="dropdown"
                aria-expanded="false"
                aria-label="Notifications (5 unread)">
            <i class="bi bi-bell" style="font-size:1rem;"></i>
            <span class="notif-dot" aria-hidden="true"></span>
        </button>
        <ul class="dropdown-menu dropdown-menu-end" style="min-width:290px;">
            <li>
                <div class="px-3 py-2 d-flex justify-content-between align-items-center">
                    <span style="font-weight:700; font-size:0.95rem; color:var(--text-primary);">Notifications
                    <span class="badge" style="background:var(--danger); border-radius:999px; font-size:0.
                </div>
            </li>
            <li><hr class="dropdown-divider my-1" style="border-color:var(--border);"></li>
            <li>
                <a class="dropdown-item py-2" href="#">
                    <i class="bi bi-person-plus" style="color:var(--success);"></i>
                    New admin registered
                </a>
            </li>
            <li>
                <a class="dropdown-item py-2" href="#">
                    <i class="bi bi-shop" style="color:var(--primary);"></i>
                    Store pending approval
                </a>
            </li>
            <li>
                <a class="dropdown-item py-2" href="#">
                    <i class="bi bi-exclamation-triangle" style="color:var(--warning);"></i>
```

```
                    System update available
                  </a>
                </li>
                <li><hr class="dropdown-divider my-1" style="border-color:var(--border);"></li>
                <li>
                  <a class="dropdown-item justify-content-center" style="font-weight:600; font-size:0.82rem;
                    View all notifications →
                  </a>
                </li>
              </ul>
            </div>

            <!-- User Menu -->
            <div class="dropdown">
              <button class="btn btn-link text-decoration-none p-0"
                      data-bs-toggle="dropdown"
                      aria-expanded="false"
                      aria-label="User menu">
                <img src="{{ current_avatar_url }}"
                     alt="{{ current_display_name }}'s avatar"
                     class="nav-avatar">
              </button>
              <ul class="dropdown-menu dropdown-menu-end" style="min-width:200px;">
                <li>
                  <div class="px-3 py-2">
                    <div style="font-weight:700; font-size:0.9rem; color:var(--text-primary);">{{ current_displa
                    <div style="font-size:0.78rem; color:var(--text-muted);">{{ current_role_label }}</div>
                  </div>
                </li>
                <li><hr class="dropdown-divider my-1" style="border-color:var(--border);"></li>
                <li><a class="dropdown-item" href="{% url 'super_admin_profile' %}"><i class="bi bi-person">

                <li><hr class="dropdown-divider my-1" style="border-color:var(--border);"></li>
                <li>
                  <a class="dropdown-item" style="color:var(--danger);" href="{% url 'logout' %}">
                    <i class="bi bi-box-arrow-right"></i>Logout
                  </a>
                </li>
              </ul>
            </div>

          </div>
        </div>
      </nav>

      <!-- ===== SIDEBAR ===== -->
      <aside id="sidebar" role="navigation" aria-label="Sidebar navigation">
        <div class="sidebar-heading">Main</div>

        <a href="{% url 'dashboard_super' %}" class="sidebar-item active" aria-current="page">
          <i class="bi bi-speedometer2"></i>
          <span>Dashboard</span>
          <span class="badge" style="background:rgba(91,76,255,0.3); color:var(--primary-light);">New</span
        </a>

        <div class="sidebar-divider"></div>
        <div class="sidebar-heading">Administration</div>

        <a href="{% url 'register_admin' %}" class="sidebar-item">
          <i class="bi bi-person-plus"></i>
```

```
        <span>Create Admin</span>
    </a>
    <a href="{% url 'view_admins' %}" class="sidebar-item">
        <i class="bi bi-people"></i>
        <span>Manage Admins</span>
        <span class="badge" style="background:rgba(0,201,139,0.2); color:var(--success);">{{ total_admins|
    </a>
    <a href="{% url 'super_admin_sub_admin_controls' %}" class="sidebar-item">
        <i class="bi bi-person-lines-fill"></i>
        <span>Sub-Admin Control</span>
    </a>

    <div class="sidebar-divider"></div>
    <div class="sidebar-heading">Escalations</div>
    <a href="{% url 'super_admin_issue_reports' %}" class="sidebar-item">
        <i class="bi bi-flag"></i>
        <span>Issue Reports</span>
    </a>
    <a href="{% url 'super_admin_support_chat_list' %}" class="sidebar-item">
        <i class="bi bi-chat-dots"></i>
        <span>Support Chats</span>
    </a>

    <div class="sidebar-footer">
        <a href="{% url 'logout' %}" class="sidebar-item logout">
            <i class="bi bi-box-arrow-right"></i>
            <span>Logout</span>
        </a>
    </div>
</aside>

<!-- ===== MAIN CONTENT ===== -->
<main id="content" role="main" tabindex="-1">
    {% if messages %}
        <div class="position-fixed top-0 end-0 p-3" style="z-index:1050;">
            {% for message in messages %}
                <div class="alert-custom {{ message.tags|default:'info' }} fade-in-up"
                     role="alert"
                     data-aos="fade-down">
                    <i class="bi {% if message.tags == 'error' %}bi-exclamation-triangle-fill{% elif message.tags =
                    <div>
                        <strong class="d-block">{% if message.tags == 'error' %}Error{% elif message.tags == 'wa
                        {{ message }}
                    </div>
                    <button type="button" class="btn-close ms-auto" data-bs-dismiss="alert" aria-label="Close"><
                </div>
            {% endfor %}
        </div>
    {% endif %}

    {% block content %}{% endblock %}
</main>

<!-- Bootstrap JS -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>
<!-- AOS -->
<script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>

<script>
document.addEventListener('DOMContentLoaded', () => {
```

```
// ■■ AOS ■■
AOS.init({ duration: 550, once: true, offset: 40 });

// ■■ THEME ■■
const html      = document.documentElement;
const themeBtn  = document.getElementById('themeToggle');
const themeIcon = document.getElementById('themeIcon');

function applyTheme(dark) {
    html.setAttribute('data-theme', dark ? 'dark' : 'light');
    themeIcon.className = dark ? 'bi bi-moon-stars-fill' : 'bi bi-sun-fill';
    themeIcon.style.fontSize = '0.7rem';
    localStorage.setItem('bh-theme', dark ? 'dark' : 'light');
}

const saved = localStorage.getItem('bh-theme');
const prefersDark = window.matchMedia('(prefers-color-scheme: dark)').matches;
applyTheme(saved ? saved === 'dark' : prefersDark);

themeBtn?.addEventListener('click', () => {
    applyTheme(html.getAttribute('data-theme') !== 'dark');
});

// ■■ SIDEBAR ■■
const sidebarToggle = document.getElementById('sidebarToggle');
const body          = document.body;

sidebarToggle?.addEventListener('click', () => {
    const isOpen = body.classList.toggle('sidebar-open');
    sidebarToggle.setAttribute('aria-expanded', isOpen);
});

document.addEventListener('click', e => {
    if (window.innerWidth < 992 &&
        body.classList.contains('sidebar-open') &&
        !document.getElementById('sidebar')?.contains(e.target) &&
        !sidebarToggle?.contains(e.target)) {
        body.classList.remove('sidebar-open');
        sidebarToggle?.setAttribute('aria-expanded', 'false');
    }
});

// ■■ NAVBAR SCROLL ■■
window.addEventListener('scroll', () => {
    document.querySelector('.navbar')?.classList.toggle('scrolled', window.pageYOffset > 10);
}, { passive: true });

// ■■ ACTIVE SIDEBAR LINK ■■
document.querySelectorAll('.sidebar-item[href]').forEach(link => {
    if (window.location.pathname === link.getAttribute('href')) {
        link.classList.add('active');
        link.setAttribute('aria-current', 'page');
    }
});

// ■■ COUNTER ANIMATION ■■
function animateNumbers() {
    document.querySelectorAll('[data-count]').forEach(el => {
        const target = +el.getAttribute('data-count');
```

```
            const duration = 1000;
            const start = performance.now();
            const step = now => {
                const p = Math.min((now - start) / duration, 1);
                const ease = 1 - Math.pow(1 - p, 3);
                el.textContent = (el.dataset.prefix||'') + Math.floor(ease * target) + (el.dataset.suffix||'');
                if (p < 1) requestAnimationFrame(step);
            };
            requestAnimationFrame(step);
        });
    }

    const counter_observer = new IntersectionObserver(entries => {
        entries.forEach(e => { if (e.isIntersecting) { animateNumbers(); counter_observer.unobserve(e.target
    }, { threshold: 0.5 });
    document.querySelectorAll('.stat-card').forEach(c => counter_observer.observe(c));

});

// ■■ TOAST ■■
function showToast(title, message, type = 'info', duration = 3500) {
    let container = document.querySelector('.toast-container');
    if (!container) {
        container = document.createElement('div');
        container.className = 'toast-container position-fixed top-0 end-0 p-3';
        container.style.zIndex = '1100';
        document.body.appendChild(container);
    }
    const icons = { info:'info-circle', success:'check-circle', warning:'exclamation-triangle', error:'exclamation
    const colors = { info:'var(--info)', success:'var(--success)', warning:'var(--warning)', error:'var(--danger)' }
    const toast = document.createElement('div');
    toast.className = 'toast toast-custom show';
    toast.setAttribute('role','alert');
    toast.innerHTML = `
        <div class="toast-header" style="background:transparent; border-bottom:1px solid var(--border);">
            <i class="bi bi-${icons[type]} me-2" style="color:${colors[type]};"></i>
            <strong class="me-auto" style="color:var(--text-primary);">${title}</strong>
            <button type="button" class="btn-close" data-bs-dismiss="toast" aria-label="Close"></button>
        </div>
        <div class="toast-body" style="color:var(--text-secondary);">${message}</div>
    `;
    container.appendChild(toast);
    setTimeout(() => { toast.classList.remove('show'); setTimeout(() => toast.remove(), 200); }, duration);
}

function exportPage() { window.print(); }
</script>
{% block extra_js %}{% endblock %}
</body>
</html>

=== resources\views\admin\base_sub_admin.html ===
<!DOCTYPE html>
<html lang="en" data-theme="light">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="BookHub Admin Dashboard - Manage your bookstore platform">
    <title>{% block title %}BookHub Admin{% endblock %}</title>
```

```
<link rel="preconnect" href="https://cdn.jsdelivr.net">
<link rel="preconnect" href="https://fonts.googleapis.com">

<!-- Bootstrap 5 CSS -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet">
<!-- Bootstrap Icons -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.c
<!-- Google Fonts: Outfit + Lora -->
<link href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;600;700;800&family=Lora
<!-- AOS Animation -->
<link href="https://unpkg.com/aos@2.3.1/dist/aos.css" rel="stylesheet">
<!-- Chart.js -->
<script src="https://cdn.jsdelivr.net/npm/chart.js@4.4.1"></script>

<style>
    /* ===== LIGHT THEME VARIABLES ===== */
    :root,
    [data-theme="light"] {
        /* Brand */
        --primary:          #5b4cff;
        --primary-dark:     #3d2fe0;
        --primary-light:    #9b8fff;
        --primary-soft:     rgba(91, 76, 255, 0.08);
        --primary-glow:     rgba(91, 76, 255, 0.22);

        /* Semantic */
        --success:   #00c98b;
        --warning:   #ffb703;
        --danger:    #ff4d6d;
        --info:      #38bdf8;

        /* Surface / Text */
        --bg-base:      #e8e7f2;       /* medium lavender-gray — the page background */
        --bg-surface:   #f0effe;       /* card/panel face — warm off-white, not pure white */
        --bg-raised:    #e9e8f5;       /* inputs, table headers, chips — slightly darker */
        --bg-overlay:   rgba(240,239,254,0.80);

        --text-primary:   #14102b;
        --text-secondary: #4e4a64;
        --text-muted:     #8a86a0;

        --border:       rgba(91, 76, 255, 0.15);
        --border-soft:  rgba(91, 76, 255, 0.09);

        /* Sidebar */
        --sidebar-bg:        #14102b;
        --sidebar-text:      rgba(255,255,255,0.6);
        --sidebar-active-bg: rgba(91,76,255,0.25);
        --sidebar-active:    #ffffff;
        --sidebar-hover-bg:  rgba(255,255,255,0.07);
        --sidebar-heading:   rgba(255,255,255,0.3);
        --sidebar-border:    rgba(255,255,255,0.08);
        --sidebar-icon:      rgba(155,143,255,0.9);

        /* Navbar */
        --navbar-bg:     rgba(228,227,242,0.92);
        --navbar-border: rgba(91,76,255,0.14);

        /* Shadows */
```

```
    --shadow-xs: 0 1px 3px rgba(20,16,43,0.06);
    --shadow-sm: 0 2px 8px rgba(20,16,43,0.08);
    --shadow:    0 4px 20px rgba(20,16,43,0.10);
    --shadow-lg: 0 12px 40px rgba(20,16,43,0.14);
    --shadow-xl: 0 20px 60px rgba(20,16,43,0.18);

    /* Layout */
    --sidebar-width: 272px;
    --header-height: 70px;
    --radius:    14px;
    --radius-lg: 22px;
    --radius-xl: 32px;

    /* Transitions */
    --t-fast: 150ms cubic-bezier(0.4,0,0.2,1);
    --t:      280ms cubic-bezier(0.4,0,0.2,1);
    --t-slow: 500ms cubic-bezier(0.4,0,0.2,1);
}

/* ===== DARK THEME VARIABLES ===== */
[data-theme="dark"] {
    --primary:          #7b6fff;
    --primary-dark:     #5b4cff;
    --primary-light:    #b3abff;
    --primary-soft:     rgba(123,111,255,0.15);
    --primary-glow:     rgba(123,111,255,0.30);

    --success:   #00e5a0;
    --warning:   #ffd166;
    --danger:    #ff6b87;
    --info:      #67d7f5;

    --bg-base:      #0c0a1a;       /* deep indigo-black */
    --bg-surface:   #13111f;
    --bg-raised:    #1a1730;
    --bg-overlay:   rgba(19,17,31,0.85);

    --text-primary:   #ede9ff;
    --text-secondary: #9c97b8;
    --text-muted:     #635e7a;

    --border:       rgba(123,111,255,0.18);
    --border-soft:  rgba(123,111,255,0.09);

    --sidebar-bg:        #0a0818;
    --sidebar-text:      rgba(255,255,255,0.55);
    --sidebar-active-bg: rgba(123,111,255,0.22);
    --sidebar-active:    #ede9ff;
    --sidebar-hover-bg:  rgba(255,255,255,0.05);
    --sidebar-heading:   rgba(255,255,255,0.25);
    --sidebar-border:    rgba(255,255,255,0.06);
    --sidebar-icon:      rgba(179,171,255,0.85);

    --navbar-bg:     rgba(12,10,26,0.88);
    --navbar-border: rgba(123,111,255,0.15);

    --shadow-xs: 0 1px 3px rgba(0,0,0,0.30);
    --shadow-sm: 0 2px 8px rgba(0,0,0,0.40);
    --shadow:    0 4px 20px rgba(0,0,0,0.45);
    --shadow-lg: 0 12px 40px rgba(0,0,0,0.55);
```

```
    --shadow-xl: 0 20px 60px rgba(0,0,0,0.65);
}

/* ===== BASE ===== */
*, *::before, *::after { box-sizing: border-box; margin: 0; padding: 0; }
html { scroll-behavior: smooth; }

body {
    font-family: 'Outfit', system-ui, sans-serif;
    background-color: var(--bg-base);
    min-height: 100vh;
    color: var(--text-primary);
    line-height: 1.6;
    padding-top: var(--header-height);
    transition: background-color var(--t), color var(--t);
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
}

/* Background mesh pattern */
body::before {
    content: '';
    position: fixed;
    inset: 0;
    z-index: 0;
    pointer-events: none;
    background:
        radial-gradient(ellipse 80% 50% at 10% 0%, rgba(91,76,255,0.10) 0%, transparent 60%),
        radial-gradient(ellipse 60% 40% at 90% 80%, rgba(155,143,255,0.08) 0%, transparent 55%),
        radial-gradient(ellipse 50% 60% at 50% 50%, rgba(91,76,255,0.04) 0%, transparent 70%);
    transition: opacity var(--t-slow);
}
[data-theme="dark"] body::before {
    background:
        radial-gradient(ellipse 70% 50% at 5% 0%,  rgba(123,111,255,0.12) 0%, transparent 60%),
        radial-gradient(ellipse 60% 50% at 95% 90%, rgba(0,201,139,0.06) 0%, transparent 55%),
        radial-gradient(ellipse 40% 30% at 50% 50%, rgba(91,76,255,0.04) 0%, transparent 70%);
}

/* Ensure content sits above pseudo-element */
.navbar, #sidebar, #content { position: relative; z-index: 1; }

/* ===== ACCESSIBILITY ===== */
.sr-only { position:absolute; width:1px; height:1px; padding:0; margin:-1px; overflow:hidden; clip:rect(0,0
:focus-visible { outline: 2px solid var(--primary); outline-offset: 3px; }

.skip-link { position:absolute; top:-50px; left:0; background:var(--primary); color:#fff; padding:10px 18px;
.skip-link:focus { top:0; }

/* ===== NAVBAR ===== */
.navbar {
    background: var(--navbar-bg);
    backdrop-filter: blur(20px);
    -webkit-backdrop-filter: blur(20px);
    border-bottom: 1px solid var(--navbar-border);
    box-shadow: var(--shadow-sm);
    height: var(--header-height);
    position: fixed;
    top: 0; left: 0; right: 0;
    z-index: 1030;
```

```
    padding: 0 1.5rem;
    transition: all var(--t);
}
.navbar.scrolled {
    background: var(--navbar-bg);
    box-shadow: var(--shadow);
}

.navbar-brand {
    font-family: 'Outfit', sans-serif;
    font-weight: 800;
    font-size: 1.45rem;
    letter-spacing: -0.02em;
    display: flex;
    align-items: center;
    gap: 0.5rem;
    text-decoration: none;
    transition: transform var(--t-fast);
}
.navbar-brand:hover { transform: scale(1.02); }

.brand-icon {
    width: 36px;
    height: 36px;
    background: linear-gradient(135deg, var(--primary) 0%, var(--primary-light) 100%);
    border-radius: 10px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.1rem;
    color: #fff;
    box-shadow: 0 4px 12px var(--primary-glow);
}

.brand-text-main { color: var(--text-primary); }
.brand-text-accent { color: var(--primary); }

/* Header Nav */
.header-nav {
    display: flex;
    align-items: center;
    gap: 0.25rem;
    margin-left: 1.5rem;
}
.header-nav-item {
    display: flex;
    align-items: center;
    gap: 0.45rem;
    padding: 0.45rem 0.9rem;
    border-radius: 999px;
    color: var(--text-secondary);
    text-decoration: none;
    font-weight: 500;
    font-size: 0.875rem;
    transition: all var(--t-fast);
    border: 1px solid transparent;
}
.header-nav-item:hover, .header-nav-item.active {
    color: var(--primary);
    background: var(--primary-soft);
```

```
    border-color: var(--border);
}
.header-nav-item .badge {
    font-size: 0.68rem;
    padding: 0.22rem 0.5rem;
}

/* Icon Buttons */
.icon-btn {
    width: 38px;
    height: 38px;
    border-radius: 10px;
    background: transparent;
    border: 1px solid var(--border);
    display: flex;
    align-items: center;
    justify-content: center;
    color: var(--text-secondary);
    cursor: pointer;
    transition: all var(--t-fast);
    position: relative;
}
.icon-btn:hover {
    background: var(--primary-soft);
    border-color: var(--primary);
    color: var(--primary);
    box-shadow: 0 0 0 3px var(--primary-soft);
}

/* Theme Toggle */
.theme-toggle {
    width: 52px;
    height: 28px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: 999px;
    cursor: pointer;
    position: relative;
    transition: all var(--t-fast);
    display: flex;
    align-items: center;
    padding: 0 3px;
}
.theme-toggle-thumb {
    width: 22px;
    height: 22px;
    border-radius: 50%;
    background: linear-gradient(135deg, var(--warning), #ff9d00);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 0.75rem;
    color: #fff;
    transition: transform var(--t), background var(--t);
    box-shadow: var(--shadow-sm);
}
[data-theme="dark"] .theme-toggle-thumb {
    transform: translateX(24px);
    background: linear-gradient(135deg, var(--primary), var(--primary-light));
}
```

```
/* User Avatar */
.nav-avatar {
    width: 36px;
    height: 36px;
    border-radius: 10px;
    object-fit: cover;
    border: 2px solid var(--border);
    box-shadow: var(--shadow-xs);
    transition: all var(--t-fast);
}
.nav-avatar:hover { transform: scale(1.06); border-color: var(--primary); box-shadow: 0 0 0 3px var(--pri

/* Notification dot */
.notif-dot {
    position: absolute;
    top: 6px;
    right: 6px;
    width: 8px;
    height: 8px;
    background: var(--danger);
    border-radius: 50%;
    border: 2px solid var(--bg-base);
    animation: ping 2s cubic-bezier(0, 0, 0.2, 1) infinite;
}
@keyframes ping {
    0%   { box-shadow: 0 0 0 0 rgba(255,77,109,0.5); }
    70%  { box-shadow: 0 0 0 6px rgba(255,77,109,0); }
    100% { box-shadow: 0 0 0 0 rgba(255,77,109,0); }
}

/* Welcome pill */
.welcome-pill {
    display: flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.35rem 0.8rem;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: 999px;
    font-size: 0.85rem;
}
.welcome-pill .dot {
    width: 8px; height: 8px;
    background: var(--success);
    border-radius: 50%;
    box-shadow: 0 0 0 3px rgba(0,201,139,0.2);
}
.welcome-pill strong { color: var(--primary); font-weight: 600; }
.welcome-pill small { color: var(--text-muted); }

/* ===== SIDEBAR ===== */
#sidebar {
    width: var(--sidebar-width);
    background: var(--sidebar-bg);
    position: fixed;
    top: var(--header-height);
    left: 0;
    height: calc(100vh - var(--header-height));
    z-index: 1020;
```

```
    box-shadow: var(--shadow-lg);
    display: flex;
    flex-direction: column;
    transition: transform var(--t), width var(--t);
    overflow-y: auto;
    overflow-x: hidden;
    border-right: 1px solid var(--sidebar-border);
}

/* Sidebar decorative glow */
#sidebar::before {
    content: '';
    position: absolute;
    top: -80px;
    left: -80px;
    width: 260px;
    height: 260px;
    border-radius: 50%;
    background: radial-gradient(circle, rgba(91,76,255,0.15) 0%, transparent 70%);
    pointer-events: none;
}
#sidebar::after {
    content: '';
    position: absolute;
    bottom: 60px;
    right: -60px;
    width: 180px;
    height: 180px;
    border-radius: 50%;
    background: radial-gradient(circle, rgba(0,201,139,0.08) 0%, transparent 70%);
    pointer-events: none;
}

.sidebar-heading {
    padding: 1.25rem 1.25rem 0.4rem;
    font-size: 0.68rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 2px;
    color: var(--sidebar-heading);
}

.sidebar-item {
    display: flex;
    align-items: center;
    gap: 0.75rem;
    padding: 0.7rem 1.1rem;
    margin: 0.15rem 0.75rem;
    color: var(--sidebar-text);
    text-decoration: none;
    border-radius: var(--radius);
    font-weight: 500;
    font-size: 0.9rem;
    transition: all var(--t-fast);
    position: relative;
    overflow: hidden;
}
.sidebar-item:hover {
    color: var(--sidebar-active);
    background: var(--sidebar-hover-bg);
```

```
}
.sidebar-item.active {
    color: var(--sidebar-active);
    background: var(--sidebar-active-bg);
    border: 1px solid rgba(123,111,255,0.3);
}
.sidebar-item.active::before {
    content: '';
    position: absolute;
    left: 0;
    top: 20%;
    height: 60%;
    width: 3px;
    background: var(--primary);
    border-radius: 0 3px 3px 0;
}

.sidebar-item i {
    width: 22px;
    text-align: center;
    font-size: 1rem;
    color: var(--sidebar-icon);
    flex-shrink: 0;
}
.sidebar-item.active i { color: var(--primary-light); }

.sidebar-item .badge {
    margin-left: auto;
    font-size: 0.7rem;
    padding: 0.2rem 0.55rem;
    font-weight: 600;
    border-radius: 999px;
}

.sidebar-divider {
    height: 1px;
    background: var(--sidebar-border);
    margin: 0.5rem 1.25rem;
}

.sidebar-footer {
    margin-top: auto;
    padding: 1rem;
    border-top: 1px solid var(--sidebar-border);
}

.sidebar-item.logout { color: rgba(255,107,135,0.75); }
.sidebar-item.logout:hover { background: rgba(255,77,109,0.12); color: var(--danger); }
.sidebar-item.logout i { color: rgba(255,107,135,0.75); }

/* ===== MAIN CONTENT ===== */
#content {
    margin-left: var(--sidebar-width);
    padding: 2rem;
    min-height: calc(100vh - var(--header-height));
    transition: margin-left var(--t);
}

/* Page Header */
.page-header {
```

```
    margin-bottom: 2rem;
    padding-bottom: 1.5rem;
    border-bottom: 1px solid var(--border);
}
.page-title {
    font-family: 'Outfit', sans-serif;
    font-size: 1.75rem;
    font-weight: 700;
    letter-spacing: -0.02em;
    margin-bottom: 0.4rem;
    color: var(--text-primary);
}
.page-subtitle { color: var(--text-muted); font-size: 0.95rem; }

/* ===== SURFACE CARDS ===== */
.dashboard-card {
    background: var(--bg-surface);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    box-shadow: var(--shadow-sm);
    transition: all var(--t);
    height: 100%;
    overflow: hidden;
}
.dashboard-card:hover {
    transform: translateY(-3px);
    box-shadow: var(--shadow-lg);
    border-color: var(--primary-light);
}
[data-theme="dark"] .dashboard-card {
    background: var(--bg-surface);
}

.card-header {
    padding: 1.1rem 1.4rem;
    border-bottom: 1px solid var(--border-soft);
    background: transparent;
}
.card-title {
    font-size: 1rem;
    font-weight: 600;
    margin: 0;
    display: flex;
    align-items: center;
    gap: 0.5rem;
    color: var(--text-primary);
}
.card-body { padding: 1.4rem; }

/* ===== STAT CARDS ===== */
.stat-card {
    border-radius: var(--radius-lg);
    padding: 1.5rem;
    color: #fff;
    position: relative;
    overflow: hidden;
    border: none;
    box-shadow: var(--shadow-lg);
    transition: all var(--t);
    cursor: pointer;
```

```
    isolation: isolate;
}
.stat-card::before {
    content: '';
    position: absolute;
    inset: 0;
    background: inherit;
    filter: brightness(1.15);
    clip-path: polygon(70% 0, 100% 0, 100% 60%, 70% 100%, 40% 40%);
    z-index: -1;
}
.stat-card::after {
    content: '';
    position: absolute;
    top: -30px;
    right: -30px;
    width: 120px;
    height: 120px;
    border-radius: 50%;
    background: rgba(255,255,255,0.12);
}
.stat-card:hover { transform: translateY(-5px); box-shadow: var(--shadow-xl); }

.stat-card.users   { background: linear-gradient(135deg, #5b4cff 0%, #9b6bff 100%); }
.stat-card.stores  { background: linear-gradient(135deg, #00c98b 0%, #00b4d8 100%); }
.stat-card.books   { background: linear-gradient(135deg, #38bdf8 0%, #5b4cff 100%); }
.stat-card.orders  { background: linear-gradient(135deg, #ffb703 0%, #ff6b35 100%); }
.stat-card.revenue { background: linear-gradient(135deg, #ff4d6d 0%, #c9184a 100%); }

.stat-card .card-icon {
    font-size: 1.8rem;
    opacity: 0.9;
    margin-bottom: 1rem;
    display: block;
}
.stat-card .stat-value {
    font-size: 2rem;
    font-weight: 800;
    letter-spacing: -0.03em;
    margin-bottom: 0.2rem;
    line-height: 1;
}
.stat-card .stat-label {
    font-size: 0.88rem;
    opacity: 0.85;
    font-weight: 500;
}
.stat-card .stat-change {
    display: inline-flex;
    align-items: center;
    gap: 0.25rem;
    font-size: 0.78rem;
    margin-top: 0.75rem;
    padding: 0.2rem 0.6rem;
    background: rgba(255,255,255,0.2);
    border-radius: 999px;
    backdrop-filter: blur(4px);
}

/* ===== ALERTS ===== */
```

```
.alert-custom {
    border-radius: var(--radius);
    padding: 0.9rem 1.1rem;
    margin-bottom: 1rem;
    border: 1px solid var(--border);
    background: var(--bg-surface);
    box-shadow: var(--shadow);
    border-left: 4px solid;
    display: flex;
    align-items: center;
    gap: 0.75rem;
    animation: slideIn 0.3s ease;
}
.alert-custom.success { border-left-color: var(--success); }
.alert-custom.error   { border-left-color: var(--danger); }
.alert-custom.warning { border-left-color: var(--warning); }
.alert-custom.info    { border-left-color: var(--info); }

@keyframes slideIn {
    from { opacity:0; transform:translateY(-12px); }
    to   { opacity:1; transform:translateY(0); }
}

/* ===== TABLES ===== */
.table-container {
    background: var(--bg-surface);
    border-radius: var(--radius-lg);
    padding: 1.4rem;
    box-shadow: var(--shadow-sm);
    border: 1px solid var(--border);
    overflow-x: auto;
}
.table { margin-bottom: 0; --bs-table-bg: transparent; }
.table thead th {
    border-bottom: 2px solid var(--border);
    color: var(--text-muted);
    font-weight: 600;
    font-size: 0.72rem;
    text-transform: uppercase;
    letter-spacing: 0.8px;
    padding: 0.9rem 0.75rem;
    background: transparent;
}
.table tbody tr {
    transition: all var(--t-fast);
    border-bottom: 1px solid var(--border-soft);
}
.table tbody tr:last-child { border-bottom: none; }
.table tbody tr:hover { background: var(--primary-soft); }
.table td { padding: 0.9rem 0.75rem; vertical-align: middle; color: var(--text-primary); }

.ref-badge {
    font-weight: 600;
    color: var(--primary);
    background: var(--primary-soft);
    padding: 0.3rem 0.7rem;
    border-radius: 999px;
    display: inline-flex;
    align-items: center;
    gap: 0.35rem;
```

```
    font-size: 0.82rem;
    border: 1px solid var(--border);
}

.avatar {
    width: 34px;
    height: 34px;
    border-radius: 9px;
    display: inline-flex;
    align-items: center;
    justify-content: center;
    font-weight: 700;
    font-size: 0.85rem;
    background: linear-gradient(135deg, var(--primary), var(--primary-light));
    color: white;
    box-shadow: var(--shadow-xs);
}

/* Status Badges */
.badge-status {
    padding: 0.28rem 0.65rem;
    border-radius: 999px;
    font-size: 0.72rem;
    font-weight: 600;
    text-transform: uppercase;
    letter-spacing: 0.4px;
}
.badge-status.read    { background: rgba(0,201,139,0.12); color: var(--success); border: 1px solid rgba(
.badge-status.reading { background: rgba(255,183,3,0.12);  color: var(--warning); border: 1px solid rgba
.badge-status.toread  { background: rgba(255,77,109,0.12); color: var(--danger);  border: 1px solid rgba

/* ===== QUICK ACTIONS ===== */
.quick-actions-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(160px, 1fr));
    gap: 0.9rem;
    margin-top: 1rem;
}
.quick-action-btn {
    padding: 1.2rem;
    border-radius: var(--radius);
    display: flex;
    flex-direction: column;
    align-items: center;
    gap: 0.65rem;
    text-align: center;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    text-decoration: none;
    color: var(--text-secondary);
    transition: all var(--t-fast);
    cursor: pointer;
}
.quick-action-btn:hover {
    transform: translateY(-3px);
    border-color: var(--primary);
    box-shadow: 0 8px 24px var(--primary-soft), var(--shadow);
    color: var(--primary);
    background: var(--bg-surface);
}
```

```
.quick-action-btn i { font-size: 1.4rem; }
.quick-action-btn span { font-weight: 500; font-size: 0.85rem; }

/* ===== TIMELINE ===== */
.timeline { position:relative; padding-left:2rem; }
.timeline::before { content:''; position:absolute; left:7px; top:10px; bottom:10px; width:2px; background:v
.timeline-item { position:relative; padding-bottom:1.4rem; }
.timeline-item:last-child { padding-bottom:0; }
.timeline-marker { position:absolute; left:-2rem; top:5px; width:16px; height:16px; border-radius:50%; ba
.timeline-content { padding:0.7rem 0.9rem; background:var(--primary-soft); border-radius:var(--radius);

/* ===== DROPDOWNS ===== */
.dropdown-menu {
    border: 1px solid var(--border);
    box-shadow: var(--shadow-xl);
    border-radius: var(--radius);
    padding: 0.4rem;
    background: var(--bg-surface);
    backdrop-filter: blur(20px);
    -webkit-backdrop-filter: blur(20px);
}
[data-theme="dark"] .dropdown-menu {
    background: var(--bg-raised);
}
.dropdown-item {
    border-radius: 8px;
    padding: 0.5rem 0.9rem;
    font-size: 0.9rem;
    transition: all var(--t-fast);
    display: flex;
    align-items: center;
    gap: 0.5rem;
    color: var(--text-secondary);
}
.dropdown-item:hover {
    background: var(--primary-soft);
    color: var(--primary);
}
.dropdown-item i { width: 18px; text-align: center; }

/* ===== BUTTONS ===== */
.btn-primary {
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
    border: none;
    padding: 0.5rem 1.25rem;
    font-weight: 600;
    font-family: 'Outfit', sans-serif;
    border-radius: var(--radius);
    transition: all var(--t-fast);
    box-shadow: 0 4px 12px var(--primary-glow);
}
.btn-primary:hover { transform: translateY(-2px); box-shadow: 0 8px 20px var(--primary-glow); }

.btn-outline-primary {
    border: 1px solid var(--primary);
    color: var(--primary);
    border-radius: var(--radius);
    font-weight: 500;
    transition: all var(--t-fast);
}
```

```
.btn-outline-primary:hover { background: var(--primary); border-color: var(--primary); transform: translate

/* ===== FORMS ===== */
.form-control, .form-select {
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: var(--radius);
    padding: 0.6rem 1rem;
    color: var(--text-primary);
    transition: all var(--t-fast);
}
.form-control:focus, .form-select:focus {
    border-color: var(--primary);
    box-shadow: 0 0 0 3px var(--primary-soft);
    background: var(--bg-surface);
    color: var(--text-primary);
}
[data-theme="dark"] .form-control,
[data-theme="dark"] .form-select { background: var(--bg-raised); color: var(--text-primary); }
[data-theme="dark"] .form-control::placeholder { color: var(--text-muted); }

/* ===== SCROLLBAR ===== */
::-webkit-scrollbar { width: 5px; height: 5px; }
::-webkit-scrollbar-track { background: transparent; }
::-webkit-scrollbar-thumb { background: var(--border); border-radius: 3px; }
::-webkit-scrollbar-thumb:hover { background: var(--primary); }
#sidebar::-webkit-scrollbar-thumb { background: rgba(91,76,255,0.35); }
#sidebar::-webkit-scrollbar-thumb:hover { background: var(--primary); }

/* ===== RESPONSIVE ===== */
@media (max-width: 992px) {
    #sidebar { transform: translateX(-100%); }
    #content { margin-left: 0; }
    body.sidebar-open #sidebar { transform: translateX(0); }
    body.sidebar-open::after {
        content: '';
        position: fixed;
        inset: 0;
        background: rgba(0,0,0,0.5);
        z-index: 1015;
        backdrop-filter: blur(4px);
    }
    .header-nav { display: none !important; }
}
@media (max-width: 576px) {
    .navbar { padding: 0 1rem; }
    #content { padding: 1rem; }
    .page-title { font-size: 1.4rem; }
    .quick-actions-grid { grid-template-columns: 1fr 1fr; }
    .stat-card .stat-value { font-size: 1.6rem; }
}

/* ===== ANIMATIONS ===== */
.fade-in-up { animation: fadeInUp 0.45s cubic-bezier(0.4,0,0.2,1) both; }
@keyframes fadeInUp {
    from { opacity:0; transform:translateY(16px); }
    to   { opacity:1; transform:translateY(0); }
}

/* Stagger helpers */
```

```
.stagger-1 { animation-delay: 0.05s; }
.stagger-2 { animation-delay: 0.10s; }
.stagger-3 { animation-delay: 0.15s; }
.stagger-4 { animation-delay: 0.20s; }

/* ===== SKELETON ===== */
.skeleton {
    background: linear-gradient(90deg, var(--bg-raised) 25%, var(--border) 50%, var(--bg-raised) 75%);
    background-size: 200% 100%;
    animation: shimmer 1.5s infinite;
    border-radius: var(--radius);
}
@keyframes shimmer {
    0%   { background-position: 200% 0; }
    100% { background-position: -200% 0; }
}

/* ===== TOAST ===== */
.toast-container { z-index: 1100; }
.toast-custom {
    background: var(--bg-surface);
    border: 1px solid var(--border);
    border-radius: var(--radius);
    box-shadow: var(--shadow-xl);
    color: var(--text-primary);
}

/* ===== PRINT ===== */
@media print {
    .navbar, #sidebar, .no-print { display: none !important; }
    #content { margin-left: 0; padding: 0; }
}

/* ===== SECTION DIVIDERS ===== */
.section-label {
    font-size: 0.72rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 1.5px;
    color: var(--text-muted);
    margin-bottom: 1rem;
}

/* Chip badges */
.chip {
    display: inline-flex;
    align-items: center;
    gap: 0.35rem;
    padding: 0.25rem 0.7rem;
    border-radius: 999px;
    font-size: 0.78rem;
    font-weight: 600;
    background: var(--primary-soft);
    color: var(--primary);
    border: 1px solid var(--border);
}

/* Gradient text utility */
.gradient-text {
    background: linear-gradient(135deg, var(--primary), var(--primary-light));
```

```
            -webkit-background-clip: text;
            -webkit-text-fill-color: transparent;
            background-clip: text;
        }
    </style>
    {% block extra_css %}{% endblock %}
</head>

<body>
    <!-- Skip Link -->
    <a href="#content" class="skip-link">Skip to main content</a>

    <!-- ===== NAVBAR ===== -->
    <nav class="navbar" role="navigation" aria-label="Main navigation">
        <div class="container-fluid px-0 d-flex align-items-center gap-2">

            <!-- Sidebar Toggle (mobile) -->
            <button class="icon-btn d-lg-none border-0"
                    id="sidebarToggle"
                    aria-label="Toggle sidebar"
                    aria-expanded="false"
                    aria-controls="sidebar"
                    style="background:transparent;">
                <i class="bi bi-list" style="font-size:1.3rem;"></i>
            </button>

            <!-- Brand -->
            <a class="navbar-brand me-0" href="{% url 'dashboard_admin' %}">
                <div class="brand-icon">
                    <i class="bi bi-book-half"></i>
                </div>
                <span class="brand-text-main">Book<span class="brand-text-accent">Hub</span></span>
            </a>

            <!-- Header Nav -->
            <nav class="header-nav d-none d-lg-flex" aria-label="Secondary navigation">
                <a href="#" class="header-nav-item active" aria-current="page">
                    <i class="bi bi-graph-up-arrow"></i>
                    <span>Analytics</span>
                </a>
                <a href="#" class="header-nav-item">
                    <i class="bi bi-people"></i>
                    <span>Users</span>
                    <span class="badge bg-danger rounded-pill">12</span>
                </a>
                <a href="#" class="header-nav-item">
                    <i class="bi bi-shop"></i>
                    <span>Stores</span>
                </a>
            </nav>

            <!-- Right actions -->
            <div class="d-flex align-items-center ms-auto gap-2">

                <!-- Welcome (desktop) -->
                <div class="welcome-pill d-none d-lg-flex">
                    <span class="dot"></span>
                    <small>Hey,</small>
                    <strong>{{ request.user.username }}</strong>
                </div>
```

```
<!-- Theme Toggle -->
<button class="theme-toggle"
        id="themeToggle"
        aria-label="Toggle theme"
        title="Toggle dark/light mode">
    <div class="theme-toggle-thumb" id="themeThumb">
        <i class="bi bi-sun-fill" id="themeIcon" style="font-size:0.7rem;"></i>
    </div>
</button>

<!-- Notifications -->
<div class="dropdown">
    <button class="icon-btn"
            data-bs-toggle="dropdown"
            aria-expanded="false"
            aria-label="Notifications (5 unread)">
        <i class="bi bi-bell" style="font-size:1rem;"></i>
        <span class="notif-dot" aria-hidden="true"></span>
    </button>
    <ul class="dropdown-menu dropdown-menu-end" style="min-width:290px;">
        <li>
            <div class="px-3 py-2 d-flex justify-content-between align-items-center">
                <span style="font-weight:700; font-size:0.95rem; color:var(--text-primary);">Notifications
                <span class="badge" style="background:var(--danger); border-radius:999px; font-size:0.
            </div>
        </li>
        <li><hr class="dropdown-divider my-1" style="border-color:var(--border);"></li>
        <li>
            <a class="dropdown-item py-2" href="#">
                <i class="bi bi-person-plus" style="color:var(--success);"></i>
                New admin registered
            </a>
        </li>
        <li>
            <a class="dropdown-item py-2" href="#">
                <i class="bi bi-shop" style="color:var(--primary);"></i>
                Store pending approval
            </a>
        </li>
        <li>
            <a class="dropdown-item py-2" href="#">
                <i class="bi bi-exclamation-triangle" style="color:var(--warning);"></i>
                System update available
            </a>
        </li>
        <li><hr class="dropdown-divider my-1" style="border-color:var(--border);"></li>
        <li>
            <a class="dropdown-item justify-content-center" style="font-weight:600; font-size:0.82rem;
                View all notifications →
            </a>
        </li>
    </ul>
</div>

<!-- User Menu -->
<div class="dropdown">
    <button class="btn btn-link text-decoration-none p-0"
            data-bs-toggle="dropdown"
            aria-expanded="false"
```

```
                aria-label="User menu">
            <img src="{{ current_avatar_url }}"
                 alt="{{ current_display_name }}'s avatar"
                 class="nav-avatar">
        </button>
        <ul class="dropdown-menu dropdown-menu-end" style="min-width:200px;">
            <li>
                <div class="px-3 py-2">
                    <div style="font-weight:700; font-size:0.9rem; color:var(--text-primary);">{{ current_displa
                    <div style="font-size:0.78rem; color:var(--text-muted);">{{ current_role_label }}</div>
                </div>
            </li>
            <li><hr class="dropdown-divider my-1" style="border-color:var(--border);"></li>
            <li><a class="dropdown-item" href="{% url 'sub_admin_profile' %}"><i class="bi bi-person"><


            <li><hr class="dropdown-divider my-1" style="border-color:var(--border);"></li>
            <li>
                <a class="dropdown-item" style="color:var(--danger);" href="{% url 'logout' %}">
                    <i class="bi bi-box-arrow-right"></i>Logout
                </a>
            </li>
        </ul>
    </div>

  </div>
</div>
</nav>

<!-- ===== SIDEBAR ===== -->
<aside id="sidebar" role="navigation" aria-label="Sidebar navigation">




  <div class="sidebar-divider"></div>


  <div class="sidebar-divider"></div>
  <div class="sidebar-heading">Escalations</div>
  <a href="{% url 'sub_admin_issue_reports' %}" class="sidebar-item">
    <i class="bi bi-flag"></i>
    <span>Issue Reports</span>
  </a>
  <a href="{% url 'sub_admin_support_chat_list' %}" class="sidebar-item">
    <i class="bi bi-chat-dots"></i>
    <span>Support Chats</span>
  </a>

  <div class="sidebar-footer">
    <a href="{% url 'logout' %}" class="sidebar-item logout">
      <i class="bi bi-box-arrow-right"></i>
      <span>Logout</span>
    </a>
  </div>
</aside>

<!-- ===== MAIN CONTENT ===== -->
<main id="content" role="main" tabindex="-1">
  {% if messages %}
```

```
        <div class="position-fixed top-0 end-0 p-3" style="z-index:1050;">
            {% for message in messages %}
                <div class="alert-custom {{ message.tags|default:'info' }} fade-in-up"
                     role="alert"
                     data-aos="fade-down">
                    <i class="bi {% if message.tags == 'error' %}bi-exclamation-triangle-fill{% elif message.tags =
                    <div>
                        <strong class="d-block">{% if message.tags == 'error' %}Error{% elif message.tags == 'wa
                        {{ message }}
                    </div>
                    <button type="button" class="btn-close ms-auto" data-bs-dismiss="alert" aria-label="Close"><
                </div>
            {% endfor %}
        </div>
    {% endif %}

    {% block content %}{% endblock %}
</main>

<!-- Bootstrap JS -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>
<!-- AOS -->
<script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>

<script>
document.addEventListener('DOMContentLoaded', () => {

    // ■■ AOS ■■
    AOS.init({ duration: 550, once: true, offset: 40 });

    // ■■ THEME ■■
    const html      = document.documentElement;
    const themeBtn  = document.getElementById('themeToggle');
    const themeIcon = document.getElementById('themeIcon');

    function applyTheme(dark) {
        html.setAttribute('data-theme', dark ? 'dark' : 'light');
        themeIcon.className = dark ? 'bi bi-moon-stars-fill' : 'bi bi-sun-fill';
        themeIcon.style.fontSize = '0.7rem';
        localStorage.setItem('bh-theme', dark ? 'dark' : 'light');
    }

    const saved = localStorage.getItem('bh-theme');
    const prefersDark = window.matchMedia('(prefers-color-scheme: dark)').matches;
    applyTheme(saved ? saved === 'dark' : prefersDark);

    themeBtn?.addEventListener('click', () => {
        applyTheme(html.getAttribute('data-theme') !== 'dark');
    });

    // ■■ SIDEBAR ■■
    const sidebarToggle = document.getElementById('sidebarToggle');
    const body          = document.body;

    sidebarToggle?.addEventListener('click', () => {
        const isOpen = body.classList.toggle('sidebar-open');
        sidebarToggle.setAttribute('aria-expanded', isOpen);
    });

    document.addEventListener('click', e => {
```

```
        if (window.innerWidth < 992 &&
            body.classList.contains('sidebar-open') &&
            !document.getElementById('sidebar')?.contains(e.target) &&
            !sidebarToggle?.contains(e.target)) {
            body.classList.remove('sidebar-open');
            sidebarToggle?.setAttribute('aria-expanded', 'false');
        }
    });

    // ■■ NAVBAR SCROLL ■■
    window.addEventListener('scroll', () => {
        document.querySelector('.navbar')?.classList.toggle('scrolled', window.pageYOffset > 10);
    }, { passive: true });

    // ■■ ACTIVE SIDEBAR LINK ■■
    document.querySelectorAll('.sidebar-item[href]').forEach(link => {
        if (window.location.pathname === link.getAttribute('href')) {
            link.classList.add('active');
            link.setAttribute('aria-current', 'page');
        }
    });

    // ■■ COUNTER ANIMATION ■■
    function animateNumbers() {
        document.querySelectorAll('[data-count]').forEach(el => {
            const target = +el.getAttribute('data-count');
            const duration = 1000;
            const start = performance.now();
            const step = now => {
                const p = Math.min((now - start) / duration, 1);
                const ease = 1 - Math.pow(1 - p, 3);
                el.textContent = (el.dataset.prefix||'') + Math.floor(ease * target) + (el.dataset.suffix||'');
                if (p < 1) requestAnimationFrame(step);
            };
            requestAnimationFrame(step);
        });
    }

    const counter_observer = new IntersectionObserver(entries => {
        entries.forEach(e => { if (e.isIntersecting) { animateNumbers(); counter_observer.unobserve(e.target
    }, { threshold: 0.5 });
    document.querySelectorAll('.stat-card').forEach(c => counter_observer.observe(c));

});

// ■■ TOAST ■■
function showToast(title, message, type = 'info', duration = 3500) {
    let container = document.querySelector('.toast-container');
    if (!container) {
        container = document.createElement('div');
        container.className = 'toast-container position-fixed top-0 end-0 p-3';
        container.style.zIndex = '1100';
        document.body.appendChild(container);
    }
    const icons = { info:'info-circle', success:'check-circle', warning:'exclamation-triangle', error:'exclamation
    const colors = { info:'var(--info)', success:'var(--success)', warning:'var(--warning)', error:'var(--danger)' }
    const toast = document.createElement('div');
    toast.className = 'toast toast-custom show';
    toast.setAttribute('role','alert');
    toast.innerHTML = `
```

```
            <div class="toast-header" style="background:transparent; border-bottom:1px solid var(--border);">
                <i class="bi bi-${icons[type]} me-2" style="color:${colors[type]};"></i>
                <strong class="me-auto" style="color:var(--text-primary);">${title}</strong>
                <button type="button" class="btn-close" data-bs-dismiss="toast" aria-label="Close"></button>
            </div>
            <div class="toast-body" style="color:var(--text-secondary);">${message}</div>
        `;
        container.appendChild(toast);
        setTimeout(() => { toast.classList.remove('show'); setTimeout(() => toast.remove(), 200); }, duration);
    }

    function exportPage() { window.print(); }
    </script>
    {% block extra_js %}{% endblock %}
</body>
</html>

=== resources\views\admin\dashboard.blade.php ===
@extends('admin.layout')

@section('title', 'Dashboard')

@section('content')
<div class="card">
    <h1 style="margin-top:0;">Admin Dashboard</h1>
    <p style="color:#667085;margin-top:0.4rem;">Overview of support activity and admin coverage.</p>

    <div style="display:grid;grid-template-columns:repeat(auto-fit,minmax(180px,1fr));gap:1rem;margin-top:1.4
        <div style="background:#f1f0ff;border-radius:12px;padding:1rem;">
            <div style="font-size:0.8rem;color:#5b4cff;font-weight:700;">Open Reports</div>
            <div style="font-size:1.8rem;font-weight:800;">{{ $openReports }}</div>
        </div>
        <div style="background:#ecf8ff;border-radius:12px;padding:1rem;">
            <div style="font-size:0.8rem;color:#0b6bcb;font-weight:700;">Open Chats</div>
            <div style="font-size:1.8rem;font-weight:800;">{{ $openChats }}</div>
        </div>
        <div style="background:#fff5e8;border-radius:12px;padding:1rem;">
            <div style="font-size:0.8rem;color:#d97706;font-weight:700;">Admin Users</div>
            <div style="font-size:1.8rem;font-weight:800;">{{ $adminCount }}</div>
        </div>
    </div>
</div>
@endsection

=== resources\views\admin\dashboard_admin.html ===
{% extends "admin/base_sub_admin.html" %}
{% load static %}

{% block title %}Sub-Admin Dashboard - BookHub{% endblock %}

{% block extra_css %}
<style>
  .sub-grid { display:grid; grid-template-columns:repeat(auto-fit,minmax(220px,1fr)); gap:1rem; margin-botton
  .sub-card { background:var(--bg-surface); border:1px solid var(--border); border-radius:14px; padding:1rem
  .sub-card h5 { margin:0; font-size:0.9rem; color:var(--text-muted); text-transform:uppercase; letter-spacing:
  .sub-card .val { font-size:1.9rem; font-weight:700; margin-top:.35rem; color:var(--text-primary); }
  .sub-links { display:flex; gap:.7rem; flex-wrap:wrap; margin:1rem 0 1.3rem; }
  .sub-links a { text-decoration:none; border:1px solid var(--border); padding:.5rem .9rem; border-radius:999p
  .sub-links a:hover { color:var(--primary); border-color:var(--primary); }
  .table-wrap { background:var(--bg-surface); border:1px solid var(--border); border-radius:14px; overflow:hid
```

```
  table { width:100%; border-collapse:collapse; }
  th, td { padding:.72rem .85rem; border-bottom:1px solid var(--border-soft); font-size:.88rem; }
  th { background:var(--bg-raised); text-align:left; color:var(--text-secondary); }
  .status { padding:.18rem .55rem; border-radius:999px; font-size:.76rem; font-weight:600; }
  .status.pending { background:rgba(255,183,3,.15); color:#8f5d00; }
  .status.under_review { background:rgba(56,189,248,.15); color:#075985; }
  .status.resolved { background:rgba(0,201,139,.15); color:#065f46; }
  .status.rejected { background:rgba(255,77,109,.15); color:#9f1239; }
</style>
{% endblock %}

{% block content %}
<div class="container-fluid py-4">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <div>
      <h2 class="mb-1">Sub-Admin Dashboard</h2>
      <div class="text-muted">Welcome {{ admin_account.name }} ({{ admin_account.admin_type }})</div>
    </div>
  </div>

  <div class="sub-grid">
    <div class="sub-card"><h5>Pending Reports</h5><div class="val">{{ pending_reports }}</div></div>
    <div class="sub-card"><h5>Under Review</h5><div class="val">{{ under_review_reports }}</div></div>
    <div class="sub-card"><h5>Resolved Reports</h5><div class="val">{{ resolved_reports }}</div></div>
    <div class="sub-card"><h5>Open Support Chats</h5><div class="val">{{ open_support_conversations }}
    <div class="sub-card"><h5>Unread Support Messages</h5><div class="val">{{ unread_support_messag
    <div class="sub-card"><h5>Restricted User Accounts</h5><div class="val">{{ restricted_users_count }}</
  </div>

  <div class="sub-links">
    <a href="{% url 'sub_admin_issue_reports' %}"><i class="bi bi-flag me-1"></i>Issue Reports</a>
    <a href="{% url 'sub_admin_support_chat_list' %}"><i class="bi bi-chat-dots me-1"></i>Support Chats</a>
    <a href="{% url 'sub_admin_manage_accounts' %}"><i class="bi bi-person-lock me-1"></i>Account Mana
    <a href="{% url 'sub_admin_activity_logs' %}"><i class="bi bi-journal-text me-1"></i>Activity Logs</a>
  </div>

  <div class="table-wrap">
    <table>
      <thead>
        <tr>
          <th>ID</th>
          <th>Reporter</th>
          <th>Reported User</th>
          <th>Category</th>
          <th>Status</th>
          <th>Date</th>
        </tr>
      </thead>
      <tbody>
        {% for report in recent_reports %}
        <tr>
          <td>#{{ report.id }}</td>
          <td>{{ report.reporter.username }} ({{ report.get_reporter_role_display }})</td>
          <td>{{ report.reported_user.username }}</td>
          <td>{{ report.get_category_display }}</td>
          <td><span class="status {{ report.status }}">{{ report.get_status_display }}</span></td>
          <td>{{ report.created_at|date:"Y-m-d H:i" }}</td>
        </tr>
        {% empty %}
        <tr><td colspan="6" class="text-center text-muted py-4">No issue reports yet.</td></tr>
```

```
        {% endfor %}
      </tbody>
    </table>
  </div>
</div>
{% endblock %}

=== resources\views\admin\dashboard_super.html ===
{% extends "admin/base.html" %}
{% load static %}

{% block title %}Dashboard — BookHub Admin{% endblock %}

{% block extra_css %}
<style>
    /* ■■■
```

```
    line-height: 1.1;
}
.dash-hero .hero-title span { opacity: 0.65; }
.dash-hero .hero-sub {
    font-size: 0.88rem;
    opacity: 0.7;
    display: flex;
    align-items: center;
    gap: 0.5rem;
}
.dash-hero .hero-actions {
    display: flex;
    gap: 0.75rem;
    flex-wrap: wrap;
}
.hero-btn {
    display: inline-flex;
    align-items: center;
    gap: 0.45rem;
    padding: 0.5rem 1.1rem;
    border-radius: 999px;
    font-size: 0.85rem;
    font-weight: 600;
    cursor: pointer;
    border: none;
    transition: all 150ms ease;
    text-decoration: none;
}
.hero-btn.solid {
    background: rgba(255,255,255,0.22);
    color: #fff;
    backdrop-filter: blur(8px);
    border: 1px solid rgba(255,255,255,0.3);
}
.hero-btn.solid:hover { background: rgba(255,255,255,0.32); transform: translateY(-2px); color: #fff; }
.hero-btn.outline {
    background: transparent;
    color: rgba(255,255,255,0.8);
    border: 1px solid rgba(255,255,255,0.3);
}
.hero-btn.outline:hover { background: rgba(255,255,255,0.1); color: #fff; }

/* Hero quick-stats strip */
.hero-strip {
    display: flex;
    gap: 0;
    margin-top: 1.5rem;
    border-top: 1px solid rgba(255,255,255,0.15);
    padding-top: 1.25rem;
    position: relative;
    z-index: 1;
}
.hero-strip-item {
    flex: 1;
    padding: 0 1.25rem;
    border-right: 1px solid rgba(255,255,255,0.15);
}
.hero-strip-item:first-child { padding-left: 0; }
.hero-strip-item:last-child  { border-right: none; }
.hero-strip-item .hs-value {
```

```
    font-size: 1.6rem;
    font-weight: 800;
    line-height: 1;
    margin-bottom: 0.2rem;
}
.hero-strip-item .hs-label {
    font-size: 0.75rem;
    opacity: 0.6;
    text-transform: uppercase;
    letter-spacing: 0.8px;
    font-weight: 600;
}
.hero-strip-item .hs-change {
    font-size: 0.75rem;
    margin-top: 0.2rem;
    opacity: 0.8;
}
.hero-strip-item .hs-change.up   { color: #6effc5; }
.hero-strip-item .hs-change.down { color: #ffaab8; }

/* ■■ Stat Cards Grid ■■ */
.stats-grid {
    display: grid;
    grid-template-columns: repeat(5, 1fr);
    gap: 1rem;
    margin-bottom: 2rem;
}
@media (max-width: 1200px) { .stats-grid { grid-template-columns: repeat(3, 1fr); } }
@media (max-width: 768px)  { .stats-grid { grid-template-columns: repeat(2, 1fr); } }
@media (max-width: 420px)  { .stats-grid { grid-template-columns: 1fr; } }

.kpi-card {
    background: var(--bg-surface);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1.25rem;
    display: flex;
    flex-direction: column;
    gap: 0.6rem;
    transition: all 250ms ease;
    cursor: pointer;
    position: relative;
    overflow: hidden;
}
.kpi-card::after {
    content: '';
    position: absolute;
    bottom: 0; left: 0; right: 0;
    height: 3px;
    opacity: 0;
    transition: opacity 250ms ease;
}
.kpi-card:hover { transform: translateY(-4px); box-shadow: var(--shadow-lg); }
.kpi-card:hover::after { opacity: 1; }

.kpi-card.c-users   { --kc: #5b4cff; } .kpi-card.c-users::after   { background: linear-gradient(90deg, #5b4cff,
.kpi-card.c-stores  { --kc: #00c98b; } .kpi-card.c-stores::after  { background: linear-gradient(90deg, #00c98
.kpi-card.c-books   { --kc: #38bdf8; } .kpi-card.c-books::after   { background: linear-gradient(90deg, #38bdf
.kpi-card.c-orders  { --kc: #ffb703; } .kpi-card.c-orders::after  { background: linear-gradient(90deg, #ffb703,
.kpi-card.c-admins  { --kc: #ff4d6d; } .kpi-card.c-admins::after  { background: linear-gradient(90deg, #ff4d6
```

```
.kpi-icon-wrap {
    width: 42px; height: 42px;
    border-radius: 12px;
    display: flex; align-items: center; justify-content: center;
    font-size: 1.15rem;
    background: rgba(var(--kc-rgb, 91,76,255), 0.12);
    color: var(--kc);
    position: relative;
}
.kpi-card.c-users  .kpi-icon-wrap { background: rgba(91,76,255,0.12);  color: #5b4cff; }
.kpi-card.c-stores .kpi-icon-wrap { background: rgba(0,201,139,0.12);  color: #00c98b; }
.kpi-card.c-books  .kpi-icon-wrap { background: rgba(56,189,248,0.12); color: #38bdf8; }
.kpi-card.c-orders .kpi-icon-wrap { background: rgba(255,183,3,0.12);  color: #ffb703; }
.kpi-card.c-admins .kpi-icon-wrap { background: rgba(255,77,109,0.12); color: #ff4d6d; }

.kpi-meta { flex: 1; }
.kpi-label {
    font-size: 0.7rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 1px;
    color: var(--text-muted);
    margin-bottom: 0.3rem;
}
.kpi-value {
    font-size: 1.9rem;
    font-weight: 800;
    letter-spacing: -0.04em;
    color: var(--text-primary);
    line-height: 1;
}
.kpi-change {
    display: inline-flex;
    align-items: center;
    gap: 0.25rem;
    font-size: 0.72rem;
    font-weight: 600;
    padding: 0.18rem 0.5rem;
    border-radius: 999px;
    margin-top: 0.4rem;
}
.kpi-change.up   { background: rgba(0,201,139,0.12); color: var(--success); }
.kpi-change.down { background: rgba(255,77,109,0.12); color: var(--danger); }
.kpi-change.flat { background: var(--primary-soft); color: var(--text-muted); }

/* Sparkline container */
.kpi-spark { height: 36px; margin-top: 0.5rem; }

/* ■■ Section Header ■■ */
.section-header {
    display: flex;
    align-items: center;
    justify-content: space-between;
    margin-bottom: 1.25rem;
    gap: 0.75rem;
    flex-wrap: wrap;
}
.section-title {
    font-family: 'Outfit', sans-serif;
```

```
    font-size: 1.05rem;
    font-weight: 700;
    color: var(--text-primary);
    display: flex;
    align-items: center;
    gap: 0.5rem;
    margin: 0;
}
.section-title .title-icon {
    width: 30px; height: 30px;
    border-radius: 8px;
    display: flex; align-items: center; justify-content: center;
    font-size: 0.9rem;
}
.view-all-btn {
    display: inline-flex;
    align-items: center;
    gap: 0.35rem;
    padding: 0.38rem 0.9rem;
    border-radius: 999px;
    font-size: 0.8rem;
    font-weight: 600;
    background: var(--primary-soft);
    color: var(--primary);
    border: 1px solid var(--border);
    text-decoration: none;
    transition: all 150ms ease;
}
.view-all-btn:hover { background: var(--primary); color: #fff; border-color: var(--primary); }

/* ■■ Surface Panel ■■ */
.panel {
    background: var(--bg-surface);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    overflow: hidden;
}
.panel-body { padding: 1.4rem; }
.panel-body-sm { padding: 1rem; }

/* ■■ Chart Containers ■■ */
.chart-area { position: relative; padding: 1.4rem 1.4rem 1rem; }
.chart-canvas-wrap {
    position: relative;
    height: 220px;
}

/* Chart legend */
.chart-legend {
    display: flex;
    gap: 1rem;
    flex-wrap: wrap;
    padding: 0.75rem 1.4rem 1.25rem;
    border-top: 1px solid var(--border-soft);
}
.legend-item {
    display: flex;
    align-items: center;
    gap: 0.4rem;
    font-size: 0.78rem;
```

```
    color: var(--text-muted);
    font-weight: 500;
}
.legend-dot {
    width: 10px; height: 10px;
    border-radius: 50%;
    flex-shrink: 0;
}

/* ■■ Admin Table ■■ */
.admin-table { width: 100%; border-collapse: separate; border-spacing: 0; }
.admin-table thead tr th {
    padding: 0.75rem 1rem;
    font-size: 0.7rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 0.8px;
    color: var(--text-muted);
    border-bottom: 1px solid var(--border);
    background: var(--bg-raised);
    white-space: nowrap;
}
.admin-table thead tr th:first-child { border-radius: var(--radius) 0 0 0; }
.admin-table thead tr th:last-child  { border-radius: 0 var(--radius) 0 0; }
.admin-table tbody tr {
    transition: background 150ms ease;
}
.admin-table tbody tr:hover td { background: var(--primary-soft); }
.admin-table tbody tr:last-child td { border-bottom: none; }
.admin-table td {
    padding: 0.9rem 1rem;
    border-bottom: 1px solid var(--border-soft);
    font-size: 0.88rem;
    color: var(--text-primary);
    vertical-align: middle;
}

/* Admin avatar */
.admin-avatar {
    width: 34px; height: 34px;
    border-radius: 9px;
    font-weight: 700;
    font-size: 0.82rem;
    display: flex; align-items: center; justify-content: center;
    color: #fff;
    flex-shrink: 0;
}

/* Admin name cell */
.admin-name-cell { display: flex; align-items: center; gap: 0.65rem; }
.admin-name { font-weight: 600; color: var(--text-primary); font-size: 0.88rem; }
.admin-username { font-size: 0.75rem; color: var(--text-muted); }

/* Type badges */
.type-badge {
    display: inline-flex;
    align-items: center;
    gap: 0.3rem;
    padding: 0.22rem 0.65rem;
    border-radius: 999px;
```

```
    font-size: 0.72rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 0.4px;
}
.type-badge.super  { background: rgba(255,183,3,0.15);   color: #e09400; border: 1px solid rgba(255,183,
.type-badge.normal { background: rgba(56,189,248,0.12);  color: #0096c7; border: 1px solid rgba(56,189,

/* Email link */
.email-link {
    color: var(--text-secondary);
    text-decoration: none;
    font-size: 0.83rem;
    display: inline-flex;
    align-items: center;
    gap: 0.3rem;
    transition: color 150ms ease;
}
.email-link:hover { color: var(--primary); }

/* Ref pill */
.ref-pill {
    display: inline-flex;
    align-items: center;
    gap: 0.3rem;
    padding: 0.22rem 0.65rem;
    border-radius: 8px;
    background: var(--primary-soft);
    color: var(--primary);
    border: 1px solid var(--border);
    font-size: 0.78rem;
    font-weight: 600;
    font-family: 'SF Mono', 'Fira Code', monospace;
}

/* Date cell */
.date-cell {
    color: var(--text-muted);
    font-size: 0.82rem;
    display: flex;
    align-items: center;
    gap: 0.4rem;
    white-space: nowrap;
}

/* Empty state */
.empty-state {
    text-align: center;
    padding: 3rem 1rem;
    color: var(--text-muted);
}
.empty-state i { font-size: 2.5rem; opacity: 0.3; display: block; margin-bottom: 0.75rem; }
.empty-state p { font-size: 0.9rem; margin: 0; }

/* ■■ Quick Action Cards ■■ */
.qa-grid {
    display: grid;
    grid-template-columns: repeat(4, 1fr);
    gap: 0.9rem;
}
```

```
@media (max-width: 992px) { .qa-grid { grid-template-columns: repeat(2, 1fr); } }
@media (max-width: 480px) { .qa-grid { grid-template-columns: 1fr; } }

.qa-card {
    display: flex;
    flex-direction: column;
    align-items: flex-start;
    gap: 0.75rem;
    padding: 1.25rem;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    text-decoration: none;
    color: inherit;
    cursor: pointer;
    transition: all 200ms ease;
    position: relative;
    overflow: hidden;
}
.qa-card::before {
    content: '';
    position: absolute;
    inset: 0;
    opacity: 0;
    transition: opacity 200ms ease;
}
.qa-card:hover {
    transform: translateY(-4px);
    box-shadow: var(--shadow-lg);
    border-color: var(--kc, var(--primary));
}
.qa-card:hover::before { opacity: 1; }

.qa-card.qa-create { --kc: #5b4cff; } .qa-card.qa-create::before { background: linear-gradient(135deg, rgba
.qa-card.qa-view   { --kc: #00c98b; } .qa-card.qa-view::before   { background: linear-gradient(135deg, rgba
.qa-card.qa-report { --kc: #38bdf8; } .qa-card.qa-report::before { background: linear-gradient(135deg, rgba
.qa-card.qa-refresh{ --kc: #ffb703; } .qa-card.qa-refresh::before{ background: linear-gradient(135deg, rgba

.qa-icon {
    width: 44px; height: 44px;
    border-radius: 12px;
    display: flex; align-items: center; justify-content: center;
    font-size: 1.25rem;
    flex-shrink: 0;
    position: relative;
    z-index: 1;
}
.qa-card.qa-create .qa-icon { background: rgba(91,76,255,0.12);  color: #5b4cff; }
.qa-card.qa-view   .qa-icon { background: rgba(0,201,139,0.12);  color: #00c98b; }
.qa-card.qa-report .qa-icon { background: rgba(56,189,248,0.12); color: #38bdf8; }
.qa-card.qa-refresh .qa-icon{ background: rgba(255,183,3,0.12);  color: #ffb703; }

.qa-text { position: relative; z-index: 1; }
.qa-title { font-weight: 700; font-size: 0.92rem; color: var(--text-primary); margin-bottom: 0.18rem; }
.qa-desc  { font-size: 0.78rem; color: var(--text-muted); line-height: 1.3; }

.qa-arrow {
    margin-top: auto;
    font-size: 0.85rem;
    color: var(--kc, var(--primary));
```

```
    opacity: 0;
    transform: translateX(-4px);
    transition: all 200ms ease;
    position: relative;
    z-index: 1;
}
.qa-card:hover .qa-arrow { opacity: 1; transform: translateX(0); }

/* ■■ Activity Feed ■■ */
.activity-list { display: flex; flex-direction: column; gap: 0; }
.activity-item {
    display: flex;
    gap: 0.9rem;
    padding: 0.9rem 1.4rem;
    border-bottom: 1px solid var(--border-soft);
    transition: background 150ms ease;
}
.activity-item:last-child { border-bottom: none; }
.activity-item:hover { background: var(--primary-soft); }

.activity-dot-wrap {
    display: flex;
    flex-direction: column;
    align-items: center;
    gap: 0;
    flex-shrink: 0;
    padding-top: 4px;
}
.activity-dot {
    width: 10px; height: 10px;
    border-radius: 50%;
    flex-shrink: 0;
}
.activity-dot.a-create { background: var(--primary); box-shadow: 0 0 0 3px rgba(91,76,255,0.15); }
.activity-dot.a-login  { background: var(--success);  box-shadow: 0 0 0 3px rgba(0,201,139,0.15); }
.activity-dot.a-warn   { background: var(--warning);  box-shadow: 0 0 0 3px rgba(255,183,3,0.15); }
.activity-dot.a-store  { background: var(--info);     box-shadow: 0 0 0 3px rgba(56,189,248,0.15); }

.activity-line { flex: 1; width: 1px; background: var(--border); margin: 4px 0 0; }
.activity-item:last-child .activity-line { display: none; }

.activity-content { flex: 1; min-width: 0; }
.activity-msg { font-size: 0.86rem; color: var(--text-secondary); line-height: 1.4; }
.activity-msg strong { color: var(--text-primary); font-weight: 600; }
.activity-time { font-size: 0.73rem; color: var(--text-muted); margin-top: 0.2rem; display: flex; align-items: ce

/* ■■ System Health ■■ */
.health-grid { display: grid; grid-template-columns: 1fr; gap: 1rem; padding: 1.4rem; }
.health-item { display: flex; flex-direction: column; gap: 0.5rem; }
.health-header { display: flex; justify-content: space-between; align-items: center; }
.health-label { font-size: 0.8rem; font-weight: 600; color: var(--text-secondary); display: flex; align-items: ce
.health-value { font-size: 0.8rem; font-weight: 700; }
.health-bar { height: 6px; background: var(--border); border-radius: 99px; overflow: hidden; }
.health-fill { height: 100%; border-radius: 99px; transition: width 1s ease; }
.health-fill.good    { background: linear-gradient(90deg, var(--success), #00e5a0); }
.health-fill.warn    { background: linear-gradient(90deg, var(--warning), #ffd166); }
.health-fill.danger  { background: linear-gradient(90deg, var(--danger), #ff8fab); }

/* ■■ Store Status ■■ */
.store-status-row {
```

```
        display: flex;
        align-items: center;
        gap: 0.75rem;
        padding: 0.75rem 1.4rem;
        border-bottom: 1px solid var(--border-soft);
        transition: background 150ms;
    }
    .store-status-row:last-child { border-bottom: none; }
    .store-status-row:hover { background: var(--primary-soft); }
    .store-flag {
        width: 8px; height: 8px;
        border-radius: 50%;
        flex-shrink: 0;
    }
    .store-flag.active  { background: var(--success); box-shadow: 0 0 0 3px rgba(0,201,139,0.2); }
    .store-flag.pending { background: var(--warning);  box-shadow: 0 0 0 3px rgba(255,183,3,0.2); }
    .store-flag.closed  { background: var(--danger);   box-shadow: 0 0 0 3px rgba(255,77,109,0.2); }
    .store-info { flex: 1; min-width: 0; }
    .store-name  { font-size: 0.86rem; font-weight: 600; color: var(--text-primary); white-space: nowrap; overflo
    .store-owner { font-size: 0.75rem; color: var(--text-muted); }
    .store-count { font-size: 0.78rem; font-weight: 600; color: var(--text-muted); flex-shrink: 0; }

    /* ■■ Responsive tweaks ■■ */
    @media (max-width: 768px) {
        .dash-hero { padding: 1.5rem; }
        .dash-hero .hero-title { font-size: 1.45rem; }
        .hero-strip { flex-wrap: wrap; gap: 1rem; }
        .hero-strip-item { border-right: none; flex: 0 0 calc(50% - 0.5rem); padding: 0; }
    }

    /* stagger animations */
    [data-aos-delay] { transition-delay: var(--aos-delay, 0ms) !important; }
</style>
{% endblock %}


{% block content %}

<!-- ■■ HERO HEADER ■■ -->
<div class="dash-hero fade-in-up" data-aos="fade-down">
    <div class="row align-items-center gy-3">
        <div class="col-lg-7 hero-content">
            <div class="hero-greeting">Super Admin Portal</div>
            <div class="hero-title">
                Good {% now "G" as hour %}{% if hour|add:"0" < 12 %}Morning{% elif hour|add:"0" < 17 %}Afterno
                <span>{{ request.user.username }} ■</span>
            </div>
            <div class="hero-sub">
                <i class="bi bi-clock-fill"></i>
                Last updated: {% now "F j, Y — g:i a" %}
            </div>
            <div class="hero-actions mt-3">
                <button class="hero-btn solid" onclick="window.location.reload()">
                    <i class="bi bi-arrow-clockwise"></i> Refresh
                </button>
                <a href="{% url 'register_admin' %}" class="hero-btn solid">
                    <i class="bi bi-person-plus"></i> New Admin
                </a>
                <button class="hero-btn outline" onclick="exportPage()">
                    <i class="bi bi-download"></i> Export
```

```
            </button>
          </div>
        </div>

        <!-- Hero Quick Stats Strip -->
        <div class="col-12 hero-content">
          <div class="hero-strip">
            <div class="hero-strip-item">
              <div class="hs-value" data-count="{{ total_users|default:0 }}">{{ total_users|default:0 }}</div>
              <div class="hs-label">Total Users</div>
              <div class="hs-change up"><i class="bi bi-arrow-up-short"></i>+8% this month</div>
            </div>
            <div class="hero-strip-item">
              <div class="hs-value" data-count="{{ total_stores|default:0 }}">{{ total_stores|default:0 }}</div>
              <div class="hs-label">Active Stores</div>
              <div class="hs-change up"><i class="bi bi-arrow-up-short"></i>+3 new</div>
            </div>
            <div class="hero-strip-item">
              <div class="hs-value" data-count="{{ total_books|default:0 }}">{{ total_books|default:0 }}</div>
              <div class="hs-label">Books Listed</div>
              <div class="hs-change flat"><i class="bi bi-dash"></i>Stable</div>
            </div>
            <div class="hero-strip-item">
              <div class="hs-value" data-count="{{ total_orders|default:0 }}">{{ total_orders|default:0 }}</div>
              <div class="hs-label">Total Orders</div>
              <div class="hs-change up"><i class="bi bi-arrow-up-short"></i>+12% week</div>
            </div>
          </div>
        </div>
      </div>
    </div>


    <!-- ■■ KPI CARDS ■■ -->
    <div class="stats-grid mb-0">

      <div class="kpi-card c-users fade-in-up stagger-1" data-aos="zoom-in" data-aos-delay="0">
        <div class="kpi-icon-wrap"><i class="bi bi-people-fill"></i></div>
        <div class="kpi-meta">
          <div class="kpi-label">Total Users</div>
          <div class="kpi-value" data-count="{{ total_users|default:0 }}">{{ total_users|default:0 }}</div>
          <div class="kpi-change up"><i class="bi bi-arrow-up-short"></i>+8.1%</div>
        </div>
        <div class="kpi-spark">
          <canvas id="spark-users"></canvas>
        </div>
      </div>

      <div class="kpi-card c-stores fade-in-up stagger-2" data-aos="zoom-in" data-aos-delay="60">
        <div class="kpi-icon-wrap"><i class="bi bi-shop-window"></i></div>
        <div class="kpi-meta">
          <div class="kpi-label">Total Stores</div>
          <div class="kpi-value" data-count="{{ total_stores|default:0 }}">{{ total_stores|default:0 }}</div>
          <div class="kpi-change up"><i class="bi bi-arrow-up-short"></i>+3 new</div>
        </div>
        <div class="kpi-spark">
          <canvas id="spark-stores"></canvas>
        </div>
      </div>
```

```
    <div class="kpi-card c-books fade-in-up stagger-3" data-aos="zoom-in" data-aos-delay="120">
        <div class="kpi-icon-wrap"><i class="bi bi-book-fill"></i></div>
        <div class="kpi-meta">
            <div class="kpi-label">Total Books</div>
            <div class="kpi-value" data-count="{{ total_books|default:0 }}">{{ total_books|default:0 }}</div>
            <div class="kpi-change flat"><i class="bi bi-dash"></i>Stable</div>
        </div>
        <div class="kpi-spark">
            <canvas id="spark-books"></canvas>
        </div>
    </div>

    <div class="kpi-card c-orders fade-in-up stagger-4" data-aos="zoom-in" data-aos-delay="180">
        <div class="kpi-icon-wrap"><i class="bi bi-cart-check-fill"></i></div>
        <div class="kpi-meta">
            <div class="kpi-label">Total Orders</div>
            <div class="kpi-value" data-count="{{ total_orders|default:0 }}">{{ total_orders|default:0 }}</div>
            <div class="kpi-change up"><i class="bi bi-arrow-up-short"></i>+12%</div>
        </div>
        <div class="kpi-spark">
            <canvas id="spark-orders"></canvas>
        </div>
    </div>

    <div class="kpi-card c-admins" data-aos="zoom-in" data-aos-delay="240">
        <div class="kpi-icon-wrap"><i class="bi bi-person-badge-fill"></i></div>
        <div class="kpi-meta">
            <div class="kpi-label">Admin Accounts</div>
            <div class="kpi-value" data-count="{{ total_admin_accounts|default:0 }}">{{ total_admin_accounts|de
            <div class="kpi-change down"><i class="bi bi-dash"></i>No change</div>
        </div>
        <div class="kpi-spark">
            <canvas id="spark-admins"></canvas>
        </div>
    </div>

</div>

<!-- spacer -->
<div style="margin-bottom:2rem;"></div>


<!-- ■■ CHARTS ROW ■■ -->
<div class="row g-3 mb-3" data-aos="fade-up" data-aos-delay="100">

    <!-- Activity Overview Chart -->
    <div class="col-lg-8">
        <div class="panel h-100">
            <div class="chart-area pb-0">
                <div class="section-header mb-0">
                    <h2 class="section-title">
                        <span class="title-icon" style="background:rgba(91,76,255,0.12); color:#5b4cff;">
                            <i class="bi bi-activity"></i>
                        </span>
                        Platform Activity
                    </h2>
                    <div class="d-flex gap-2 align-items-center">
                        <select class="form-select form-select-sm" style="width:110px; font-size:0.78rem;" onchange
                            <option value="7">Last 7 days</option>
                            <option value="30" selected>Last 30 days</option>
```

```
                <option value="90">Last 90 days</option>
            </select>
        </div>
    </div>
  </div>
  <div class="chart-area pt-1">
    <div class="chart-canvas-wrap">
      <canvas id="activityChart"></canvas>
    </div>
  </div>
  <div class="chart-legend">
    <div class="legend-item"><div class="legend-dot" style="background:#5b4cff;"></div> Users</div>
    <div class="legend-item"><div class="legend-dot" style="background:#00c98b;"></div> Orders</d
    <div class="legend-item"><div class="legend-dot" style="background:#38bdf8;"></div> Books Add
  </div>
 </div>
</div>

<!-- Donut + Health -->
<div class="col-lg-4 d-flex flex-column gap-3">

 <!-- Donut: Store Distribution -->
 <div class="panel">
  <div class="chart-area pb-0">
    <div class="section-header mb-2">
      <h2 class="section-title">
        <span class="title-icon" style="background:rgba(0,201,139,0.12); color:#00c98b;">
          <i class="bi bi-pie-chart-fill"></i>
        </span>
        Store Status
      </h2>
    </div>
  </div>
  <div style="padding: 0 1.4rem 0.5rem; display:flex; align-items:center; gap:1.5rem; flex-wrap:wrap;">
    <div style="position:relative; width:100px; height:100px; flex-shrink:0;">
      <canvas id="storeDonut"></canvas>
      <div style="position:absolute; inset:0; display:flex; flex-direction:column; align-items:center; justi
        <span style="font-size:1.3rem; font-weight:800; color:var(--text-primary);" id="donutTotal">-</
        <span style="font-size:0.65rem; color:var(--text-muted); font-weight:600; text-transform:upper
      </div>
    </div>
    <div style="flex:1; display:flex; flex-direction:column; gap:0.6rem;">
      <div style="display:flex; justify-content:space-between; align-items:center;">
        <span style="font-size:0.78rem; color:var(--text-secondary); display:flex; align-items:center; g
          <span style="width:8px;height:8px;border-radius:50%;background:#00c98b;flex-shrink:0;">
        </span>
        <span style="font-size:0.82rem; font-weight:700; color:var(--text-primary);">{{ active_stores|d
      </div>
      <div style="display:flex; justify-content:space-between; align-items:center;">
        <span style="font-size:0.78rem; color:var(--text-secondary); display:flex; align-items:center; g
          <span style="width:8px;height:8px;border-radius:50%;background:#ffb703;flex-shrink:0;"><
        </span>
        <span style="font-size:0.82rem; font-weight:700; color:var(--text-primary);">{{ pending_stores
      </div>
      <div style="display:flex; justify-content:space-between; align-items:center;">
        <span style="font-size:0.78rem; color:var(--text-secondary); display:flex; align-items:center; g
          <span style="width:8px;height:8px;border-radius:50%;background:#ff4d6d;flex-shrink:0;"><
        </span>
        <span style="font-size:0.82rem; font-weight:700; color:var(--text-primary);">{{ closed_stores|d
      </div>
```

```
            </div>
        </div>
    </div>

    <!-- System Health -->
    <div class="panel flex-grow-1">
        <div style="padding: 1rem 1.4rem 0.5rem;">
            <h2 class="section-title">
                <span class="title-icon" style="background:rgba(56,189,248,0.12); color:#38bdf8;">
                    <i class="bi bi-cpu-fill"></i>
                </span>
                System Health
            </h2>
        </div>
        <div class="health-grid pt-0" style="padding-top:0.5rem;">
            <div class="health-item">
                <div class="health-header">
                    <span class="health-label"><i class="bi bi-server"></i> Server Load</span>
                    <span class="health-value" style="color:var(--success);">34%</span>
                </div>
                <div class="health-bar"><div class="health-fill good" style="width:34%"></div></div>
            </div>
            <div class="health-item">
                <div class="health-header">
                    <span class="health-label"><i class="bi bi-hdd-stack"></i> Storage Used</span>
                    <span class="health-value" style="color:var(--warning);">67%</span>
                </div>
                <div class="health-bar"><div class="health-fill warn" style="width:67%"></div></div>
            </div>
            <div class="health-item">
                <div class="health-header">
                    <span class="health-label"><i class="bi bi-wifi"></i> API Uptime</span>
                    <span class="health-value" style="color:var(--success);">99.9%</span>
                </div>
                <div class="health-bar"><div class="health-fill good" style="width:99.9%"></div></div>
            </div>
        </div>
    </div>

  </div>
</div>


<!-- ■■ ADMIN TABLE + ACTIVITY ■■ -->
<div class="row g-3 mb-3" data-aos="fade-up" data-aos-delay="120">

  <!-- Recent Admins Table -->
  <div class="col-lg-8">
    <div class="panel h-100">
        <div style="padding: 1.25rem 1.4rem 0;">
            <div class="section-header">
                <h2 class="section-title">
                    <span class="title-icon" style="background:rgba(91,76,255,0.12); color:#5b4cff;">
                        <i class="bi bi-clock-history"></i>
                    </span>
                    Recent Admin Accounts
                </h2>
                <a href="{% url 'view_admins' %}" class="view-all-btn">
                    <i class="bi bi-grid-3x3-gap"></i> View All
                </a>
```

```
    </div>
</div>

<div style="overflow-x:auto;">
    <table class="admin-table">
        <thead>
            <tr>
                <th style="padding-left:1.4rem;">Admin</th>
                <th>Type</th>
                <th>Email</th>
                <th>Reference</th>
                <th>Created</th>
            </tr>
        </thead>
        <tbody>
            {% for admin in latest_admin_accounts %}
            <tr>
                <td style="padding-left:1.4rem;">
                    <div class="admin-name-cell">
                        <div class="admin-avatar" style="background: linear-gradient(135deg,
                            {% cycle '#5b4cff' '#00c98b' '#38bdf8' '#ffb703' '#ff4d6d' %}
                            , {% cycle '#9b6bff' '#00e5a0' '#67d7f5' '#ffd166' '#ff8fab' %});">
                            {{ admin.name|first|upper }}
                        </div>
                        <div>
                            <div class="admin-name">{{ admin.name }}</div>
                            <div class="admin-username">@{{ admin.username|default:admin.name|lower }}</
                        </div>
                    </div>
                </td>
                <td>
                    {% if admin.admin_type == 'super' %}
                        <span class="type-badge super"><i class="bi bi-star-fill"></i> Super</span>
                    {% else %}
                        <span class="type-badge normal"><i class="bi bi-person"></i> Normal</span>
                    {% endif %}
                </td>
                <td>
                    {% if admin.email %}
                        <a href="mailto:{{ admin.email }}" class="email-link">
                            <i class="bi bi-envelope"></i>{{ admin.email }}
                        </a>
                    {% else %}
                        <span style="color:var(--text-muted); font-size:0.82rem;">—</span>
                    {% endif %}
                </td>
                <td>
                    <span class="ref-pill">
                        <i class="bi bi-hash"></i>{{ admin.ref_number }}
                    </span>
                </td>
                <td>
                    <div class="date-cell">
                        <i class="bi bi-calendar3"></i>
                        {{ admin.created_at|date:"M d, Y" }}
                    </div>
                </td>
            </tr>
            {% empty %}
            <tr>
```

```
                <td colspan="5">
                    <div class="empty-state">
                        <i class="bi bi-inbox"></i>
                        <p>No admin accounts created yet.</p>
                    </div>
                </td>
            </tr>
            {% endfor %}
        </tbody>
    </table>
  </div>
 </div>
</div>

<!-- Recent Activity Feed -->
<div class="col-lg-4">
 <div class="panel h-100">
  <div style="padding: 1.25rem 1.4rem 0.75rem;">
   <div class="section-header mb-0">
    <h2 class="section-title">
     <span class="title-icon" style="background:rgba(255,183,3,0.12); color:#ffb703;">
      <i class="bi bi-lightning-fill"></i>
     </span>
     Live Activity
    </h2>
    <span class="chip" style="font-size:0.7rem;">
     <span style="width:6px;height:6px;background:var(--success);border-radius:50%;animation:p
     Live
    </span>
   </div>
  </div>
  <div class="activity-list">
   <div class="activity-item">
    <div class="activity-dot-wrap">
     <div class="activity-dot a-create"></div>
     <div class="activity-line"></div>
    </div>
    <div class="activity-content">
     <div class="activity-msg">New admin <strong>Ahmed K.</strong> was created</div>
     <div class="activity-time"><i class="bi bi-clock"></i>2 min ago</div>
    </div>
   </div>
   <div class="activity-item">
    <div class="activity-dot-wrap">
     <div class="activity-dot a-store"></div>
     <div class="activity-line"></div>
    </div>
    <div class="activity-content">
     <div class="activity-msg">Store <strong>Al-Noor Books</strong> applied for approval</div>
     <div class="activity-time"><i class="bi bi-clock"></i>14 min ago</div>
    </div>
   </div>
   <div class="activity-item">
    <div class="activity-dot-wrap">
     <div class="activity-dot a-login"></div>
     <div class="activity-line"></div>
    </div>
    <div class="activity-content">
     <div class="activity-msg"><strong>{{ request.user.username }}</strong> logged in</div>
     <div class="activity-time"><i class="bi bi-clock"></i>Just now</div>
```

```
                </div>
            </div>
            <div class="activity-item">
                <div class="activity-dot-wrap">
                    <div class="activity-dot a-warn"></div>
                    <div class="activity-line"></div>
                </div>
                <div class="activity-content">
                    <div class="activity-msg">Storage usage hit <strong>67%</strong> threshold</div>
                    <div class="activity-time"><i class="bi bi-clock"></i>1 hr ago</div>
                </div>
            </div>
            <div class="activity-item">
                <div class="activity-dot-wrap">
                    <div class="activity-dot a-create"></div>
                    <div class="activity-line"></div>
                </div>
                <div class="activity-content">
                    <div class="activity-msg"><strong>128 new books</strong> added across stores</div>
                    <div class="activity-time"><i class="bi bi-clock"></i>3 hrs ago</div>
                </div>
            </div>
        </div>
    </div>
</div>


<!-- ■■ QUICK ACTIONS ■■ -->
<div data-aos="fade-up" data-aos-delay="140">
    <div class="section-header">
        <h2 class="section-title">
            <span class="title-icon" style="background:rgba(255,77,109,0.12); color:#ff4d6d;">
                <i class="bi bi-grid-fill"></i>
            </span>
            Quick Actions
        </h2>
    </div>

    <div class="qa-grid">

        <a href="{% url 'register_admin' %}" class="qa-card qa-create">
            <div class="qa-icon"><i class="bi bi-person-plus-fill"></i></div>
            <div class="qa-text">
                <div class="qa-title">Create Admin</div>
                <div class="qa-desc">Register a new admin account with custom permissions</div>
            </div>
            <div class="qa-arrow"><i class="bi bi-arrow-right"></i> Go</div>
        </a>

        <a href="{% url 'view_admins' %}" class="qa-card qa-view">
            <div class="qa-icon"><i class="bi bi-people-fill"></i></div>
            <div class="qa-text">
                <div class="qa-title">Manage Admins</div>
                <div class="qa-desc">View, edit, or remove existing administrator accounts</div>
            </div>
            <div class="qa-arrow"><i class="bi bi-arrow-right"></i> Go</div>
        </a>
```

```
        <div class="qa-card qa-report" onclick="generateReport()">
            <div class="qa-icon"><i class="bi bi-file-earmark-bar-graph-fill"></i></div>
            <div class="qa-text">
                <div class="qa-title">Generate Report</div>
                <div class="qa-desc">Export full platform analytics as a PDF or CSV</div>
            </div>
            <div class="qa-arrow"><i class="bi bi-arrow-right"></i> Run</div>
        </div>

        <div class="qa-card qa-refresh" onclick="refreshData()">
            <div class="qa-icon"><i class="bi bi-arrow-repeat"></i></div>
            <div class="qa-text">
                <div class="qa-title">Refresh Data</div>
                <div class="qa-desc">Re-sync all statistics and platform metrics</div>
            </div>
            <div class="qa-arrow"><i class="bi bi-arrow-right"></i> Run</div>
        </div>

    </div>
</div>

{% endblock %}


{% block extra_js %}
<script>
document.addEventListener('DOMContentLoaded', () => {

    /* ■■ Theme-aware Chart colors ■■ */
    function getCSSVar(name) {
        return getComputedStyle(document.documentElement).getPropertyValue(name).trim();
    }

    const isDark = () => document.documentElement.getAttribute('data-theme') === 'dark';

    function chartDefaults() {
        return {
            textColor:   isDark() ? 'rgba(237,233,255,0.6)' : 'rgba(90,85,110,0.7)',
            gridColor:   isDark() ? 'rgba(255,255,255,0.05)' : 'rgba(91,76,255,0.07)',
            bgSurface:   isDark() ? '#13111f' : '#ffffff',
        };
    }

    /* ■■ Activity Line Chart ■■ */
    const actCtx = document.getElementById('activityChart')?.getContext('2d');
    if (actCtx) {
        const labels = ['Week 1','Week 2','Week 3','Week 4','Week 5','Week 6','Week 7','Week 8'];

        const gradPurple = actCtx.createLinearGradient(0, 0, 0, 200);
        gradPurple.addColorStop(0, 'rgba(91,76,255,0.25)');
        gradPurple.addColorStop(1, 'rgba(91,76,255,0)');

        const gradGreen = actCtx.createLinearGradient(0, 0, 0, 200);
        gradGreen.addColorStop(0, 'rgba(0,201,139,0.2)');
        gradGreen.addColorStop(1, 'rgba(0,201,139,0)');

        const gradBlue = actCtx.createLinearGradient(0, 0, 0, 200);
        gradBlue.addColorStop(0, 'rgba(56,189,248,0.18)');
        gradBlue.addColorStop(1, 'rgba(56,189,248,0)');
```

```
const actChart = new Chart(actCtx, {
    type: 'line',
    data: {
        labels,
        datasets: [
            {
                label: 'Users',
                data: [42, 67, 55, 89, 76, 102, 94, 118],
                borderColor: '#5b4cff',
                backgroundColor: gradPurple,
                borderWidth: 2.5,
                pointRadius: 4,
                pointHoverRadius: 7,
                pointBackgroundColor: '#5b4cff',
                pointBorderColor: chartDefaults().bgSurface,
                pointBorderWidth: 2,
                tension: 0.45,
                fill: true,
            },
            {
                label: 'Orders',
                data: [30, 52, 41, 65, 59, 78, 70, 88],
                borderColor: '#00c98b',
                backgroundColor: gradGreen,
                borderWidth: 2.5,
                pointRadius: 4,
                pointHoverRadius: 7,
                pointBackgroundColor: '#00c98b',
                pointBorderColor: chartDefaults().bgSurface,
                pointBorderWidth: 2,
                tension: 0.45,
                fill: true,
            },
            {
                label: 'Books',
                data: [18, 25, 31, 22, 40, 35, 48, 44],
                borderColor: '#38bdf8',
                backgroundColor: gradBlue,
                borderWidth: 2.5,
                pointRadius: 4,
                pointHoverRadius: 7,
                pointBackgroundColor: '#38bdf8',
                pointBorderColor: chartDefaults().bgSurface,
                pointBorderWidth: 2,
                tension: 0.45,
                fill: true,
            },
        ]
    },
    options: {
        responsive: true,
        maintainAspectRatio: false,
        interaction: { mode: 'index', intersect: false },
        plugins: {
            legend: { display: false },
            tooltip: {
                backgroundColor: isDark() ? '#1a1730' : '#ffffff',
                titleColor: isDark() ? '#ede9ff' : '#14102b',
                bodyColor: isDark() ? '#9c97b8' : '#5a556e',
                borderColor: isDark() ? 'rgba(123,111,255,0.2)' : 'rgba(91,76,255,0.15)',
```

```
                borderWidth: 1,
                padding: 12,
                cornerRadius: 10,
                titleFont: { family: 'Outfit', weight: '700', size: 13 },
                bodyFont: { family: 'Outfit', size: 12 },
                callbacks: {
                    label: ctx => `  ${ctx.dataset.label}: ${ctx.parsed.y}`
                }
            }
        },
        scales: {
            x: {
                grid: { color: chartDefaults().gridColor, drawBorder: false },
                ticks: { color: chartDefaults().textColor, font: { family: 'Outfit', size: 11 } },
                border: { display: false }
            },
            y: {
                grid: { color: chartDefaults().gridColor, drawBorder: false },
                ticks: { color: chartDefaults().textColor, font: { family: 'Outfit', size: 11 }, maxTicksLimit: 5 },
                border: { display: false }
            }
        }
    }
});

window.updateChart = function(days) {
    // Could re-fetch data here; for demo just nudge values
    actChart.data.datasets.forEach(ds => {
        ds.data = ds.data.map(v => Math.max(5, v + Math.floor((Math.random()-0.5)*20)));
    });
    actChart.update('active');
};

// Re-theme on dark mode change
document.getElementById('themeToggle')?.addEventListener('click', () => {
    setTimeout(() => {
        const d = chartDefaults();
        actChart.options.scales.x.grid.color = d.gridColor;
        actChart.options.scales.y.grid.color = d.gridColor;
        actChart.options.scales.x.ticks.color = d.textColor;
        actChart.options.scales.y.ticks.color = d.textColor;
        actChart.options.plugins.tooltip.backgroundColor = d.bgSurface;
        actChart.update();
    }, 350);
});
}

/* ■■ Store Donut ■■ */
const donutCtx = document.getElementById('storeDonut')?.getContext('2d');
if (donutCtx) {
    const active  = parseInt('{{ active_stores|default:18 }}');
    const pending = parseInt('{{ pending_stores|default:3 }}');
    const closed  = parseInt('{{ closed_stores|default:3 }}');
    const total   = active + pending + closed;
    document.getElementById('donutTotal').textContent = total;

    new Chart(donutCtx, {
        type: 'doughnut',
        data: {
            labels: ['Active','Pending','Closed'],
```

```
            datasets: [{
                data: [active, pending, closed],
                backgroundColor: ['#00c98b','#ffb703','#ff4d6d'],
                hoverBackgroundColor: ['#00e5a0','#ffd166','#ff8fab'],
                borderWidth: 3,
                borderColor: isDark() ? '#13111f' : '#ffffff',
                hoverOffset: 6,
            }]
        },
        options: {
            cutout: '68%',
            responsive: true,
            maintainAspectRatio: true,
            plugins: {
                legend: { display: false },
                tooltip: {
                    backgroundColor: isDark() ? '#1a1730' : '#ffffff',
                    titleColor: isDark() ? '#ede9ff' : '#14102b',
                    bodyColor: isDark() ? '#9c97b8' : '#5a556e',
                    borderColor: isDark() ? 'rgba(123,111,255,0.2)' : 'rgba(91,76,255,0.15)',
                    borderWidth: 1,
                    padding: 10,
                    cornerRadius: 8,
                }
            },
        }
    });
}

/* ■■ Sparklines ■■ */
function makeSparkline(id, data, color) {
    const ctx = document.getElementById(id)?.getContext('2d');
    if (!ctx) return;
    const grad = ctx.createLinearGradient(0,0,0,40);
    grad.addColorStop(0, color + '33');
    grad.addColorStop(1, color + '00');
    new Chart(ctx, {
        type: 'line',
        data: {
            labels: data.map((_,i)=>i),
            datasets: [{
                data,
                borderColor: color,
                backgroundColor: grad,
                borderWidth: 2,
                pointRadius: 0,
                tension: 0.45,
                fill: true,
            }]
        },
        options: {
            responsive: true, maintainAspectRatio: false,
            plugins: { legend:{display:false}, tooltip:{enabled:false} },
            scales: { x:{display:false}, y:{display:false} },
            animation: { duration: 1000, easing: 'easeInOutQuart' }
        }
    });
}

makeSparkline('spark-users',  [30,45,38,55,49,62,58,74], '#5b4cff');
```

```
makeSparkline('spark-stores', [10,12,14,13,16,18,17,20], '#00c98b');
makeSparkline('spark-books',  [80,90,85,100,95,110,108,125],'#38bdf8');
makeSparkline('spark-orders', [20,28,25,35,30,40,37,50], '#ffb703');
makeSparkline('spark-admins', [4,4,5,5,6,6,7,8],          '#ff4d6d');

/* ■■ Hero strip counter animation ■■ */
document.querySelectorAll('.hs-value[data-count]').forEach(el => {
    const target = +el.getAttribute('data-count');
    const start  = performance.now();
    const step   = (now) => {
        const p = Math.min((now - start) / 1200, 1);
        const ease = 1 - Math.pow(1 - p, 3);
        el.textContent = Math.floor(ease * target);
        if (p < 1) requestAnimationFrame(step);
    };
    requestAnimationFrame(step);
});

/* ■■ Quick Action functions ■■ */
window.generateReport = function() {
    showToast('Report', 'Generating analytics report…', 'info');
    setTimeout(() => { showToast('Report Ready', 'Your report has been generated.', 'success'); }, 1800);
};

window.refreshData = function() {
    const icon = document.querySelector('.qa-refresh .qa-icon i');
    if (icon) { icon.style.transition='transform 0.8s'; icon.style.transform='rotate(360deg)'; }
    showToast('Refreshing', 'Syncing platform statistics…', 'info');
    setTimeout(() => {
        window.location.reload();
    }, 1200);
};

// Handle browser back/forward restore: re-check auth and redirect if logged out.
window.addEventListener('pageshow', function (event) {
    const nav = performance.getEntriesByType('navigation')[0];
    const fromHistory = event.persisted || (nav && nav.type === 'back_forward');
    if (!fromHistory) return;

    fetch('{% url "dashboard_super" %}', {
        method: 'GET',
        credentials: 'same-origin',
        cache: 'no-store',
        redirect: 'follow',
        headers: { 'X-Requested-With': 'XMLHttpRequest' }
    })
    .then(function (resp) {
        if (
            resp.redirected ||
            resp.status === 401 ||
            resp.status === 403 ||
            (resp.url && resp.url.indexOf('{% url "admin_login" %}') !== -1)
        ) {
            window.location.replace('{% url "admin_login" %}');
        }
    })
    .catch(function () {
        window.location.replace('{% url "admin_login" %}');
    });
});
```

```
});
</script>
{% endblock %}

=== resources\views\admin\homepage_admin.html ===
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Book-Hub · Admin Dashboard</title>
    <!-- Font Awesome 5 -->
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
    <!-- Google Font: Inter -->
    <link href="https://fonts.googleapis.com/css2?family=Inter:opsz,wght@14..32,400;14..32,500;14..32,600;1
    <!-- Chart.js -->
    <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
    <style>
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body {
            font-family: 'Inter', sans-serif;
            background: #f0f5fc;
            color: #1e293b;
        }

        .admin-container {
            display: flex;
            min-height: 100vh;
        }

        /* Sidebar */
        .sidebar {
            width: 280px;
            background: #0f2a44;
            color: white;
            padding: 2rem 1.5rem;
            position: fixed;
            height: 100vh;
            overflow-y: auto;
            transition: 0.3s;
        }

        .sidebar-logo {
            display: flex;
            align-items: center;
            gap: 0.8rem;
            font-size: 1.5rem;
            font-weight: 600;
            margin-bottom: 2.5rem;
            padding-bottom: 1.5rem;
            border-bottom: 1px solid rgba(255,255,255,0.1);
        }

        .sidebar-logo i {
            background: #f5b042;
```

```
    color: #0f2a44;
    width: 45px;
    height: 45px;
    border-radius: 12px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.8rem;
}

.sidebar-logo span {
    color: #f5b042;
}

.sidebar-menu {
    list-style: none;
}

.sidebar-menu li {
    margin-bottom: 0.5rem;
}

.sidebar-menu a {
    color: #b6cde3;
    text-decoration: none;
    display: flex;
    align-items: center;
    gap: 1rem;
    padding: 0.9rem 1.2rem;
    border-radius: 12px;
    transition: 0.2s;
    font-weight: 500;
}

.sidebar-menu a:hover,
.sidebar-menu a.active {
    background: rgba(245,176,66,0.15);
    color: white;
}

.sidebar-menu a i {
    width: 24px;
    color: #f5b042;
}

.badge {
    background: #f5b042;
    color: #0f2a44;
    padding: 0.25rem 0.6rem;
    border-radius: 30px;
    font-size: 0.75rem;
    font-weight: 600;
    margin-left: auto;
}

/* Main Content */
.main-content {
    flex: 1;
    margin-left: 280px;
    padding: 2rem;
```

```
}

/* Header */
.header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 2rem;
    background: white;
    padding: 1rem 2rem;
    border-radius: 20px;
    box-shadow: 0 5px 15px rgba(0,0,0,0.05);
}

.page-title h1 {
    font-size: 1.8rem;
    color: #0f2a44;
}

.page-title p {
    color: #5e738f;
    font-size: 0.9rem;
    margin-top: 0.2rem;
}

.admin-profile {
    display: flex;
    align-items: center;
    gap: 1.5rem;
}

.notifications {
    position: relative;
    cursor: pointer;
}

.notifications i {
    font-size: 1.3rem;
    color: #5e738f;
}

.notification-badge {
    position: absolute;
    top: -5px;
    right: -5px;
    background: #f5b042;
    color: #0f2a44;
    font-size: 0.7rem;
    font-weight: 600;
    width: 18px;
    height: 18px;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
}

.admin-info {
    display: flex;
    align-items: center;
```

```
    gap: 1rem;
    background: #f8fafd;
    padding: 0.5rem 1.2rem;
    border-radius: 40px;
}

.avatar {
    width: 40px;
    height: 40px;
    background: #0f2a44;
    color: white;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    font-weight: 600;
}

.admin-details h4 {
    font-size: 0.9rem;
}

.admin-details p {
    font-size: 0.8rem;
    color: #f5b042;
    font-weight: 600;
}

/* Welcome Banner */
.welcome-banner {
    background: linear-gradient(135deg, #0f2a44 0%, #1a3a5a 100%);
    border-radius: 30px;
    padding: 2.5rem;
    margin-bottom: 2rem;
    color: white;
    display: flex;
    justify-content: space-between;
    align-items: center;
    position: relative;
    overflow: hidden;
}

.welcome-banner::before {
    content: '';
    position: absolute;
    top: -30px;
    right: -30px;
    width: 200px;
    height: 200px;
    background: #f5b042;
    opacity: 0.1;
    border-radius: 50%;
}

.welcome-text h2 {
    font-size: 2rem;
    margin-bottom: 0.5rem;
}

.welcome-text p {
```

```
    color: #b6cde3;
    font-size: 1rem;
}

.banner-stats {
    display: flex;
    gap: 3rem;
}

.banner-stat {
    text-align: center;
}

.banner-stat .number {
    font-size: 2rem;
    font-weight: 700;
    color: #f5b042;
}

.banner-stat .label {
    font-size: 0.9rem;
    color: #b6cde3;
}

/* Stats Cards */
.stats-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(240px, 1fr));
    gap: 1.5rem;
    margin-bottom: 2rem;
}

.stat-card {
    background: white;
    padding: 1.5rem;
    border-radius: 24px;
    box-shadow: 0 5px 20px rgba(0,0,0,0.03);
    display: flex;
    align-items: center;
    gap: 1.5rem;
    transition: 0.2s;
}

.stat-card:hover {
    transform: translateY(-5px);
    box-shadow: 0 15px 30px rgba(15,42,68,0.1);
}

.stat-icon {
    width: 60px;
    height: 60px;
    background: #fef6e7;
    border-radius: 18px;
    display: flex;
    align-items: center;
    justify-content: center;
}

.stat-icon i {
    font-size: 2rem;
```

```
    color: #f5b042;
}

.stat-info h3 {
    font-size: 1.8rem;
    font-weight: 700;
    color: #0f2a44;
}

.stat-info p {
    color: #5e738f;
    font-size: 0.9rem;
    font-weight: 500;
}

.stat-trend {
    font-size: 0.8rem;
    margin-top: 0.3rem;
}

.trend-up {
    color: #1e7b48;
}

.trend-down {
    color: #b91c1c;
}

/* Charts Row */
.charts-row {
    display: grid;
    grid-template-columns: 1fr 1fr;
    gap: 1.5rem;
    margin-bottom: 2rem;
}

.chart-card {
    background: white;
    padding: 1.5rem;
    border-radius: 24px;
    box-shadow: 0 5px 20px rgba(0,0,0,0.03);
}

.chart-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 1.5rem;
}

.chart-header h3 {
    color: #0f2a44;
    font-size: 1.2rem;
}

.chart-header span {
    color: #f5b042;
    font-size: 0.9rem;
    font-weight: 600;
}
```

```
canvas {
    max-height: 250px;
}

/* Quick Actions */
.quick-actions {
    background: white;
    border-radius: 24px;
    padding: 1.5rem;
    margin-bottom: 2rem;
}

.quick-actions h3 {
    color: #0f2a44;
    margin-bottom: 1.5rem;
}

.actions-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(150px, 1fr));
    gap: 1rem;
}

.action-btn {
    background: #f8fafd;
    border: none;
    padding: 1.2rem;
    border-radius: 18px;
    display: flex;
    flex-direction: column;
    align-items: center;
    gap: 0.8rem;
    cursor: pointer;
    transition: 0.2s;
    color: #0f2a44;
    font-weight: 600;
}

.action-btn i {
    font-size: 1.8rem;
    color: #f5b042;
}

.action-btn:hover {
    background: #f5b042;
    transform: translateY(-3px);
}

.action-btn:hover i {
    color: #0f2a44;
}

/* Recent Activity */
.recent-section {
    display: grid;
    grid-template-columns: 1fr 1fr;
    gap: 1.5rem;
}
```

```
.recent-card {
    background: white;
    border-radius: 24px;
    padding: 1.5rem;
    box-shadow: 0 5px 20px rgba(0,0,0,0.03);
}

.card-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 1.5rem;
}

.card-header h3 {
    color: #0f2a44;
    font-size: 1.2rem;
}

.view-all {
    color: #f5b042;
    text-decoration: none;
    font-weight: 600;
    font-size: 0.9rem;
}

.activity-list {
    list-style: none;
}

.activity-item {
    display: flex;
    align-items: center;
    gap: 1rem;
    padding: 1rem 0;
    border-bottom: 1px solid #eef3f9;
}

.activity-item:last-child {
    border-bottom: none;
}

.activity-icon {
    width: 45px;
    height: 45px;
    background: #f0f5fc;
    border-radius: 12px;
    display: flex;
    align-items: center;
    justify-content: center;
    color: #f5b042;
}

.activity-details {
    flex: 1;
}

.activity-details h4 {
    font-size: 0.95rem;
    margin-bottom: 0.2rem;
```

```
}

.activity-details p {
    font-size: 0.8rem;
    color: #5e738f;
}

.activity-time {
    font-size: 0.75rem;
    color: #8ba0bc;
}

.badge {
    padding: 0.3rem 1rem;
    border-radius: 30px;
    font-size: 0.75rem;
    font-weight: 600;
}

.badge-success {
    background: #e3f9e5;
    color: #1e7b48;
}

.badge-warning {
    background: #fff3e0;
    color: #b45b0a;
}

.badge-danger {
    background: #ffe8e8;
    color: #b91c1c;
}

.badge-info {
    background: #e1f0fa;
    color: #1a5c8c;
}

/* Responsive */
@media (max-width: 1200px) {
    .charts-row,
    .recent-section {
        grid-template-columns: 1fr;
    }

    .welcome-banner {
        flex-direction: column;
        text-align: center;
        gap: 1.5rem;
    }
}

@media (max-width: 768px) {
    .sidebar {
        width: 80px;
        padding: 2rem 0.5rem;
    }
    .sidebar-logo span,
    .sidebar-menu a span {
```

```
            display: none;
        }
        .main-content {
            margin-left: 80px;
        }

        .banner-stats {
            flex-wrap: wrap;
            justify-content: center;
        }
    }
  </style>
</head>
<body>
  <div class="admin-container">
    <!-- Sidebar -->
    <div class="sidebar">
        <div class="sidebar-logo">
            <i class="fas fa-shield-alt"></i>
            <div>book<span>-hub</span> admin</div>
        </div>

        <ul class="sidebar-menu">
            <li><a href="{% url 'super_admin' %}" class="active"><i class="fas fa-home"></i> <span>Dashboa
            <li><a href="{% url 'admin_users' %}"><i class="fas fa-users"></i> <span>Users</span> <span cl
            <li><a href="{% url 'admin_stores' %}"><i class="fas fa-store"></i> <span>Stores</span> <span c
            <li><a href="{% url 'admin_books' %}"><i class="fas fa-book"></i> <span>Books</span> <span cl
            <li><a href="{% url 'admin_orders' %}"><i class="fas fa-shopping-cart"></i> <span>Orders</span>
            <li><a href="{% url 'admin_reports' %}"><i class="fas fa-chart-bar"></i> <span>Reports</span></a
            <li style="margin-top: 2rem;"><a href="{% url 'index' %}"><i class="fas fa-globe"></i> <span>View
            <li><a href="{% url 'logout' %}"><i class="fas fa-sign-out-alt"></i> <span>Logout</span></a></li>
        </ul>
    </div>

    <!-- Main Content -->
    <div class="main-content">
        <!-- Header -->
        <div class="header">
            <div class="page-title">
                <h1>Admin Dashboard</h1>
                <p>Welcome back, {{ request.user.first_name|default:request.user.username }}</p>
            </div>

            <div class="admin-profile">
                <div class="notifications">
                    <i class="far fa-bell"></i>
                    <span class="notification-badge">{{ pending_orders|default:"0" }}</span>
                </div>

                <div class="admin-info">
                    <div class="avatar">
                        {{ request.user.first_name|first|default:request.user.username|first|upper }}
                    </div>
                    <div class="admin-details">
                        <h4>{{ request.user.get_full_name|default:request.user.username }}</h4>
                        <p>Administrator</p>
                    </div>
                    <i class="fas fa-chevron-down" style="color: #5e738f; font-size: 0.8rem;"></i>
                </div>
            </div>
```

```
</div>

<!-- Welcome Banner -->
<div class="welcome-banner">
    <div class="welcome-text">
        <h2>Good {% now "A" %}, {{ request.user.first_name|default:"Admin" }}! ■</h2>
        <p>Here's what's happening with your platform today.</p>
    </div>
    <div class="banner-stats">
        <div class="banner-stat">
            <div class="number">{{ total_orders_today|default:"0" }}</div>
            <div class="label">Orders Today</div>
        </div>
        <div class="banner-stat">
            <div class="number">■{{ today_revenue|default:"0" }}</div>
            <div class="label">Revenue Today</div>
        </div>
        <div class="banner-stat">
            <div class="number">{{ new_users_today|default:"0" }}</div>
            <div class="label">New Users</div>
        </div>
    </div>
</div>

<!-- Stats Cards -->
<div class="stats-grid">
    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-users"></i>
        </div>
        <div class="stat-info">
            <h3>{{ total_users|default:"0" }}</h3>
            <p>Total Users</p>
            <div class="stat-trend trend-up">
                <i class="fas fa-arrow-up"></i> {{ new_users_month|default:"0" }} this month
            </div>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-store"></i>
        </div>
        <div class="stat-info">
            <h3>{{ total_stores|default:"0" }}</h3>
            <p>Active Stores</p>
            <div class="stat-trend trend-up">
                <i class="fas fa-arrow-up"></i> {{ new_stores_month|default:"0" }} new
            </div>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-book"></i>
        </div>
        <div class="stat-info">
            <h3>{{ total_books|default:"0" }}</h3>
            <p>Books in Catalog</p>
            <div class="stat-trend">
```

```
                {{ low_stock_books|default:"0" }} low stock
            </div>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-shopping-cart"></i>
        </div>
        <div class="stat-info">
            <h3>{{ total_orders|default:"0" }}</h3>
            <p>Total Orders</p>
            <div class="stat-trend">
                {{ pending_orders|default:"0" }} pending
            </div>
        </div>
    </div>
</div>

<!-- Revenue Stats -->
<div class="stats-grid">
    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-calendar-day"></i>
        </div>
        <div class="stat-info">
            <h3>■{{ today_revenue|default:"0"|floatformat:0 }}</h3>
            <p>Today's Revenue</p>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-calendar-week"></i>
        </div>
        <div class="stat-info">
            <h3>■{{ weekly_revenue|default:"0"|floatformat:0 }}</h3>
            <p>This Week</p>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-calendar-alt"></i>
        </div>
        <div class="stat-info">
            <h3>■{{ monthly_revenue|default:"0"|floatformat:0 }}</h3>
            <p>This Month</p>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-chart-line"></i>
        </div>
        <div class="stat-info">
            <h3>■{{ total_revenue|default:"0"|floatformat:0 }}</h3>
            <p>Total Revenue</p>
        </div>
    </div>
```

```
</div>

<!-- Quick Actions -->
<div class="quick-actions">
    <h3>Quick Actions</h3>
    <div class="actions-grid">
        <button class="action-btn" onclick="location.href='{% url 'admin_users' %}'">
            <i class="fas fa-user-plus"></i>
            <span>Add User</span>
        </button>
        <button class="action-btn" onclick="location.href='{% url 'admin_stores' %}'">
            <i class="fas fa-store-alt"></i>
            <span>Add Store</span>
        </button>
        <button class="action-btn" onclick="location.href='{% url 'admin_books' %}'">
            <i class="fas fa-book-medical"></i>
            <span>Add Book</span>
        </button>
        <button class="action-btn" onclick="location.href='{% url 'admin_reports' %}'">
            <i class="fas fa-file-pdf"></i>
            <span>Generate Report</span>
        </button>
        <button class="action-btn" onclick="location.href='{% url 'admin_orders' %}'">
            <i class="fas fa-truck"></i>
            <span>Manage Orders</span>
        </button>
    </div>
</div>

<!-- Charts Row -->
<div class="charts-row">
    <div class="chart-card">
        <div class="chart-header">
            <h3>Order Status</h3>
            <span>Current distribution</span>
        </div>
        <canvas id="orderStatusChart"></canvas>
    </div>

    <div class="chart-card">
        <div class="chart-header">
            <h3>Revenue Overview</h3>
            <span>Last 7 days</span>
        </div>
        <canvas id="revenueChart"></canvas>
    </div>
</div>

<!-- Recent Activity -->
<div class="recent-section">
    <!-- Recent Orders -->
    <div class="recent-card">
        <div class="card-header">
            <h3>Recent Orders</h3>
            <a href="{% url 'admin_orders' %}" class="view-all">View all <i class="fas fa-arrow-right"></i>
        </div>

        <ul class="activity-list">
            {% for order in recent_orders %}
            <li class="activity-item">
```

```
            <div class="activity-icon">
                <i class="fas fa-receipt"></i>
            </div>
            <div class="activity-details">
                <h4>Order #{{ order.order_number }}</h4>
                <p>{{ order.customer.username }} · {{ order.store.store_name }}</p>
            </div>
            <div>
                <span class="badge
                    {% if order.status == 'completed' %}badge-success
                    {% elif order.status == 'pending' %}badge-warning
                    {% elif order.status == 'cancelled' %}badge-danger
                    {% else %}badge-info{% endif %}">
                    {{ order.get_status_display }}
                </span>
                <div class="activity-time">{{ order.created_at|timesince }} ago</div>
            </div>
        </li>
        {% empty %}
        <li class="activity-item">
            <p style="color: #5e738f; text-align: center; width: 100%;">No recent orders</p>
        </li>
        {% endfor %}
    </ul>
</div>

<!-- Recent Users -->
<div class="recent-card">
    <div class="card-header">
        <h3>New Users</h3>
        <a href="{% url 'admin_users' %}" class="view-all">View all <i class="fas fa-arrow-right"></i>
    </div>

    <ul class="activity-list">
        {% for user in recent_users %}
        <li class="activity-item">
            <div class="activity-icon">
                <i class="fas fa-user"></i>
            </div>
            <div class="activity-details">
                <h4>{{ user.get_full_name|default:user.username }}</h4>
                <p>{{ user.email }}</p>
            </div>
            <div>
                <span class="badge
                    {% if user.is_staff %}badge-info
                    {% elif user.groups.first.name == 'store_owner' %}badge-success
                    {% else %}badge-warning{% endif %}">
                    {% if user.is_staff %}Admin
                    {% elif user.groups.first.name == 'store_owner' %}Store Owner
                    {% else %}Customer{% endif %}
                </span>
                <div class="activity-time">{{ user.date_joined|timesince }} ago</div>
            </div>
        </li>
        {% empty %}
        <li class="activity-item">
            <p style="color: #5e738f; text-align: center; width: 100%;">No new users</p>
        </li>
        {% endfor %}
```

```
            </ul>
        </div>
    </div>

    <!-- Recent Stores -->
    <div class="recent-card" style="margin-top: 1.5rem;">
        <div class="card-header">
            <h3>Recently Added Stores</h3>
            <a href="{% url 'admin_stores' %}" class="view-all">View all <i class="fas fa-arrow-right"></i></
        </div>

        <ul class="activity-list">
            {% for store in recent_stores %}
            <li class="activity-item">
                <div class="activity-icon">
                    <i class="fas fa-store"></i>
                </div>
                <div class="activity-details">
                    <h4>{{ store.store_name }}</h4>
                    <p>{{ store.owner_full_name }} · {{ store.city }}</p>
                </div>
                <div>
                    <span class="badge badge-success">
                        {% if store.offers_rental %}Rent{% endif %}
                        {% if store.offers_sale %}{% if store.offers_rental %} · {% endif %}Buy{% endif %}
                    </span>
                    <div class="activity-time">{{ store.id|timesince }} ago</div>
                </div>
            </li>
            {% empty %}
            <li class="activity-item">
                <p style="color: #5e738f; text-align: center; width: 100%;">No recent stores</p>
            </li>
            {% endfor %}
        </ul>
    </div>
  </div>
</div>

<script>
  // Order Status Chart
  const orderCtx = document.getElementById('orderStatusChart').getContext('2d');
  new Chart(orderCtx, {
    type: 'doughnut',
    data: {
        labels: ['Pending', 'Approved', 'Preparing', 'Out for Delivery', 'Delivered', 'Completed', 'Cancelled'],
        datasets: [{
            data: [
                {{ order_status_counts.pending|default:"0" }},
                {{ order_status_counts.approved|default:"0" }},
                {{ order_status_counts.preparing|default:"0" }},
                {{ order_status_counts.out_for_delivery|default:"0" }},
                {{ order_status_counts.delivered|default:"0" }},
                {{ order_status_counts.completed|default:"0" }},
                {{ order_status_counts.cancelled|default:"0" }}
            ],
            backgroundColor: [
                '#f5b042',
                '#1a5c8c',
                '#1e7b48',
```

```
                '#b45b0a',
                '#5e738f',
                '#0f2a44',
                '#b91c1c'
            ],
            borderWidth: 0
        }]
    },
    options: {
        responsive: true,
        plugins: {
            legend: {
                position: 'bottom'
            }
        },
        cutout: '65%'
    }
});

// Revenue Chart
const revenueCtx = document.getElementById('revenueChart').getContext('2d');

// Get last 7 days
const labels = [];
for (let i = 6; i >= 0; i--) {
    const d = new Date();
    d.setDate(d.getDate() - i);
    labels.push(d.toLocaleDateString('en-US', { weekday: 'short' }));
}

new Chart(revenueCtx, {
    type: 'line',
    data: {
        labels: labels,
        datasets: [{
            label: 'Revenue (■)',
            data: [6500, 7200, 8100, 7800, 9200, 10100, 11800],
            borderColor: '#f5b042',
            backgroundColor: 'rgba(245,176,66,0.1)',
            tension: 0.4,
            fill: true
        }]
    },
    options: {
        responsive: true,
        plugins: {
            legend: {
                display: false
            }
        }
    }
});
</script>
</body>
</html>

=== resources\views\admin\layout.blade.php ===
<!doctype html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>@yield('title', 'Admin') - BookHub</title>
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.c
<style>
    :root {
        --bg: #f4f5fb;
        --card: #ffffff;
        --text: #1f2433;
        --muted: #667085;
        --primary: #5b4cff;
        --border: #e5e7f1;
        --radius: 14px;
        --shadow: 0 10px 30px rgba(31,36,51,0.08);
    }
    * { box-sizing: border-box; }
    body {
        margin: 0;
        font-family: "Segoe UI", system-ui, sans-serif;
        background: var(--bg);
        color: var(--text);
    }
    .admin-shell {
        min-height: 100vh;
        display: grid;
        grid-template-columns: 240px 1fr;
    }
    .sidebar {
        background: #0f1224;
        color: #fff;
        padding: 1.5rem 1.2rem;
        display: flex;
        flex-direction: column;
        gap: 1.2rem;
    }
    .brand {
        font-weight: 800;
        font-size: 1.1rem;
        display: flex;
        align-items: center;
        gap: 0.5rem;
    }
    .nav-links {
        display: grid;
        gap: 0.5rem;
    }
    .nav-links a {
        text-decoration: none;
        color: #e4e7ff;
        padding: 0.55rem 0.8rem;
        border-radius: 10px;
        display: flex;
        align-items: center;
        gap: 0.6rem;
        font-size: 0.9rem;
    }
    .nav-links a.active,
    .nav-links a:hover {
        background: rgba(91,76,255,0.2);
        color: #fff;
```

```
        }
        .sidebar .user {
            margin-top: auto;
            padding-top: 1rem;
            border-top: 1px solid rgba(255,255,255,0.1);
            font-size: 0.85rem;
            color: #cbd0ff;
        }
        .sidebar form button {
            margin-top: 0.6rem;
            background: transparent;
            border: 1px solid rgba(255,255,255,0.2);
            color: #fff;
            padding: 0.4rem 0.7rem;
            border-radius: 8px;
            cursor: pointer;
            width: 100%;
        }
        .content {
            padding: 2rem;
        }
        .card {
            background: var(--card);
            border: 1px solid var(--border);
            border-radius: var(--radius);
            box-shadow: var(--shadow);
            padding: 1.4rem;
        }
        .flash {
            background: #e7f7ef;
            border: 1px solid #bde5ce;
            color: #0f5132;
            padding: 0.7rem 1rem;
            border-radius: 10px;
            margin-bottom: 1rem;
        }
        @media (max-width: 900px) {
            .admin-shell {
                grid-template-columns: 1fr;
            }
            .sidebar {
                flex-direction: row;
                flex-wrap: wrap;
            }
            .nav-links {
                grid-template-columns: repeat(2, minmax(0, 1fr));
            }
        }
    </style>
    @yield('extra_css')
</head>
<body>
<div class="admin-shell">
    <aside class="sidebar">
        <div class="brand"><i class="bi bi-shield-lock-fill"></i> BookHub Admin</div>
        <nav class="nav-links">
            <a href="{{ route('admin.dashboard') }}" class="{{ request()->routeIs('admin.dashboard') ? 'active' : '' }
                <i class="bi bi-speedometer2"></i> Dashboard
            </a>
            <a href="{{ route('admin.issue-reports.index') }}" class="{{ request()->routeIs('admin.issue-reports.*')
```

```
            <i class="bi bi-flag-fill"></i> Issue Reports
        </a>
        <a href="{{ route('admin.chats.index') }}" class="{{ request()->routeIs('admin.chats.*') ? 'active' : '' }}">
            <i class="bi bi-chat-dots-fill"></i> Support Chats
        </a>
        <a href="{{ route('admin.admins.index') }}" class="{{ request()->routeIs('admin.admins.*') ? 'active' : '
            <i class="bi bi-people-fill"></i> Admin Users
        </a>
    </nav>

    <div class="user">
        Signed in as {{ auth()->user()->name ?? 'Admin' }}
        <form method="POST" action="{{ route('logout') }}">
            @csrf
            <button type="submit"><i class="bi bi-box-arrow-right"></i> Logout</button>
        </form>
    </div>
  </aside>

  <main class="content">
    @if (session('status'))
        <div class="flash">{{ session('status') }}</div>
    @endif
    @yield('content')
  </main>
</div>
</body>
</html>

=== resources\views\admin\login.html ===
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Book-Hub · normal admin login</title>
  <!-- Font Awesome 5 (same as target) -->
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
  <!-- Google Font: Inter (exactly like admin page) -->
  <link href="https://fonts.googleapis.com/css2?family=Inter:opsz,wght@14..32,400;14..32,500;14..32,600;14
  <style>
    /* ---------- reset / base (copied from login admin.html with minimal adaptations) ---------- */
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    body {
      font-family: 'Inter', sans-serif;
      background: #edf3fa;
      min-height: 100vh;
      display: flex;
      align-items: center;
      justify-content: center;
      padding: 1.5rem;
      color: #1e293b;
    }

    /* main container: split card */
```

```
.login-wrapper {
  max-width: 1060px;
  width: 100%;
  background: white;
  border-radius: 48px;
  box-shadow: 0 30px 60px -15px rgba(15, 42, 68, 0.25);
  display: flex;
  overflow: hidden;
  border: 1px solid rgba(255,255,255,0.6);
}

/* ———————— left side: brand panel ———————— */
.brand-panel {
  flex: 1.1;
  background: #0f2a44;         /* deep navy, same as admin */
  padding: 3rem 2.5rem;
  color: white;
  display: flex;
  flex-direction: column;
  justify-content: space-between;
  position: relative;
}

.brand-panel::after {
  content: '';
  position: absolute;
  bottom: 0;
  left: 0;
  width: 200px;
  height: 200px;
  background: #f5b042;          /* accent gold */
  opacity: 0.05;
  border-radius: 0 80% 0 0;
}

.brand-logo {
  display: flex;
  align-items: center;
  gap: 0.8rem;
  font-size: 1.9rem;
  font-weight: 600;
  letter-spacing: -0.02em;
  margin-bottom: 2.5rem;
  position: relative;
  z-index: 2;
}

.brand-logo i {
  background: #f5b042;           /* gold icon bg */
  color: #0f2a44;
  width: 54px;
  height: 54px;
  border-radius: 18px;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 2rem;
}

.brand-logo span {
```

```
  color: #f5b042;                /* gold accent for "-hub" */
  font-weight: 300;
}

.welcome-message h2 {
  font-size: 2.3rem;
  font-weight: 600;
  line-height: 1.2;
  margin-bottom: 1rem;
}

.welcome-message p {
  color: #b6cde3;
  font-size: 1.1rem;
  margin-bottom: 3rem;
  max-width: 85%;
}

.admin-tip {
  background: rgba(255,255,255,0.06);
  backdrop-filter: blur(4px);
  padding: 1.3rem 1.8rem;
  border-radius: 40px;
  display: inline-flex;
  align-items: center;
  gap: 1rem;
  border: 1px solid rgba(245,176,66,0.3);
}

.admin-tip i {
  color: #f5b042;
  font-size: 1.8rem;
}

.admin-tip div {
  font-weight: 500;
}

.admin-tip small {
  display: block;
  color: #9bb5d3;
  font-size: 0.85rem;
}

.footer-stats {
  margin-top: 2.5rem;
  color: #5f7da0;
  font-size: 0.9rem;
  display: flex;
  gap: 2rem;
}

.footer-stats i {
  color: #f5b042;
}

/* ———————— right side: form panel ———————— */
.form-panel {
  flex: 1.3;
  padding: 3rem 3.5rem;
```

```
  background: white;
  display: flex;
  flex-direction: column;
  justify-content: center;
}

.form-header {
  margin-bottom: 2.2rem;
}

.form-header h3 {
  font-size: 1.9rem;
  font-weight: 700;
  color: #0f2a44;
}

.form-header p {
  color: #5e738f;
  margin-top: 0.5rem;
  font-size: 1rem;
  display: flex;
  align-items: center;
  gap: 0.5rem;
}

.form-header p i {
  color: #f5b042;
}

/* message alerts (django tags) */
.message {
  padding: 1rem 1.5rem;
  border-radius: 16px;
  margin-bottom: 1.5rem;
  font-size: 0.95rem;
  display: flex;
  align-items: center;
  gap: 0.8rem;
}

.message.error {
  background: #fee9e9;
  border: 1px solid #fbc5c5;
  color: #b91c1c;
}

.message.success {
  background: #e3f9e5;
  border: 1px solid #b8e5be;
  color: #1e7b48;
}

.message.warning {
  background: #fff2d6;
  border: 1px solid #f5b042;
  color: #8e6100;
}

.message i {
  font-size: 1.2rem;
```

```
}

/* input groups */
.input-group {
  margin-bottom: 1.8rem;
}

.input-group label {
  display: block;
  font-weight: 500;
  font-size: 0.95rem;
  color: #344e6c;
  margin-bottom: 0.5rem;
}

.input-group label i {
  color: #f5b042;
  width: 22px;
  margin-right: 6px;
}

.input-field {
  width: 100%;
  padding: 1rem 1.4rem;
  background: #f8fafd;
  border: 1.5px solid #e3eaf2;
  border-radius: 24px;
  font-size: 1rem;
  font-family: 'Inter', sans-serif;
  transition: 0.2s;
}

.input-field:focus {
  outline: none;
  border-color: #f5b042;
  background: #ffffff;
  box-shadow: 0 4px 14px rgba(245,176,66,0.15);
}

/* field hint / extra */
.field-hint {
  margin-top: 0.4rem;
  font-size: 0.8rem;
  color: #6b84a2;
  display: flex;
  align-items: center;
  gap: 0.3rem;
}

/* reference tag (dynamic) – same style as demo-credentials but smaller */
.ref-tag {
  display: none;
  align-items: center;
  gap: 0.6rem;
  margin-top: 0.8rem;
  background: #f2f7ff;
  border-radius: 40px;
  padding: 0.5rem 1.2rem;
  border: 1px solid #dde6f2;
  width: fit-content;
```

```
}
.ref-tag.show {
  display: flex;
}
.ref-tag i {
  color: #f5b042;
}
.ref-tag span {
  font-family: monospace;
  font-weight: 600;
  color: #0f2a44;
  background: white;
  padding: 0.2rem 1rem;
  border-radius: 40px;
  border: 1px solid #cbd9ec;
}

/* login options (no checkboxes in original normal login, but we keep structure to match style) */
.login-options {
  display: flex;
  justify-content: flex-end;   /* only hint available, but we put dummy space */
  margin: 0.8rem 0 2.2rem;
}

/* submit button – exactly like admin button but with normal admin text */
.btn-login {
  background: #0f2a44;
  color: white;
  border: none;
  padding: 1.2rem 2rem;
  width: 100%;
  font-size: 1.2rem;
  font-weight: 600;
  border-radius: 40px;
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 0.8rem;
  cursor: pointer;
  transition: 0.2s;
  box-shadow: 0 8px 18px -6px rgba(15,42,68,0.4);
  border: 1px solid rgba(255,255,255,0.1);
}

.btn-login i {
  color: #f5b042;
  font-size: 1.2rem;
}

.btn-login:hover {
  background: #1a3757;
  transform: scale(1.01);
}

.btn-login:disabled {
  opacity: 0.7;
  cursor: not-allowed;
  transform: none;
}
```

```
    /* demo■like reference preview (small) – but we keep the ref-tag already */

    hr {
      border: none;
      border-top: 1px solid #e5ecf5;
      margin: 2rem 0 0.8rem;
    }

    /* link row similar to admin footer but with two links */
    .register-prompt {
      display: flex;
      align-items: center;
      justify-content: space-between;
      margin-top: 1.5rem;
    }

    .foot-link {
      display: inline-flex;
      align-items: center;
      gap: 0.5rem;
      background: #f2f7ff;
      border-radius: 40px;
      padding: 0.7rem 1.4rem;
      border: 1px solid #dde6f2;
      color: #0f2a44;
      font-weight: 600;
      font-size: 0.9rem;
      text-decoration: none;
      transition: 0.2s;
    }

    .foot-link i {
      color: #f5b042;
    }

    .foot-link:hover {
      background: #e2ecf9;
      border-color: #f5b042;
    }

    .sec-note {
      text-align: center;
      margin-top: 1.5rem;
      font-size: 0.8rem;
      color: #8ba0bc;
      display: flex;
      align-items: center;
      justify-content: center;
      gap: 0.4rem;
    }

    .sec-note i {
      color: #f5b042;
    }

    /* no changes to any functionality — all ids and logic kept */
  </style>
</head>
<body>
<div class="login-wrapper">
```

```
<!-- left panel : identical structure to login admin.html, only content adapted for normal admin -->
<div class="brand-panel">
  <div>
    <div class="brand-logo">
      <i class="fas fa-book-open"></i>
      <div>book<span>-hub</span></div>
    </div>
    <div class="welcome-message">
      <h2>admin access</h2>
      <p>Sign in with your name and reference number to manage books & inventory.</p>
    </div>
    <div class="admin-tip">
      <i class="fas fa-id-card"></i>
      <div>
        reference login <small>provided by super admin</small>
      </div>
    </div>
  </div>

</div>

<!-- right panel: login form (identical logic, only ui changed) -->
<div class="form-panel">
  <div class="form-header">
    <h3>admin login</h3>
    <p><i class="fas fa-key"></i> use your admin name & reference</p>
  </div>

  <!-- Django messages (exactly as before) -->
  {% if messages %}
    {% for message in messages %}
      <div class="message {% if message.tags %}{{ message.tags }}{% else %}error{% endif %}">
        <i class="fas {% if message.tags == 'success' %}fa-check-circle{% elif message.tags == 'warning' %}fa
        {{ message }}
      </div>
    {% endfor %}
  {% endif %}

  <form method="post" action="{% url 'login' %}" id="loginForm" novalidate>
    {% csrf_token %}
    <input type="hidden" name="login_mode" value="normal_admin">

    <!-- admin name -->
    <div class="input-group">
      <label><i class="fas fa-user"></i> admin name <span style="color:#b91c1c;">*</span></label>
      <input class="input-field" id="admin_name" name="admin_name" type="text" placeholder="Your full ad
    </div>

    <!-- reference number field with toggle (same id's) -->
    <div class="input-group">
      <label><i class="fas fa-key"></i> reference number <span style="color:#b91c1c;">*</span></label>


      <div style="position: relative;">
        <input class="input-field" id="ref_number" name="ref_number" type="password" placeholder="XXXX"
        <button type="button" id="refToggle" style="position: absolute; right: 1.2rem; top: 50%; transform: tran
          <i class="fas fa-eye-slash" id="refToggleIcon"></i>
        </button>
      </div>
```

```
        <div class="field-hint">
          <i class="fas fa-info-circle"></i> Provided by your Super Admin at account creation
        </div>
        <!-- live ref preview (same refTag) -->
        <div class="ref-tag" id="refTag">
          <i class="fas fa-hashtag"></i>
          <span id="refTagText"></span>
        </div>
      </div>

      <!-- login button (identical structure to admin, but text changed) -->
      <button type="submit" class="btn-login" id="submitBtn">
        <i class="fas fa-sign-in-alt"></i> sign in to dashboard
      </button>
    </form>

    <!-- extra links + security note (like admin page footer + sec-note) -->
    <hr>

    <div class="register-prompt">
      <a href="{% url 'admin_login' %}" class="foot-link">
        <i class="fas fa-shield-alt"></i> super admin login
      </a>
      <a href="{% url 'index' %}" class="foot-link">
        <i class="fas fa-home"></i> back to home
      </a>
    </div>

    <div class="sec-note">
      <i class="fas fa-shield"></i> 256-bit encrypted · secure session · BookHub admin v2
    </div>
  </div>
</div>

<!-- Javascript – exactly the same logic as original login.html, only theme part removed (since theme button
<script>
  (function() {
    // ref visibility toggle (preserve original behaviour)
    const refInput = document.getElementById('ref_number');
    const refToggle = document.getElementById('refToggle');
    const refToggleIcon = document.getElementById('refToggleIcon');
    if (refToggle) {
      refToggle.addEventListener('click', function() {
        const show = refInput.type === 'password';
        refInput.type = show ? 'text' : 'password';
        refToggleIcon.className = show ? 'fas fa-eye' : 'fas fa-eye-slash';
      });
    }

    // Live ref preview tag
    const refTag = document.getElementById('refTag');
    const refTagText = document.getElementById('refTagText');
    if (refInput) {
      refInput.addEventListener('input', function() {
        const v = refInput.value.trim().toUpperCase();
        if (v.length >= 3) {
          refTagText.textContent = v;
```

```
        refTag.classList.add('show');
      } else {
        refTag.classList.remove('show');
      }
    });
  }

  // Submit loading state (exactly as original)
  document.getElementById('loginForm')?.addEventListener('submit', function(e) {
    let hasEmpty = false;
    this.querySelectorAll('.input-field[required]').forEach(inp => {
      if (!inp.value.trim()) {
        inp.style.borderColor = '#b91c1c';
        inp.style.boxShadow = '0 0 0 4px rgba(185,28,28,0.1)';
        inp.addEventListener('input', () => {
          inp.style.borderColor = ''; inp.style.boxShadow = '';
        }, { once: true });
        hasEmpty = true;
      }
    });
    if (hasEmpty) {
      e.preventDefault();
      return;
    }

    const btn = document.getElementById('submitBtn');
    btn.innerHTML = `
      <i class="fas fa-spinner fa-pulse"></i> Authenticating…
    `;
    btn.disabled = true;
  });
 })();
</script>

<!-- ensure that no original theme toggle remains, no extra code added, only UI changed -->
</body>
</html>

=== resources\views\admin\login_admin.html ===
■<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Book-Hub · admin login</title>
 <!-- Font Awesome 5 -->
 <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
 <!-- Google Font: Inter -->
 <link href="https://fonts.googleapis.com/css2?family=Inter:opsz,wght@14..32,400;14..32,500;14..32,600;14
 <style>
  * {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
  }

  body {
    font-family: 'Inter', sans-serif;
    background: #edf3fa;
    min-height: 100vh;
```

```
  display: flex;
  align-items: center;
  justify-content: center;
  padding: 1.5rem;
  color: #1e293b;
}

.login-wrapper {
  max-width: 1060px;
  width: 100%;
  background: white;
  border-radius: 48px;
  box-shadow: 0 30px 60px -15px rgba(15, 42, 68, 0.25);
  display: flex;
  overflow: hidden;
  border: 1px solid rgba(255,255,255,0.6);
}

/* ———————— left side: brand / welcome back ———————— */
.brand-panel {
  flex: 1.1;
  background: #0f2a44;
  padding: 3rem 2.5rem;
  color: white;
  display: flex;
  flex-direction: column;
  justify-content: space-between;
  position: relative;
}

.brand-panel::after {
  content: '';
  position: absolute;
  bottom: 0;
  left: 0;
  width: 200px;
  height: 200px;
  background: #f5b042;
  opacity: 0.05;
  border-radius: 0 80% 0 0;
}

.brand-logo {
  display: flex;
  align-items: center;
  gap: 0.8rem;
  font-size: 1.9rem;
  font-weight: 600;
  letter-spacing: -0.02em;
  margin-bottom: 2.5rem;
  position: relative;
  z-index: 2;
}

.brand-logo i {
  background: #f5b042;
  color: #0f2a44;
  width: 54px;
  height: 54px;
  border-radius: 18px;
```

```
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 2rem;
}

.brand-logo span {
  color: #f5b042;
  font-weight: 300;
}

.welcome-message h2 {
  font-size: 2.3rem;
  font-weight: 600;
  line-height: 1.2;
  margin-bottom: 1rem;
}

.welcome-message p {
  color: #b6cde3;
  font-size: 1.1rem;
  margin-bottom: 3rem;
  max-width: 85%;
}

.admin-tip {
  background: rgba(255,255,255,0.06);
  backdrop-filter: blur(4px);
  padding: 1.3rem 1.8rem;
  border-radius: 40px;
  display: inline-flex;
  align-items: center;
  gap: 1rem;
  border: 1px solid rgba(245,176,66,0.3);
}

.admin-tip i {
  color: #f5b042;
  font-size: 1.8rem;
}

.admin-tip div {
  font-weight: 500;
}

.admin-tip small {
  display: block;
  color: #9bb5d3;
  font-size: 0.85rem;
}

.footer-stats {
  margin-top: 2.5rem;
  color: #5f7da0;
  font-size: 0.9rem;
  display: flex;
  gap: 2rem;
}

.footer-stats i {
```

```
  color: #f5b042;
}

   .foot-link {
  display: inline-flex;
  align-items: center;
  gap: 0.5rem;
  background: #f2f7ff;
  border-radius: 40px;
  padding: 0.7rem 1.4rem;
  border: 1px solid #dde6f2;
  color: #0f2a44;
  font-weight: 600;
  font-size: 0.9rem;
  text-decoration: none;
  transition: 0.2s;
}

.foot-link i {
  color: #f5b042;
}

.foot-link:hover {
  background: #e2ecf9;
  border-color: #f5b042;
}

/* ———— right side: login form ———— */
.form-panel {
  flex: 1.3;
  padding: 3rem 3.5rem;
  background: white;
  display: flex;
  flex-direction: column;
  justify-content: center;
}

.form-header {
  margin-bottom: 2.2rem;
}

.form-header h3 {
  font-size: 1.9rem;
  font-weight: 700;
  color: #0f2a44;
}

.form-header p {
  color: #5e738f;
  margin-top: 0.5rem;
  font-size: 1rem;
  display: flex;
  align-items: center;
  gap: 0.5rem;
}

.form-header p i {
  color: #f5b042;
}
```

```
/* Message alerts */
.message {
  padding: 1rem 1.5rem;
  border-radius: 16px;
  margin-bottom: 1.5rem;
  font-size: 0.95rem;
  display: flex;
  align-items: center;
  gap: 0.8rem;
}

.message.error {
  background: #fee9e9;
  border: 1px solid #fbc5c5;
  color: #b91c1c;
}

.message.success {
  background: #e3f9e5;
  border: 1px solid #b8e5be;
  color: #1e7b48;
}

.message i {
  font-size: 1.2rem;
}

/* input groups */
.input-group {
  margin-bottom: 1.8rem;
}

.input-group label {
  display: block;
  font-weight: 500;
  font-size: 0.95rem;
  color: #344e6c;
  margin-bottom: 0.5rem;
}

.input-group label i {
  color: #f5b042;
  width: 22px;
  margin-right: 6px;
}

/* field wrapper for relative positioning (used for password toggle) */
.field-wrapper {
  position: relative;
  width: 100%;
}

.input-field {
  width: 100%;
  padding: 1rem 1.4rem;
  background: #f8fafd;
  border: 1.5px solid #e3eaf2;
  border-radius: 24px;
  font-size: 1rem;
  font-family: 'Inter', sans-serif;
```

```
  transition: 0.2s;
}

.input-field:focus {
  outline: none;
  border-color: #f5b042;
  background: #ffffff;
  box-shadow: 0 4px 14px rgba(245,176,66,0.15);
}

/* password toggle button (eye) */
.password-toggle {
  position: absolute;
  right: 1.2rem;
  top: 50%;
  transform: translateY(-50%);
  background: none;
  border: none;
  color: #8ba0bc;
  cursor: pointer;
  font-size: 1.1rem;
  padding: 0.2rem;
  display: flex;
  align-items: center;
  justify-content: center;
  transition: color 0.2s;
  z-index: 2;
}
.password-toggle:hover {
  color: #f5b042;
}

/* extra options (remember + forgot) */
.login-options {
  display: flex;
  justify-content: space-between;
  align-items: center;
  margin: 0.8rem 0 2.2rem;
}

.remember {
  display: flex;
  align-items: center;
  gap: 0.6rem;
}

.remember input {
  width: 18px;
  height: 18px;
  accent-color: #f5b042;
}

.remember label {
  color: #2d4a6e;
  font-size: 0.95rem;
}

.forgot-link {
  color: #f5b042;
  font-weight: 600;
```

```
  text-decoration: none;
  font-size: 0.95rem;
  border-bottom: 1px dashed #f5b042;
}

.btn-login {
  background: #0f2a44;
  color: white;
  border: none;
  padding: 1.2rem 2rem;
  width: 100%;
  font-size: 1.2rem;
  font-weight: 600;
  border-radius: 40px;
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 0.8rem;
  cursor: pointer;
  transition: 0.2s;
  box-shadow: 0 8px 18px -6px rgba(15,42,68,0.4);
  border: 1px solid rgba(255,255,255,0.1);
}

.btn-login i {
  color: #f5b042;
  font-size: 1.2rem;
}

.btn-login:hover {
  background: #1a3757;
  transform: scale(1.01);
}

.register-prompt {
  text-align: center;
  margin-top: 2rem;
  color: #6c85a3;
  font-size: 0.95rem;
}

.register-prompt a {
  color: #0f2a44;
  font-weight: 700;
  text-decoration: none;
  border-bottom: 2px solid #f5b042;
  padding-bottom: 2px;
}

hr {
  border: none;
  border-top: 1px solid #e5ecf5;
  margin: 2rem 0 0.8rem;
}

.demo-credentials {
  background: #f2f7ff;
  border-radius: 18px;
  padding: 1rem 1.5rem;
  display: flex;
```

```
      align-items: center;
      justify-content: space-between;
      margin-top: 1.2rem;
      border: 1px solid #dde6f2;
    }

    .demo-credentials span {
      font-weight: 600;
      color: #0f2a44;
      font-size: 0.9rem;
    }

    .demo-credentials i {
      color: #f5b042;
      margin-right: 0.4rem;
    }

    .demo-credentials small {
      color: #4b6b8a;
      background: white;
      padding: 0.3rem 0.9rem;
      border-radius: 50px;
      font-family: monospace;
      font-weight: 500;
      border: 1px solid #cbd9ec;
    }
  </style>
</head>
<body>
  <div class="login-wrapper">
    <!-- left side: brand + admin welcome -->
    <div class="brand-panel">
      <div>
        <div class="brand-logo">
          <i class="fas fa-book-open"></i>
          <div>book<span>-hub</span></div>
        </div>
        <div class="welcome-message">
          <h2>welcome back,<br>administrator</h2>
          <p>Access the dashboard to manage books, stores, and insights.</p>
        </div>
        <div class="admin-tip">
          <i class="fas fa-lock"></i>
          <div>
            secure admin access <small>your session is protected</small>
          </div>
        </div>
      </div>

    </div>

    <!-- right side: login form -->
    <div class="form-panel">
      <div class="form-header">
        <h3>admin login</h3>
        <p><i class="fas fa-key"></i> enter your credentials</p>
      </div>

      <!-- Display messages -->
      {% if messages %}
```

```
    {% for message in messages %}
      <div class="message {% if message.tags %}{{ message.tags }}{% endif %}">
        <i class="fas {% if message.tags == 'error' %}fa-exclamation-circle{% else %}fa-check-circle{% endif
        {{ message }}
      </div>
    {% endfor %}
  {% endif %}

  <form method="post" action="{% url 'admin_login' %}" id="loginForm">
    {% csrf_token %}
    <input type="hidden" name="next" value="{% url 'super_admin' %}">

    <!-- email / username -->
    <div class="input-group">
      <label><i class="fas fa-envelope"></i> email or username</label>
      <input type="text" name="username" class="input-field" placeholder="admin@book-hub.com" require
    </div>

    <!-- password with toggle (FIXED) -->
    <div class="input-group">
      <label><i class="fas fa-lock"></i> password</label>
      <div class="field-wrapper">
        <input type="password" name="password" class="input-field" id="passwordField" placeholder="·····
        <button type="button" class="password-toggle" id="passwordToggle" aria-label="Show/hide passwor
          <i class="fas fa-eye-slash" id="passwordToggleIcon"></i>
        </button>
      </div>
    </div>

    <!-- remember me & forgot -->
    <div class="login-options">
      <div class="remember">
        <input type="checkbox" name="remember" id="remember">
        <label for="remember">keep me signed in</label>
      </div>
      <a href="#" class="forgot-link">forgot password?</a>
    </div>

    <!-- login button -->
    <button type="submit" class="btn-login" id="submitBtn">
      <i class="fas fa-sign-in-alt"></i> log in to dashboard
    </button>



    <hr>

    <div class="register-prompt" style="margin-top: 0.8rem;">
      <span style="color:#567594;">normal admin access? </span>
      <a href="{% url 'normal_admin_login' %}">log in with reference number</a>
    </div>

    <!-- subtle note -->
    <div class="register-prompt">

  <a href="{% url 'index' %}" class="foot-link">
    <i class="fas fa-home"></i> back to home
  </a>
</div>
  </form>
```

```
    </div>
  </div>

  <!-- JavaScript for password toggle -->
  <script>
    (function() {
      const passwordField = document.getElementById('passwordField');
      const passwordToggle = document.getElementById('passwordToggle');
      const passwordToggleIcon = document.getElementById('passwordToggleIcon');

      if (passwordToggle && passwordField) {
        passwordToggle.addEventListener('click', function() {
          const show = passwordField.type === 'password';
          passwordField.type = show ? 'text' : 'password';
          passwordToggleIcon.className = show ? 'fas fa-eye' : 'fas fa-eye-slash';
        });
      }

      // Optional: simple loading state on submit
      document.getElementById('loginForm')?.addEventListener('submit', function(e) {
        const btn = document.getElementById('submitBtn');
        btn.innerHTML = `<i class="fas fa-spinner fa-pulse"></i> authenticating...`;
        btn.disabled = true;
      });
    })();
  </script>
</body>
</html>

=== resources\views\admin\register_admin.html ===
{% extends "admin/base.html" %}
{% load static %}

{% block title %}Create Admin — BookHub Admin{% endblock %}

{% block extra_css %}
<style>
    /* ═══════════════════════════════════════════════════════
       CREATE ADMIN PAGE STYLES
    ═══════════════════════════════════════════════════════ */

    /* ── Page Layout ── */
    .create-admin-page {
        max-width: 820px;
        margin: 0 auto;
    }

    /* ── Breadcrumb ── */
    .breadcrumb-nav {
        display: flex;
        align-items: center;
        gap: 0.5rem;
        margin-bottom: 1.75rem;
        font-size: 0.82rem;
        color: var(--text-muted);
    }
    .breadcrumb-nav a {
        color: var(--text-muted);
        text-decoration: none;
        transition: color 150ms;
```

```
    display: flex;
    align-items: center;
    gap: 0.3rem;
}
.breadcrumb-nav a:hover { color: var(--primary); }
.breadcrumb-nav .sep { opacity: 0.4; font-size: 0.75rem; }
.breadcrumb-nav .current { color: var(--text-primary); font-weight: 600; }

/* ■■ Page Header ■■ */
.page-head {
    display: flex;
    align-items: flex-start;
    gap: 1rem;
    margin-bottom: 2rem;
}
.page-head-icon {
    width: 52px; height: 52px;
    border-radius: 16px;
    background: linear-gradient(135deg, var(--primary), var(--primary-light));
    display: flex; align-items: center; justify-content: center;
    font-size: 1.4rem;
    color: #fff;
    box-shadow: 0 8px 24px var(--primary-glow);
    flex-shrink: 0;
}
.page-head-text h1 {
    font-family: 'Outfit', sans-serif;
    font-size: 1.65rem;
    font-weight: 800;
    letter-spacing: -0.025em;
    color: var(--text-primary);
    margin: 0 0 0.3rem;
}
.page-head-text p {
    color: var(--text-muted);
    font-size: 0.88rem;
    margin: 0;
    display: flex;
    align-items: center;
    gap: 0.4rem;
}
.page-head-text p i { color: var(--warning); }

/* ■■ Main Form Card ■■ */
.form-card {
    background: var(--bg-surface);
    border: 1px solid var(--border);
    border-radius: var(--radius-xl);
    overflow: hidden;
    box-shadow: var(--shadow);
    margin-bottom: 1.5rem;
}

.form-card-header {
    padding: 1.25rem 1.75rem;
    border-bottom: 1px solid var(--border-soft);
    background: var(--bg-raised);
    display: flex;
    align-items: center;
    gap: 0.6rem;
```

```
}
.form-card-header .fch-dot {
    width: 8px; height: 8px;
    border-radius: 50%;
    background: var(--primary);
    box-shadow: 0 0 0 3px var(--primary-soft);
}
.form-card-header h2 {
    font-size: 0.88rem;
    font-weight: 700;
    color: var(--text-primary);
    margin: 0;
    text-transform: uppercase;
    letter-spacing: 0.8px;
}
.form-card-header .step-badge {
    margin-left: auto;
    font-size: 0.72rem;
    font-weight: 700;
    padding: 0.2rem 0.65rem;
    border-radius: 999px;
    background: var(--primary-soft);
    color: var(--primary);
    border: 1px solid var(--border);
}

.form-card-body {
    padding: 1.75rem;
}

/* ■■ Form Grid ■■ */
.form-grid-2 {
    display: grid;
    grid-template-columns: 1fr 1fr;
    gap: 1.25rem;
}
@media (max-width: 600px) {
    .form-grid-2 { grid-template-columns: 1fr; }
}

/* ■■ Field Groups ■■ */
.field-group {
    display: flex;
    flex-direction: column;
    gap: 0.45rem;
}
.field-group.full { grid-column: 1 / -1; }

.field-label {
    font-size: 0.78rem;
    font-weight: 700;
    color: var(--text-secondary);
    text-transform: uppercase;
    letter-spacing: 0.6px;
    display: flex;
    align-items: center;
    gap: 0.4rem;
}
.field-label .required {
    color: var(--danger);
```

```
    font-size: 0.9rem;
    line-height: 1;
}
.field-label .optional-tag {
    font-size: 0.68rem;
    font-weight: 600;
    padding: 0.12rem 0.45rem;
    border-radius: 999px;
    background: var(--bg-raised);
    color: var(--text-muted);
    border: 1px solid var(--border);
    text-transform: none;
    letter-spacing: 0;
}

/* ■■ Custom Inputs ■■ */
.input-wrap {
    position: relative;
    display: flex;
    align-items: center;
}
.input-icon {
    position: absolute;
    left: 1rem;
    font-size: 1rem;
    color: var(--text-muted);
    pointer-events: none;
    transition: color 200ms;
    z-index: 1;
}

.styled-input,
.styled-select {
    width: 100%;
    padding: 0.75rem 1rem 0.75rem 2.75rem;
    background: var(--bg-raised);
    border: 1.5px solid var(--border);
    border-radius: var(--radius);
    font-size: 0.9rem;
    font-family: 'Outfit', sans-serif;
    color: var(--text-primary);
    transition: all 200ms ease;
    outline: none;
    appearance: none;
    -webkit-appearance: none;
}
.styled-input::placeholder { color: var(--text-muted); font-size: 0.85rem; }
.styled-input:focus,
.styled-select:focus {
    border-color: var(--primary);
    background: var(--bg-surface);
    box-shadow: 0 0 0 4px var(--primary-soft);
}
.styled-input:focus ~ .input-icon,
.input-wrap:focus-within .input-icon {
    color: var(--primary);
}

/* Custom select arrow */
.select-wrap::after {
```

```
    content: '\f282';
    font-family: 'Bootstrap Icons';
    position: absolute;
    right: 1rem;
    font-size: 0.8rem;
    color: var(--text-muted);
    pointer-events: none;
    transition: transform 200ms, color 200ms;
}
.select-wrap:focus-within::after {
    transform: rotate(180deg);
    color: var(--primary);
}
.styled-select { padding-right: 2.75rem; cursor: pointer; }

/* Hint text */
.field-hint {
    font-size: 0.75rem;
    color: var(--text-muted);
    display: flex;
    align-items: center;
    gap: 0.3rem;
    margin-top: 0.1rem;
}

/* ■■ Admin Type Cards ■■ */
.type-cards-grid {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 0.75rem;
}
@media (max-width: 600px) {
    .type-cards-grid { grid-template-columns: repeat(2, 1fr); }
}

.type-option { display: none; }
.type-card-label {
    display: flex;
    flex-direction: column;
    align-items: center;
    gap: 0.5rem;
    padding: 1rem 0.75rem;
    background: var(--bg-raised);
    border: 1.5px solid var(--border);
    border-radius: var(--radius);
    cursor: pointer;
    transition: all 200ms ease;
    text-align: center;
}
.type-card-label:hover {
    border-color: var(--primary);
    background: var(--primary-soft);
}
.type-option:checked + .type-card-label {
    border-color: var(--primary);
    background: var(--primary-soft);
    box-shadow: 0 0 0 3px var(--primary-soft);
}
.type-card-icon {
    width: 40px; height: 40px;
```

```
    border-radius: 11px;
    display: flex; align-items: center; justify-content: center;
    font-size: 1.1rem;
    transition: all 200ms ease;
}
.type-card-label:hover .type-card-icon,
.type-option:checked + .type-card-label .type-card-icon {
    transform: scale(1.1);
}
.type-card-name {
    font-size: 0.78rem;
    font-weight: 700;
    color: var(--text-secondary);
    line-height: 1.2;
}
.type-option:checked + .type-card-label .type-card-name {
    color: var(--primary);
}

/* Type icon colors */
.t-finance  .type-card-icon { background: rgba(0,201,139,0.12); color: #00c98b; }
.t-hr       .type-card-icon { background: rgba(91,76,255,0.12);  color: #5b4cff; }
.t-it       .type-card-icon { background: rgba(56,189,248,0.12); color: #38bdf8; }
.t-ops      .type-card-icon { background: rgba(255,183,3,0.12);  color: #ffb703; }
.t-support  .type-card-icon { background: rgba(255,77,109,0.12); color: #ff4d6d; }

/* Hidden real select */
#admin_type_hidden { display: none; }

/* ■■ Divider ■■ */
.form-divider {
    height: 1px;
    background: var(--border-soft);
    margin: 1.5rem 0;
    position: relative;
}
.form-divider::before {
    content: attr(data-label);
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
    background: var(--bg-surface);
    padding: 0 0.75rem;
    font-size: 0.72rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 1px;
    color: var(--text-muted);
}

/* ■■ Submit Button ■■ */
.submit-btn {
    width: 100%;
    padding: 0.9rem 1.5rem;
    background: linear-gradient(135deg, var(--primary) 0%, var(--primary-dark) 100%);
    color: #fff;
    border: none;
    border-radius: var(--radius);
    font-family: 'Outfit', sans-serif;
```

```
    font-size: 0.95rem;
    font-weight: 700;
    cursor: pointer;
    display: flex;
    align-items: center;
    justify-content: center;
    gap: 0.6rem;
    transition: all 200ms ease;
    box-shadow: 0 6px 20px var(--primary-glow);
    letter-spacing: 0.01em;
    position: relative;
    overflow: hidden;
}
.submit-btn::before {
    content: '';
    position: absolute;
    inset: 0;
    background: linear-gradient(135deg, rgba(255,255,255,0.12), transparent);
    opacity: 0;
    transition: opacity 200ms;
}
.submit-btn:hover {
    transform: translateY(-2px);
    box-shadow: 0 10px 28px var(--primary-glow);
}
.submit-btn:hover::before { opacity: 1; }
.submit-btn:active { transform: translateY(0); }

.submit-btn .btn-icon {
    width: 28px; height: 28px;
    border-radius: 8px;
    background: rgba(255,255,255,0.18);
    display: flex; align-items: center; justify-content: center;
    font-size: 0.9rem;
    flex-shrink: 0;
}

/* ■■ Alert Messages ■■ */
.alert-banner {
    display: flex;
    align-items: flex-start;
    gap: 0.75rem;
    padding: 1rem 1.25rem;
    border-radius: var(--radius);
    margin-bottom: 1.5rem;
    border: 1px solid;
    animation: slideIn 0.3s ease;
}
.alert-banner.success {
    background: rgba(0,201,139,0.08);
    border-color: rgba(0,201,139,0.25);
    color: #007d59;
}
[data-theme="dark"] .alert-banner.success { color: #00e5a0; }
.alert-banner.error {
    background: rgba(255,77,109,0.08);
    border-color: rgba(255,77,109,0.25);
    color: #c9184a;
}
[data-theme="dark"] .alert-banner.error { color: #ff8fab; }
```

```
.alert-banner.warning {
    background: rgba(255,183,3,0.08);
    border-color: rgba(255,183,3,0.3);
    color: #9a6f00;
}
[data-theme="dark"] .alert-banner.warning { color: #ffd166; }

.alert-icon {
    width: 34px; height: 34px;
    border-radius: 9px;
    display: flex; align-items: center; justify-content: center;
    font-size: 1rem;
    flex-shrink: 0;
}
.alert-banner.success .alert-icon { background: rgba(0,201,139,0.15); }
.alert-banner.error   .alert-icon { background: rgba(255,77,109,0.15); }
.alert-banner.warning .alert-icon { background: rgba(255,183,3,0.15); }
.alert-text strong { display: block; font-size: 0.88rem; font-weight: 700; margin-bottom: 0.15rem; }
.alert-text span { font-size: 0.83rem; opacity: 0.85; }
.alert-close {
    margin-left: auto;
    background: none;
    border: none;
    cursor: pointer;
    font-size: 1rem;
    opacity: 0.5;
    padding: 0;
    flex-shrink: 0;
    color: inherit;
    transition: opacity 150ms;
}
.alert-close:hover { opacity: 1; }

/* ■■ Success Result Card ■■ */
.result-card {
    background: var(--bg-surface);
    border: 1px solid var(--border);
    border-radius: var(--radius-xl);
    overflow: hidden;
    margin-bottom: 1.5rem;
    box-shadow: var(--shadow);
    animation: slideIn 0.4s cubic-bezier(0.34,1.56,0.64,1);
}

.result-banner {
    padding: 1.25rem 1.75rem;
    background: linear-gradient(135deg, rgba(0,201,139,0.12), rgba(56,189,248,0.08));
    border-bottom: 1px solid rgba(0,201,139,0.2);
    display: flex;
    align-items: center;
    gap: 0.9rem;
}
.result-banner-icon {
    width: 44px; height: 44px;
    border-radius: 12px;
    background: rgba(0,201,139,0.15);
    display: flex; align-items: center; justify-content: center;
    font-size: 1.3rem;
    color: var(--success);
    flex-shrink: 0;
```

```
}
.result-banner-text h3 {
    font-size: 1rem;
    font-weight: 700;
    color: var(--text-primary);
    margin: 0 0 0.2rem;
}
.result-banner-text p {
    font-size: 0.82rem;
    color: var(--text-muted);
    margin: 0;
}

.result-body {
    padding: 1.5rem 1.75rem;
}

.result-info-grid {
    display: grid;
    grid-template-columns: 1fr 1fr;
    gap: 1rem;
    margin-bottom: 1.25rem;
}
@media (max-width: 500px) { .result-info-grid { grid-template-columns: 1fr; } }

.result-info-item {
    background: var(--bg-raised);
    border: 1px solid var(--border-soft);
    border-radius: var(--radius);
    padding: 0.9rem 1rem;
}
.result-info-label {
    font-size: 0.68rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 0.8px;
    color: var(--text-muted);
    margin-bottom: 0.3rem;
}
.result-info-value {
    font-size: 0.92rem;
    font-weight: 600;
    color: var(--text-primary);
    display: flex;
    align-items: center;
    gap: 0.4rem;
}
.result-info-value i { color: var(--primary); font-size: 0.9rem; }

/* Ref number display */
.ref-display {
    background: linear-gradient(135deg, rgba(91,76,255,0.08), rgba(155,143,255,0.05));
    border: 1.5px dashed rgba(91,76,255,0.3);
    border-radius: var(--radius);
    padding: 1.25rem 1.5rem;
    display: flex;
    align-items: center;
    justify-content: space-between;
    gap: 1rem;
    flex-wrap: wrap;
```

```
}
.ref-display-left { flex: 1; }
.ref-display-label {
    font-size: 0.72rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 1px;
    color: var(--text-muted);
    margin-bottom: 0.4rem;
}
.ref-code {
    font-family: 'SF Mono', 'Fira Code', 'Courier New', monospace;
    font-size: 2rem;
    font-weight: 800;
    letter-spacing: 0.1em;
    background: linear-gradient(135deg, var(--primary), var(--primary-light));
    -webkit-background-clip: text;
    -webkit-text-fill-color: transparent;
    background-clip: text;
    line-height: 1;
    margin-bottom: 0.4rem;
}
.ref-note {
    font-size: 0.78rem;
    color: var(--text-muted);
    display: flex;
    align-items: center;
    gap: 0.35rem;
}
.copy-btn {
    display: flex;
    flex-direction: column;
    align-items: center;
    gap: 0.3rem;
    padding: 0.7rem 1.1rem;
    background: var(--primary-soft);
    border: 1px solid var(--border);
    border-radius: var(--radius);
    color: var(--primary);
    font-size: 0.75rem;
    font-weight: 700;
    cursor: pointer;
    transition: all 200ms;
    font-family: 'Outfit', sans-serif;
    flex-shrink: 0;
}
.copy-btn i { font-size: 1.2rem; }
.copy-btn:hover { background: var(--primary); color: #fff; transform: scale(1.04); }

/* ■■ Bottom Nav ■■ */
.bottom-nav {
    display: flex;
    align-items: center;
    justify-content: space-between;
    gap: 1rem;
    flex-wrap: wrap;
}
.nav-links {
    display: flex;
    gap: 0.5rem;
```

```
    flex-wrap: wrap;
}
.nav-link-btn {
    display: inline-flex;
    align-items: center;
    gap: 0.4rem;
    padding: 0.45rem 0.9rem;
    border-radius: 999px;
    font-size: 0.82rem;
    font-weight: 600;
    text-decoration: none;
    border: 1px solid var(--border);
    color: var(--text-secondary);
    background: var(--bg-raised);
    transition: all 150ms;
}
.nav-link-btn:hover {
    background: var(--primary-soft);
    color: var(--primary);
    border-color: var(--primary);
}
.nav-link-btn.danger { color: var(--danger); }
.nav-link-btn.danger:hover { background: rgba(255,77,109,0.1); border-color: var(--danger); color: var(--da

/* ■■ Permission Preview ■■ */
.perm-preview {
    display: none;
    grid-column: 1 / -1;
    padding: 1rem 1.25rem;
    background: var(--bg-raised);
    border: 1px solid var(--border-soft);
    border-radius: var(--radius);
    gap: 0.75rem;
    align-items: flex-start;
    animation: slideIn 0.2s ease;
}
.perm-preview.visible { display: flex; }
.perm-preview-icon {
    width: 34px; height: 34px;
    border-radius: 9px;
    display: flex; align-items: center; justify-content: center;
    font-size: 1rem;
    flex-shrink: 0;
}
.perm-preview-content { flex: 1; }
.perm-preview-title { font-size: 0.82rem; font-weight: 700; color: var(--text-primary); margin-bottom: 0.4rem
.perm-tags { display: flex; gap: 0.4rem; flex-wrap: wrap; }
.perm-tag {
    font-size: 0.7rem;
    font-weight: 600;
    padding: 0.18rem 0.55rem;
    border-radius: 999px;
    background: var(--primary-soft);
    color: var(--primary);
    border: 1px solid var(--border);
}

@keyframes slideIn {
    from { opacity:0; transform:translateY(-10px); }
    to   { opacity:1; transform:translateY(0); }
```

```
    }
</style>
{% endblock %}


{% block content %}
<div class="create-admin-page" data-aos="fade-up">

    <!-- Breadcrumb -->
    <nav class="breadcrumb-nav">
        <a href="{% url 'dashboard_super' %}"><i class="bi bi-speedometer2"></i> Dashboard</a>
        <span class="sep"><i class="bi bi-chevron-right"></i></span>
        <span class="current">Create Admin</span>
    </nav>

    <!-- Page Header -->
    <div class="page-head">
        <div class="page-head-icon">
            <i class="bi bi-person-plus-fill"></i>
        </div>
        <div class="page-head-text">
            <h1>Create Admin Account</h1>
            <p>
                <i class="bi bi-shield-fill-exclamation"></i>
                Only Super Admins can create new administrator accounts.
            </p>
        </div>
    </div>

    <!-- Alert Messages -->
    {% if messages %}
        {% for message in messages %}
        <div class="alert-banner {{ message.tags|default:'success' }}">
            <div class="alert-icon">
                {% if message.tags == 'error' %}
                    <i class="bi bi-x-circle-fill"></i>
                {% elif message.tags == 'warning' %}
                    <i class="bi bi-exclamation-triangle-fill"></i>
                {% else %}
                    <i class="bi bi-check-circle-fill"></i>
                {% endif %}
            </div>
            <div class="alert-text">
                <strong>{% if message.tags == 'error' %}Error{% elif message.tags == 'warning' %}Warning{% els
                <span>{{ message }}</span>
            </div>
            <button class="alert-close" onclick="this.closest('.alert-banner').remove()" aria-label="Dismiss">
                <i class="bi bi-x-lg"></i>
            </button>
        </div>
        {% endfor %}
    {% endif %}

    <!-- Success Result (if admin was just created) -->
    {% if generated_ref_number %}
    <div class="result-card" data-aos="zoom-in">
        <div class="result-banner">
            <div class="result-banner-icon">
                <i class="bi bi-check-circle-fill"></i>
            </div>
```

```
        <div class="result-banner-text">
            <h3>Admin Account Created Successfully</h3>
            <p>The new administrator is ready. Share the reference number securely.</p>
        </div>
    </div>
    <div class="result-body">
        <div class="result-info-grid">
            <div class="result-info-item">
                <div class="result-info-label">Admin Name</div>
                <div class="result-info-value">
                    <i class="bi bi-person-fill"></i>
                    {{ created_admin.name }}
                </div>
            </div>
            <div class="result-info-item">
                <div class="result-info-label">Admin Type</div>
                <div class="result-info-value">
                    <i class="bi bi-briefcase-fill"></i>
                    {{ created_admin.admin_type|default:"Normal Admin" }}
                </div>
            </div>
            {% if created_admin.email %}
            <div class="result-info-item">
                <div class="result-info-label">Email</div>
                <div class="result-info-value">
                    <i class="bi bi-envelope-fill"></i>
                    {{ created_admin.email }}
                </div>
            </div>
            {% endif %}
            <div class="result-info-item">
                <div class="result-info-label">Created At</div>
                <div class="result-info-value">
                    <i class="bi bi-calendar3"></i>
                    {% now "M d, Y — g:i a" %}
                </div>
            </div>
        </div>

        <div class="ref-display">
            <div class="ref-display-left">
                <div class="ref-display-label">
                    <i class="bi bi-key-fill" style="margin-right:0.3rem;"></i>
                    Reference Number
                </div>
                <div class="ref-code" id="refCode">{{ generated_ref_number }}</div>
                <div class="ref-note">
                    <i class="bi bi-info-circle"></i>
                    Share this with the new admin — it's required for first login.
                </div>
            </div>
            <button class="copy-btn" onclick="copyRef('{{ generated_ref_number }}')" id="copyBtn">
                <i class="bi bi-copy" id="copyIcon"></i>
                <span id="copyLabel">Copy</span>
            </button>
        </div>
    </div>
</div>
{% endif %}
```

```
<!-- Form Card -->
<form method="post" action="{% url 'register_admin' %}" id="createAdminForm">
    {% csrf_token %}

    <div class="form-card">
        <div class="form-card-header">
            <div class="fch-dot"></div>
            <h2>Account Information</h2>
            <span class="step-badge">Required</span>
        </div>
        <div class="form-card-body">
            <div class="form-grid-2">

                <!-- Admin Name -->
                <div class="field-group">
                    <label class="field-label" for="admin_name">
                        Admin Name <span class="required">*</span>
                    </label>
                    <div class="input-wrap">
                        <i class="bi bi-person input-icon"></i>
                        <input
                            class="styled-input"
                            id="admin_name"
                            name="admin_name"
                            type="text"
                            placeholder="e.g. Sarah Johnson"
                            required
                            autocomplete="name"
                        >
                    </div>
                    <div class="field-hint"><i class="bi bi-info-circle"></i> Full name as it will appear in the systen
                </div>

                <!-- Email -->
                <div class="field-group">
                    <label class="field-label" for="email">
                        Email Address
                        <span class="optional-tag">Optional</span>
                    </label>
                    <div class="input-wrap">
                        <i class="bi bi-envelope input-icon"></i>
                        <input
                            class="styled-input"
                            id="email"
                            name="email"
                            type="email"
                            placeholder="admin@example.com"
                            autocomplete="email"
                        >
                    </div>
                    <div class="field-hint"><i class="bi bi-info-circle"></i> Used for notifications and account reco
                </div>

            </div>
        </div>
    </div>

    <!-- Admin Type Card -->
    <div class="form-card">
        <div class="form-card-header">
```

```
    <div class="fch-dot" style="background:var(--success);box-shadow:0 0 0 3px rgba(0,201,139,0.15
    <h2>Admin Role & Permissions</h2>
    <span class="step-badge" style="background:rgba(0,201,139,0.1);color:var(--success);border-colo
</div>
<div class="form-card-body">
    <div class="form-grid-2">

        <div class="field-group full">
            <label class="field-label">Admin Type <span class="required">*</span></label>

            <!-- Visual Type Selector -->
            <div class="type-cards-grid" id="typeSelector">

                <div class="t-finance">
                    <input type="radio" class="type-option" name="admin_type_ui" id="t-finance" value="Fin
                    <label class="type-card-label" for="t-finance">
                        <div class="type-card-icon"><i class="bi bi-cash-coin"></i></div>
                        <span class="type-card-name">Finance Admin</span>
                    </label>
                </div>

                <div class="t-hr">
                    <input type="radio" class="type-option" name="admin_type_ui" id="t-hr" value="HR Adm
                    <label class="type-card-label" for="t-hr">
                        <div class="type-card-icon"><i class="bi bi-people-fill"></i></div>
                        <span class="type-card-name">HR Admin</span>
                    </label>
                </div>

                <div class="t-it">
                    <input type="radio" class="type-option" name="admin_type_ui" id="t-it" value="IT Admin
                    <label class="type-card-label" for="t-it">
                        <div class="type-card-icon"><i class="bi bi-terminal-fill"></i></div>
                        <span class="type-card-name">IT Admin</span>
                    </label>
                </div>

                <div class="t-ops">
                    <input type="radio" class="type-option" name="admin_type_ui" id="t-ops" value="Opera
                    <label class="type-card-label" for="t-ops">
                        <div class="type-card-icon"><i class="bi bi-gear-wide-connected"></i></div>
                        <span class="type-card-name">Operations Admin</span>
                    </label>
                </div>

                <div class="t-support">
                    <input type="radio" class="type-option" name="admin_type_ui" id="t-support" value="Su
                    <label class="type-card-label" for="t-support">
                        <div class="type-card-icon"><i class="bi bi-headset"></i></div>
                        <span class="type-card-name">Support Admin</span>
                    </label>
                </div>

            </div>

            <!-- Hidden real select for form submission -->
            <select id="admin_type" name="admin_type" id="admin_type_hidden" required style="display
                <option value="">Select admin type</option>
                <option value="Finance Admin">Finance Admin</option>
                <option value="HR Admin">HR Admin</option>
```

```
                    <option value="IT Admin">IT Admin</option>
                    <option value="Operations Admin">Operations Admin</option>
                    <option value="Support Admin">Support Admin</option>
                </select>

                <div class="field-hint" style="margin-top:0.6rem;">
                    <i class="bi bi-info-circle"></i> Select the role that defines this admin's access scope
                </div>
            </div>

            <!-- Permission Preview (shown when type selected) -->
            <div class="perm-preview field-group full" id="permPreview">
                <div class="perm-preview-icon" id="permIcon">
                    <i class="bi bi-shield-check"></i>
                </div>
                <div class="perm-preview-content">
                    <div class="perm-preview-title" id="permTitle">Permissions</div>
                    <div class="perm-tags" id="permTags"></div>
                </div>
            </div>

        </div>
    </div>
</div>

<!-- Submit -->
<button type="submit" class="submit-btn" id="submitBtn">
    <div class="btn-icon">
        <i class="bi bi-person-check-fill"></i>
    </div>
    Create Admin & Generate Reference Number
    <i class="bi bi-arrow-right ms-auto"></i>
</button>

</form>

<!-- Bottom Nav -->
<div class="bottom-nav" style="margin-top: 1.5rem;">
    <div class="nav-links">
        <a href="{% url 'dashboard_super' %}" class="nav-link-btn">
            <i class="bi bi-arrow-left"></i> Back to Dashboard
        </a>
        <a href="{% url 'view_admins' %}" class="nav-link-btn">
            <i class="bi bi-people"></i> View All Admins
        </a>
    </div>
    <a href="{% url 'logout' %}" class="nav-link-btn danger">
        <i class="bi bi-box-arrow-right"></i> Logout
    </a>
</div>

</div>
{% endblock %}


{% block extra_js %}
<script>
document.addEventListener('DOMContentLoaded', () => {

    // ■■ Type card → hidden select sync ■■
```

```
const typeRadios = document.querySelectorAll('.type-option');
const hiddenSelect = document.getElementById('admin_type');
const permPreview = document.getElementById('permPreview');

const permData = {
    'Finance Admin': {
        color: '#00c98b',
        bg: 'rgba(0,201,139,0.12)',
        icon: 'bi-cash-coin',
        perms: ['View Reports','Manage Invoices','Process Payments','Export Data']
    },
    'HR Admin': {
        color: '#5b4cff',
        bg: 'rgba(91,76,255,0.12)',
        icon: 'bi-people-fill',
        perms: ['Manage Users','View Profiles','Send Notifications','Access HR Portal']
    },
    'IT Admin': {
        color: '#38bdf8',
        bg: 'rgba(56,189,248,0.12)',
        icon: 'bi-terminal-fill',
        perms: ['System Config','API Access','Server Logs','Deploy Updates']
    },
    'Operations Admin': {
        color: '#ffb703',
        bg: 'rgba(255,183,3,0.12)',
        icon: 'bi-gear-wide-connected',
        perms: ['Manage Stores','View Orders','Logistics Access','Analytics']
    },
    'Support Admin': {
        color: '#ff4d6d',
        bg: 'rgba(255,77,109,0.12)',
        icon: 'bi-headset',
        perms: ['Support Tickets','User Assistance','FAQ Management','Live Chat']
    }
};

typeRadios.forEach(radio => {
    radio.addEventListener('change', () => {
        // Sync hidden select
        hiddenSelect.value = radio.value;

        // Show permission preview
        const data = permData[radio.value];
        if (!data) return;

        const permIcon  = document.getElementById('permIcon');
        const permTitle = document.getElementById('permTitle');
        const permTags  = document.getElementById('permTags');

        permIcon.style.background = data.bg;
        permIcon.style.color = data.color;
        permIcon.innerHTML = `<i class="bi ${data.icon}"></i>`;
        permTitle.textContent = `${radio.value} — Default Permissions`;

        permTags.innerHTML = data.perms
            .map(p => `<span class="perm-tag">${p}</span>`)
            .join('');

        permPreview.classList.add('visible');
```

```
        });
    });

    // ■■ Copy ref number ■■
    window.copyRef = function(code) {
        navigator.clipboard.writeText(code).then(() => {
            const icon = document.getElementById('copyIcon');
            const label = document.getElementById('copyLabel');
            icon.className = 'bi bi-check-lg';
            label.textContent = 'Copied!';
            setTimeout(() => {
                icon.className = 'bi bi-copy';
                label.textContent = 'Copy';
            }, 2000);
        });
    };

    // ■■ Submit button loading state ■■
    document.getElementById('createAdminForm')?.addEventListener('submit', function() {
        const btn = document.getElementById('submitBtn');
        btn.innerHTML = `
            <div class="btn-icon"><i class="bi bi-arrow-repeat" style="animation:spin 0.8s linear infinite;display:in
            Creating Account…
        `;
        btn.disabled = true;
        btn.style.opacity = '0.8';
    });

});
</script>
<style>
@keyframes spin { from{transform:rotate(0)} to{transform:rotate(360deg)} }
</style>
{% endblock %}

=== resources\views\admin\sub_admin_account_management.html ===
{% extends 'admin/base_sub_admin.html' %}

{% block title %}Sub-Admin Account Management{% endblock %}

{% block content %}
<div class="container-fluid py-4">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <h2 class="mb-0">Customer & Store Owner Accounts</h2>
    <a class="btn btn-outline-secondary" href="{% url 'dashboard_admin' %}">Back to Dashboard</a>
  </div>

  <form method="get" class="row g-2 mb-3">
    <div class="col-md-3"><input name="search" value="{{ search_query }}" class="form-control" placeholder
    <div class="col-md-2">
      <select name="role" class="form-select">
        <option value="">All Roles</option>
        <option value="customer" {% if role_filter == 'customer' %}selected{% endif %}>Customer</option>
        <option value="store_owner" {% if role_filter == 'store_owner' %}selected{% endif %}>Store Owner</op
      </select>
    </div>
    <div class="col-md-2">
      <select name="status" class="form-select">
        <option value="">All Statuses</option>
        <option value="active" {% if status_filter == 'active' %}selected{% endif %}>Active</option>
```

```
      <option value="suspended" {% if status_filter == 'suspended' %}selected{% endif %}>Suspended</opti
      <option value="deleted" {% if status_filter == 'deleted' %}selected{% endif %}>Deleted</option>
    </select>
  </div>
  <div class="col-md-2"><button class="btn btn-primary w-100" type="submit">Filter</button></div>
</form>

<div class="card" style="border:1px solid var(--border); background:var(--bg-surface); border-radius:14px;"
  <div class="table-responsive">
    <table class="table align-middle mb-0">
      <thead>
        <tr>
          <th>User</th>
          <th>Role</th>
          <th>Email</th>
          <th>Status</th>
          <th>Actions</th>
        </tr>
      </thead>
      <tbody>
        {% for row in user_rows %}
        <tr>
          <td>{{ row.user.username }}</td>
          <td>{{ row.role|title }}</td>
          <td>{{ row.user.email|default:'-' }}</td>
          <td>
            {% if row.restriction and row.restriction.is_deleted %}
            <span class="badge text-bg-danger">Deleted</span>
            {% elif row.restriction and row.restriction.is_suspended %}
            <span class="badge text-bg-warning">Suspended</span>
            {% else %}
            <span class="badge text-bg-success">Active</span>
            {% endif %}
          </td>
          <td style="min-width:360px;">
            <form method="post" action="{% url 'sub_admin_account_action' row.user.id %}" class="row g-1">
              {% csrf_token %}
              <input type="hidden" name="next" value="{{ request.get_full_path }}">
              <div class="col-md-4">
                <select name="action" class="form-select form-select-sm" required>
                  <option value="">Action</option>
                  <option value="suspend">Suspend</option>
                  <option value="delete">Delete</option>
                  <option value="restore">Restore</option>
                </select>
              </div>
              <div class="col-md-2"><input name="duration_days" class="form-control form-control-sm" type="n
              <div class="col-md-4"><input name="reason" class="form-control form-control-sm" placeholder="R
              <div class="col-md-2"><button class="btn btn-sm btn-primary w-100">Apply</button></div>
            </form>
          </td>
        </tr>
        {% empty %}
        <tr><td colspan="5" class="text-center text-muted py-4">No users found.</td></tr>
        {% endfor %}
      </tbody>
    </table>
  </div>
  {% if users_page.has_other_pages %}
  <div class="p-3 d-flex gap-2">
```

```
      {% if users_page.has_previous %}<a class="btn btn-sm btn-outline-secondary" href="?page={{ users_pa
      <span class="small text-muted align-self-center">Page {{ users_page.number }} of {{ users_page.pagina
      {% if users_page.has_next %}<a class="btn btn-sm btn-outline-secondary" href="?page={{ users_page.n
    </div>
    {% endif %}
  </div>
</div>
{% endblock %}

=== resources\views\admin\sub_admin_activity_logs.html ===
{% extends 'admin/base_sub_admin.html' %}

{% block title %}Sub-Admin Activity Logs{% endblock %}

{% block content %}
<div class="container-fluid py-4">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <h2 class="mb-0">My Activity Logs</h2>
    <a class="btn btn-outline-secondary" href="{% url 'dashboard_admin' %}">Back to Dashboard</a>
  </div>

  <div class="card" style="border:1px solid var(--border); background:var(--bg-surface); border-radius:14px;"
    <div class="table-responsive">
      <table class="table mb-0 align-middle">
        <thead>
          <tr>
            <th>Date</th>
            <th>Action</th>
            <th>Target</th>
            <th>Reason</th>
          </tr>
        </thead>
        <tbody>
          {% for log in logs %}
          <tr>
            <td>{{ log.created_at|date:'Y-m-d H:i' }}</td>
            <td>{{ log.action|title }}</td>
            <td>{{ log.target_type }} - {{ log.target_identifier }}</td>
            <td>{{ log.reason|default:'-' }}</td>
          </tr>
          {% empty %}
          <tr><td colspan="4" class="text-center text-muted py-4">No activity logs yet.</td></tr>
          {% endfor %}
        </tbody>
      </table>
    </div>
  </div>
</div>
{% endblock %}

=== resources\views\admin\sub_admin_issue_reports.html ===
{% extends 'admin/base_sub_admin.html' %}

{% block title %}Sub-Admin Issue Reports{% endblock %}

{% block content %}
<div class="container-fluid py-4">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <h2 class="mb-0">Issue Reports</h2>
    <a class="btn btn-outline-secondary" href="{% url 'dashboard_admin' %}">Back to Dashboard</a>
```

```
</div>

<form method="get" class="row g-2 mb-3">
  <div class="col-md-3">
    <input type="text" class="form-control" name="search" value="{{ search_query }}" placeholder="Search u
  </div>
  <div class="col-md-2">
    <select name="status" class="form-select">
      <option value="">All Statuses</option>
      {% for value,label in report_status_choices %}
      <option value="{{ value }}" {% if status_filter == value %}selected{% endif %}>{{ label }}</option>
      {% endfor %}
    </select>
  </div>
  <div class="col-md-2">
    <select name="assigned" class="form-select">
      <option value="">All Assignments</option>
      <option value="mine" {% if assigned_filter == 'mine' %}selected{% endif %}>Assigned to Me</option>
      <option value="unassigned" {% if assigned_filter == 'unassigned' %}selected{% endif %}>Unassigned<
    </select>
  </div>
  <div class="col-md-2"><button class="btn btn-primary w-100" type="submit">Filter</button></div>
</form>

<div class="alert alert-info d-flex gap-4 flex-wrap">
  <span><strong>Pending:</strong> {{ pending_reports }}</span>
  <span><strong>Under Review:</strong> {{ under_review_reports }}</span>
</div>

<div class="card" style="border:1px solid var(--border); background:var(--bg-surface); border-radius:14px;"
  <div class="table-responsive">
    <table class="table align-middle mb-0">
      <thead>
        <tr>
          <th>ID</th>
          <th>Reporter</th>
          <th>Reported User</th>
          <th>Category</th>
          <th>Description</th>
          <th>Attachment</th>
          <th>Status</th>
          <th>Action</th>
        </tr>
      </thead>
      <tbody>
        {% for report in reports %}
        <tr>
          <td>#{{ report.id }}</td>
          <td>{{ report.reporter.username }}<br><small class="text-muted">{{ report.get_reporter_role_display
          <td>{{ report.reported_user.username }}</td>
          <td>{{ report.get_category_display }}</td>
          <td style="min-width:240px;">{{ report.description|truncatechars:120 }}</td>
          <td>
            {% if report.attachment %}
            <a href="{{ report.attachment.url }}" target="_blank">View</a>
            {% else %}
            -
            {% endif %}
          </td>
          <td>{{ report.get_status_display }}</td>
```

```
          <td style="min-width:280px;">
            <form method="post" action="{% url 'sub_admin_update_issue_report' report.id %}">
              {% csrf_token %}
              <div class="mb-1">
                <select name="status" class="form-select form-select-sm" required>
                  {% for value,label in report_status_choices %}
                  <option value="{{ value }}" {% if report.status == value %}selected{% endif %}>{{ label }}</optior
                  {% endfor %}
                </select>
              </div>
              <div class="mb-1"><textarea name="resolution_note" class="form-control form-control-sm" rows="
              <div class="form-check mb-2">
                <input class="form-check-input" type="checkbox" name="escalate_to_admin" value="1" id="esca
                <label class="form-check-label" for="escalate-{{ report.id }}">Escalate to Admin</label>
              </div>
              <button type="submit" class="btn btn-sm btn-primary">Update</button>
            </form>
          </td>
        </tr>
        {% empty %}
        <tr><td colspan="8" class="text-center text-muted py-4">No reports found.</td></tr>
        {% endfor %}
      </tbody>
    </table>
  </div>
 </div>
</div>
{% endblock %}

=== resources\views\admin\sub_admin_profile.html ===
{% extends 'admin/base_sub_admin.html' %}

{% block title %}Sub-Admin Profile{% endblock %}

{% block content %}
<div class="container-fluid py-4" style="max-width:920px;">
 <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
  <h2 class="mb-0">Edit Sub-Admin Profile</h2>
  <a href="{% url 'dashboard_admin' %}" class="btn btn-outline-secondary btn-sm">Back to Dashboard</a>
 </div>

 <div class="card" style="border:1px solid var(--border); background:var(--bg-surface); border-radius:14px;"
  <div class="card-body p-4">
   <div class="d-flex flex-wrap align-items-center gap-3 mb-4">
    <div id="avatarPreview" class="rounded-circle overflow-hidden border" style="width:120px; height:120p
     {% if avatar_url %}
     <img src="{{ avatar_url }}" alt="Profile image" style="width:100%; height:100%; object-fit:cover;">
     {% else %}
     <div class="d-flex align-items-center justify-content-center h-100"><i class="bi bi-person" style="font-s
     {% endif %}
    </div>
    <div>
     <label class="form-label fw-semibold mb-1">Profile Image</label>
     <input id="avatarInput" type="file" class="form-control" accept="image/*" style="max-width:320px;">
     <div class="form-text">Allowed: JPG, PNG, GIF, WEBP, BMP, SVG. Max: 5MB.</div>
     <div id="avatarFeedback" class="small mt-2"></div>
    </div>
   </div>

   <form method="post" action="{% url 'sub_admin_profile_update' %}">
```

```
        {% csrf_token %}
        <div class="row g-3">
          <div class="col-md-6">
            <label class="form-label">Name</label>
            <input type="text" class="form-control" name="name" value="{{ admin_account.name }}" required>
          </div>
          <div class="col-md-6">
            <label class="form-label">Email</label>
            <input type="email" class="form-control" name="email" value="{{ admin_account.email|default:'' }}">
          </div>
          <div class="col-md-6">
            <label class="form-label">Admin Type</label>
            <input type="text" class="form-control" name="admin_type" value="{{ admin_account.admin_type }}"
          </div>
          <div class="col-md-6">
            <label class="form-label">Reference Number</label>
            <input type="text" class="form-control" value="{{ admin_account.ref_number }}" readonly>
          </div>
        </div>
        <div class="mt-4">
          <button type="submit" class="btn btn-primary">Save Profile</button>
        </div>
      </form>
    </div>
  </div>
</div>
{% endblock %}

{% block extra_js %}
<script>
(function() {
  const input = document.getElementById('avatarInput');
  const preview = document.getElementById('avatarPreview');
  const feedback = document.getElementById('avatarFeedback');
  if (!input || !preview) return;

  function setFeedback(text, ok) {
    if (!feedback) return;
    feedback.textContent = text || '';
    feedback.style.color = ok ? 'var(--success)' : 'var(--danger)';
  }

  input.addEventListener('change', async () => {
    if (!input.files || !input.files[0]) return;
    const formData = new FormData();
    formData.append('avatar', input.files[0]);
    formData.append('csrfmiddlewaretoken', '{{ csrf_token }}');

    try {
      const response = await fetch('{% url "sub_admin_update_avatar" %}', { method: 'POST', body: formData
      const payload = await response.json();
      if (!payload.success) {
        setFeedback(payload.message || 'Upload failed.', false);
        return;
      }

      const newUrl = payload.avatar_url + '?v=' + Date.now();
      preview.innerHTML = `<img src="${newUrl}" alt="Profile image" style="width:100%; height:100%; object-
      document.querySelectorAll('.nav-avatar').forEach((img) => { img.src = newUrl; });
      setFeedback('Profile image updated successfully.', true);
```

```
      input.value = '';
    } catch (error) {
      setFeedback('Upload failed. Please try again.', false);
    }
  });
})();
</script>
{% endblock %}

=== resources\views\admin\sub_admin_support_chat_detail.html ===
{% extends 'admin/base_sub_admin.html' %}

{% block title %}Sub-Admin Support Chat Detail{% endblock %}

{% block content %}
<div class="container-fluid py-4" style="max-width:1000px;">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <div>
      <h3 class="mb-1">{{ conversation.subject|default:'Support Chat' }}</h3>
      <div class="small" style="color:var(--text-muted);">User: {{ conversation.user.username }} ({{ conversatio
    </div>
    <div class="d-flex gap-2">
      <a href="{% url 'sub_admin_support_chat_list' %}" class="btn btn-outline-secondary btn-sm">Back</a>
      <form method="post" action="{% url 'sub_admin_escalate_support_chat' conversation.id %}">
        {% csrf_token %}
        <button class="btn btn-warning btn-sm" type="submit">Escalate to Admin</button>
      </form>
    </div>
  </div>

  <div class="card" style="border:1px solid var(--border); background:var(--bg-surface); border-radius:12px; o
    <div id="support-messages" style="height:460px; overflow:auto; padding:1rem; background:var(--bg-raise
      {% for message in messages_list %}
      <div data-message-id="{{ message.id }}" class="mb-2 d-flex {% if message.sender_sub_admin and adm
        <div style="max-width:76%; background:{% if message.sender_sub_admin and admin_account and me
          <div class="small fw-semibold mb-1">{{ message.sender_role|title }} - {{ message.sender_sub_admin
          {% if message.content %}<div>{{ message.content|linebreaksbr }}</div>{% endif %}
          {% if message.attachment %}
          {% with attachment_url=message.attachment.url|lower %}
          {% if ".jpg" in attachment_url or ".jpeg" in attachment_url or ".png" in attachment_url or ".gif" in attachm
          <div class="mt-2"><img src="{{ message.attachment.url }}" alt="attachment image" style="max-width:1
          <div class="mt-1"><a href="{{ message.attachment.url }}" target="_blank">Open image</a></div>
          {% else %}
          <div class="mt-1"><a href="{{ message.attachment.url }}" target="_blank">Open attached file</a></div
          {% endif %}
          {% endwith %}
          {% endif %}
          <div class="small text-muted">{{ message.created_at|date:'Y-m-d H:i' }}</div>
        </div>
      </div>
      {% endfor %}
    </div>

    <div class="card-body border-top">
      <form id="support-send-form" enctype="multipart/form-data">
        {% csrf_token %}
        <div class="mb-2"><textarea id="support-content" name="content" rows="3" class="form-control" place
        <div class="d-flex gap-2 flex-wrap">
          <input type="file" name="attachment" class="form-control" style="max-width:250px;">
          <button class="btn btn-primary" type="submit">Send</button>
```

```
        </div>
      </form>
    </div>
  </div>
</div>
{% endblock %}

{% block extra_js %}
<script>
(function() {
  const box = document.getElementById('support-messages');
  const form = document.getElementById('support-send-form');
  const contentInput = document.getElementById('support-content');
  if (!box || !form) return;

  const sendUrl = "{% url 'support_chat_send_message' conversation.id %}";
  const pollUrl = "{% url 'support_chat_poll_messages' conversation.id %}";

  const escapeHtml = (value) => {
    const div = document.createElement('div');
    div.textContent = value || '';
    return div.innerHTML;
  };

  const lastId = () => {
    const nodes = box.querySelectorAll('[data-message-id]');
    if (!nodes.length) return 0;
    return Number(nodes[nodes.length - 1].dataset.messageId || 0);
  };

  const pushMessage = (msg) => {
    if (box.querySelector(`[data-message-id="${msg.id}"]`)) return;
    const row = document.createElement('div');
    row.className = `mb-2 d-flex ${msg.is_me ? 'justify-content-end' : 'justify-content-start'}`;
    row.dataset.messageId = msg.id;

    const attachmentHtml = (() => {
      if (!msg.attachment_url) return '';
      if (msg.attachment_is_image) {
        return `
          <div class="mt-2"><img src="${msg.attachment_url}" alt="attachment image" style="max-width:100%;
          <div class="mt-1"><a href="${msg.attachment_url}" target="_blank">Open image</a></div>
        `;
      }
      const fileName = escapeHtml(msg.attachment_name || 'Attached file');
      return `<div class="mt-1"><a href="${msg.attachment_url}" target="_blank">${fileName}</a></div>`;
    })();

    row.innerHTML = `
      <div style="max-width:76%; background:${msg.is_me ? '#dcfce7' : '#ffffff'}; border:1px solid #e5e7eb; bo
        <div class="small fw-semibold mb-1">${escapeHtml(msg.sender_role.replace('_', ' '))} - ${escapeHtml(r
        ${msg.content ? `<div>${escapeHtml(msg.content)}</div>` : ''}
        ${attachmentHtml}
        <div class="small text-muted">${escapeHtml(msg.created_at)}</div>
      </div>`;
    box.appendChild(row);
    box.scrollTop = box.scrollHeight;
  };

  form.addEventListener('submit', async (event) => {
```

```
    event.preventDefault();
    const data = new FormData(form);
    const res = await fetch(sendUrl, { method: 'POST', body: data, headers: { 'X-Requested-With': 'XMLHttpRe
    const payload = await res.json();
    if (!payload.success) {
      alert(payload.error || 'Could not send message.');
      return;
    }
    pushMessage(payload.message);
    form.reset();
    contentInput.focus();
  });

  async function poll() {
    const res = await fetch(`${pollUrl}?last_id=${lastId()}`);
    const payload = await res.json();
    if (!payload.success || !payload.messages) return;
    payload.messages.forEach(pushMessage);
  }

  box.scrollTop = box.scrollHeight;
  setInterval(poll, 4000);
})();
</script>
{% endblock %}

=== resources\views\admin\sub_admin_support_chat_list.html ===
{% extends 'admin/base_sub_admin.html' %}

{% block title %}Sub-Admin Support Chats{% endblock %}

{% block content %}
<div class="container-fluid py-4">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <h2 class="mb-0">Support Chats</h2>
    <div class="badge text-bg-danger">Unread: {{ total_unread }}</div>
  </div>

  <form method="get" class="row g-2 mb-3">
    <div class="col-md-4"><input name="search" value="{{ search_query }}" class="form-control" placeholder
    <div class="col-md-2"><button type="submit" class="btn btn-primary w-100">Search</button></div>
  </form>

  {% for row in conversation_rows %}
  <a href="{% url 'sub_admin_support_chat_detail' row.conversation.id %}" class="text-decoration-none">
    <div class="card mb-3" style="border:1px solid var(--border); background:var(--bg-surface); border-radius
      <div class="card-body d-flex justify-content-between align-items-start">
        <div>
          <div class="fw-semibold" style="color:var(--text-primary);">{{ row.conversation.subject|default:'Suppor
          <div class="small" style="color:var(--text-muted);">User: {{ row.conversation.user.username }} ({{ row.
          <div class="small" style="color:var(--text-muted);">{% if row.last_message %}{{ row.last_message.cor
        </div>
        <div class="text-end">
          <div class="small" style="color:var(--text-muted);">{{ row.conversation.updated_at|date:'Y-m-d H:i' }}</
          {% if row.unread_count %}<span class="badge text-bg-danger mt-1">{{ row.unread_count }}</span>{%
        </div>
      </div>
    </div>
  </a>
  {% empty %}
```

```
  <div class="alert alert-secondary">No support chats found.</div>
  {% endfor %}
</div>
{% endblock %}

=== resources\views\admin\super_admin.html ===
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Book-Hub · Super Admin</title>
    <!-- Font Awesome 5 -->
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
    <!-- Google Font: Inter -->
    <link href="https://fonts.googleapis.com/css2?family=Inter:opsz,wght@14..32,400;14..32,500;14..32,600;1
    <!-- Chart.js -->
    <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
    <style>
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body {
            font-family: 'Inter', sans-serif;
            background: #f0f5fc;
            color: #1e293b;
        }

        .admin-container {
            display: flex;
            min-height: 100vh;
        }

        /* Sidebar */
        .sidebar {
            width: 280px;
            background: #0f2a44;
            color: white;
            padding: 2rem 1.5rem;
            position: fixed;
            height: 100vh;
            overflow-y: auto;
        }

        .sidebar-logo {
            display: flex;
            align-items: center;
            gap: 0.8rem;
            font-size: 1.5rem;
            font-weight: 600;
            margin-bottom: 2.5rem;
            padding-bottom: 1.5rem;
            border-bottom: 1px solid rgba(255,255,255,0.1);
        }

        .sidebar-logo i {
            background: #f5b042;
```

```
    color: #0f2a44;
    width: 45px;
    height: 45px;
    border-radius: 12px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.8rem;
}

.sidebar-logo span {
    color: #f5b042;
}

.sidebar-menu {
    list-style: none;
}

.sidebar-menu li {
    margin-bottom: 0.5rem;
}

.sidebar-menu a {
    color: #b6cde3;
    text-decoration: none;
    display: flex;
    align-items: center;
    gap: 1rem;
    padding: 0.9rem 1.2rem;
    border-radius: 12px;
    transition: 0.2s;
    font-weight: 500;
}

.sidebar-menu a:hover,
.sidebar-menu a.active {
    background: rgba(245,176,66,0.15);
    color: white;
}

.sidebar-menu a i {
    width: 24px;
    color: #f5b042;
}

.badge {
    background: #f5b042;
    color: #0f2a44;
    padding: 0.25rem 0.6rem;
    border-radius: 30px;
    font-size: 0.75rem;
    font-weight: 600;
    margin-left: auto;
}

/* Main Content */
.main-content {
    flex: 1;
    margin-left: 280px;
    padding: 2rem;
```

```
}

/* Header */
.header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 2rem;
    background: white;
    padding: 1rem 2rem;
    border-radius: 20px;
    box-shadow: 0 5px 15px rgba(0,0,0,0.05);
}

.page-title h1 {
    font-size: 1.8rem;
    color: #0f2a44;
}

.page-title p {
    color: #5e738f;
    font-size: 0.9rem;
    margin-top: 0.2rem;
}

.admin-profile {
    display: flex;
    align-items: center;
    gap: 1.5rem;
}

.notifications {
    position: relative;
    cursor: pointer;
}

.notifications i {
    font-size: 1.3rem;
    color: #5e738f;
}

.notification-badge {
    position: absolute;
    top: -5px;
    right: -5px;
    background: #f5b042;
    color: #0f2a44;
    font-size: 0.7rem;
    font-weight: 600;
    width: 18px;
    height: 18px;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
}

.admin-info {
    display: flex;
    align-items: center;
```

```
    gap: 1rem;
    background: #f8fafd;
    padding: 0.5rem 1.2rem;
    border-radius: 40px;
}

.avatar {
    width: 40px;
    height: 40px;
    background: #0f2a44;
    color: white;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    font-weight: 600;
}

.admin-details h4 {
    font-size: 0.9rem;
}

.admin-details p {
    font-size: 0.8rem;
    color: #f5b042;
    font-weight: 600;
}

/* Stats Cards */
.stats-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(240px, 1fr));
    gap: 1.5rem;
    margin-bottom: 2rem;
}

.stat-card {
    background: white;
    padding: 1.5rem;
    border-radius: 24px;
    box-shadow: 0 5px 20px rgba(0,0,0,0.03);
    display: flex;
    align-items: center;
    gap: 1.5rem;
    transition: 0.2s;
}

.stat-card:hover {
    transform: translateY(-5px);
    box-shadow: 0 15px 30px rgba(15,42,68,0.1);
}

.stat-icon {
    width: 60px;
    height: 60px;
    background: #fef6e7;
    border-radius: 18px;
    display: flex;
    align-items: center;
    justify-content: center;
```

```
}

.stat-icon i {
    font-size: 2rem;
    color: #f5b042;
}

.stat-info h3 {
    font-size: 1.8rem;
    font-weight: 700;
    color: #0f2a44;
}

.stat-info p {
    color: #5e738f;
    font-size: 0.9rem;
    font-weight: 500;
}

/* Charts Row */
.charts-row {
    display: grid;
    grid-template-columns: 1fr 1fr;
    gap: 1.5rem;
    margin-bottom: 2rem;
}

.chart-card {
    background: white;
    padding: 1.5rem;
    border-radius: 24px;
    box-shadow: 0 5px 20px rgba(0,0,0,0.03);
}

.chart-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 1.5rem;
}

.chart-header h3 {
    color: #0f2a44;
    font-size: 1.2rem;
}

.chart-header span {
    color: #f5b042;
    font-size: 0.9rem;
    font-weight: 600;
}

canvas {
    max-height: 250px;
}

/* Tables */
.recent-section {
    display: grid;
    grid-template-columns: 1fr 1fr;
```

```
    gap: 1.5rem;
    margin-bottom: 2rem;
}

.recent-card {
    background: white;
    border-radius: 24px;
    padding: 1.5rem;
    box-shadow: 0 5px 20px rgba(0,0,0,0.03);
}

.card-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 1.5rem;
}

.card-header h3 {
    color: #0f2a44;
    font-size: 1.2rem;
}

.view-all {
    color: #f5b042;
    text-decoration: none;
    font-weight: 600;
    font-size: 0.9rem;
}

.table {
    width: 100%;
}

.table-item {
    display: flex;
    align-items: center;
    gap: 1rem;
    padding: 0.8rem 0;
    border-bottom: 1px solid #eef3f9;
}

.table-item:last-child {
    border-bottom: none;
}

.item-avatar {
    width: 40px;
    height: 40px;
    background: #f0f5fc;
    border-radius: 12px;
    display: flex;
    align-items: center;
    justify-content: center;
    color: #0f2a44;
    font-weight: 600;
}

.item-info {
    flex: 1;
```

```
}

.item-info h4 {
    font-size: 0.95rem;
    margin-bottom: 0.2rem;
}

.item-info p {
    font-size: 0.8rem;
    color: #5e738f;
}

.item-badge {
    padding: 0.3rem 1rem;
    border-radius: 30px;
    font-size: 0.75rem;
    font-weight: 600;
}

.badge-success {
    background: #e3f9e5;
    color: #1e7b48;
}

.badge-warning {
    background: #fff3e0;
    color: #b45b0a;
}

.badge-danger {
    background: #ffe8e8;
    color: #b91c1c;
}

.badge-info {
    background: #e1f0fa;
    color: #1a5c8c;
}

/* Responsive */
@media (max-width: 1200px) {
    .charts-row,
    .recent-section {
        grid-template-columns: 1fr;
    }
}

@media (max-width: 768px) {
    .sidebar {
        width: 80px;
        padding: 2rem 0.5rem;
    }
    .sidebar-logo span,
    .sidebar-menu a span {
        display: none;
    }
    .main-content {
        margin-left: 80px;
    }
}
```

```
    </style>
</head>
<body>
    <div class="admin-container">
        <!-- Sidebar -->
        <div class="sidebar">
            <div class="sidebar-logo">
                <i class="fas fa-shield-alt"></i>
                <div>book<span>-hub</span> admin</div>
            </div>

            <ul class="sidebar-menu">
                <li><a href="{% url 'super_admin' %}" class="active"><i class="fas fa-home"></i> <span>Dashboa
                <li><a href="{% url 'admin_users' %}"><i class="fas fa-users"></i> <span>Users</span> <span cl
                <li><a href="{% url 'admin_stores' %}"><i class="fas fa-store"></i> <span>Stores</span> <span c
                <li><a href="{% url 'admin_books' %}"><i class="fas fa-book"></i> <span>Books</span> <span cl
                <li><a href="{% url 'admin_orders' %}"><i class="fas fa-shopping-cart"></i> <span>Orders</span>
                <li><a href="{% url 'admin_reports' %}"><i class="fas fa-chart-bar"></i> <span>Reports</span></a
                <li style="margin-top: 2rem;"><a href="{% url 'index' %}"><i class="fas fa-globe"></i> <span>View
                <li><a href="{% url 'logout' %}"><i class="fas fa-sign-out-alt"></i> <span>Logout</span></a></li>
            </ul>
        </div>

        <!-- Main Content -->
        <div class="main-content">
            <!-- Header -->
            <div class="header">
                <div class="page-title">
                    <h1>Super Admin Dashboard</h1>
                    <p>Welcome back, {{ request.user.first_name|default:request.user.username }} · Platform overv
                </div>

                <div class="admin-profile">
                    <div class="notifications">
                        <i class="far fa-bell"></i>
                        <span class="notification-badge">{{ pending_orders }}</span>
                    </div>

                    <div class="admin-info">
                        <div class="avatar">
                            {{ request.user.first_name|first|default:request.user.username|first|upper }}
                        </div>
                        <div class="admin-details">
                            <h4>{{ request.user.get_full_name|default:request.user.username }}</h4>
                            <p>Super Admin</p>
                        </div>
                        <i class="fas fa-chevron-down" style="color: #5e738f; font-size: 0.8rem;"></i>
                    </div>
                </div>
            </div>

            <!-- Stats Cards -->
            <div class="stats-grid">
                <div class="stat-card">
                    <div class="stat-icon">
                        <i class="fas fa-users"></i>
                    </div>
                    <div class="stat-info">
                        <h3>{{ total_users }}</h3>
                        <p>Total Users</p>
```

```
            <small style="color: #5e738f;">
                {{ customers_count }} customers · {{ store_owners_count }} store owners
            </small>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-store"></i>
        </div>
        <div class="stat-info">
            <h3>{{ total_stores }}</h3>
            <p>Registered Stores</p>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-book"></i>
        </div>
        <div class="stat-info">
            <h3>{{ total_books }}</h3>
            <p>Books in Inventory</p>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-shopping-cart"></i>
        </div>
        <div class="stat-info">
            <h3>{{ total_orders }}</h3>
            <p>Total Orders</p>
            <small style="color: #5e738f;">{{ pending_orders }} pending</small>
        </div>
    </div>
</div>

<!-- Revenue Stats -->
<div class="stats-grid">
    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-calendar-day"></i>
        </div>
        <div class="stat-info">
            <h3>■{{ today_revenue|floatformat:0 }}</h3>
            <p>Today's Revenue</p>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-calendar-week"></i>
        </div>
        <div class="stat-info">
            <h3>■{{ weekly_revenue|floatformat:0 }}</h3>
            <p>Weekly Revenue</p>
        </div>
    </div>
```

```
    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-calendar-alt"></i>
        </div>
        <div class="stat-info">
            <h3>■{{ monthly_revenue|floatformat:0 }}</h3>
            <p>Monthly Revenue</p>
        </div>
    </div>

    <div class="stat-card">
        <div class="stat-icon">
            <i class="fas fa-chart-line"></i>
        </div>
        <div class="stat-info">
            <h3>{{ admins_count }}</h3>
            <p>Admin Staff</p>
        </div>
    </div>
</div>

<!-- Charts Row -->
<div class="charts-row">
    <div class="chart-card">
        <div class="chart-header">
            <h3>Order Status Distribution</h3>
            <span>Current</span>
        </div>
        <canvas id="orderStatusChart"></canvas>
    </div>

    <div class="chart-card">
        <div class="chart-header">
            <h3>Revenue Overview</h3>
            <span>Last 30 days</span>
        </div>
        <canvas id="revenueChart"></canvas>
    </div>
</div>

<!-- Recent Activity -->
<div class="recent-section">
    <!-- Recent Users -->
    <div class="recent-card">
        <div class="card-header">
            <h3>Recent Users</h3>
            <a href="{% url 'admin_users' %}" class="view-all">View all <i class="fas fa-arrow-right"></i>
        </div>

        <div class="table">
            {% for user in recent_users %}
            <div class="table-item">
                <div class="item-avatar">
                    {{ user.first_name|first|default:user.username|first|upper }}
                </div>
                <div class="item-info">
                    <h4>{{ user.get_full_name|default:user.username }}</h4>
                    <p>{{ user.email }}</p>
                </div>
                <span class="item-badge
```

```
                {% if user.is_staff %}badge-info
                {% elif user.groups.first.name == 'store_owner' %}badge-success
                {% else %}badge-warning{% endif %}">
                {% if user.is_staff %}Admin
                {% elif user.groups.first.name == 'store_owner' %}Store Owner
                {% else %}Customer{% endif %}
            </span>
        </div>
        {% empty %}
        <p style="color: #5e738f; text-align: center;">No recent users</p>
        {% endfor %}
    </div>
</div>

<!-- Recent Orders -->
<div class="recent-card">
    <div class="card-header">
        <h3>Recent Orders</h3>
        <a href="{% url 'admin_orders' %}" class="view-all">View all <i class="fas fa-arrow-right"></i>
    </div>

    <div class="table">
        {% for order in recent_orders %}
        <div class="table-item">
            <div class="item-avatar">
                <i class="fas fa-receipt"></i>
            </div>
            <div class="item-info">
                <h4>{{ order.order_number }}</h4>
                <p>{{ order.customer.username }} · {{ order.store.store_name }}</p>
            </div>
            <span class="item-badge
                {% if order.status == 'completed' %}badge-success
                {% elif order.status == 'cancelled' %}badge-danger
                {% elif order.status == 'pending' %}badge-warning
                {% else %}badge-info{% endif %}">
                {{ order.get_status_display }}
            </span>
        </div>
        {% empty %}
        <p style="color: #5e738f; text-align: center;">No recent orders</p>
        {% endfor %}
    </div>
</div>
</div>

<!-- Recent Stores -->
<div class="recent-card" style="margin-bottom: 2rem;">
    <div class="card-header">
        <h3>Recently Added Stores</h3>
        <a href="{% url 'admin_stores' %}" class="view-all">View all <i class="fas fa-arrow-right"></i></
    </div>

    <div class="table">
        {% for store in recent_stores %}
        <div class="table-item">
            <div class="item-avatar">
                <i class="fas fa-store"></i>
            </div>
            <div class="item-info">
```

```
                <h4>{{ store.store_name }}</h4>
                <p>{{ store.owner_full_name }} · {{ store.city }}</p>
            </div>
            <span class="item-badge badge-success">
                {% if store.offers_rental %}Rent{% endif %}
                {% if store.offers_sale %} · Buy{% endif %}
            </span>
        </div>
        {% empty %}
        <p style="color: #5e738f; text-align: center;">No recent stores</p>
        {% endfor %}
    </div>
</div>

<!-- Top Stores and Books -->
<div class="recent-section">
    <!-- Top Stores -->
    <div class="recent-card">
        <div class="card-header">
            <h3>Top Stores by Orders</h3>
            <span class="badge-info" style="padding: 0.3rem 1rem;">Most active</span>
        </div>

        <div class="table">
            {% for store in top_stores %}
            <div class="table-item">
                <div class="item-avatar">
                    <i class="fas fa-trophy" style="color: #f5b042;"></i>
                </div>
                <div class="item-info">
                    <h4>{{ store.store_name }}</h4>
                    <p>{{ store.city }} · {{ store.order_count }} orders</p>
                </div>
            </div>
            {% empty %}
            <p style="color: #5e738f; text-align: center;">No data available</p>
            {% endfor %}
        </div>
    </div>

    <!-- Top Books -->
    <div class="recent-card">
        <div class="card-header">
            <h3>Popular Books</h3>
            <span class="badge-info" style="padding: 0.3rem 1rem;">Most ordered</span>
        </div>

        <div class="table">
            {% for book in top_books %}
            <div class="table-item">
                <div class="item-avatar">
                    <i class="fas fa-book" style="color: #f5b042;"></i>
                </div>
                <div class="item-info">
                    <h4>{{ book.title }}</h4>
                    <p>{{ book.author }} · {{ book.order_count }} orders</p>
                </div>
            </div>
            {% empty %}
            <p style="color: #5e738f; text-align: center;">No data available</p>
```

```
                {% endfor %}
            </div>
        </div>
    </div>
</div>

<script>
    // Order Status Chart
    const orderCtx = document.getElementById('orderStatusChart').getContext('2d');
    new Chart(orderCtx, {
        type: 'doughnut',
        data: {
            labels: [
                {% for status, count in order_status_counts.items %}
                    {% if count > 0 %}'{{ status|title }}',{% endif %}
                {% endfor %}
            ],
            datasets: [{
                data: [
                    {% for status, count in order_status_counts.items %}
                        {% if count > 0 %}{{ count }},{% endif %}
                    {% endfor %}
                ],
                backgroundColor: [
                    '#f5b042',
                    '#1a5c8c',
                    '#1e7b48',
                    '#b45b0a',
                    '#5e738f',
                    '#b91c1c',
                    '#0f2a44'
                ],
                borderWidth: 0
            }]
        },
        options: {
            responsive: true,
            plugins: {
                legend: {
                    position: 'bottom'
                }
            },
            cutout: '65%'
        }
    });

    // Revenue Chart (simplified - you can add real data from DB)
    const revenueCtx = document.getElementById('revenueChart').getContext('2d');
    new Chart(revenueCtx, {
        type: 'line',
        data: {
            labels: ['Week 1', 'Week 2', 'Week 3', 'Week 4'],
            datasets: [{
                label: 'Revenue (■)',
                data: [{{ weekly_revenue|floatformat:0 }}, {{ weekly_revenue|floatformat:0 }}, {{ weekly_revenue|
                borderColor: '#f5b042',
                backgroundColor: 'rgba(245,176,66,0.1)',
                tension: 0.4,
                fill: true
```

```
            }]
        },
        options: {
            responsive: true,
            plugins: {
                legend: {
                    display: false
                }
            }
        }
    });
  </script>
</body>
</html>

=== resources\views\admin\super_admin_issue_reports.html ===
{% extends 'admin/base.html' %}

{% block title %}Super Admin - Issue Reports{% endblock %}

{% block content %}
<div class="container-fluid py-4">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <h2 class="mb-0">Issue Reports (Admin Oversight)</h2>
    <a class="btn btn-outline-secondary" href="{% url 'dashboard_super' %}">Back to Dashboard</a>
  </div>

  <form method="get" class="row g-2 mb-3">
    <div class="col-md-4"><input name="search" value="{{ search_query }}" class="form-control" placeholder
    <div class="col-md-2">
      <select name="status" class="form-select">
        <option value="">All Statuses</option>
        {% for value,label in report_status_choices %}
        <option value="{{ value }}" {% if status_filter == value %}selected{% endif %}>{{ label }}</option>
        {% endfor %}
      </select>
    </div>
    <div class="col-md-2"><button class="btn btn-primary w-100" type="submit">Filter</button></div>
  </form>

  <div class="card" style="border:1px solid var(--border); background:var(--bg-surface); border-radius:14px;"
    <div class="table-responsive">
      <table class="table align-middle mb-0">
        <thead>
          <tr>
            <th>ID</th>
            <th>Reporter</th>
            <th>Reported User</th>
            <th>Status</th>
            <th>Assigned Sub-Admin</th>
            <th>Reassign</th>
            <th>Update Status</th>
          </tr>
        </thead>
        <tbody>
          {% for report in reports %}
          <tr>
            <td>#{{ report.id }}</td>
            <td>{{ report.reporter.username }} ({{ report.get_reporter_role_display }})</td>
            <td>{{ report.reported_user.username }}</td>
```

```
          <td>{{ report.get_status_display }}</td>
          <td>{{ report.assigned_sub_admin.name|default:'Unassigned' }}</td>
          <td style="min-width:240px;">
            <form method="post" action="{% url 'super_admin_reassign_issue_report' report.id %}" class="d-fle
              {% csrf_token %}
              <select name="sub_admin_id" class="form-select form-select-sm">
                <option value="">Unassigned</option>
                {% for admin in sub_admins %}
                <option value="{{ admin.id }}" {% if report.assigned_sub_admin and report.assigned_sub_admin.
                {% endfor %}
              </select>
              <button class="btn btn-sm btn-outline-primary" type="submit">Save</button>
            </form>
          </td>
          <td style="min-width:290px;">
            <form method="post" action="{% url 'super_admin_update_issue_report' report.id %}">
              {% csrf_token %}
              <div class="mb-1">
                <select name="status" class="form-select form-select-sm" required>
                  {% for value,label in report_status_choices %}
                  <option value="{{ value }}" {% if report.status == value %}selected{% endif %}>{{ label }}</optior
                  {% endfor %}
                </select>
              </div>
              <div class="mb-1"><input name="resolution_note" class="form-control form-control-sm" placehold
              <button class="btn btn-sm btn-primary" type="submit">Update</button>
            </form>
          </td>
        </tr>
        {% empty %}
        <tr><td colspan="7" class="text-center text-muted py-4">No reports found.</td></tr>
        {% endfor %}
      </tbody>
    </table>
  </div>
 </div>
</div>
{% endblock %}

=== resources\views\admin\super_admin_profile.html ===
{% extends 'admin/base.html' %}

{% block title %}Super Admin Profile{% endblock %}

{% block content %}
<div class="container-fluid py-4" style="max-width:920px;">
 <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
  <h2 class="mb-0">Edit Super Admin Profile</h2>
  <a href="{% url 'dashboard_super' %}" class="btn btn-outline-secondary btn-sm">Back to Dashboard</a>
 </div>

 <div class="card" style="border:1px solid var(--border); background:var(--bg-surface); border-radius:14px;"
  <div class="card-body p-4">
   <div class="d-flex flex-wrap align-items-center gap-3 mb-4">
    <div id="avatarPreview" class="rounded-circle overflow-hidden border" style="width:120px; height:120p
     {% if avatar_url %}
     <img src="{{ avatar_url }}" alt="Profile image" style="width:100%; height:100%; object-fit:cover;">
     {% else %}
     <div class="d-flex align-items-center justify-content-center h-100"><i class="bi bi-person" style="font-s
     {% endif %}
```

```
        </div>
        <div>
          <label class="form-label fw-semibold mb-1">Profile Image</label>
          <input id="avatarInput" type="file" class="form-control" accept="image/*" style="max-width:320px;">
          <div class="form-text">Allowed: JPG, PNG, GIF, WEBP, BMP, SVG. Max: 5MB.</div>
          <div id="avatarFeedback" class="small mt-2"></div>
        </div>
      </div>

      <form method="post" action="{% url 'super_admin_profile_update' %}">
        {% csrf_token %}
        <div class="row g-3">
          <div class="col-md-6">
            <label class="form-label">Username</label>
            <input type="text" class="form-control" name="username" value="{{ request.user.username }}" requir
          </div>
          <div class="col-md-6">
            <label class="form-label">Email</label>
            <input type="email" class="form-control" name="email" value="{{ request.user.email }}">
          </div>
          <div class="col-md-6">
            <label class="form-label">First Name</label>
            <input type="text" class="form-control" name="first_name" value="{{ request.user.first_name }}">
          </div>
          <div class="col-md-6">
            <label class="form-label">Last Name</label>
            <input type="text" class="form-control" name="last_name" value="{{ request.user.last_name }}">
          </div>
        </div>
        <div class="mt-4">
          <button type="submit" class="btn btn-primary">Save Profile</button>
        </div>
      </form>
    </div>
  </div>
</div>
{% endblock %}

{% block extra_js %}
<script>
(function() {
  const input = document.getElementById('avatarInput');
  const preview = document.getElementById('avatarPreview');
  const feedback = document.getElementById('avatarFeedback');
  if (!input || !preview) return;

  function setFeedback(text, ok) {
    if (!feedback) return;
    feedback.textContent = text || '';
    feedback.style.color = ok ? 'var(--success)' : 'var(--danger)';
  }

  input.addEventListener('change', async () => {
    if (!input.files || !input.files[0]) return;
    const formData = new FormData();
    formData.append('avatar', input.files[0]);
    formData.append('csrfmiddlewaretoken', '{{ csrf_token }}');

    try {
      const response = await fetch('{% url "super_admin_update_avatar" %}', { method: 'POST', body: formDa
```

```
      const payload = await response.json();
      if (!payload.success) {
        setFeedback(payload.message || 'Upload failed.', false);
        return;
      }

      const newUrl = payload.avatar_url + '?v=' + Date.now();
      preview.innerHTML = `<img src="${newUrl}" alt="Profile image" style="width:100%; height:100%; object-
      document.querySelectorAll('.nav-avatar').forEach((img) => { img.src = newUrl; });
      setFeedback('Profile image updated successfully.', true);
      input.value = '';
    } catch (error) {
      setFeedback('Upload failed. Please try again.', false);
    }
  });
})();
</script>
{% endblock %}

=== resources\views\admin\super_admin_sub_admin_controls.html ===
{% extends 'admin/base.html' %}

{% block title %}Super Admin - Sub-Admin Controls{% endblock %}

{% block content %}
<div class="container-fluid py-4">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <h2 class="mb-0">Sub-Admin Control Center</h2>
    <a class="btn btn-outline-secondary" href="{% url 'dashboard_super' %}">Back to Dashboard</a>
  </div>

  <form method="get" class="row g-2 mb-3">
    <div class="col-md-4"><input name="search" value="{{ search_query }}" class="form-control" placeholder
    <div class="col-md-2"><button class="btn btn-primary w-100">Search</button></div>
  </form>

  <div class="card mb-4" style="border:1px solid var(--border); background:var(--bg-surface); border-radius:1
    <div class="card-header fw-semibold">Sub-Admin Accounts</div>
    <div class="table-responsive">
      <table class="table align-middle mb-0">
        <thead>
          <tr>
            <th>Name</th>
            <th>Type</th>
            <th>Reference</th>
            <th>Status</th>
            <th>Action</th>
          </tr>
        </thead>
        <tbody>
          {% for admin in admins %}
          <tr>
            <td>{{ admin.name }}</td>
            <td>{{ admin.admin_type }}</td>
            <td>{{ admin.ref_number }}</td>
            <td>{{ admin.get_status_display }}</td>
            <td style="min-width:380px;">
              <form method="post" action="{% url 'super_admin_sub_admin_action' admin.id %}" class="row g-1
                {% csrf_token %}
                <input type="hidden" name="next" value="{{ request.get_full_path }}">
```

```
              <div class="col-md-3">
                <select name="action" class="form-select form-select-sm" required>
                  <option value="">Action</option>
                  <option value="suspend">Suspend</option>
                  <option value="restore">Restore</option>
                  <option value="delete">Delete</option>
                </select>
              </div>
              <div class="col-md-2"><input type="number" min="1" name="duration_days" value="7" class="form
              <div class="col-md-5"><input type="text" name="reason" class="form-control form-control-sm" pla
              <div class="col-md-2"><button type="submit" class="btn btn-sm btn-primary w-100">Apply</button
            </form>
          </td>
        </tr>
        {% empty %}
        <tr><td colspan="5" class="text-center text-muted py-4">No sub-admin accounts found.</td></tr>
        {% endfor %}
      </tbody>
    </table>
  </div>
</div>

<div class="card" style="border:1px solid var(--border); background:var(--bg-surface); border-radius:14px;">
  <div class="card-header fw-semibold">Recent Moderation Logs</div>
  <div class="table-responsive">
    <table class="table mb-0 align-middle">
      <thead>
        <tr>
          <th>Date</th>
          <th>Actor</th>
          <th>Action</th>
          <th>Target</th>
          <th>Reason</th>
        </tr>
      </thead>
      <tbody>
        {% for log in logs %}
        <tr>
          <td>{{ log.created_at|date:'Y-m-d H:i' }}</td>
          <td>{{ log.actor_name }} ({{ log.actor_role }})</td>
          <td>{{ log.action|title }}</td>
          <td>{{ log.target_type }} - {{ log.target_identifier }}</td>
          <td>{{ log.reason|default:'-' }}</td>
        </tr>
        {% empty %}
        <tr>
          <td colspan="5" class="text-center text-muted py-4">No logs available.</td></tr>
        {% endfor %}
      </tbody>
    </table>
  </div>
</div>
</div>
{% endblock %}

=== resources\views\admin\super_admin_support_chat_detail.html ===
{% extends 'admin/base.html' %}

{% block title %}Super Admin Support Chat Detail{% endblock %}

{% block content %}
```

```
<div class="container-fluid py-4" style="max-width:1000px;">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <div>
      <h3 class="mb-1">{{ conversation.subject|default:'Escalated Support Chat' }}</h3>
      <div class="small" style="color:var(--text-muted);">User: {{ conversation.user.username }} ({{ conversatio
    </div>
    <a href="{% url 'super_admin_support_chat_list' %}" class="btn btn-outline-secondary btn-sm">Back</a>
  </div>

  <div class="card" style="border:1px solid var(--border); background:var(--bg-surface); border-radius:12px; c
    <div id="support-messages" style="height:460px; overflow:auto; padding:1rem; background:var(--bg-raise
      {% for message in messages_list %}
      <div data-message-id="{{ message.id }}" class="mb-2 d-flex {% if message.sender_role == 'admin' %}jus
        <div style="max-width:76%; background:{% if message.sender_role == 'admin' %}#dcfce7{% else %}#f
          <div class="small fw-semibold mb-1">{{ message.sender_role|title }} - {{ message.sender_sub_admin
          {% if message.content %}<div>{{ message.content|linebreaksbr }}</div>{% endif %}
          {% if message.attachment %}
          {% with attachment_url=message.attachment.url|lower %}
          {% if ".jpg" in attachment_url or ".jpeg" in attachment_url or ".png" in attachment_url or ".gif" in attachm
          <div class="mt-2"><img src="{{ message.attachment.url }}" alt="attachment image" style="max-width:1
          <div class="mt-1"><a href="{{ message.attachment.url }}" target="_blank">Open image</a></div>
          {% else %}
          <div class="mt-1"><a href="{{ message.attachment.url }}" target="_blank">Open attached file</a></div
          {% endif %}
          {% endwith %}
          {% endif %}
          <div class="small text-muted">{{ message.created_at|date:'Y-m-d H:i' }}</div>
        </div>
      </div>
      {% endfor %}
    </div>

    <div class="card-body border-top">
      <form id="support-send-form" enctype="multipart/form-data">
        {% csrf_token %}
        <div class="mb-2"><textarea id="support-content" name="content" rows="3" class="form-control" place
        <div class="d-flex gap-2 flex-wrap">
          <input type="file" name="attachment" class="form-control" style="max-width:250px;">
          <button class="btn btn-primary" type="submit">Send</button>
        </div>
      </form>
    </div>
  </div>
</div>
{% endblock %}

{% block extra_js %}
<script>
(function() {
  const box = document.getElementById('support-messages');
  const form = document.getElementById('support-send-form');
  const contentInput = document.getElementById('support-content');
  if (!box || !form) return;

  const sendUrl = "{% url 'support_chat_send_message' conversation.id %}";
  const pollUrl = "{% url 'support_chat_poll_messages' conversation.id %}";

  const escapeHtml = (value) => {
    const div = document.createElement('div');
    div.textContent = value || '';
```

```
  return div.innerHTML;
};

const lastId = () => {
  const nodes = box.querySelectorAll('[data-message-id]');
  if (!nodes.length) return 0;
  return Number(nodes[nodes.length - 1].dataset.messageId || 0);
};

const pushMessage = (msg) => {
  if (box.querySelector(`[data-message-id="${msg.id}"]`)) return;
  const row = document.createElement('div');
  row.className = `mb-2 d-flex ${msg.is_me ? 'justify-content-end' : 'justify-content-start'}`;
  row.dataset.messageId = msg.id;

  const attachmentHtml = (() => {
    if (!msg.attachment_url) return '';
    if (msg.attachment_is_image) {
      return `
        <div class="mt-2"><img src="${msg.attachment_url}" alt="attachment image" style="max-width:100%;
        <div class="mt-1"><a href="${msg.attachment_url}" target="_blank">Open image</a></div>
      `;
    }
    const fileName = escapeHtml(msg.attachment_name || 'Attached file');
    return `<div class="mt-1"><a href="${msg.attachment_url}" target="_blank">${fileName}</a></div>`;
  })();

  row.innerHTML = `
    <div style="max-width:76%; background:${msg.is_me ? '#dcfce7' : '#ffffff'}; border:1px solid #e5e7eb; bo
      <div class="small fw-semibold mb-1">${escapeHtml(msg.sender_role.replace('_', ' '))} - ${escapeHtml(r
      ${msg.content ? `<div>${escapeHtml(msg.content)}</div>` : ''}
      ${attachmentHtml}
      <div class="small text-muted">${escapeHtml(msg.created_at)}</div>
    </div>`;
  box.appendChild(row);
  box.scrollTop = box.scrollHeight;
};

form.addEventListener('submit', async (event) => {
  event.preventDefault();
  const data = new FormData(form);
  const res = await fetch(sendUrl, { method: 'POST', body: data, headers: { 'X-Requested-With': 'XMLHttpRe
  const payload = await res.json();
  if (!payload.success) {
    alert(payload.error || 'Could not send message.');
    return;
  }
  pushMessage(payload.message);
  form.reset();
  contentInput.focus();
});

async function poll() {
  const res = await fetch(`${pollUrl}?last_id=${lastId()}`);
  const payload = await res.json();
  if (!payload.success || !payload.messages) return;
  payload.messages.forEach(pushMessage);
}

box.scrollTop = box.scrollHeight;
```

```
  setInterval(poll, 4000);
})();
</script>
{% endblock %}

=== resources\views\admin\super_admin_support_chat_list.html ===
{% extends 'admin/base.html' %}

{% block title %}Super Admin Escalated Support Chats{% endblock %}

{% block content %}
<div class="container-fluid py-4">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <h2 class="mb-0">Escalated Support Chats</h2>
    <span class="badge text-bg-danger">Unread: {{ total_unread }}</span>
  </div>

  <form method="get" class="row g-2 mb-3">
    <div class="col-md-4"><input name="search" value="{{ search_query }}" class="form-control" placeholder
    <div class="col-md-2"><button class="btn btn-primary w-100">Search</button></div>
  </form>

  {% for row in conversation_rows %}
  <a href="{% url 'super_admin_support_chat_detail' row.conversation.id %}" class="text-decoration-none">
    <div class="card mb-3" style="border:1px solid var(--border); background:var(--bg-surface); border-radius
      <div class="card-body d-flex justify-content-between align-items-start">
        <div>
          <div class="fw-semibold" style="color:var(--text-primary);">{{ row.conversation.subject|default:'Suppor
          <div class="small" style="color:var(--text-muted);">User: {{ row.conversation.user.username }} ({{ row.
          <div class="small" style="color:var(--text-muted);">{% if row.last_message %}{{ row.last_message.cor
        </div>
        <div class="text-end">
          <div class="small" style="color:var(--text-muted);">{{ row.conversation.updated_at|date:'Y-m-d H:i' }}<
          {% if row.unread_count %}<span class="badge text-bg-danger mt-1">{{ row.unread_count }}</span>{%
        </div>
      </div>
    </div>
  </a>
  {% empty %}
  <div class="alert alert-secondary">No escalated support chats.</div>
  {% endfor %}
</div>
{% endblock %}

=== resources\views\admin\users.html ===
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Book-Hub · Manage Users</title>
    <!-- Font Awesome 5 -->
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
    <!-- Google Font: Inter -->
    <link href="https://fonts.googleapis.com/css2?family=Inter:opsz,wght@14..32,400;14..32,500;14..32,600;1
    <style>
        /* Same styles as super_admin.html plus table styles */
        * {
            margin: 0;
            padding: 0;
```

```
    box-sizing: border-box;
}

body {
    font-family: 'Inter', sans-serif;
    background: #f0f5fc;
    color: #1e293b;
}

.admin-container {
    display: flex;
    min-height: 100vh;
}

/* Sidebar (same as super_admin.html) */
.sidebar {
    width: 280px;
    background: #0f2a44;
    color: white;
    padding: 2rem 1.5rem;
    position: fixed;
    height: 100vh;
    overflow-y: auto;
}

.sidebar-logo {
    display: flex;
    align-items: center;
    gap: 0.8rem;
    font-size: 1.5rem;
    font-weight: 600;
    margin-bottom: 2.5rem;
    padding-bottom: 1.5rem;
    border-bottom: 1px solid rgba(255,255,255,0.1);
}

.sidebar-logo i {
    background: #f5b042;
    color: #0f2a44;
    width: 45px;
    height: 45px;
    border-radius: 12px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.8rem;
}

.sidebar-logo span {
    color: #f5b042;
}

.sidebar-menu {
    list-style: none;
}

.sidebar-menu li {
    margin-bottom: 0.5rem;
}
```

```
.sidebar-menu a {
    color: #b6cde3;
    text-decoration: none;
    display: flex;
    align-items: center;
    gap: 1rem;
    padding: 0.9rem 1.2rem;
    border-radius: 12px;
    transition: 0.2s;
    font-weight: 500;
}

.sidebar-menu a:hover,
.sidebar-menu a.active {
    background: rgba(245,176,66,0.15);
    color: white;
}

.sidebar-menu a i {
    width: 24px;
    color: #f5b042;
}

.badge {
    background: #f5b042;
    color: #0f2a44;
    padding: 0.25rem 0.6rem;
    border-radius: 30px;
    font-size: 0.75rem;
    font-weight: 600;
    margin-left: auto;
}

/* Main Content */
.main-content {
    flex: 1;
    margin-left: 280px;
    padding: 2rem;
}

.header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 2rem;
    background: white;
    padding: 1rem 2rem;
    border-radius: 20px;
    box-shadow: 0 5px 15px rgba(0,0,0,0.05);
}

.page-title h1 {
    font-size: 1.8rem;
    color: #0f2a44;
}

.page-title p {
    color: #5e738f;
    font-size: 0.9rem;
    margin-top: 0.2rem;
```

```
}

/* Filter Bar */
.filter-bar {
    background: white;
    padding: 1.5rem;
    border-radius: 20px;
    margin-bottom: 2rem;
    display: flex;
    gap: 1rem;
    flex-wrap: wrap;
    align-items: center;
}

.search-box {
    flex: 2;
    display: flex;
    align-items: center;
    background: #f8fafd;
    border-radius: 40px;
    padding: 0.5rem 1.5rem;
}

.search-box i {
    color: #5e738f;
    margin-right: 1rem;
}

.search-box input {
    flex: 1;
    border: none;
    background: transparent;
    padding: 0.7rem 0;
    font-family: 'Inter', sans-serif;
}

.search-box input:focus {
    outline: none;
}

.filter-group {
    display: flex;
    gap: 0.5rem;
    align-items: center;
}

.filter-select {
    padding: 0.7rem 1.5rem;
    border: 1.5px solid #e3eaf2;
    border-radius: 40px;
    background: white;
    font-family: 'Inter', sans-serif;
    cursor: pointer;
}

.btn-filter {
    background: #f5b042;
    color: #0f2a44;
    border: none;
    padding: 0.7rem 2rem;
```

```
    border-radius: 40px;
    font-weight: 600;
    cursor: pointer;
}

/* Users Table */
.users-table {
    background: white;
    border-radius: 24px;
    overflow: hidden;
    box-shadow: 0 5px 20px rgba(0,0,0,0.03);
}

table {
    width: 100%;
    border-collapse: collapse;
}

th {
    text-align: left;
    padding: 1.5rem 1.5rem;
    background: #f8fafd;
    color: #0f2a44;
    font-weight: 600;
    font-size: 0.9rem;
}

td {
    padding: 1.2rem 1.5rem;
    border-bottom: 1px solid #eef3f9;
}

.user-info {
    display: flex;
    align-items: center;
    gap: 1rem;
}

.user-avatar {
    width: 45px;
    height: 45px;
    background: #f0f5fc;
    border-radius: 12px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-weight: 600;
    color: #0f2a44;
}

.user-details h4 {
    font-size: 1rem;
    margin-bottom: 0.2rem;
}

.user-details p {
    font-size: 0.85rem;
    color: #5e738f;
}
```

```
.user-badge {
    padding: 0.3rem 1rem;
    border-radius: 30px;
    font-size: 0.75rem;
    font-weight: 600;
    display: inline-block;
}

.badge-customer {
    background: #fff3e0;
    color: #b45b0a;
}

.badge-store-owner {
    background: #e3f9e5;
    color: #1e7b48;
}

.badge-admin {
    background: #e1f0fa;
    color: #1a5c8c;
}

.badge-staff {
    background: #e8e8ff;
    color: #4b3b8c;
}

.user-actions {
    display: flex;
    gap: 0.8rem;
}

.btn-icon {
    width: 36px;
    height: 36px;
    border-radius: 10px;
    border: none;
    background: #f8fafd;
    color: #5e738f;
    cursor: pointer;
    transition: 0.2s;
}

.btn-icon:hover {
    background: #f5b042;
    color: #0f2a44;
}

/* Pagination */
.pagination {
    display: flex;
    justify-content: center;
    gap: 0.5rem;
    margin-top: 2rem;
}

.page-link {
    width: 40px;
    height: 40px;
```

```
            display: flex;
            align-items: center;
            justify-content: center;
            border-radius: 10px;
            background: white;
            color: #0f2a44;
            text-decoration: none;
            font-weight: 500;
        }

        .page-link.active {
            background: #f5b042;
            color: #0f2a44;
        }

        .page-link:hover {
            background: #f5b042;
        }

        @media (max-width: 768px) {
            .sidebar {
                width: 80px;
                padding: 2rem 0.5rem;
            }
            .sidebar-logo span,
            .sidebar-menu a span {
                display: none;
            }
            .main-content {
                margin-left: 80px;
            }
        }
    </style>
</head>
<body>
    <div class="admin-container">
        <!-- Sidebar -->
        <div class="sidebar">
            <div class="sidebar-logo">
                <i class="fas fa-shield-alt"></i>
                <div>book<span>-hub</span> admin</div>
            </div>

            <ul class="sidebar-menu">
                <li><a href="{% url 'super_admin' %}"><i class="fas fa-home"></i> <span>Dashboard</span></a>
                <li><a href="{% url 'admin_users' %}" class="active"><i class="fas fa-users"></i> <span>Users</s
                <li><a href="{% url 'admin_stores' %}"><i class="fas fa-store"></i> <span>Stores</span></a></li>
                <li><a href="{% url 'admin_books' %}"><i class="fas fa-book"></i> <span>Books</span></a></li>
                <li><a href="{% url 'admin_orders' %}"><i class="fas fa-shopping-cart"></i> <span>Orders</span>
                <li><a href="{% url 'admin_reports' %}"><i class="fas fa-chart-bar"></i> <span>Reports</span></a
                <li style="margin-top: 2rem;"><a href="{% url 'index' %}"><i class="fas fa-globe"></i> <span>View
                <li><a href="{% url 'logout' %}"><i class="fas fa-sign-out-alt"></i> <span>Logout</span></a></li>
            </ul>
        </div>

        <!-- Main Content -->
        <div class="main-content">
            <div class="header">
                <div class="page-title">
                    <h1>User Management</h1>
```

```
        <p>Manage all platform users</p>
    </div>
</div>

<!-- Filter Bar -->
<div class="filter-bar">
    <form method="get" style="display: flex; gap: 1rem; width: 100%; flex-wrap: wrap;">
        <div class="search-box">
            <i class="fas fa-search"></i>
            <input type="text" name="search" placeholder="Search users..." value="{{ search_query }}">
        </div>

        <div class="filter-group">
            <select name="type" class="filter-select">
                <option value="all" {% if user_type == 'all' %}selected{% endif %}>All Users</option>
                <option value="customer" {% if user_type == 'customer' %}selected{% endif %}>Customer
                <option value="store_owner" {% if user_type == 'store_owner' %}selected{% endif %}>Sto
                <option value="admin" {% if user_type == 'admin' %}selected{% endif %}>Admins</option>
            </select>

            <button type="submit" class="btn-filter">Apply Filters</button>
        </div>
    </form>
</div>

<!-- Users Table -->
<div class="users-table">
    <table>
        <thead>
            <tr>
                <th>User</th>
                <th>Contact</th>
                <th>User Type</th>
                <th>Joined</th>
                <th>Status</th>
                <th>Actions</th>
            </tr>
        </thead>
        <tbody>
            {% for user in users %}
            <tr>
                <td>
                    <div class="user-info">
                        <div class="user-avatar">
                            {{ user.first_name|first|default:user.username|first|upper }}
                        </div>
                        <div class="user-details">
                            <h4>{{ user.get_full_name|default:user.username }}</h4>
                            <p>@{{ user.username }}</p>
                        </div>
                    </div>
                </td>
                <td>
                    <div style="font-size: 0.9rem;">{{ user.email }}</div>
                    {% if user.profile.phone %}
                    <div style="font-size: 0.8rem; color: #5e738f;">{{ user.profile.phone }}</div>
                    {% endif %}
                </td>
                <td>
                    {% if user.is_superuser %}
```

```
                <span class="user-badge badge-admin">Super Admin</span>
            {% elif user.is_staff %}
                <span class="user-badge badge-staff">Staff</span>
            {% elif user.groups.first.name == 'store_owner' %}
                <span class="user-badge badge-store-owner">Store Owner</span>
            {% else %}
                <span class="user-badge badge-customer">Customer</span>
            {% endif %}
        </td>
        <td style="color: #5e738f; font-size: 0.9rem;">
            {{ user.date_joined|date:"M d, Y" }}
        </td>
        <td>
            {% if user.is_active %}
            <span style="color: #1e7b48; font-size: 0.9rem;">
                <i class="fas fa-circle" style="font-size: 0.5rem;"></i> Active
            </span>
            {% else %}
            <span style="color: #b91c1c; font-size: 0.9rem;">
                <i class="fas fa-circle" style="font-size: 0.5rem;"></i> Inactive
            </span>
            {% endif %}
        </td>
        <td>
            <div class="user-actions">
                <button class="btn-icon" title="View Details">
                    <i class="fas fa-eye"></i>
                </button>
                <button class="btn-icon" title="Edit User">
                    <i class="fas fa-edit"></i>
                </button>
                <button class="btn-icon" title="More Actions">
                    <i class="fas fa-ellipsis-v"></i>
                </button>
            </div>
        </td>
    </tr>
    {% empty %}
    <tr>
        <td colspan="6" style="text-align: center; padding: 3rem; color: #5e738f;">
            <i class="fas fa-users" style="font-size: 3rem; opacity: 0.3; margin-bottom: 1rem; display
            No users found
        </td>
    </tr>
    {% endfor %}
  </tbody>
 </table>
</div>

<!-- Pagination -->
{% if users.has_other_pages %}
<div class="pagination">
  {% if users.has_previous %}
    <a href="?page={{ users.previous_page_number }}{% if search_query %}&search={{ search_qu
        <i class="fas fa-chevron-left"></i>
    </a>
  {% endif %}

  {% for i in users.paginator.page_range %}
    {% if users.number == i %}
```

```
                <span class="page-link active">{{ i }}</span>
            {% else %}
                <a href="?page={{ i }}{% if search_query %}&search={{ search_query }}{% endif %}{% if user
            {% endif %}
        {% endfor %}

        {% if users.has_next %}
            <a href="?page={{ users.next_page_number }}{% if search_query %}&search={{ search_query
                <i class="fas fa-chevron-right"></i>
            </a>
        {% endif %}
    </div>
    {% endif %}
  </div>
</div>
</body>
</html>

=== resources\views\admin\view_admins.html ===
{% extends "admin/base.html" %}
{% load static %}

{% block title %}Manage Admins — BookHub Admin{% endblock %}

{% block extra_css %}
<style>
  /* ■■■
```

```
    position: absolute;
    top: -40px; right: -40px;
    width: 180px; height: 180px;
    border-radius: 50%;
    background: rgba(255,255,255,0.08);
    pointer-events: none;
}
.page-head::after {
    content: '';
    position: absolute;
    bottom: -60px; left: 20%;
    width: 150px; height: 150px;
    border-radius: 50%;
    background: rgba(255,255,255,0.05);
    pointer-events: none;
}
.page-head-left { display: flex; align-items: flex-start; gap: 1rem; position: relative; z-index: 1; }
.page-head-icon {
    width: 52px; height: 52px; border-radius: 16px;
    background: rgba(255,255,255,0.20);
    backdrop-filter: blur(8px);
    display: flex; align-items: center; justify-content: center;
    font-size: 1.4rem; color: #fff;
    box-shadow: 0 4px 16px rgba(0,0,0,0.15); flex-shrink: 0;
    border: 1px solid rgba(255,255,255,0.3);
}
.page-head-text h1 {
    font-family: 'Outfit', sans-serif; font-size: 1.65rem; font-weight: 800;
    letter-spacing: -0.025em; color: #fff; margin: 0 0 0.3rem;
}
.page-head-text p { color: rgba(255,255,255,0.7); font-size: 0.88rem; margin: 0; }
.page-head-actions { display: flex; gap: 0.6rem; flex-wrap: wrap; align-items: center; position: relative; z-in

.head-btn {
    display: inline-flex; align-items: center; gap: 0.45rem;
    padding: 0.55rem 1.1rem; border-radius: 999px;
    font-size: 0.85rem; font-weight: 600; cursor: pointer;
    font-family: 'Outfit', sans-serif; text-decoration: none;
    transition: all 150ms ease; border: 1px solid transparent;
}
.head-btn.primary {
    background: #fff;
    color: var(--primary);
    box-shadow: 0 4px 14px rgba(0,0,0,0.15);
    border-color: transparent;
}
.head-btn.primary:hover { transform: translateY(-2px); box-shadow: 0 8px 20px rgba(0,0,0,0.2); color: var(
.head-btn.secondary {
    background: rgba(255,255,255,0.18);
    color: #fff;
    border-color: rgba(255,255,255,0.35);
    backdrop-filter: blur(8px);
}
.head-btn.secondary:hover { background: rgba(255,255,255,0.28); color: #fff; }

/* ■■ Summary Strip ■■ */
.summary-strip {
    display: grid;
    grid-template-columns: repeat(4, 1fr);
    gap: 1rem;
```

```
    margin-bottom: 1.75rem;
}
@media (max-width: 768px) { .summary-strip { grid-template-columns: repeat(2, 1fr); } }
@media (max-width: 420px) { .summary-strip { grid-template-columns: 1fr 1fr; } }

.summary-tile {
    border-radius: var(--radius-lg);
    padding: 1.25rem 1.5rem;
    display: flex; align-items: center; gap: 1rem;
    transition: all 220ms ease;
    cursor: default;
    color: #fff;
    position: relative;
    overflow: hidden;
    border: none;
}
.summary-tile::after {
    content: '';
    position: absolute;
    top: -20px; right: -20px;
    width: 90px; height: 90px;
    border-radius: 50%;
    background: rgba(255,255,255,0.12);
    pointer-events: none;
}
.summary-tile:hover { transform: translateY(-4px); box-shadow: var(--shadow-xl); }

.t-total  { background: linear-gradient(135deg, #5b4cff 0%, #9b6bff 100%); box-shadow: 0 6px 20px rgba(9
.t-super  { background: linear-gradient(135deg, #ffb703 0%, #ff6b35 100%); box-shadow: 0 6px 20px rgba
.t-normal { background: linear-gradient(135deg, #38bdf8 0%, #5b4cff 100%); box-shadow: 0 6px 20px rgb
.t-recent { background: linear-gradient(135deg, #00c98b 0%, #00b4d8 100%); box-shadow: 0 6px 20px rg

.tile-icon {
    width: 44px; height: 44px; border-radius: 12px;
    display: flex; align-items: center; justify-content: center;
    font-size: 1.2rem; flex-shrink: 0;
    background: rgba(255,255,255,0.20);
    color: #fff;
}
.tile-body {}
.tile-value { font-size: 1.8rem; font-weight: 800; letter-spacing: -0.04em; color: #fff; line-height: 1; }
.tile-label { font-size: 0.72rem; font-weight: 600; text-transform: uppercase; letter-spacing: 0.8px; color: rgb

/* ■■ Toolbar ■■ */
.toolbar {
    background: var(--bg-surface);
    border: 1px solid var(--border);
    border-top: 3px solid var(--primary);
    border-radius: var(--radius-lg);
    padding: 1rem 1.25rem;
    margin-bottom: 1rem;
    display: flex; align-items: center; gap: 0.75rem; flex-wrap: wrap;
    box-shadow: 0 4px 16px rgba(91,76,255,0.08);
}

/* Search Input */
.search-wrap {
    position: relative; flex: 1; min-width: 220px;
}
.search-icon {
```

```
    position: absolute; left: 1rem; top: 50%; transform: translateY(-50%);
    color: var(--text-muted); font-size: 0.95rem; pointer-events: none;
    transition: color 200ms;
}
.search-input {
    width: 100%; padding: 0.65rem 1rem 0.65rem 2.75rem;
    background: var(--bg-raised); border: 1.5px solid var(--border);
    border-radius: var(--radius); font-size: 0.88rem;
    font-family: 'Outfit', sans-serif; color: var(--text-primary);
    transition: all 200ms; outline: none;
}
.search-input::placeholder { color: var(--text-muted); }
.search-input:focus {
    border-color: var(--primary); background: var(--bg-surface);
    box-shadow: 0 0 0 4px var(--primary-soft);
}
.search-input:focus ~ .search-icon,
.search-wrap:focus-within .search-icon { color: var(--primary); }

/* Filter Chips */
.filter-group { display: flex; gap: 0.4rem; flex-wrap: wrap; }
.filter-chip {
    display: inline-flex; align-items: center; gap: 0.35rem;
    padding: 0.42rem 0.9rem; border-radius: 999px;
    font-size: 0.78rem; font-weight: 600; cursor: pointer;
    border: 1.5px solid var(--border); background: var(--bg-raised);
    color: var(--text-muted); transition: all 150ms; white-space: nowrap;
    font-family: 'Outfit', sans-serif;
}
.filter-chip:hover { border-color: var(--primary); color: var(--primary); background: var(--primary-soft); }
.filter-chip.active { border-color: var(--primary); color: var(--primary); background: var(--primary-soft); }
.filter-chip .chip-count {
    background: var(--primary-soft); color: var(--primary);
    padding: 0.1rem 0.45rem; border-radius: 999px; font-size: 0.68rem;
    font-weight: 700; border: 1px solid var(--border);
}
.filter-chip.active .chip-count { background: var(--primary); color: #fff; border-color: transparent; }

/* Toolbar right */
.toolbar-right { display: flex; gap: 0.5rem; margin-left: auto; align-items: center; }

.sort-select {
    padding: 0.5rem 2rem 0.5rem 0.85rem;
    background: var(--bg-raised); border: 1.5px solid var(--border);
    border-radius: var(--radius); font-size: 0.8rem; color: var(--text-secondary);
    font-family: 'Outfit', sans-serif; outline: none; cursor: pointer;
    appearance: none; -webkit-appearance: none;
    background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='10' he
    background-repeat: no-repeat; background-position: right 0.75rem center;
    transition: all 150ms;
}
.sort-select:focus { border-color: var(--primary); box-shadow: 0 0 0 3px var(--primary-soft); }

/* View toggles */
.view-toggle { display: flex; gap: 0.25rem; }
.view-btn {
    width: 34px; height: 34px; border-radius: 8px; border: 1.5px solid var(--border);
    background: var(--bg-raised); display: flex; align-items: center; justify-content: center;
    font-size: 0.85rem; color: var(--text-muted); cursor: pointer; transition: all 150ms;
}
```

```
.view-btn.active, .view-btn:hover { background: var(--primary-soft); border-color: var(--primary); color: var(

/* Search submit button */
.search-btn {
    display: inline-flex; align-items: center; gap: 0.4rem;
    padding: 0.6rem 1.1rem; border-radius: var(--radius);
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
    color: #fff; border: none; font-size: 0.85rem; font-weight: 600;
    cursor: pointer; font-family: 'Outfit', sans-serif;
    box-shadow: 0 4px 12px var(--primary-glow); transition: all 150ms;
    white-space: nowrap;
}
.search-btn:hover { transform: translateY(-1px); box-shadow: 0 6px 16px var(--primary-glow); }

/* Clear search */
.clear-search {
    display: inline-flex; align-items: center; gap: 0.35rem;
    padding: 0.6rem 0.9rem; border-radius: var(--radius);
    background: var(--bg-raised); color: var(--text-muted);
    border: 1.5px solid var(--border); font-size: 0.82rem; font-weight: 600;
    cursor: pointer; text-decoration: none; font-family: 'Outfit', sans-serif;
    transition: all 150ms;
}
.clear-search:hover { border-color: var(--danger); color: var(--danger); background: rgba(255,77,109,0.06)

/* ■■ Active Search Banner ■■ */
.search-result-bar {
    display: flex; align-items: center; gap: 0.6rem;
    padding: 0.6rem 1rem; background: var(--primary-soft);
    border: 1px solid var(--border); border-radius: var(--radius);
    margin-bottom: 0.75rem; font-size: 0.83rem; color: var(--primary);
    font-weight: 500;
}
.search-result-bar strong { font-weight: 700; }
.search-result-bar a {
    margin-left: auto; color: var(--text-muted); font-size: 0.78rem;
    text-decoration: none; display: flex; align-items: center; gap: 0.3rem;
    transition: color 150ms;
}
.search-result-bar a:hover { color: var(--danger); }

/* ■■ Table Panel ■■ */
.table-panel {
    background: var(--bg-surface);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    overflow: hidden;
    box-shadow: var(--shadow-sm);
}

/* Table */
.admins-table { width: 100%; border-collapse: separate; border-spacing: 0; }
.admins-table thead tr th {
    padding: 0.8rem 1rem;
    font-size: 0.7rem; font-weight: 700;
    text-transform: uppercase; letter-spacing: 0.8px;
    color: rgba(255,255,255,0.75);
    border-bottom: none;
    background: linear-gradient(135deg, #3d2fe0 0%, #5b4cff 60%, #7b6fff 100%);
    white-space: nowrap; cursor: pointer;
```

```
    user-select: none; transition: color 150ms;
}
.admins-table thead tr th:hover { color: #fff; }
.admins-table thead tr th .sort-icon { font-size: 0.7rem; opacity: 0.45; margin-left: 0.3rem; }
.admins-table thead tr th.sorted { color: #fff; }
.admins-table thead tr th.sorted .sort-icon { opacity: 1; color: #ffd166; }

.admins-table tbody tr {
    transition: background 150ms;
    border-bottom: 1px solid var(--border-soft);
}
.admins-table tbody tr:last-child { border-bottom: none; }
.admins-table tbody tr:nth-child(even) td { background: rgba(91,76,255,0.025); }
.admins-table tbody tr:hover td {
    background: rgba(91,76,255,0.07) !important;
}

.admins-table td {
    padding: 0.85rem 1rem;
    font-size: 0.87rem; color: var(--text-primary);
    vertical-align: middle;
}
.admins-table td:first-child { padding-left: 1.5rem; border-left: 3px solid transparent; transition: border-color
.admins-table tbody tr:hover td:first-child { border-left-color: var(--primary); }
.admins-table td:last-child { padding-right: 1.5rem; }

/* Admin name cell */
.admin-cell { display: flex; align-items: center; gap: 0.7rem; }
.admin-avatar {
    width: 36px; height: 36px; border-radius: 10px;
    display: flex; align-items: center; justify-content: center;
    font-weight: 700; font-size: 0.85rem; color: #fff;
    flex-shrink: 0;
}
.admin-info {}
.admin-name  { font-weight: 600; color: var(--text-primary); font-size: 0.88rem; line-height: 1.2; }
.admin-sub   { font-size: 0.73rem; color: var(--text-muted); }

/* Type badge */
.role-badge {
    display: inline-flex; align-items: center; gap: 0.3rem;
    padding: 0.24rem 0.65rem; border-radius: 999px;
    font-size: 0.72rem; font-weight: 700;
    white-space: nowrap;
}
.role-badge.super    { background: rgba(255,183,3,0.13);  color: #c47900; border: 1px solid rgba(255,183,
.role-badge.finance  { background: rgba(0,201,139,0.1);   color: #007d59; border: 1px solid rgba(0,201,13
.role-badge.hr       { background: rgba(91,76,255,0.1);   color: #5b4cff; border: 1px solid rgba(91,76,255,0.
.role-badge.it       { background: rgba(56,189,248,0.1);  color: #0096c7; border: 1px solid rgba(56,189,248
.role-badge.ops      { background: rgba(255,107,53,0.1);  color: #cc4a00; border: 1px solid rgba(255,107,5
.role-badge.support  { background: rgba(255,77,109,0.1);  color: #c9184a; border: 1px solid rgba(255,77,1
.role-badge.normal   { background: rgba(56,189,248,0.1);  color: #0096c7; border: 1px solid rgba(56,189,2
[data-theme="dark"] .role-badge.super   { color: #ffd166; }
[data-theme="dark"] .role-badge.finance { color: #00e5a0; }

/* Email */
.email-link {
    color: var(--text-secondary); text-decoration: none;
    font-size: 0.83rem; display: inline-flex; align-items: center;
    gap: 0.3rem; transition: color 150ms;
```

```
}
.email-link:hover { color: var(--primary); }
.email-link i { font-size: 0.8rem; }

/* Ref pill */
.ref-pill {
    display: inline-flex; align-items: center; gap: 0.3rem;
    padding: 0.24rem 0.65rem; border-radius: 7px;
    background: var(--primary-soft); color: var(--primary);
    border: 1px solid var(--border);
    font-size: 0.77rem; font-weight: 700;
    font-family: 'SF Mono','Fira Code', monospace;
    cursor: pointer; transition: all 150ms;
    user-select: none;
}
.ref-pill:hover { background: var(--primary); color: #fff; }
.ref-pill.copied { background: rgba(0,201,139,0.15); color: var(--success); border-color: rgba(0,201,139,0.3

/* Creator cell */
.creator-cell { display: flex; align-items: center; gap: 0.4rem; }
.creator-dot {
    width: 7px; height: 7px; border-radius: 50%;
    background: var(--primary); flex-shrink: 0;
    box-shadow: 0 0 0 2px var(--primary-soft);
}

/* Date cell */
.date-cell {
    color: var(--text-muted); font-size: 0.8rem;
    display: flex; align-items: center; gap: 0.4rem; white-space: nowrap;
}

/* Action menu */
.row-actions { display: flex; gap: 0.3rem; opacity: 0; transition: opacity 150ms; }
.admins-table tbody tr:hover .row-actions { opacity: 1; }
.row-action-btn {
    width: 28px; height: 28px; border-radius: 7px;
    display: flex; align-items: center; justify-content: center;
    font-size: 0.8rem; border: 1px solid var(--border);
    background: var(--bg-raised); color: var(--text-muted);
    cursor: pointer; transition: all 150ms;
}
.row-action-btn:hover { background: var(--primary-soft); border-color: var(--primary); color: var(--primary); }
.row-action-btn.danger:hover { background: rgba(255,77,109,0.1); border-color: var(--danger); color: var(--

/* ■■ Empty State ■■ */
.empty-state {
    text-align: center; padding: 4rem 2rem;
    color: var(--text-muted);
}
.empty-icon {
    width: 72px; height: 72px; border-radius: 20px;
    background: var(--bg-raised); border: 1px solid var(--border);
    display: flex; align-items: center; justify-content: center;
    font-size: 1.8rem; margin: 0 auto 1.25rem; color: var(--text-muted);
}
.empty-state h3 { font-size: 1.05rem; font-weight: 700; color: var(--text-primary); margin: 0 0 0.4rem; }
.empty-state p  { font-size: 0.88rem; margin: 0 0 1.25rem; }

/* ■■ Table Footer ■■ */
```

```
.table-footer {
    display: flex; align-items: center; justify-content: space-between;
    padding: 0.9rem 1.5rem; border-top: 1px solid var(--border-soft);
    background: linear-gradient(135deg, rgba(91,76,255,0.06) 0%, rgba(155,143,255,0.04) 100%);
    flex-wrap: wrap; gap: 0.75rem;
}
.row-count {
    font-size: 0.78rem; color: var(--text-muted); font-weight: 500;
    display: flex; align-items: center; gap: 0.5rem;
}
.row-count::before {
    content: '';
    display: inline-block;
    width: 8px; height: 8px;
    border-radius: 50%;
    background: var(--primary);
    box-shadow: 0 0 0 3px rgba(91,76,255,0.2);
}
.row-count strong { color: var(--primary); font-weight: 700; }

/* ■■ Bottom Nav ■■ */
.bottom-nav {
    display: flex; align-items: center;
    justify-content: space-between; gap: 1rem;
    flex-wrap: wrap; margin-top: 1.5rem;
}
.nav-links { display: flex; gap: 0.5rem; flex-wrap: wrap; }
.nav-link-btn {
    display: inline-flex; align-items: center; gap: 0.4rem;
    padding: 0.45rem 0.9rem; border-radius: 999px;
    font-size: 0.82rem; font-weight: 600; text-decoration: none;
    border: 1px solid var(--border); color: var(--text-secondary);
    background: var(--bg-raised); transition: all 150ms;
}
.nav-link-btn:hover { background: var(--primary-soft); color: var(--primary); border-color: var(--primary); }
.nav-link-btn.danger { color: var(--danger); }
.nav-link-btn.danger:hover { background: rgba(255,77,109,0.1); border-color: var(--danger); color: var(--da

/* ■■ Highlight search match ■■ */
mark {
    background: rgba(255,183,3,0.25); color: inherit;
    border-radius: 3px; padding: 0 2px;
}
[data-theme="dark"] mark { background: rgba(255,183,3,0.3); }

/* ■■ Responsive ■■ */
@media (max-width: 900px) {
    .admins-table thead th:nth-child(5),
    .admins-table td:nth-child(5) { display: none; }
}
@media (max-width: 700px) {
    .admins-table thead th:nth-child(3),
    .admins-table td:nth-child(3) { display: none; }
    .toolbar { flex-direction: column; align-items: stretch; }
    .toolbar-right { margin-left: 0; }
}
@media (max-width: 500px) {
    .admins-table thead th:nth-child(6),
    .admins-table td:nth-child(6) { display: none; }
}
```

```
</style>
{% endblock %}


{% block content %}
<div class="admins-page" data-aos="fade-up">

    <!-- Breadcrumb -->
    <nav class="breadcrumb-nav">
        <a href="{% url 'dashboard_super' %}"><i class="bi bi-speedometer2"></i> Dashboard</a>
        <span class="sep"><i class="bi bi-chevron-right"></i></span>
        <span class="current">Manage Admins</span>
    </nav>

    <!-- Page Header -->
    <div class="page-head">
        <div class="page-head-left">
            <div class="page-head-icon">
                <i class="bi bi-people-fill"></i>
            </div>
            <div class="page-head-text">
                <h1>Admin Accounts</h1>
                <p>Manage all administrator accounts across the platform</p>
            </div>
        </div>
        <div class="page-head-actions">
            <button class="head-btn secondary" onclick="exportTable()">
                <i class="bi bi-download"></i> Export
            </button>
            <a href="{% url 'register_admin' %}" class="head-btn primary">
                <i class="bi bi-person-plus-fill"></i> New Admin
            </a>
        </div>
    </div>

    <!-- Summary Strip -->
    <div class="summary-strip" data-aos="fade-up" data-aos-delay="50">
        <div class="summary-tile t-total">
            <div class="tile-icon"><i class="bi bi-people"></i></div>
            <div class="tile-body">
                <div class="tile-value" id="count-total">{{ admins|length }}</div>
                <div class="tile-label">Total Admins</div>
            </div>
        </div>
        <div class="summary-tile t-super">
            <div class="tile-icon"><i class="bi bi-star-fill"></i></div>
            <div class="tile-body">
                <div class="tile-value" id="count-super">—</div>
                <div class="tile-label">Super Admins</div>
            </div>
        </div>
        <div class="summary-tile t-normal">
            <div class="tile-icon"><i class="bi bi-person-badge"></i></div>
            <div class="tile-body">
                <div class="tile-value" id="count-normal">—</div>
                <div class="tile-label">Normal Admins</div>
            </div>
        </div>
        <div class="summary-tile t-recent">
            <div class="tile-icon"><i class="bi bi-clock-history"></i></div>
```

```
        <div class="tile-body">
            <div class="tile-value" id="count-recent">—</div>
            <div class="tile-label">Added This Month</div>
        </div>
    </div>
</div>

<!-- Toolbar -->
<form method="get" action="{% url 'view_admins' %}" id="searchForm">
    <div class="toolbar" data-aos="fade-up" data-aos-delay="80">

        <!-- Search -->
        <div class="search-wrap">
            <i class="bi bi-search search-icon"></i>
            <input
                type="text"
                name="search"
                id="searchInput"
                class="search-input"
                value="{{ search_query }}"
                placeholder="Search by name, type, email or ref…"
                autocomplete="off"
            >
        </div>

        <!-- Filter chips -->
        <div class="filter-group" id="filterGroup">
            <button type="button" class="filter-chip active" data-filter="all">
                All
            </button>
            <button type="button" class="filter-chip" data-filter="super">
                <i class="bi bi-star-fill"></i> Super
            </button>
            <button type="button" class="filter-chip" data-filter="finance">
                <i class="bi bi-cash-coin"></i> Finance
            </button>
            <button type="button" class="filter-chip" data-filter="hr">
                <i class="bi bi-people"></i> HR
            </button>
            <button type="button" class="filter-chip" data-filter="it">
                <i class="bi bi-terminal"></i> IT
            </button>
            <button type="button" class="filter-chip" data-filter="ops">
                <i class="bi bi-gear"></i> Ops
            </button>
            <button type="button" class="filter-chip" data-filter="support">
                <i class="bi bi-headset"></i> Support
            </button>
        </div>

        <!-- Right controls -->
        <div class="toolbar-right">
            <select class="sort-select" id="sortSelect" onchange="sortTable(this.value)">
                <option value="name-asc">Name A–Z</option>
                <option value="name-desc">Name Z–A</option>
                <option value="date-desc" selected>Newest First</option>
                <option value="date-asc">Oldest First</option>
            </select>

            <button type="submit" class="search-btn">
```

```
            <i class="bi bi-search"></i> Search
        </button>

        {% if search_query %}
        <a href="{% url 'view_admins' %}" class="clear-search">
            <i class="bi bi-x"></i> Clear
        </a>
        {% endif %}
    </div>
  </div>
</form>

<!-- Active Search Banner -->
{% if search_query %}
<div class="search-result-bar" data-aos="fade-in">
  <i class="bi bi-funnel-fill"></i>
  Showing results for <strong>"{{ search_query }}"</strong> — {{ admins|length }} admin{{ admins|length
  <a href="{% url 'view_admins' %}"><i class="bi bi-x-circle"></i> Clear filter</a>
</div>
{% endif %}

<!-- Table Panel -->
<div class="table-panel" data-aos="fade-up" data-aos-delay="100">
  <div style="overflow-x:auto;">
    <table class="admins-table" id="adminsTable">
        <thead>
            <tr>
                <th onclick="sortByCol(0)" class="sorted">
                    Admin <i class="bi bi-arrow-down sort-icon"></i>
                </th>
                <th onclick="sortByCol(1)">
                    Role <i class="bi bi-chevron-expand sort-icon"></i>
                </th>
                <th onclick="sortByCol(2)">
                    Email <i class="bi bi-chevron-expand sort-icon"></i>
                </th>
                <th onclick="sortByCol(3)">
                    Reference <i class="bi bi-chevron-expand sort-icon"></i>
                </th>
                <th onclick="sortByCol(4)">
                    Created By <i class="bi bi-chevron-expand sort-icon"></i>
                </th>
                <th onclick="sortByCol(5)">
                    Date Added <i class="bi bi-chevron-expand sort-icon"></i>
                </th>
                <th style="width:80px; cursor:default;">Actions</th>
            </tr>
        </thead>
        <tbody id="adminsBody">
            {% for admin in admins %}
            <tr data-type="{{ admin.admin_type|lower|cut:' admin'|default:'normal' }}">

                <!-- Admin Name -->
                <td>
                    <div class="admin-cell">
                        <div class="admin-avatar"
                             style="background: linear-gradient(135deg,
                                {% cycle '#5b4cff' '#00c98b' '#38bdf8' '#ffb703' '#ff4d6d' '#7c3aed' %},
                                {% cycle '#9b6bff' '#00e5a0' '#67d7f5' '#ffd166' '#ff8fab' '#a78bfa' %});">
                            {{ admin.name|first|upper }}
```

```
            </div>
            <div class="admin-info">
                <div class="admin-name">{{ admin.name }}</div>
                <div class="admin-sub">#{{ admin.id|default:"—" }}</div>
            </div>
        </div>
    </td>

    <!-- Role -->
    <td>
        {% with type=admin.admin_type|lower %}
        {% if 'super' in type %}
            <span class="role-badge super"><i class="bi bi-star-fill"></i> Super Admin</span>
        {% elif 'finance' in type %}
            <span class="role-badge finance"><i class="bi bi-cash-coin"></i> Finance</span>
        {% elif 'hr' in type %}
            <span class="role-badge hr"><i class="bi bi-people-fill"></i> HR</span>
        {% elif 'it' in type %}
            <span class="role-badge it"><i class="bi bi-terminal-fill"></i> IT</span>
        {% elif 'operations' in type or 'ops' in type %}
            <span class="role-badge ops"><i class="bi bi-gear-wide-connected"></i> Operations</s
        {% elif 'support' in type %}
            <span class="role-badge support"><i class="bi bi-headset"></i> Support</span>
        {% else %}
            <span class="role-badge normal"><i class="bi bi-person"></i> {{ admin.admin_type }}</s
        {% endif %}
        {% endwith %}
    </td>

    <!-- Email -->
    <td>
        {% if admin.email %}
            <a href="mailto:{{ admin.email }}" class="email-link">
                <i class="bi bi-envelope"></i>{{ admin.email }}
            </a>
        {% else %}
            <span style="color:var(--text-muted); font-size:0.82rem;">—</span>
        {% endif %}
    </td>

    <!-- Reference Number -->
    <td>
        <span class="ref-pill" onclick="copyRef(this, '{{ admin.ref_number }}')">
            <i class="bi bi-hash"></i>{{ admin.ref_number }}
        </span>
    </td>

    <!-- Created By -->
    <td>
        <div class="creator-cell">
            <span class="creator-dot"></span>
            <span style="font-size:0.83rem; color:var(--text-secondary);">
                {{ admin.created_by.username|default:"System" }}
            </span>
        </div>
    </td>

    <!-- Date -->
    <td>
        <div class="date-cell">
```

```
                <i class="bi bi-calendar3"></i>
                {{ admin.created_at|date:"M d, Y" }}
            </div>
        </td>

        <!-- Actions -->
        <td>
            <div class="row-actions">
                <button class="row-action-btn" title="View details" onclick="showToast('Info', 'Admin det
                    <i class="bi bi-eye"></i>
                </button>
                <button class="row-action-btn danger" title="Delete admin" onclick="confirmDelete('{{ ad
                    <i class="bi bi-trash"></i>
                </button>
            </div>
        </td>

    </tr>
    {% empty %}
    <tr>
        <td colspan="7" style="padding:0; border:none;">
            <div class="empty-state">
                <div class="empty-icon"><i class="bi bi-inbox"></i></div>
                <h3>No admin accounts found</h3>
                <p>
                    {% if search_query %}
                        No admins match "<strong>{{ search_query }}</strong>". Try a different search.
                    {% else %}
                        No admin accounts have been created yet.
                    {% endif %}
                </p>
                {% if search_query %}
                    <a href="{% url 'view_admins' %}" class="nav-link-btn" style="display:inline-flex; marg
                        <i class="bi bi-arrow-left"></i> Clear Search
                    </a>
                {% else %}
                    <a href="{% url 'register_admin' %}" class="head-btn primary" style="display:inline-fle
                        <i class="bi bi-person-plus-fill"></i> Create First Admin
                    </a>
                {% endif %}
            </div>
        </td>
    </tr>
    {% endfor %}
  </tbody>
</table>
</div>

<!-- Table Footer -->
{% if admins %}
<div class="table-footer">
  <div class="row-count">
    Showing <strong id="visibleCount">{{ admins|length }}</strong> of <strong>{{ admins|length }}</st
  </div>
  <div style="display:flex; gap:0.5rem; align-items:center;">
    <span style="font-size:0.75rem; color:var(--text-muted);">
      <i class="bi bi-info-circle me-1"></i>Click a reference number to copy it
    </span>
  </div>
</div>
```

```
        {% endif %}
    </div>

    <!-- Bottom Nav -->
    <div class="bottom-nav">
        <div class="nav-links">
            <a href="{% url 'dashboard_super' %}" class="nav-link-btn">
                <i class="bi bi-arrow-left"></i> Back to Dashboard
            </a>
            <a href="{% url 'register_admin' %}" class="nav-link-btn">
                <i class="bi bi-person-plus"></i> Create Admin
            </a>
        </div>
        <a href="{% url 'logout' %}" class="nav-link-btn danger">
            <i class="bi bi-box-arrow-right"></i> Logout
        </a>
    </div>

</div>
{% endblock %}


{% block extra_js %}
<script>
document.addEventListener('DOMContentLoaded', () => {

    // ■■ Count summary tiles ■■
    const rows = document.querySelectorAll('#adminsBody tr[data-type]');
    let superCount = 0, normalCount = 0;

    rows.forEach(row => {
        const t = row.dataset.type;
        if (t === 'super') superCount++;
        else normalCount++;
    });

    document.getElementById('count-super').textContent  = superCount;
    document.getElementById('count-normal').textContent = normalCount;
    // "recent" would need a date comparison — show total for now
    document.getElementById('count-recent').textContent = Math.min(rows.length, 5);

    // ■■ Filter chips ■■
    const chips = document.querySelectorAll('.filter-chip');
    chips.forEach(chip => {
        chip.addEventListener('click', () => {
            chips.forEach(c => c.classList.remove('active'));
            chip.classList.add('active');
            const filter = chip.dataset.filter;
            filterTable(filter);
        });
    });

    function filterTable(filter) {
        let visible = 0;
        rows.forEach(row => {
            const type = row.dataset.type || '';
            const show = filter === 'all' || type.includes(filter);
            row.style.display = show ? '' : 'none';
            if (show) visible++;
        });
```

```
        document.getElementById('visibleCount').textContent = visible;
    }

    // ■■ Live search filter ■■
    const searchInput = document.getElementById('searchInput');
    searchInput?.addEventListener('input', () => {
        const q = searchInput.value.toLowerCase().trim();
        if (!q) { rows.forEach(r => r.style.display = ''); updateCount(); return; }
        rows.forEach(row => {
            const text = row.textContent.toLowerCase();
            row.style.display = text.includes(q) ? '' : 'none';
        });
        updateCount();
    });

    function updateCount() {
        const visible = [...rows].filter(r => r.style.display !== 'none').length;
        document.getElementById('visibleCount').textContent = visible;
    }

});

// ■■ Copy ref number ■■
function copyRef(el, code) {
    navigator.clipboard.writeText(code).then(() => {
        const orig = el.innerHTML;
        el.classList.add('copied');
        el.innerHTML = '<i class="bi bi-check-lg"></i> Copied!';
        setTimeout(() => {
            el.classList.remove('copied');
            el.innerHTML = orig;
        }, 2000);
        showToast('Copied', `Reference ${code} copied to clipboard.`, 'success', 2000);
    });
}

// ■■ Confirm delete ■■
function confirmDelete(name) {
    showToast('Confirm', `Delete admin "${name}"? This action cannot be undone.`, 'warning', 4000);
}

// ■■ Export ■■
function exportTable() {
    const rows = document.querySelectorAll('#adminsBody tr[data-type]');
    let csv = 'Name,Type,Email,Reference,Created By,Date\n';
    rows.forEach(row => {
        const cells = row.querySelectorAll('td');
        const name = cells[0]?.querySelector('.admin-name')?.textContent.trim() || '';
        const type = cells[1]?.textContent.trim() || '';
        const email = cells[2]?.textContent.trim() || '';
        const ref  = cells[3]?.textContent.trim() || '';
        const by   = cells[4]?.textContent.trim() || '';
        const date = cells[5]?.textContent.trim() || '';
        csv += `"${name}","${type}","${email}","${ref}","${by}","${date}"\n`;
    });
    const blob = new Blob([csv], { type: 'text/csv' });
    const a = document.createElement('a');
    a.href = URL.createObjectURL(blob);
    a.download = 'admins-export.csv';
    a.click();
```

```
    showToast('Export', 'Admin list exported as CSV.', 'success');
}

// ■■ Sort ■■
function sortTable(val) {
    const tbody = document.getElementById('adminsBody');
    const rows  = [...tbody.querySelectorAll('tr[data-type]')];
    rows.sort((a, b) => {
        if (val === 'name-asc' || val === 'name-desc') {
            const na = a.querySelector('.admin-name')?.textContent || '';
            const nb = b.querySelector('.admin-name')?.textContent || '';
            return val === 'name-asc' ? na.localeCompare(nb) : nb.localeCompare(na);
        }
        if (val === 'date-asc' || val === 'date-desc') {
            const da = a.querySelector('.date-cell')?.textContent.trim() || '';
            const db = b.querySelector('.date-cell')?.textContent.trim() || '';
            const ta = new Date(da), tb = new Date(db);
            return val === 'date-asc' ? ta - tb : tb - ta;
        }
        return 0;
    });
    rows.forEach(r => tbody.appendChild(r));
}

function sortByCol(col) {
    // Simple toggle sort by column
    const headers = document.querySelectorAll('.admins-table thead th');
    headers.forEach(h => h.classList.remove('sorted'));
    headers[col]?.classList.add('sorted');
}
</script>
{% endblock %}

=== resources\views\admin\admins\create.blade.php ===
@extends('admin.layout')

@section('title', 'Create Admin')

@section('content')
<div class="card" style="max-width:720px;">
    <a href="{{ route('admin.admins.index') }}" style="text-decoration:none;color:#5b4cff;font-weight:700;">
        <i class="bi bi-arrow-left"></i> Back to admin users
    </a>
    <h1 style="margin-top:0.8rem;">Create Admin Account</h1>

    <form method="POST" action="{{ route('admin.admins.store') }}" style="display:grid;gap:0.9rem;margin-to
        @csrf
        <label style="display:grid;gap:0.4rem;font-weight:600;color:#475467;">
            Full Name
            <input type="text" name="name" required maxlength="255" value="{{ old('name') }}" style="padding:0
        </label>
        <label style="display:grid;gap:0.4rem;font-weight:600;color:#475467;">
            Email
            <input type="email" name="email" required maxlength="255" value="{{ old('email') }}" style="padding
        </label>
        <label style="display:grid;gap:0.4rem;font-weight:600;color:#475467;">
            Role
            <select name="account_type" required style="padding:0.6rem;border-radius:10px;border:1px solid #
                <option value="sub_admin" @selected(old('account_type') === 'sub_admin')>Sub Admin</option>
                <option value="super_admin" @selected(old('account_type') === 'super_admin')>Super Admin</o
```

```
            </select>
        </label>
        <label style="display:grid;gap:0.4rem;font-weight:600;color:#475467;">
            Password
            <input type="password" name="password" required style="padding:0.6rem;border-radius:10px;borde
        </label>
        <label style="display:grid;gap:0.4rem;font-weight:600;color:#475467;">
            Confirm Password
            <input type="password" name="password_confirmation" required style="padding:0.6rem;border-radiu
        </label>
        <button type="submit" style="padding:0.7rem 1.2rem;border:none;border-radius:10px;background:#5b4
            Create Admin
        </button>
    </form>
</div>
@endsection

=== resources\views\admin\admins\index.blade.php ===
@extends('admin.layout')

@section('title', 'Admin Users')

@section('content')
<div class="card">
    <div style="display:flex;align-items:center;justify-content:space-between;gap:1rem;">
        <div>
            <h1 style="margin-top:0;">Admin Users</h1>
            <p style="color:#667085;margin-top:0.35rem;">Manage sub-admin and super-admin accounts.</p>
        </div>
        @if(auth()->user()?->account_type === 'super_admin')
            <a href="{{ route('admin.admins.create') }}" style="text-decoration:none;background:#5b4cff;color:#ff
                <i class="bi bi-plus-circle"></i> New Admin
            </a>
        @endif
    </div>

    <div style="margin-top:1.2rem;overflow:auto;">
        <table style="width:100%;border-collapse:collapse;font-size:0.9rem;">
            <thead>
                <tr style="text-align:left;color:#667085;">
                    <th style="padding:0.6rem 0.4rem;">Name</th>
                    <th style="padding:0.6rem 0.4rem;">Email</th>
                    <th style="padding:0.6rem 0.4rem;">Role</th>
                </tr>
            </thead>
            <tbody>
                @forelse($admins as $admin)
                <tr style="border-top:1px solid #e5e7f1;">
                    <td style="padding:0.7rem 0.4rem;">{{ $admin->name }}</td>
                    <td style="padding:0.7rem 0.4rem;">{{ $admin->email }}</td>
                    <td style="padding:0.7rem 0.4rem;">{{ ucfirst(str_replace('_', ' ', $admin->account_type)) }}</td>
                </tr>
                @empty
                <tr>
                    <td colspan="3" style="padding:1rem;text-align:center;color:#667085;">No admin accounts four
                </tr>
                @endforelse
            </tbody>
        </table>
    </div>
```

```
</div>
@endsection

=== resources\views\admin\chats\index.blade.php ===
@extends('admin.layout')

@section('title', 'Support Chats')

@section('content')
<div class="card">
    <h1 style="margin-top:0;">Support Chats</h1>
    <p style="color:#667085;margin-top:0.4rem;">Active conversations with customers.</p>

    <div style="display:grid;gap:0.8rem;margin-top:1.2rem;">
        @forelse($conversations as $conversation)
            <a href="{{ route('admin.chats.show', $conversation) }}" style="text-decoration:none;color:inherit;">
                <div style="border:1px solid #e5e7f1;border-radius:12px;padding:0.9rem 1rem;display:flex;justify-c
                    <div>
                        <strong>{{ $conversation->subject ?? 'Support Request' }}</strong>
                        <div style="font-size:0.85rem;color:#667085;margin-top:0.3rem;">
                            {{ $conversation->customer?->name ?? 'Customer' }}
                            @if($conversation->latestMessage)
                                · {{ \Illuminate\Support\Str::limit($conversation->latestMessage->message, 80) }}
                            @endif
                        </div>
                    </div>
                    <div style="text-align:right;font-size:0.75rem;color:#667085;">
                        <div>{{ optional($conversation->last_message_at)->format('M d, H:i') ?? $conversation->crea
                        @if($conversation->unread_count)
                            <span style="background:#5b4cff;color:#fff;border-radius:999px;padding:0.1rem 0.5rem;fo
                        @endif
                    </div>
                </div>
            </a>
        @empty
            <div style="text-align:center;color:#667085;padding:1.5rem;">No support chats yet.</div>
        @endforelse
    </div>
</div>
@endsection

=== resources\views\admin\chats\show.blade.php ===
@extends('admin.layout')

@section('title', 'Chat Detail')

@section('content')
<div class="card" style="max-width:900px;">
    <a href="{{ route('admin.chats.index') }}" style="text-decoration:none;color:#5b4cff;font-weight:700;">
        <i class="bi bi-arrow-left"></i> Back to chats
    </a>

    <h1 style="margin-top:0.8rem;">{{ $conversation->subject ?? 'Support Request' }}</h1>
    <p style="color:#667085;">Customer: {{ $conversation->customer?->name ?? 'Customer' }}</p>

    <div style="margin:1rem 0;display:grid;gap:0.6rem;">
        @forelse($messages as $message)
            @php $mine = (int) $message->sender_id === (int) auth()->id(); @endphp
            <div style="display:flex;justify-content:{{ $mine ? 'flex-end' : 'flex-start' }};">
                <div style="max-width:70%;background:{{ $mine ? '#5b4cff' : '#f1f3f9' }};color:{{ $mine ? '#fff' : '#1f
```

```
                <div style="font-size:0.88rem;">{{ $message->message }}</div>
                <div style="font-size:0.7rem;opacity:0.7;margin-top:0.35rem;">
                    {{ $message->created_at->format('M d, Y H:i') }}
                </div>
            </div>
        </div>
    @empty
        <div style="text-align:center;color:#667085;padding:1rem;">No messages yet.</div>
    @endforelse
</div>

<form method="POST" action="{{ route('admin.chats.message', $conversation) }}" style="display:grid;gap
    @csrf
    <textarea name="message" rows="3" required maxlength="2000" style="padding:0.7rem;border-radius
    <button type="submit" style="padding:0.7rem 1.2rem;border:none;border-radius:10px;background:#5b4
        Send Reply
    </button>
</form>
</div>
@endsection

=== resources\views\admin\issue_reports\index.blade.php ===
@extends('admin.layout')

@section('title', 'Issue Reports')

@section('content')
<div class="card">
    <div style="display:flex;align-items:center;justify-content:space-between;gap:1rem;">
        <div>
            <h1 style="margin-top:0;">Issue Reports</h1>
            <p style="color:#667085;margin-top:0.35rem;">Review and update customer issues.</p>
        </div>
    </div>

    <div style="margin-top:1.4rem;overflow:auto;">
        <table style="width:100%;border-collapse:collapse;font-size:0.9rem;">
            <thead>
                <tr style="text-align:left;color:#667085;">
                    <th style="padding:0.6rem 0.4rem;">ID</th>
                    <th style="padding:0.6rem 0.4rem;">Subject</th>
                    <th style="padding:0.6rem 0.4rem;">Customer</th>
                    <th style="padding:0.6rem 0.4rem;">Priority</th>
                    <th style="padding:0.6rem 0.4rem;">Status</th>
                    <th style="padding:0.6rem 0.4rem;">Created</th>
                    <th style="padding:0.6rem 0.4rem;"></th>
                </tr>
            </thead>
            <tbody>
                @forelse($reports as $report)
                <tr style="border-top:1px solid #e5e7f1;">
                    <td style="padding:0.7rem 0.4rem;">#{{ $report->id }}</td>
                    <td style="padding:0.7rem 0.4rem;">{{ $report->subject }}</td>
                    <td style="padding:0.7rem 0.4rem;">{{ $report->user?->name ?? 'Unknown' }}</td>
                    <td style="padding:0.7rem 0.4rem;">{{ ucfirst($report->priority) }}</td>
                    <td style="padding:0.7rem 0.4rem;">{{ ucfirst(str_replace('_', ' ', $report->status)) }}</td>
                    <td style="padding:0.7rem 0.4rem;">{{ $report->created_at->format('M d, Y') }}</td>
                    <td style="padding:0.7rem 0.4rem;text-align:right;">
                        <a href="{{ route('admin.issue-reports.show', $report) }}" style="text-decoration:none;color:#5
                    </td>
```

```
            </tr>
            @empty
            <tr>
                <td colspan="7" style="padding:1.2rem;text-align:center;color:#667085;">No issue reports yet.<
            </tr>
            @endforelse
        </tbody>
    </table>
  </div>
</div>
@endsection

=== resources\views\admin\issue_reports\show.blade.php ===
@extends('admin.layout')

@section('title', 'Issue Report')

@section('content')
<div class="card" style="max-width:900px;">
  <a href="{{ route('admin.issue-reports.index') }}" style="text-decoration:none;color:#5b4cff;font-weight:700
    <i class="bi bi-arrow-left"></i> Back to reports
  </a>

  <h1 style="margin-top:0.8rem;">{{ $report->subject }}</h1>
  <p style="color:#667085;">Reported by {{ $report->user?->name ?? 'Unknown' }} · {{ $report->created_at

  <div style="margin:1rem 0;padding:1rem;border:1px solid #e5e7f1;border-radius:12px;background:#fafbff
    <strong>Description</strong>
    <p style="margin-top:0.6rem;color:#344054;">{{ $report->description }}</p>
  </div>

  <form method="POST" action="{{ route('admin.issue-reports.update', $report) }}" style="display:grid;gap:0
    @csrf
    @method('PUT')

    <label style="display:grid;gap:0.4rem;font-weight:600;color:#475467;">
      Status
      <select name="status" required style="padding:0.6rem;border-radius:10px;border:1px solid #d0d5dd
        <option value="open" @selected($report->status === 'open')>Open</option>
        <option value="in_review" @selected($report->status === 'in_review')>In Review</option>
        <option value="resolved" @selected($report->status === 'resolved')>Resolved</option>
        <option value="closed" @selected($report->status === 'closed')>Closed</option>
      </select>
    </label>

    <label style="display:grid;gap:0.4rem;font-weight:600;color:#475467;">
      Assigned Admin
      <select name="assigned_admin_id" style="padding:0.6rem;border-radius:10px;border:1px solid #d0c
        <option value="">Unassigned</option>
        @foreach($admins as $admin)
          <option value="{{ $admin->id }}" @selected($report->assigned_admin_id === $admin->id)>
            {{ $admin->name }} ({{ $admin->account_type }})
          </option>
        @endforeach
      </select>
    </label>

    <button type="submit" style="padding:0.7rem 1.2rem;border:none;border-radius:10px;background:#5b4
      Update Report
    </button>
```

```
    </form>
</div>
@endsection

=== resources\views\chat\chat_room.html ===
{% extends 'base.html' %}
{% block content %}
<div class="container">
    <h2>Chat Room</h2>
    <div class="chat-box">
        {% for message in messages_list %}
            <div class="chat-message {% if message.sender == user %}sent{% else %}received{% endif %}">
                <strong>{{ message.sender.username }}:</strong> {{ message.content }}
                <span class="timestamp">{{ message.timestamp|date:'H:i' }}</span>
            </div>
        {% empty %}
            <p>No messages yet.</p>
        {% endfor %}
    </div>
    <form method="post" action="{% url 'send_message' conversation.id %}">
        {% csrf_token %}
        <textarea name="content" rows="2" class="form-control" placeholder="Type your message..." id="chat-
        <button type="submit" class="btn btn-primary" style="margin-top:10px;">Send</button>
    </form>
    <script>
        document.addEventListener('DOMContentLoaded', function() {
            const form = document.querySelector('form');
            const input = document.getElementById('chat-message-input');
            form.addEventListener('submit', function(e) {
                e.preventDefault();
                const content = input.value.trim();
                if (!content) return;
                const csrfToken = document.querySelector('input[name="csrfmiddlewaretoken"]').value;
                fetch(form.action, {
                    method: 'POST',
                    headers: {
                        'Content-Type': 'application/json',
                        'X-CSRFToken': csrfToken
                    },
                    body: JSON.stringify({ content })
                })
                .then(response => response.json())
                .then(data => {
                    if (data.success) {
                        input.value = '';
                        location.reload();
                    } else {
                        alert(data.error || 'Failed to send message');
                    }
                })
                .catch(() => alert('Error sending message'));
            });
        });
    </script>
    <a href="{% url 'customer_dashboard' %}" class="btn btn-secondary" style="margin-top:15px;">Back to D
</div>
<style>
.chat-box { background: #f8f9fa; border-radius: 8px; padding: 20px; margin-bottom: 20px; max-height: 400px
.chat-message { margin-bottom: 10px; padding: 8px 12px; border-radius: 6px; }
.chat-message.sent { background: #d1e7dd; text-align: right; }
```

```
.chat-message.received { background: #f1f1f1; text-align: left; }
.timestamp { font-size: 0.8em; color: #888; margin-left: 8px; }
</style>
{% endblock %}

=== resources\views\customer\base.blade.php ===
<!DOCTYPE html>
<html lang="en" data-theme="light">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>@yield('title', 'BookHub · Find Your Next Read')</title>

    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;600;700;800;900&display=
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.c
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">
    <!-- Bootstrap 5 for dropdowns -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">

    <style>
    /* ■■■
```

```
    --radius-lg: 20px;
    --radius-xl: 28px;

    --t-fast: 140ms cubic-bezier(0.4,0,0.2,1);
    --t:      260ms cubic-bezier(0.4,0,0.2,1);
    --header-h: 68px;
}

[data-theme="dark"] {
    --primary:        #7b6fff;
    --primary-dark:   #5b4cff;
    --primary-light:  #b3abff;
    --primary-soft:   rgba(123,111,255,0.13);
    --primary-glow:   rgba(123,111,255,0.25);
    --accent:         #ffc155;

    --bg-base:    #0c0a1a;
    --bg-surface: #12101e;
    --bg-raised:  #1a1730;
    --bg-card:    #161328;

    --text-primary:   #ede9ff;
    --text-secondary: #9c97b8;
    --text-muted:     #635e7a;

    --border:      rgba(123,111,255,0.16);
    --border-soft: rgba(123,111,255,0.08);

    --shadow-sm:  0 2px 8px  rgba(0,0,0,0.22);
    --shadow:     0 4px 18px rgba(0,0,0,0.32);
    --shadow-lg:  0 10px 36px rgba(0,0,0,0.42);
    --shadow-xl:  0 20px 60px rgba(0,0,0,0.60);
}

*, *::before, *::after { box-sizing: border-box; margin: 0; padding: 0; }
html { scroll-behavior: smooth; }

body {
    font-family: 'Outfit', system-ui, sans-serif;
    background: var(--bg-base);
    color: var(--text-primary);
    min-height: 100vh;
    -webkit-font-smoothing: antialiased;
    transition: background-color var(--t), color var(--t);
}

/* Global ambient bg glow */
body::before {
    content: '';
    position: fixed; inset: 0; z-index: 0; pointer-events: none;
    background:
        radial-gradient(ellipse 65% 50% at 5%  0%,  rgba(91,76,255,0.12)  0%, transparent 60%),
        radial-gradient(ellipse 45% 40% at 95% 90%, rgba(155,143,255,0.09) 0%, transparent 55%),
        radial-gradient(ellipse 30% 35% at 52% 50%, rgba(245,176,66,0.04)  0%, transparent 65%);
}
[data-theme="dark"] body::before {
    background:
        radial-gradient(ellipse 60% 50% at 5%  0%,  rgba(123,111,255,0.18) 0%, transparent 60%),
        radial-gradient(ellipse 40% 40% at 95% 92%, rgba(0,201,139,0.06)   0%, transparent 55%);
}
```

```
/* ═══════════════════════════════════════════
   HEADER
═══════════════════════════════════════════ */
header {
    position: sticky; top: 0; z-index: 400;
    height: var(--header-h);
    background: rgba(240,239,254,0.82);
    backdrop-filter: blur(18px) saturate(160%);
    -webkit-backdrop-filter: blur(18px) saturate(160%);
    border-bottom: 1px solid var(--border);
    transition: background var(--t), border-color var(--t);
}
[data-theme="dark"] header { background: rgba(18,16,30,0.86); }

.header-inner {
    max-width: 1340px; margin: 0 auto;
    padding: 0 1.5rem; height: 100%;
    display: flex; align-items: center; justify-content: space-between; gap: 1rem;
}

/* Logo */
.logo {
    display: flex; align-items: center; gap: 0.6rem;
    text-decoration: none; flex-shrink: 0; cursor: pointer;
}
.logo-icon {
    width: 38px; height: 38px; border-radius: 11px;
    background: linear-gradient(135deg, var(--primary) 0%, var(--primary-dark) 100%);
    display: flex; align-items: center; justify-content: center;
    font-size: 1rem; color: #fff;
    box-shadow: 0 4px 14px var(--primary-glow);
    flex-shrink: 0;
}
.logo-text {
    font-size: 1.05rem; font-weight: 800;
    color: var(--text-primary); letter-spacing: -0.02em;
}
.logo-text span { color: var(--primary); }

/* Centre search bar */
.header-search {
    flex: 1; max-width: 420px;
    display: flex; align-items: center;
    background: var(--bg-raised); border: 1.5px solid var(--border);
    border-radius: 999px; overflow: hidden;
    transition: all 200ms;
}
.header-search:focus-within {
    border-color: var(--primary);
    background: var(--bg-surface);
    box-shadow: 0 0 0 4px var(--primary-soft);
}
.header-search i {
    padding: 0 0.8rem 0 1.1rem;
    color: var(--text-muted); font-size: 0.95rem; flex-shrink: 0;
}
.header-search input {
    flex: 1; border: none; background: transparent; outline: none;
    font-family: 'Outfit', sans-serif; font-size: 0.87rem;
```

```
    color: var(--text-primary); padding: 0.6rem 0;
}
.header-search input::placeholder { color: var(--text-muted); }
.search-btn {
    background: var(--primary); color: #fff; border: none;
    padding: 0.52rem 1.1rem;
    font-family: 'Outfit', sans-serif; font-size: 0.82rem; font-weight: 700;
    cursor: pointer; border-radius: 0 999px 999px 0;
    transition: background var(--t-fast);
}
.search-btn:hover { background: var(--primary-dark); }

/* Right nav */
.nav-right {
    display: flex; align-items: center; gap: 0.35rem; flex-shrink: 0;
}
.nav-btn {
    display: flex; align-items: center; gap: 0.4rem;
    padding: 0.42rem 0.85rem; border-radius: 999px;
    border: 1.5px solid transparent; background: transparent;
    font-family: 'Outfit', sans-serif; font-size: 0.82rem; font-weight: 600;
    color: var(--text-secondary); cursor: pointer;
    transition: all var(--t-fast); text-decoration: none; white-space: nowrap;
}
.nav-btn:hover { color: var(--primary); background: var(--primary-soft); border-color: var(--border); }
.nav-btn.active { color: var(--primary); }
.nav-btn i { font-size: 0.9rem; }

/* Cart button */
.cart-btn { position: relative; }
.cart-badge {
    position: absolute; top: -4px; right: -4px;
    min-width: 18px; height: 18px; border-radius: 50%;
    background: var(--danger); color: #fff;
    font-size: 0.62rem; font-weight: 800;
    display: flex; align-items: center; justify-content: center;
    border: 2px solid var(--bg-base); padding: 0 3px;
    transition: border-color var(--t);
}

/* Pill buttons */
.nav-pill {
    padding: 0.5rem 1.1rem; border-radius: 999px;
    background: var(--primary); color: #fff; border: none;
    font-family: 'Outfit', sans-serif; font-size: 0.82rem; font-weight: 700;
    cursor: pointer; transition: all var(--t-fast); text-decoration: none;
    display: flex; align-items: center; gap: 0.35rem;
    box-shadow: 0 4px 14px var(--primary-glow); white-space: nowrap;
}
.nav-pill:hover { background: var(--primary-dark); transform: translateY(-1px); color: #fff; }
.nav-pill-outline {
    background: transparent; color: var(--primary);
    border: 1.5px solid var(--primary); box-shadow: none;
}
.nav-pill-outline:hover { background: var(--primary-soft); transform: none; color: var(--primary); }

/* Theme toggle */
.theme-btn {
    width: 36px; height: 36px; border-radius: 10px;
    background: var(--bg-raised); border: 1.5px solid var(--border);
```

```
    display: flex; align-items: center; justify-content: center;
    color: var(--text-muted); font-size: 0.9rem;
    cursor: pointer; transition: all var(--t-fast); flex-shrink: 0;
}
.theme-btn:hover { color: var(--primary); border-color: var(--primary); background: var(--primary-soft); }

/* Mobile menu button */
.mob-menu-btn {
    display: none;
    width: 36px; height: 36px; border-radius: 10px;
    background: var(--bg-raised); border: 1.5px solid var(--border);
    align-items: center; justify-content: center;
    color: var(--text-secondary); font-size: 1.1rem; cursor: pointer;
}

/* Bootstrap dropdown override */
.user-dropdown .dropdown-toggle {
    display: flex; align-items: center; gap: 0.4rem;
    padding: 0.42rem 0.85rem; border-radius: 999px;
    border: 1.5px solid transparent; background: transparent;
    font-family: 'Outfit', sans-serif; font-size: 0.82rem; font-weight: 600;
    color: var(--text-secondary); cursor: pointer;
    transition: all var(--t-fast); text-decoration: none;
}
.user-dropdown .dropdown-toggle::after { display: none; }
.user-dropdown .dropdown-toggle:hover { color: var(--primary); background: var(--primary-soft); border-co
.user-ava {
    width: 26px; height: 26px; border-radius: 8px;
    background: linear-gradient(135deg, var(--primary) 0%, var(--primary-dark) 100%);
    display: flex; align-items: center; justify-content: center;
    font-size: 0.7rem; font-weight: 800; color: #fff; flex-shrink: 0;
}
.dropdown-menu {
    background: var(--bg-card) !important;
    border: 1px solid var(--border) !important;
    border-radius: var(--radius) !important;
    box-shadow: var(--shadow-lg) !important;
    padding: 0.45rem !important;
    min-width: 175px !important;
}
.dropdown-item {
    font-family: 'Outfit', sans-serif !important;
    font-size: 0.82rem !important; font-weight: 600 !important;
    color: var(--text-secondary) !important;
    border-radius: 8px !important; padding: 0.52rem 0.9rem !important;
    display: flex !important; align-items: center !important; gap: 0.55rem !important;
    transition: all var(--t-fast) !important;
}
.dropdown-item:hover { background: var(--primary-soft) !important; color: var(--primary) !important; }
.dropdown-item.text-danger:hover { background: var(--danger-soft) !important; color: var(--danger) !import
.dropdown-divider { border-color: var(--border) !important; margin: 0.3rem 0 !important; }

/* ■■■
```

```
}
.hero::before {
    content: ''; position: absolute; inset: 0; pointer-events: none;
    background:
        radial-gradient(ellipse 80% 70% at 20% -10%, rgba(91,76,255,0.55)  0%, transparent 55%),
        radial-gradient(ellipse 55% 55% at 90% 110%, rgba(245,176,66,0.22)  0%, transparent 55%),
        radial-gradient(ellipse 40% 40% at 50% 120%, rgba(0,201,139,0.12)   0%, transparent 55%);
}
.hero-ring {
    position: absolute; border-radius: 50%;
    border: 1px solid rgba(255,255,255,0.05); pointer-events: none;
}
.hero-ring-1 { width: 500px; height: 500px; top: -200px; right: -150px; }
.hero-ring-2 { width: 320px; height: 320px; bottom: -120px; left: -80px; border-color: rgba(245,176,66,0.07
.hero-ring-3 { width: 180px; height: 180px; top: 30%; left: 8%; border-color: rgba(91,76,255,0.2); }

.hero-inner { position: relative; z-index: 1; max-width: 760px; margin: 0 auto; }
.hero-eyebrow {
    display: inline-flex; align-items: center; gap: 0.5rem;
    padding: 0.32rem 0.95rem; border-radius: 999px;
    background: rgba(255,255,255,0.10); border: 1px solid rgba(255,255,255,0.18);
    font-size: 0.75rem; font-weight: 700; text-transform: uppercase;
    letter-spacing: 1.1px; color: var(--accent);
    margin-bottom: 1.4rem; backdrop-filter: blur(6px);
}
.live-dot {
    width: 6px; height: 6px; border-radius: 50%; background: var(--success);
    box-shadow: 0 0 0 3px rgba(0,201,139,0.22);
    animation: blink 2s ease-in-out infinite; flex-shrink: 0;
}
@keyframes blink { 0%,100%{opacity:1} 50%{opacity:0.3} }

.hero h1 {
    font-size: clamp(2.2rem, 5vw, 3.6rem); font-weight: 900;
    color: #fff; line-height: 1.08; letter-spacing: -0.035em; margin-bottom: 1.2rem;
}
.hero h1 em { font-style: normal; color: var(--accent); }
.hero p {
    font-size: 1.05rem; color: rgba(255,255,255,0.58);
    max-width: 560px; margin: 0 auto 2.5rem; line-height: 1.7;
}

/* Hero search */
.hero-search {
    display: flex; max-width: 580px; margin: 0 auto 2rem;
    background: rgba(255,255,255,0.10); backdrop-filter: blur(12px);
    border: 1.5px solid rgba(255,255,255,0.18);
    border-radius: 999px; overflow: hidden;
    box-shadow: 0 12px 40px rgba(0,0,0,0.22);
}
.hero-search i {
    padding: 0 0.8rem 0 1.5rem; color: rgba(255,255,255,0.5);
    font-size: 1.05rem; display: flex; align-items: center; flex-shrink: 0;
}
.hero-search input {
    flex: 1; border: none; background: transparent; outline: none;
    font-family: 'Outfit', sans-serif; font-size: 0.95rem;
    color: #fff; padding: 1.05rem 0;
}
.hero-search input::placeholder { color: rgba(255,255,255,0.38); }
```

```
.hero-search-btn {
    background: var(--primary); color: #fff; border: none;
    padding: 0 1.8rem; font-family: 'Outfit', sans-serif;
    font-size: 0.9rem; font-weight: 700; cursor: pointer;
    border-radius: 0 999px 999px 0;
    display: flex; align-items: center; gap: 0.45rem;
    transition: background var(--t-fast);
}
.hero-search-btn:hover { background: var(--primary-dark); }

/* Hero stats */
.hero-stats {
    display: flex; align-items: center; justify-content: center;
    gap: 2rem; flex-wrap: wrap;
}
.hero-stat {
    display: flex; align-items: center; gap: 0.5rem;
    font-size: 0.82rem; color: rgba(255,255,255,0.45); font-weight: 500;
}
.hero-stat strong { color: rgba(255,255,255,0.78); font-weight: 700; }
.hero-stat i { color: var(--accent); font-size: 0.8rem; }
.stat-sep { width: 4px; height: 4px; border-radius: 50%; background: rgba(255,255,255,0.14); }

/* ═══════════════════════════════════════════
   MAIN CONTENT AREA
═══════════════════════════════════════════ */
.page-body {
    max-width: 1340px; margin: 0 auto;
    padding: 2.5rem 1.5rem 4rem;
    position: relative; z-index: 1;
}

/* ═══════════════════════════════════════════
   DJANGO MESSAGES
═══════════════════════════════════════════ */
.bh-messages {
    max-width: 1340px; margin: 0 auto;
    padding: 1rem 1.5rem 0; position: relative; z-index: 1;
}
.bh-alert {
    display: flex; align-items: flex-start; gap: 0.75rem;
    padding: 0.85rem 1rem; border-radius: var(--radius);
    margin-bottom: 0.6rem; font-size: 0.84rem; font-weight: 500;
    border: 1px solid; animation: alertSlide .3s ease both;
}
@keyframes alertSlide { from{opacity:0;transform:translateY(-6px)} to{opacity:1;transform:none} }
.bh-alert i { font-size: 1rem; flex-shrink: 0; margin-top: 1px; }
.bh-alert-success { background: var(--success-soft); border-color: rgba(0,201,139,0.22); color: #00a873; }
[data-theme="dark"] .bh-alert-success { color: #00c98b; }
.bh-alert-error   { background: var(--danger-soft);  border-color: rgba(255,77,109,0.22); color: #d63558; }
[data-theme="dark"] .bh-alert-error   { color: #ff6b85; }
.bh-alert-warning { background: var(--accent-soft);  border-color: rgba(245,176,66,0.25);  color: #b87d0a;
[data-theme="dark"] .bh-alert-warning { color: #ffc155; }
.bh-alert-info    { background: var(--primary-soft); border-color: var(--border); color: var(--primary); }
.bh-alert-close {
    margin-left: auto; background: none; border: none;
    color: currentColor; opacity: 0.5; cursor: pointer;
    font-size: 1rem; padding: 0; flex-shrink: 0;
}
.bh-alert-close:hover { opacity: 1; }
```

```
/* ═══════════════════════════════════════════
   MOBILE NAV DRAWER
═══════════════════════════════════════════ */
.mob-nav {
    display: none; flex-direction: column;
    position: fixed; top: var(--header-h); left: 0; right: 0;
    background: var(--bg-card); border-bottom: 1px solid var(--border);
    padding: 1rem 1.5rem 1.25rem; z-index: 390; gap: 0.35rem;
    box-shadow: var(--shadow-xl);
}
.mob-nav.open { display: flex; }
.mob-nav .nav-btn {
    border-radius: var(--radius-sm);
    border: 1.5px solid var(--border);
    padding: 0.65rem 1rem;
    color: var(--text-secondary);
}
.mob-nav .mob-divider { height: 1px; background: var(--border-soft); margin: 0.3rem 0; }
.mob-nav-pills { display: flex; gap: 0.5rem; margin-top: 0.2rem; }
.mob-nav-pills .nav-pill { flex: 1; justify-content: center; }

/* ═══════════════════════════════════════════
   FOOTER
═══════════════════════════════════════════ */
footer {
    background: var(--bg-card); border-top: 1px solid var(--border);
    padding: 3rem 1.5rem 1.5rem;
    position: relative; z-index: 1;
}
.footer-inner {
    max-width: 1340px; margin: 0 auto;
    display: grid; grid-template-columns: 1.4fr repeat(3, 1fr);
    gap: 2.5rem; margin-bottom: 2.5rem;
}
.footer-brand .logo { margin-bottom: 0.85rem; }
.footer-brand p { font-size: 0.82rem; color: var(--text-muted); line-height: 1.65; max-width: 240px; }
.footer-socials { display: flex; gap: 0.5rem; margin-top: 1.2rem; }
.social-icon {
    width: 34px; height: 34px; border-radius: 9px;
    background: var(--bg-raised); border: 1.5px solid var(--border);
    display: flex; align-items: center; justify-content: center;
    color: var(--text-muted); font-size: 0.9rem; cursor: pointer;
    transition: all var(--t-fast); text-decoration: none;
}
.social-icon:hover { color: var(--primary); border-color: var(--primary); background: var(--primary-soft); }
.footer-col h4 {
    font-size: 0.78rem; font-weight: 800; text-transform: uppercase;
    letter-spacing: 1px; color: var(--text-primary); margin-bottom: 1rem;
}
.footer-links { list-style: none; display: flex; flex-direction: column; gap: 0.55rem; }
.footer-links a {
    font-size: 0.82rem; color: var(--text-muted); text-decoration: none;
    font-weight: 500; transition: color var(--t-fast);
}
.footer-links a:hover { color: var(--primary); }
.footer-bottom {
    max-width: 1340px; margin: 0 auto;
    padding-top: 1.5rem; border-top: 1px solid var(--border-soft);
    display: flex; align-items: center; justify-content: space-between;
```

```
    gap: 1rem; flex-wrap: wrap;
}
.footer-copy { font-size: 0.77rem; color: var(--text-muted); }
.footer-badges { display: flex; gap: 0.5rem; flex-wrap: wrap; }
.foot-badge {
    display: inline-flex; align-items: center; gap: 0.35rem;
    padding: 0.28rem 0.75rem; border-radius: 999px;
    background: var(--bg-raised); border: 1px solid var(--border);
    font-size: 0.7rem; font-weight: 700; color: var(--text-muted);
}
.foot-badge i { color: var(--success); }

/* ═══════════════════════════════════════════
   SHARED UTILITY — used by child templates
═══════════════════════════════════════════ */

/* Filter bar */
.filter-bar {
    background: var(--bg-card); border: 1px solid var(--border);
    border-radius: var(--radius-lg); padding: 1.25rem 1.5rem;
    margin-bottom: 2.5rem;
    display: flex; align-items: center; gap: 1rem; flex-wrap: wrap;
    box-shadow: var(--shadow-sm);
}
.filter-label {
    font-size: 0.72rem; font-weight: 800; text-transform: uppercase;
    letter-spacing: 1.1px; color: var(--text-muted); flex-shrink: 0;
}
.filter-tags { display: flex; gap: 0.55rem; flex-wrap: wrap; }
.filter-tag {
    padding: 0.4rem 1rem; border-radius: 999px;
    border: 1.5px solid var(--border); background: var(--bg-raised);
    font-family: 'Outfit', sans-serif; font-size: 0.8rem; font-weight: 600;
    color: var(--text-secondary); cursor: pointer;
    transition: all var(--t-fast); text-decoration: none; display: inline-block;
}
.filter-tag:hover { border-color: var(--primary); color: var(--primary); background: var(--primary-soft); }
.filter-tag.active {
    background: var(--primary); color: #fff; border-color: var(--primary);
    box-shadow: 0 4px 12px var(--primary-glow);
}

/* Section headers */
.section-hd {
    display: flex; align-items: center; justify-content: space-between;
    margin-bottom: 1.5rem; gap: 1rem;
}
.section-hd-left { display: flex; align-items: center; gap: 0.7rem; }
.section-icon {
    width: 36px; height: 36px; border-radius: 10px;
    background: var(--primary-soft); border: 1px solid var(--border);
    display: flex; align-items: center; justify-content: center;
    font-size: 0.9rem; color: var(--primary);
}
.section-title { font-size: 1.25rem; font-weight: 800; color: var(--text-primary); letter-spacing: -0.02em; }
.section-sub   { font-size: 0.8rem; color: var(--text-muted); margin-top: 0.1rem; }
.view-all {
    display: inline-flex; align-items: center; gap: 0.35rem;
    font-size: 0.8rem; font-weight: 700; color: var(--primary);
    text-decoration: none; padding: 0.38rem 0.9rem;
```

```
    border-radius: 999px; border: 1.5px solid var(--border);
    background: var(--bg-raised); transition: all var(--t-fast);
}
.view-all:hover { background: var(--primary-soft); border-color: var(--primary); }

/* Book card / grid */
.book-grid {
    display: grid;
    grid-template-columns: repeat(auto-fill, minmax(268px, 1fr));
    gap: 1.5rem; margin-bottom: 3.5rem;
}
.book-card {
    background: var(--bg-card); border: 1px solid var(--border);
    border-radius: var(--radius-lg); overflow: hidden;
    display: flex; flex-direction: column;
    transition: transform var(--t), box-shadow var(--t), border-color var(--t);
    box-shadow: var(--shadow-sm); cursor: pointer;
}
.book-card:hover { transform: translateY(-6px); box-shadow: var(--shadow-lg); border-color: rgba(91,76,25
[data-theme="dark"] .book-card:hover { border-color: rgba(123,111,255,0.30); }

.book-img { height: 240px; position: relative; overflow: hidden; background: var(--bg-raised); }
.book-img img { width: 100%; height: 100%; object-fit: cover; transition: transform 0.55s ease; }
.book-card:hover .book-img img { transform: scale(1.07); }
.book-img::after {
    content: ''; position: absolute; inset: 0;
    background: linear-gradient(to top, rgba(14,10,35,0.55) 0%, transparent 55%);
    opacity: 0; transition: opacity var(--t);
}
.book-card:hover .book-img::after { opacity: 1; }

.store-badge {
    position: absolute; top: 12px; left: 12px; z-index: 2;
    padding: 0.3rem 0.75rem; border-radius: 999px;
    background: rgba(14,10,35,0.65); backdrop-filter: blur(8px);
    border: 1px solid rgba(255,255,255,0.15);
    font-size: 0.68rem; font-weight: 700; color: #fff; letter-spacing: 0.3px;
}
.book-wish {
    position: absolute; top: 10px; right: 10px; z-index: 2;
    width: 32px; height: 32px; border-radius: 50%;
    background: rgba(14,10,35,0.55); backdrop-filter: blur(6px);
    border: 1px solid rgba(255,255,255,0.15);
    display: flex; align-items: center; justify-content: center;
    color: rgba(255,255,255,0.7); font-size: 0.85rem; cursor: pointer;
    transition: all var(--t-fast); opacity: 0;
}
.book-card:hover .book-wish { opacity: 1; }
.book-wish:hover { background: var(--danger); color: #fff; border-color: var(--danger); }
.book-wish.active {
    background: var(--danger);
    color: #fff;
    border-color: var(--danger);
    opacity: 1;
}
.quick-view {
    position: absolute; bottom: 0; left: 0; right: 0; z-index: 3;
    padding: 0.7rem 1rem;
    display: flex; align-items: center; justify-content: center;
    gap: 0.4rem; font-size: 0.78rem; font-weight: 700; color: #fff;
```

```
    transform: translateY(100%); transition: transform 0.22s ease;
    background: rgba(91,76,255,0.85); backdrop-filter: blur(6px);
}
.book-card:hover .quick-view { transform: translateY(0); }

.book-body { padding: 1.2rem 1.25rem; flex: 1; display: flex; flex-direction: column; }
.book-title { font-size: 1rem; font-weight: 800; color: var(--text-primary); letter-spacing: -0.015em; margin-b
.book-author { font-size: 0.8rem; color: var(--text-muted); margin-bottom: 0.75rem; font-weight: 500; }
.book-desc {
    font-size: 0.82rem; color: var(--text-secondary); line-height: 1.6;
    display: -webkit-box; -webkit-line-clamp: 3; -webkit-box-orient: vertical;
    overflow: hidden; flex: 1; margin-bottom: 1rem;
}
.book-rating { display: flex; align-items: center; gap: 0.35rem; margin-bottom: 0.9rem; }
.stars { color: var(--accent); font-size: 0.75rem; letter-spacing: 1px; }
.rating-num { font-size: 0.75rem; color: var(--text-muted); font-weight: 600; }

.pricing-row {
    display: flex; margin-bottom: 1rem;
    border: 1px solid var(--border); border-radius: var(--radius-sm); overflow: hidden;
}
.price-pill {
    flex: 1; padding: 0.6rem 0.5rem; text-align: center;
    display: flex; flex-direction: column; align-items: center; gap: 0.1rem;
}
.price-pill:first-child { border-right: 1px solid var(--border); }
.price-tag { font-size: 0.62rem; font-weight: 700; text-transform: uppercase; letter-spacing: 0.7px; color: va
.price-amount { font-size: 1.05rem; font-weight: 900; letter-spacing: -0.02em; }
.price-period { font-size: 0.6rem; color: var(--text-muted); }
.price-rent .price-amount { color: var(--rent-color); }
.price-buy  .price-amount { color: var(--buy-color); }

.book-actions { display: grid; grid-template-columns: 1fr 1fr; gap: 0.55rem; }
.btn {
    padding: 0.65rem 0.5rem; border-radius: var(--radius-sm); border: none;
    font-family: 'Outfit', sans-serif; font-size: 0.8rem; font-weight: 700;
    cursor: pointer; display: flex; align-items: center; justify-content: center;
    gap: 0.4rem; transition: all var(--t-fast);
}
.btn i { font-size: 0.85rem; }
.btn-rent { background: var(--primary-soft); color: var(--primary); border: 1.5px solid var(--border); }
.btn-rent:hover { background: var(--primary); color: #fff; border-color: var(--primary); }
.btn-buy  { background: var(--success-soft); color: var(--success); border: 1.5px solid rgba(0,201,139,0.2);
.btn-buy:hover { background: var(--success); color: #fff; border-color: var(--success); }
.btn-disabled { background: var(--bg-raised); color: var(--text-muted); border: 1.5px solid var(--border); cur

/* Promo banner */
.promo-banner {
    background: linear-gradient(135deg, #1a1050 0%, var(--primary) 55%, #3d2fe0 100%);
    border-radius: var(--radius-xl); padding: 2.5rem;
    display: flex; align-items: center; justify-content: space-between;
    gap: 1.5rem; flex-wrap: wrap; margin-bottom: 3.5rem;
    position: relative; overflow: hidden;
    box-shadow: 0 12px 40px var(--primary-glow);
}
.promo-banner::before {
    content: ''; position: absolute; inset: 0; pointer-events: none;
    background: radial-gradient(ellipse 60% 100% at 80% 50%, rgba(245,176,66,0.18) 0%, transparent 60
}
.promo-deco { position: absolute; border-radius: 50%; pointer-events: none; border: 1px solid rgba(255,25
```

```
.promo-deco-1 { width: 220px; height: 220px; top: -80px; right: 22%; }
.promo-deco-2 { width: 140px; height: 140px; bottom: -60px; right: 10%; border-color: rgba(245,176,66,0.1
.promo-text { position: relative; z-index: 1; }
.promo-eyebrow { font-size: 0.7rem; font-weight: 800; text-transform: uppercase; letter-spacing: 1.2px; col
.promo-text h2 { font-size: clamp(1.4rem, 3vw, 2rem); font-weight: 900; color: #fff; letter-spacing: -0.03em;
.promo-text p  { font-size: 0.88rem; color: rgba(255,255,255,0.58); max-width: 380px; }
.promo-actions { display: flex; gap: 0.75rem; flex-wrap: wrap; position: relative; z-index: 1; }
.promo-btn {
    padding: 0.75rem 1.5rem; border-radius: 999px;
    font-family: 'Outfit', sans-serif; font-size: 0.88rem; font-weight: 700;
    cursor: pointer; transition: all var(--t-fast); border: none;
    display: flex; align-items: center; gap: 0.45rem;
}
.promo-btn-primary { background: #fff; color: var(--primary); }
.promo-btn-primary:hover { background: var(--accent); color: #fff; }
.promo-btn-outline { background: rgba(255,255,255,0.12); color: #fff; border: 1px solid rgba(255,255,255,0
.promo-btn-outline:hover { background: rgba(255,255,255,0.22); }

/* Category grid */
.categories-section { margin-bottom: 3.5rem; }
.cat-grid { display: grid; grid-template-columns: repeat(auto-fill, minmax(160px, 1fr)); gap: 1rem; }
.cat-card {
    background: var(--bg-card); border: 1px solid var(--border);
    border-radius: var(--radius-lg); padding: 1.5rem 1rem;
    text-align: center; cursor: pointer;
    transition: all var(--t); box-shadow: var(--shadow-sm);
}
.cat-card:hover { border-color: var(--primary); transform: translateY(-4px); box-shadow: var(--shadow); }
.cat-icon-wrap {
    width: 52px; height: 52px; border-radius: 14px; margin: 0 auto 0.85rem;
    background: var(--primary-soft); border: 1px solid var(--border);
    display: flex; align-items: center; justify-content: center;
    font-size: 1.4rem; color: var(--primary); transition: all var(--t);
}
.cat-card:hover .cat-icon-wrap { background: var(--primary); color: #fff; box-shadow: 0 6px 18px var(--prim
.cat-name { font-size: 0.83rem; font-weight: 700; color: var(--text-secondary); transition: color var(--t); }
.cat-card:hover .cat-name { color: var(--primary); }
.cat-count { font-size: 0.72rem; color: var(--text-muted); margin-top: 0.2rem; }

/* Pagination */
.bh-pagination { display: flex; align-items: center; justify-content: center; gap: 0.5rem; margin: 1rem 0 2rem
.page-btn {
    padding: 0.48rem 1.1rem; border-radius: var(--radius-sm);
    border: 1.5px solid var(--border); background: var(--bg-raised);
    font-family: 'Outfit', sans-serif; font-size: 0.82rem; font-weight: 600;
    color: var(--text-secondary); cursor: pointer; text-decoration: none;
    transition: all var(--t-fast); display: inline-flex; align-items: center; gap: 0.35rem;
}
.page-btn:hover { border-color: var(--primary); color: var(--primary); background: var(--primary-soft); }
.page-btn.current {
    background: var(--primary); color: #fff; border-color: var(--primary);
    box-shadow: 0 4px 12px var(--primary-glow);
}

/* Select */
.bh-select {
    background: var(--bg-raised); border: 1.5px solid var(--border);
    border-radius: var(--radius-sm); padding: 0.46rem 2.2rem 0.46rem 0.9rem;
    font-family: 'Outfit', sans-serif; font-size: 0.82rem; font-weight: 600;
    color: var(--text-secondary); cursor: pointer; outline: none; appearance: none;
```

```
        background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='12' he
        background-repeat: no-repeat; background-position: right 0.7rem center;
        transition: all var(--t-fast);
    }
    .bh-select:focus { border-color: var(--primary); box-shadow: 0 0 0 3px var(--primary-soft); }
    .bh-select option { background: var(--bg-card); color: var(--text-primary); }

    /* Responsive */
    @media (max-width: 900px) {
        .footer-inner { grid-template-columns: 1fr 1fr; }
        .header-search { display: none; }
        .mob-menu-btn { display: flex; }
        .nav-right .nav-btn { display: none; }
        .nav-right .nav-pill { display: none; }
        .nav-right .cart-btn { display: flex !important; }
    }
    @media (max-width: 600px) {
        .hero { padding: 3.5rem 1.25rem 3rem; }
        .hero-stats { gap: 1rem; }
        .stat-sep { display: none; }
        .footer-inner { grid-template-columns: 1fr; }
        .promo-banner { padding: 2rem 1.5rem; }
        .book-grid { grid-template-columns: 1fr; }
        .cat-grid { grid-template-columns: repeat(3, 1fr); }
        .page-body { padding: 1.5rem 1rem 3rem; }
        .header-inner { padding: 0 1rem; }
    }
    </style>
    @yield('extra_css')
</head>

<body>

<!-- ■■■
```

```
<a href="{{ route('customer.dashboard') }}" class="nav-btn">
  <i class="bi bi-house-fill"></i> Home
</a>

@guest
  <a href="{{ route('login') }}" class="nav-btn">
    <i class="bi bi-box-arrow-in-right"></i> Login
  </a>
  <a href="{{ route('register') }}" class="nav-pill">
    <i class="bi bi-person-plus-fill"></i> Register
  </a>
@else
  <a href="{{ route('wishlist.index') }}" class="nav-btn">
    <i class="bi bi-heart-fill"></i> Wishlist
  </a>
  <a href="{{ route('orders.index') }}" class="nav-btn">
    <i class="bi bi-receipt"></i> Orders
  </a>
  <a href="{{ route('chat.index') }}" class="nav-btn cart-btn">
    <i class="bi bi-chat-dots-fill"></i> Chat
    <span class="cart-badge" id="chat-unread-badge" style="display:none;">0</span>
  </a>
  <a href="{{ route('issue-reports.index') }}" class="nav-btn">
    <i class="bi bi-flag-fill"></i> Issues
  </a>
  <a href="{{ route('cart.index') }}" class="nav-btn cart-btn">
    <i class="bi bi-bag-fill"></i>
    <span class="cart-badge" id="cart-count">{{ $cartCount }}</span>
  </a>
  @php
    $displayName = Auth::user()->name ?? Auth::user()->username ?? 'User';
  @endphp
  <div class="dropdown user-dropdown">
    <a href="#" class="dropdown-toggle" id="userDropdown"
       data-bs-toggle="dropdown" aria-expanded="false">
      <div class="user-ava">{{ strtoupper(substr($displayName, 0, 1)) }}</div>
      {{ $displayName }}
      <i class="bi bi-chevron-down" style="font-size:0.65rem;color:var(--text-muted);"></i>
    </a>
    <ul class="dropdown-menu dropdown-menu-end" aria-labelledby="userDropdown">
      <li>
        <a class="dropdown-item" href="{{ route('profile.edit') }}">
          <i class="bi bi-person-fill"></i> Profile
        </a>
      </li>
      <li><hr class="dropdown-divider"></li>
      <li>
        <form method="POST" action="{{ route('logout') }}">
          @csrf
          <button type="submit" class="dropdown-item text-danger" style="color:var(--danger)!important;">
            <i class="bi bi-box-arrow-right"></i> Logout
          </button>
        </form>
      </li>
    </ul>
  </div>
@endguest

<!-- Theme toggle -->
<button class="theme-btn" id="themeToggle" aria-label="Toggle dark/light mode">
```

```
      <i class="bi bi-sun-fill" id="themeIcon"></i>
    </button>

    <!-- Mobile hamburger -->
    <button class="mob-menu-btn" id="mobMenuBtn" aria-label="Menu">
      <i class="bi bi-list" id="mobMenuIcon"></i>
    </button>
  </nav>

 </div>
</header>

<!-- Mobile nav drawer -->
<div class="mob-nav" id="mobNav">
 <a href="{{ route('customer.dashboard') }}" class="nav-btn"><i class="bi bi-house-fill"></i> Home</a>
 @guest
  <a href="{{ route('login') }}" class="nav-btn"><i class="bi bi-box-arrow-in-right"></i> Login</a>
  <a href="{{ route('register') }}" class="nav-btn"><i class="bi bi-person-plus-fill"></i> Register</a>
 @else
  <a href="{{ route('wishlist.index') }}" class="nav-btn"><i class="bi bi-heart-fill"></i> Wishlist</a>
  <a href="{{ route('orders.index') }}" class="nav-btn"><i class="bi bi-receipt"></i> Orders</a>
  <a href="{{ route('chat.index') }}" class="nav-btn"><i class="bi bi-chat-dots-fill"></i> Chat</a>
  <a href="{{ route('issue-reports.index') }}" class="nav-btn"><i class="bi bi-flag-fill"></i> Issues</a>
  <a href="{{ route('cart.index') }}" class="nav-btn"><i class="bi bi-bag-fill"></i> Cart</a>
  <a href="{{ route('profile.edit') }}" class="nav-btn"><i class="bi bi-person-fill"></i> Profile</a>
  <form method="POST" action="{{ route('logout') }}" style="width:100%;">
    @csrf
    <button type="submit" class="nav-btn" style="width:100%;justify-content:flex-start;">
      <i class="bi bi-box-arrow-right"></i> Logout
    </button>
  </form>
 @endguest
</div>

<!-- ═══════════════════════════════════════
    HERO
    ═══════════════════════════════════════ -->
<section class="hero">
 <div class="hero-ring hero-ring-1"></div>
 <div class="hero-ring hero-ring-2"></div>
 <div class="hero-ring hero-ring-3"></div>
 <div class="hero-inner">
  <div class="hero-eyebrow">
    <span class="live-dot"></span>
    Books · Stores · Updated Daily
  </div>
  <h1>Discover Your Next<br><em>Favourite</em> Book</h1>
  <p>Browse thousands of books from multiple stores. Rent affordably or own forever — your literary journe

  <form method="GET" action="{{ route('customer.dashboard') }}">
    <div class="hero-search">
      <i class="bi bi-search"></i>
      <input type="text" name="search"
             placeholder="Search for books, authors, or genres…"
             value="{{ $searchQuery ?? '' }}">
      <button type="submit" class="hero-search-btn">
        <i class="bi bi-arrow-right"></i> Search
      </button>
    </div>
  </form>
```

```
    <div class="hero-stats">
      <div class="hero-stat"><i class="bi bi-book-fill"></i> <strong>12K+</strong> books</div>
      <div class="stat-sep"></div>
      <div class="hero-stat"><i class="bi bi-shop"></i> <strong>340+</strong> partner stores</div>
      <div class="stat-sep"></div>
      <div class="hero-stat"><i class="bi bi-people-fill"></i> <strong>8K+</strong> readers</div>
      <div class="stat-sep"></div>
      <div class="hero-stat"><i class="bi bi-shield-check"></i> <strong>Secure</strong> checkout</div>
    </div>
  </div>
</section>

<!-- ═══════════════════════════════════════
     DJANGO MESSAGES
     ═══════════════════════════════════════ -->
@if (session('status') || session('error') || $errors->any())
<div class="bh-messages">
  @if (session('status'))
    <div class="bh-alert bh-alert-success">
      <i class="bi bi-check-circle-fill"></i>
      <span>{{ session('status') }}</span>
      <button class="bh-alert-close" onclick="this.parentElement.remove()">
        <i class="bi bi-x"></i>
      </button>
    </div>
  @endif
  @if (session('error'))
    <div class="bh-alert bh-alert-error">
      <i class="bi bi-x-circle-fill"></i>
      <span>{{ session('error') }}</span>
      <button class="bh-alert-close" onclick="this.parentElement.remove()">
        <i class="bi bi-x"></i>
      </button>
    </div>
  @endif
  @if ($errors->any())
    <div class="bh-alert bh-alert-error">
      <i class="bi bi-exclamation-triangle-fill"></i>
      <span>{{ $errors->first() }}</span>
      <button class="bh-alert-close" onclick="this.parentElement.remove()">
        <i class="bi bi-x"></i>
      </button>
    </div>
  @endif
</div>
@endif

<!-- ═══════════════════════════════════════
     PAGE CONTENT
     ═══════════════════════════════════════ -->
<main class="page-body" id="content">
  @yield('content')
</main>

<!-- ═══════════════════════════════════════
     FOOTER
     ═══════════════════════════════════════ -->
<footer>
  <div class="footer-inner">
```

```
    <div class="footer-brand">
      <a href="{{ route('customer.dashboard') }}" class="logo">
        <div class="logo-icon"><i class="bi bi-book-half"></i></div>
        <span class="logo-text">Book<span>Hub</span></span>
      </a>
      <p>Your one-stop destination for buying and renting books from verified partner stores. Find your next re
      <div class="footer-socials">
        <a class="social-icon" href="#"><i class="bi bi-facebook"></i></a>
        <a class="social-icon" href="#"><i class="bi bi-twitter-x"></i></a>
        <a class="social-icon" href="#"><i class="bi bi-instagram"></i></a>
        <a class="social-icon" href="#"><i class="bi bi-telegram"></i></a>
      </div>
    </div>

    <div class="footer-col">
      <h4>Quick Links</h4>
      <ul class="footer-links">
        <li><a href="{{ route('customer.dashboard') }}">Home</a></li>
        <li><a href="{{ route('customer.dashboard') }}">All Books</a></li>
        <li><a href="#">Stores</a></li>
        <li><a href="#">Wishlist</a></li>
        <li><a href="#">My Account</a></li>
      </ul>
    </div>

    <div class="footer-col">
      <h4>Support</h4>
      <ul class="footer-links">
        <li><a href="#">FAQ</a></li>
        <li><a href="#">Shipping Info</a></li>
        <li><a href="#">Return Policy</a></li>
        <li><a href="#">Rental Terms</a></li>
        <li><a href="#">Contact Us</a></li>
      </ul>
    </div>

    <div class="footer-col">
      <h4>Account</h4>
      <ul class="footer-links">
        <li><a href="{{ route('profile.edit') }}">My Profile</a></li>
        <li><a href="#">Order History</a></li>
        <li><a href="#">Reading List</a></li>
        <li><a href="{{ route('issue-reports.create') }}">Report Issue</a></li>
        <li><a href="#">Sign Out</a></li>
      </ul>
    </div>

  </div>

  <div class="footer-bottom">
    <div class="footer-copy">© 2025 BookHub Store. All rights reserved. Books from multiple partner stores.<
    <div class="footer-badges">
      <span class="foot-badge"><i class="bi bi-shield-check"></i> SSL Secured</span>
      <span class="foot-badge"><i class="bi bi-lock-fill"></i> 256-bit Encrypted</span>
      <span class="foot-badge"><i class="bi bi-patch-check-fill"></i> Verified Stores</span>
    </div>
  </div>
</footer>
```

```
<!-- Bootstrap JS (dropdowns) -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>

<script>
document.addEventListener('DOMContentLoaded', function () {

    // ■■ THEME ■■
    const html      = document.documentElement;
    const themeBtn  = document.getElementById('themeToggle');
    const themeIcon = document.getElementById('themeIcon');

    function applyTheme(dark) {
        html.setAttribute('data-theme', dark ? 'dark' : 'light');
        themeIcon.className = dark ? 'bi bi-moon-stars-fill' : 'bi bi-sun-fill';
        localStorage.setItem('bh-theme', dark ? 'dark' : 'light');
    }

    const saved = localStorage.getItem('bh-theme');
    applyTheme(saved ? saved === 'dark' : window.matchMedia('(prefers-color-scheme: dark)').matches);

    if (themeBtn) {
        themeBtn.addEventListener('click', function () {
            applyTheme(html.getAttribute('data-theme') !== 'dark');
        });
    }

    // ■■ CART COUNT ■■
    @auth
    fetch('{{ route('cart.count') }}')
        .then(r => r.json())
        .then(d => { const el = document.getElementById('cart-count'); if (el) el.textContent = d.count || 0; })
        .catch(() => {});
    @endauth

    // ■■ CHAT UNREAD ■■
    @auth
    function updateChatBadge() {
        fetch('{{ route('chat.unread') }}', { headers: { 'X-Requested-With': 'XMLHttpRequest' } })
            .then(r => r.json())
            .then(d => {
                const b = document.getElementById('chat-unread-badge');
                if (b) {
                    if (d.count > 0) {
                        b.textContent = d.count;
                        b.style.display = 'inline';
                    } else {
                        b.style.display = 'none';
                    }
                }
            })
            .catch(() => {});
    }
    updateChatBadge();
    setInterval(updateChatBadge, 30000);
    @endauth

    // ■■ MOBILE MENU ■■
    const mobBtn  = document.getElementById('mobMenuBtn');
    const mobNav  = document.getElementById('mobNav');
    const mobIcon = document.getElementById('mobMenuIcon');
```

```
    if (mobBtn && mobNav) {
        mobBtn.addEventListener('click', function () {
            const open = mobNav.classList.toggle('open');
            mobIcon.className = open ? 'bi bi-x-lg' : 'bi bi-list';
        });
        mobNav.querySelectorAll('a').forEach(l => l.addEventListener('click', () => {
            mobNav.classList.remove('open');
            mobIcon.className = 'bi bi-list';
        }));
    }

    // ■■ ACTIVE NAV ■■
    const path = window.location.pathname;
    document.querySelectorAll('header .nav-btn[href]').forEach(link => {
        if (link.getAttribute('href') === path) link.classList.add('active');
    });

    // ■■ AUTO-DISMISS MESSAGES ■■
    document.querySelectorAll('.bh-alert').forEach(alert => {
        setTimeout(() => {
            alert.style.transition = 'opacity .4s, transform .4s';
            alert.style.opacity = '0';
            alert.style.transform = 'translateY(-5px)';
            setTimeout(() => alert.remove(), 400);
        }, 5000);
    });

    // ■■ FILTER TAG ACTIVE (JS fallback for non-link tags) ■■
    document.querySelectorAll('.filter-tags .filter-tag[data-js-filter]').forEach(tag => {
        tag.addEventListener('click', function () {
            document.querySelectorAll('.filter-tags .filter-tag').forEach(t => t.classList.remove('active'));
            this.classList.add('active');
        });
    });

});
</script>

@yield('extra_js')
</body>
</html>

=== resources\views\customer\book_detail.blade.php ===
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>{{ $book->title }} - BookHub Store</title>
    <link
      rel="stylesheet"
      href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css"
    />
    <style>
      * {
        margin: 0;
        padding: 0;
        box-sizing: border-box;
        font-family: "Segoe UI", Tahoma, Geneva, Verdana, sans-serif;
      }
```

```
body {
  background-color: #f8f9fa;
  color: #333;
  line-height: 1.6;
}

.container {
  max-width: 1200px;
  margin: 0 auto;
  padding: 20px;
}

.header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 20px 0;
  border-bottom: 1px solid #e0e0e0;
  margin-bottom: 30px;
}

.logo {
  font-size: 1.8rem;
  font-weight: 700;
  color: #2c3e50;
  display: flex;
  align-items: center;
  text-decoration: none;
}

.logo i {
  margin-right: 10px;
  color: #3498db;
}

.nav-links {
  display: flex;
  gap: 25px;
}

.nav-link {
  text-decoration: none;
  color: #2c3e50;
  font-weight: 500;
  display: flex;
  align-items: center;
  gap: 8px;
}

.nav-link:hover {
  color: #3498db;
}

.cart-badge {
  background-color: #e74c3c;
  color: white;
  border-radius: 50%;
  width: 22px;
  height: 22px;
```

```
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 0.8rem;
  margin-left: 5px;
}

.breadcrumb {
  margin-bottom: 30px;
}

.breadcrumb a {
  color: #3498db;
  text-decoration: none;
}

.book-detail-container {
  display: grid;
  grid-template-columns: 1fr 2fr;
  gap: 40px;
  margin-bottom: 50px;
}

.book-cover {
  background-color: white;
  padding: 20px;
  border-radius: 12px;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
  text-align: center;
}

.book-cover img {
  width: 100%;
  max-width: 300px;
  height: auto;
  border-radius: 8px;
  margin-bottom: 20px;
}

.store-badge {
  display: inline-block;
  background-color: #3498db;
  color: white;
  padding: 8px 15px;
  border-radius: 20px;
  font-size: 0.9rem;
  font-weight: 600;
  margin-bottom: 15px;
}

.book-info {
  background-color: white;
  padding: 30px;
  border-radius: 12px;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
}

.book-title {
  font-size: 2.2rem;
  margin-bottom: 15px;
```

```
  color: #2c3e50;
}

.book-author {
  font-size: 1.3rem;
  color: #7f8c8d;
  margin-bottom: 20px;
}

.book-meta {
  display: flex;
  gap: 20px;
  margin-bottom: 25px;
  flex-wrap: wrap;
}

.meta-item {
  display: flex;
  flex-direction: column;
}

.meta-label {
  font-size: 0.9rem;
  color: #7f8c8d;
  margin-bottom: 5px;
}

.meta-value {
  font-weight: 600;
  color: #2c3e50;
}

.pricing-section {
  background-color: #f8f9fa;
  padding: 25px;
  border-radius: 10px;
  margin-bottom: 30px;
}

.price-options {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
  gap: 20px;
  margin-bottom: 25px;
}

.price-option {
  background-color: white;
  padding: 20px;
  border-radius: 8px;
  text-align: center;
  border: 2px solid transparent;
  transition: all 0.3s;
  cursor: pointer;
}

.price-option.selected {
  border-color: #3498db;
  background-color: #f0f8ff;
}
```

```
.price-option:hover {
  transform: translateY(-5px);
  box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
}

.price-type {
  font-size: 1.2rem;
  font-weight: 600;
  margin-bottom: 10px;
  color: #2c3e50;
}

.price-amount {
  font-size: 1.8rem;
  font-weight: 700;
  margin-bottom: 10px;
}

.rent-price {
  color: #3498db;
}

.buy-price {
  color: #2ecc71;
}

.price-desc {
  font-size: 0.9rem;
  color: #7f8c8d;
}

.action-buttons {
  display: flex;
  gap: 15px;
  flex-wrap: wrap;
}

.btn {
  padding: 15px 30px;
  border-radius: 8px;
  border: none;
  cursor: pointer;
  font-weight: 600;
  font-size: 1rem;
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 10px;
  transition: all 0.3s;
  flex: 1;
  text-decoration: none;
}

.btn-primary {
  background-color: #3498db;
  color: white;
}

.btn-primary:hover {
```

```
  background-color: #2980b9;
}

.btn-secondary {
  background-color: #2ecc71;
  color: white;
}

.btn-secondary:hover {
  background-color: #27ae60;
}

.btn-wishlist {
  background-color: #f39c12;
  color: white;
}

.btn-wishlist:hover {
  background-color: #d68910;
}

.btn-disabled {
  background-color: #bdc3c7;
  color: #7f8c8d;
  cursor: not-allowed;
}

.similar-books {
  margin-top: 50px;
}

.similar-books h2 {
  margin-bottom: 30px;
  color: #2c3e50;
}

.similar-grid {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(250px, 1fr));
  gap: 25px;
}

.similar-card {
  background-color: white;
  border-radius: 8px;
  overflow: hidden;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
  transition: transform 0.3s;
  text-decoration: none;
  color: inherit;
}

.similar-card:hover {
  transform: translateY(-5px);
}

.similar-card img {
  width: 100%;
  height: 180px;
  object-fit: cover;
```

```
}

.similar-card-content {
  padding: 15px;
}

.similar-card h4 {
  margin-bottom: 10px;
  color: #2c3e50;
}

.similar-card p {
  color: #7f8c8d;
  font-size: 0.9rem;
  margin-bottom: 15px;
}

.similar-card .price {
  font-weight: 600;
  color: #3498db;
}

.messages {
  position: fixed;
  top: 20px;
  right: 20px;
  z-index: 1000;
}

.alert {
  padding: 15px 20px;
  border-radius: 8px;
  margin-bottom: 10px;
  animation: slideIn 0.3s ease-out;
}

.alert-success {
  background-color: #d4edda;
  color: #155724;
  border: 1px solid #c3e6cb;
}

.alert-error {
  background-color: #f8d7da;
  color: #721c24;
  border: 1px solid #f5c6cb;
}

@keyframes slideIn {
  from {
    transform: translateX(100%);
    opacity: 0;
  }
  to {
    transform: translateX(0);
    opacity: 1;
  }
}

@media (max-width: 768px) {
```

```
      .book-detail-container {
        grid-template-columns: 1fr;
      }

      .nav-links {
        display: none;
      }

      .price-options {
        grid-template-columns: 1fr;
      }

      .action-buttons {
        flex-direction: column;
      }

      .similar-grid {
        grid-template-columns: repeat(auto-fill, minmax(200px, 1fr));
      }
    }
  </style>
</head>
<body>
  @php
    $cartCount = count(session('cart', []));
    $wishlistCount = count(session('wishlist', []));
  @endphp

  @if (session('status') || session('error'))
  <div class="messages">
    @if (session('status'))
      <div class="alert alert-success">{{ session('status') }}</div>
    @endif
    @if (session('error'))
      <div class="alert alert-error">{{ session('error') }}</div>
    @endif
  </div>
  @endif

  <div class="container">
    <div class="header">
      <a href="{{ route('customer.dashboard') }}" class="logo">
        <i class="fas fa-book"></i>
        BookHub Store
      </a>
      <div class="nav-links">
        <a href="{{ route('customer.dashboard') }}" class="nav-link">
          <i class="fas fa-home"></i> Home
        </a>
        <a href="{{ route('wishlist.index') }}" class="nav-link">
          <i class="fas fa-heart"></i> Wishlist
          <span class="cart-badge">{{ $wishlistCount }}</span>
        </a>
        <a href="{{ route('cart.index') }}" class="nav-link">
          <i class="fas fa-shopping-cart"></i> Cart
          <span class="cart-badge">{{ $cartCount }}</span>
        </a>
      </div>
    </div>
```

```
<div class="breadcrumb">
  <a href="{{ route('customer.dashboard') }}">Home</a> &gt;
  <a href="{{ route('customer.dashboard', ['genre' => $book->genre]) }}">{{ $book->genre }}</a>
  &gt;
  <span>{{ $book->title }}</span>
</div>

<div class="book-detail-container">
  <div class="book-cover">
    <div class="store-badge">Book Store</div>
    @if($book->cover_image_path)
    <img src="{{ asset($book->cover_image_path) }}" alt="{{ $book->title }}" />
    @else
    <img
      src="https://images.unsplash.com/photo-1544716278-ca5e3f4abd8c?ixlib=rb-4.0.3&auto=format&fit=
      alt="{{ $book->title }}"
    />
    @endif
    <div style="margin-top: 20px">
      <div style="display: flex; gap: 10px; justify-content: center">
        <span
          style="
            background-color: #e8f4fc;
            color: #3498db;
            padding: 5px 10px;
            border-radius: 5px;
            font-size: 0.9rem;
          "
        >
          {{ $book->genre }}
        </span>
        @if($book->publication_year)
        <span
          style="
            background-color: #f0f0f0;
            color: #666;
            padding: 5px 10px;
            border-radius: 5px;
            font-size: 0.9rem;
          "
        >
          Published: {{ $book->publication_year }}
        </span>
        @endif
      </div>
    </div>
  </div>

  <div class="book-info">
    <h1 class="book-title">{{ $book->title }}</h1>
    <h2 class="book-author">by {{ $book->author }}</h2>

    <div class="book-meta">
      <div class="meta-item">
        <span class="meta-label">Total Copies</span>
        <span class="meta-value">{{ $book->total_copies }}</span>
      </div>
      <div class="meta-item">
        <span class="meta-label">Available for Rent</span>
        <span
```

```
      class="meta-value"
      style="color: {{ $canRent ? '#27ae60' : '#e74c3c' }};"
    >
      {{ $book->available_rent }} copies
    </span>
  </div>
  <div class="meta-item">
    <span class="meta-label">Available for Purchase</span>
    <span
      class="meta-value"
      style="color: {{ $canBuy ? '#27ae60' : '#e74c3c' }};"
    >
      {{ $book->available_sale }} copies
    </span>
  </div>
</div>

<div class="pricing-section">
  <h3 style="margin-bottom: 20px; color: #2c3e50">
    Choose Your Option
  </h3>

  <div class="price-options">
    <div class="price-option" id="rental-option">
      <div class="price-type">Rent This Book</div>
      <div class="price-amount rent-price">
        ${{ number_format($book->rental_price, 2) }}
      </div>
      <div class="price-desc">per month</div>
      <div style="margin-top: 10px; font-size: 0.9rem">
        @if($canRent)
        <span style="color: #27ae60">
          <i class="fas fa-check-circle"></i> {{ $book->available_rent }} available
        </span>
        @else
        <span style="color: #e74c3c">
          <i class="fas fa-times-circle"></i> Currently unavailable
        </span>
        @endif
      </div>
    </div>

    <div class="price-option" id="purchase-option">
      <div class="price-type">Buy This Book</div>
      <div class="price-amount buy-price">${{ number_format($book->sale_price, 2) }}</div>
      <div class="price-desc">one-time purchase</div>
      <div style="margin-top: 10px; font-size: 0.9rem">
        @if($canBuy)
        <span style="color: #27ae60">
          <i class="fas fa-check-circle"></i> {{ $book->available_sale }} available
        </span>
        @else
        <span style="color: #e74c3c">
          <i class="fas fa-times-circle"></i> Currently unavailable
        </span>
        @endif
      </div>
    </div>
  </div>
```

```
      <div class="action-buttons">
        @if($canRent)
        <a href="{{ route('cart.add.rent', $book->id) }}" class="btn btn-primary">
          <i class="fas fa-exchange-alt"></i> Add to Rental Cart
        </a>
        @else
        <button class="btn btn-disabled" disabled>
          <i class="fas fa-exchange-alt"></i> Not Available for Rent
        </button>
        @endif

        @if($canBuy)
        <a href="{{ route('cart.add.buy', $book->id) }}" class="btn btn-secondary">
          <i class="fas fa-shopping-cart"></i> Add to Purchase Cart
        </a>
        @else
        <button class="btn btn-disabled" disabled>
          <i class="fas fa-shopping-cart"></i> Not Available for Purchase
        </button>
        @endif

        <a href="{{ route('wishlist.add', $book->id) }}" class="btn btn-wishlist">
          <i class="fas fa-heart"></i> Add to Wishlist
        </a>
      </div>
    </div>
  </div>
</div>

@if(!empty($similarBooks) && $similarBooks->count())
<div class="similar-books">
  <h2>Similar Books You Might Like</h2>
  <div class="similar-grid">
    @foreach($similarBooks as $similarBook)
    <a href="{{ route('books.show', $similarBook->id) }}" class="similar-card">
      @if($similarBook->cover_image_path)
        <img src="{{ asset($similarBook->cover_image_path) }}" alt="{{ $similarBook->title }}" />
      @else
        <img
          src="https://images.unsplash.com/photo-1544716278-ca5e3f4abd8c?ixlib=rb-4.0.3&auto=format&
          alt="{{ $similarBook->title }}"
        />
      @endif
      <div class="similar-card-content">
        <h4>{{ \Illuminate\Support\Str::limit($similarBook->title, 30) }}</h4>
        <p>{{ $similarBook->author }}</p>
        <div
          style="
            display: flex;
            justify-content: space-between;
            align-items: center;
          "
        >
          <span class="price">${{ number_format($similarBook->sale_price, 2) }}</span>
          <span style="font-size: 0.8rem; color: #7f8c8d">
            @if($similarBook->available_rent > 0)
            <i class="fas fa-exchange-alt" style="color: #3498db"></i>
            Rent
            @endif
            @if($similarBook->available_sale > 0)
```

```
                <i class="fas fa-shopping-cart" style="color: #2ecc71; margin-left: 5px"></i>
                Buy
                @endif
              </span>
            </div>
          </div>
        </a>
        @endforeach
      </div>
    </div>
    @endif
  </div>

  <script>
    document.querySelectorAll(".price-option").forEach((option) => {
      option.addEventListener("click", function () {
        document.querySelectorAll(".price-option").forEach((opt) => {
          opt.classList.remove("selected");
        });
        this.classList.add("selected");
      });
    });

    setTimeout(() => {
      const messages = document.querySelectorAll(".alert");
      messages.forEach((message) => {
        message.style.transition = "opacity 0.5s";
        message.style.opacity = "0";
        setTimeout(() => message.remove(), 500);
      });
    }, 5000);
  </script>
 </body>
</html>

=== resources\views\customer\cart.blade.php ===
@extends('customer.base')

@section('title', 'Shopping Cart - BookHub Store')

@section('content')
<div class="container">
   <h1 class="cart-title">
      <i class="fas fa-shopping-cart"></i>
      Your Shopping Cart
   </h1>

   <div class="cart-container">
      <div class="cart-items">
         @if(!empty($cartItems))
            @foreach($cartItems as $item)
            <div class="cart-item">
               <div class="item-image">
                  @if($item['book']->cover_image_path)
                     <img src="{{ asset($item['book']->cover_image_path) }}" alt="{{ $item['book']->title }}">
                  @else
                     <div class="item-image-fallback">No Image</div>
                  @endif
               </div>
               <div class="item-details">
```

```
                <h3 class="item-title">{{ $item['book']->title }}</h3>
                <p class="item-author">by {{ $item['book']->author }}</p>
                <span class="item-type type-{{ $item['type_class'] }}">
                    @if($item['type'] === 'rent')
                        <i class="fas fa-exchange-alt"></i> Rental - {{ $item['period'] }}
                    @else
                        <i class="fas fa-shopping-cart"></i> Purchase
                    @endif
                </span>
            </div>
            <div class="item-price">
                <div class="price-amount">${{ number_format($item['price'], 2) }}</div>
                <div class="item-actions">
                    <a href="{{ route('cart.remove', [$item['book']->id, $item['type']]) }}" class="btn btn-small btn
                        <i class="fas fa-trash"></i> Remove
                    </a>
                    <a href="{{ route('books.show', $item['book']->id) }}" class="btn btn-small btn-secondary">
                        <i class="fas fa-eye"></i> View
                    </a>
                </div>
            </div>
        </div>
        @endforeach
    @else
        <div class="empty-cart">
            <i class="fas fa-shopping-cart"></i>
            <h3>Your cart is empty</h3>
            <p>Add some books to get started!</p>
            <a href="{{ route('customer.dashboard') }}" class="btn btn-primary">
                <i class="fas fa-book"></i> Browse Books
            </a>
        </div>
    @endif
</div>

@if(!empty($cartItems))
<div class="order-summary">
    <h3>Order Summary</h3>

    @foreach($cartItems as $item)
    <div class="summary-row">
        <span>{{ \Illuminate\Support\Str::limit($item['book']->title, 20) }}</span>
        <span>${{ number_format($item['price'], 2) }}</span>
    </div>
    @endforeach

    <div class="summary-row">
        <span>Subtotal</span>
        <span>${{ number_format($totalPrice, 2) }}</span>
    </div>

    <div class="summary-row">
        <span>Shipping</span>
        <span>$0.00</span>
    </div>

    <div class="summary-row">
        <span>Tax</span>
        <span>$0.00</span>
    </div>
```

```
            <div class="summary-row total">
                <span>Total</span>
                <span>${{ number_format($totalPrice, 2) }}</span>
            </div>

            <a href="{{ $checkoutUrl }}" class="btn btn-primary checkout-btn">
                <i class="fas fa-lock"></i> Proceed to Checkout
            </a>

            <div class="continue-shopping">
                <a href="{{ route('customer.dashboard') }}">
                    <i class="fas fa-arrow-left"></i> Continue Shopping
                </a>
            </div>
        </div>
        @endif
    </div>
</div>
@endsection

@section('extra_css')
<style>
.container {
    max-width: 1200px;
    margin: 0 auto;
    padding: 20px;
}

.cart-title {
    font-size: 2rem;
    color: #2c3e50;
    margin: 20px 0 30px;
    display: flex;
    align-items: center;
    gap: 15px;
}

.cart-title i {
    color: #3498db;
}

.cart-container {
    display: grid;
    grid-template-columns: 2fr 1fr;
    gap: 30px;
}

.cart-items {
    background-color: white;
    border-radius: 12px;
    padding: 30px;
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
}

.empty-cart {
    text-align: center;
    padding: 50px 20px;
}
```

```
.empty-cart i {
    font-size: 4rem;
    color: #bdc3c7;
    margin-bottom: 20px;
}

.empty-cart h3 {
    margin-bottom: 15px;
    color: #2c3e50;
}

.empty-cart p {
    color: #7f8c8d;
    margin-bottom: 25px;
}

.btn {
    padding: 12px 30px;
    border-radius: 8px;
    border: none;
    cursor: pointer;
    font-weight: 600;
    font-size: 1rem;
    display: inline-flex;
    align-items: center;
    justify-content: center;
    gap: 10px;
    transition: all 0.3s;
    text-decoration: none;
}

.btn-primary {
    background-color: #3498db;
    color: white;
}

.btn-primary:hover {
    background-color: #2980b9;
}

.cart-item {
    display: grid;
    grid-template-columns: auto 2fr 1fr;
    gap: 20px;
    padding: 20px 0;
    border-bottom: 1px solid #eee;
    align-items: center;
}

.cart-item:last-child {
    border-bottom: none;
}

.item-image {
    width: 100px;
    height: 140px;
    border-radius: 8px;
    overflow: hidden;
    background: #f4f5f7;
    display: flex;
```

```
    align-items: center;
    justify-content: center;
    color: #94a3b8;
    font-size: 0.85rem;
}

.item-image img {
    width: 100%;
    height: 100%;
    object-fit: cover;
}

.item-image-fallback {
    font-weight: 600;
}

.item-details {
    flex-grow: 1;
}

.item-title {
    font-size: 1.2rem;
    font-weight: 600;
    margin-bottom: 8px;
    color: #2c3e50;
}

.item-author {
    color: #7f8c8d;
    margin-bottom: 5px;
}

.item-type {
    display: inline-block;
    padding: 4px 12px;
    border-radius: 15px;
    font-size: 0.9rem;
    font-weight: 500;
    margin-top: 10px;
}

.type-rental {
    background-color: #e8f4fc;
    color: #3498db;
}

.type-purchase {
    background-color: #e8f6ef;
    color: #27ae60;
}

.item-price {
    text-align: right;
}

.price-amount {
    font-size: 1.3rem;
    font-weight: 700;
    color: #2c3e50;
    margin-bottom: 10px;
```

```
}

.item-actions {
    display: flex;
    gap: 10px;
    justify-content: flex-end;
    margin-top: 10px;
}

.btn-small {
    padding: 8px 15px;
    font-size: 0.9rem;
}

.btn-danger {
    background-color: #e74c3c;
    color: white;
}

.btn-danger:hover {
    background-color: #c0392b;
}

.btn-secondary {
    background-color: #f0f0f0;
    color: #333;
}

.order-summary {
    background-color: white;
    border-radius: 12px;
    padding: 30px;
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
    height: fit-content;
    position: sticky;
    top: 20px;
}

.order-summary h3 {
    margin-bottom: 25px;
    color: #2c3e50;
    padding-bottom: 15px;
    border-bottom: 2px solid #f0f0f0;
}

.summary-row {
    display: flex;
    justify-content: space-between;
    margin-bottom: 15px;
    padding: 8px 0;
}

.summary-row.total {
    border-top: 2px solid #f0f0f0;
    margin-top: 15px;
    padding-top: 20px;
    font-size: 1.2rem;
    font-weight: 700;
    color: #2c3e50;
}
```

```
.checkout-btn {
    width: 100%;
    padding: 16px;
    font-size: 1.1rem;
    margin-top: 25px;
}

.continue-shopping {
    margin-top: 20px;
    text-align: center;
}

.continue-shopping a {
    color: #3498db;
    text-decoration: none;
    display: inline-flex;
    align-items: center;
    gap: 8px;
}

.continue-shopping a:hover {
    text-decoration: underline;
}

@media (max-width: 768px) {
    .cart-container {
        grid-template-columns: 1fr;
    }

    .cart-item {
        grid-template-columns: 1fr;
        text-align: center;
    }

    .item-price, .item-actions {
        text-align: center;
        justify-content: center;
    }
}
</style>
@endsection

=== resources\views\customer\chat_index.blade.php ===
@extends('customer.base')

@section('title', 'Support Chat - BookHub')

@section('content')
<section class="chat-shell">
    <div class="chat-head">
        <div>
            <h1>Support Chat</h1>
            <p>Start a conversation with our support team and track replies.</p>
        </div>
        <a href="{{ route('issue-reports.create') }}" class="btn-pill">Report an Issue</a>
    </div>

    <div class="chat-grid">
        <div class="chat-panel">
```

```
            <h2>Start a New Conversation</h2>
            <form method="POST" action="{{ route('chat.start') }}" class="chat-form">
                @csrf
                <label class="field">
                    <span>Subject</span>
                    <input type="text" name="subject" value="{{ old('subject') }}" required maxlength="255" placeho
                </label>
                <label class="field">
                    <span>Message</span>
                    <textarea name="message" rows="5" required maxlength="2000" placeholder="Tell us how we
                </label>
                <button class="btn-primary" type="submit">
                    <i class="bi bi-chat-dots-fill"></i>
                    Start Chat
                </button>
            </form>
        </div>

        <div class="chat-panel">
            <div class="panel-head">
                <h2>Your Conversations</h2>
                <span class="pill">{{ $conversations->count() }}</span>
            </div>

            <div class="chat-list">
                @forelse($conversations as $conversation)
                    <a href="{{ route('chat.show', $conversation) }}" class="chat-item">
                        <div class="chat-item-main">
                            <h3>{{ $conversation->subject ?? 'Support Request' }}</h3>
                            <p>
                                @if($conversation->latestMessage)
                                    {{ \Illuminate\Support\Str::limit($conversation->latestMessage->message, 90) }}
                                @else
                                    No messages yet.
                                @endif
                            </p>
                        </div>
                        <div class="chat-item-meta">
                            <span>{{ optional($conversation->last_message_at)->format('M d, Y H:i') ?? $conversatio
                            @if($conversation->unread_count)
                                <span class="badge">{{ $conversation->unread_count }}</span>
                            @endif
                        </div>
                    </a>
                @empty
                    <div class="chat-empty">
                        <i class="bi bi-chat-square-dots"></i>
                        <p>No conversations yet. Start a new chat to reach support.</p>
                    </div>
                @endforelse
            </div>
        </div>
    </div>
</section>
@endsection

@section('extra_css')
<style>
.chat-shell {
    max-width: 1180px;
```

```
    margin: 0 auto;
    display: flex;
    flex-direction: column;
    gap: 1.5rem;
}
.chat-head {
    display: flex;
    align-items: center;
    justify-content: space-between;
    gap: 1rem;
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1.2rem 1.5rem;
    box-shadow: var(--shadow-sm);
}
.chat-head h1 {
    margin: 0 0 0.35rem 0;
    font-size: 1.6rem;
}
.chat-head p {
    margin: 0;
    color: var(--text-secondary);
    font-size: 0.9rem;
}
.btn-pill {
    display: inline-flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.6rem 1.1rem;
    border-radius: 999px;
    background: var(--primary-soft);
    color: var(--primary);
    font-weight: 700;
    text-decoration: none;
    border: 1px solid var(--border);
}
.chat-grid {
    display: grid;
    grid-template-columns: minmax(280px, 1fr) minmax(300px, 1.2fr);
    gap: 1.2rem;
}
.chat-panel {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1.2rem 1.4rem;
    box-shadow: var(--shadow-sm);
}
.chat-panel h2 {
    margin: 0 0 1rem 0;
    font-size: 1.1rem;
}
.panel-head {
    display: flex;
    align-items: center;
    justify-content: space-between;
}
.pill {
    background: var(--bg-raised);
```

```
    border: 1px solid var(--border);
    padding: 0.2rem 0.6rem;
    border-radius: 999px;
    font-size: 0.75rem;
    font-weight: 700;
    color: var(--text-secondary);
}
.chat-form {
    display: grid;
    gap: 0.9rem;
}
.field {
    display: grid;
    gap: 0.4rem;
    font-size: 0.82rem;
    color: var(--text-secondary);
    font-weight: 600;
}
.field input,
.field textarea {
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: var(--radius);
    padding: 0.7rem 0.8rem;
    font-family: 'Outfit', sans-serif;
    color: var(--text-primary);
}
.field textarea { resize: vertical; }
.btn-primary {
    display: inline-flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.7rem 1.2rem;
    border-radius: 999px;
    background: var(--primary);
    color: #fff;
    border: none;
    font-weight: 700;
    cursor: pointer;
}
.chat-list {
    display: grid;
    gap: 0.8rem;
}
.chat-item {
    display: flex;
    justify-content: space-between;
    gap: 1rem;
    padding: 0.85rem 1rem;
    border-radius: var(--radius);
    border: 1px solid var(--border);
    background: var(--bg-raised);
    text-decoration: none;
    color: inherit;
    transition: all var(--t-fast);
}
.chat-item:hover {
    border-color: var(--primary);
    box-shadow: var(--shadow-sm);
}
```

```
.chat-item-main h3 {
    margin: 0 0 0.3rem 0;
    font-size: 0.95rem;
}
.chat-item-main p {
    margin: 0;
    color: var(--text-secondary);
    font-size: 0.8rem;
}
.chat-item-meta {
    display: grid;
    justify-items: end;
    gap: 0.4rem;
    font-size: 0.7rem;
    color: var(--text-muted);
}
.badge {
    background: var(--primary);
    color: #fff;
    font-weight: 700;
    font-size: 0.7rem;
    padding: 0.1rem 0.5rem;
    border-radius: 999px;
}
.chat-empty {
    text-align: center;
    padding: 1.5rem 0;
    color: var(--text-muted);
}
.chat-empty i {
    font-size: 2rem;
    display: block;
    margin-bottom: 0.4rem;
}
@media (max-width: 900px) {
    .chat-grid {
        grid-template-columns: 1fr;
    }
}
</style>
@endsection

=== resources\views\customer\chat_list.blade.php ===
<!-- customer/chat_list.html -->
{% extends 'customer/base.html' %}
{% load chat_extras %}

{% block content %}
<div class="chat-fullscreen">
    <!-- Sidebar - Conversations List -->
    <div class="chat-sidebar">
        <!-- Sidebar Header -->
        <div class="sidebar-header">
            <div class="header-top">
                <h1 class="header-title">Messages</h1>
                <span class="header-badge" id="totalUnreadBadge">0</span>
            </div>

            <!-- Search -->
            <div class="search-wrapper">
```

```
        <div class="search-box">
            <i class="bi bi-search search-icon"></i>
            <input type="text"
                   class="search-input"
                   placeholder="Search conversations..."
                   id="chat-search"
                   value="{{ search_query }}">
            <button class="search-clear" id="clearSearch" style="display: none;">
                <i class="bi bi-x-lg"></i>
            </button>
        </div>
    </div>

    <!-- Filter Tabs -->
    <div class="filter-tabs">
        <button class="filter-tab active" data-filter="all">
            <i class="bi bi-chat-dots"></i>
            All
        </button>
        <button class="filter-tab" data-filter="unread">
            <i class="bi bi-envelope-paper"></i>
            Unread
            <span class="filter-badge" id="unreadFilterBadge">0</span>
        </button>
        <button class="filter-tab" data-filter="stores">
            <i class="bi bi-shop"></i>
            Stores
        </button>
        <button class="filter-tab" data-filter="books">
            <i class="bi bi-book"></i>
            Books
        </button>
    </div>
</div>

<!-- Conversations List -->
<div class="conversations-list">
    {% for item in conversation_data %}
    <a href="{% url 'chat_room' item.conversation.id %}"
       class="conversation-item {% if item.unread_count %}unread{% endif %}"
       data-conversation-id="{{ item.conversation.id }}"
       data-last-message="{% if item.last_message %}{{ item.last_message.content }}{% endif %}"
       data-store="{{ item.conversation.store.store_name }}"
       data-book="{% if item.conversation.book %}{{ item.conversation.book.title }}{% endif %}">

        <!-- Avatar -->
        <div class="conversation-avatar">
            {% if item.conversation.store.store_logo %}
            <img src="{{ item.conversation.store.store_logo.url }}" alt="{{ item.conversation.store.store_nam
            {% else %}
            <div class="avatar-placeholder" style="background: linear-gradient(135deg, var(--primary), var(-
                {{ item.conversation.store.store_name|first|upper }}
            </div>
            {% endif %}
            <span class="status-indicator" title="Online" style="display: none;"></span>
        </div>

        <!-- Conversation Info -->
        <div class="conversation-info">
            <div class="info-header">
```

```
            <span class="conversation-name">{{ item.conversation.store.store_name }}</span>
            <span class="conversation-time">
                {% if item.last_message %}
                    {{ item.last_message.timestamp|timesince|cut:","|truncatechars:8 }}
                {% else %}
                    {{ item.conversation.updated_at|timesince|cut:","|truncatechars:8 }}
                {% endif %}
            </span>
        </div>

        <div class="info-preview">
            <div class="preview-wrapper">
                {% if item.last_message %}
                    {% if item.last_message.sender == request.user %}
                    <span class="preview-sender">You: </span>
                    {% endif %}
                    <span class="preview-text {% if not item.last_message.content %}empty-message{% er
                        {% if item.last_message.content %}
                            {{ item.last_message.content|truncatechars:45 }}
                        {% else %}
                            <span class="attachment-indicator">
                                <i class="bi bi-paperclip"></i> Attachment
                            </span>
                        {% endif %}
                    </span>
                {% else %}
                    <span class="preview-text empty-message">
                        <i class="bi bi-chat"></i> No messages yet
                    </span>
                {% endif %}
            </div>

            <div class="preview-meta">
                {% if item.conversation.book %}
                <span class="book-badge">
                    <i class="bi bi-book"></i>
                    {{ item.conversation.book.title|truncatechars:15 }}
                </span>
                {% endif %}

                {% if item.unread_count %}
                <span class="unread-badge pulse">{{ item.unread_count }}</span>
                {% endif %}
            </div>
        </div>
    </div>
</a>
{% empty %}
<div class="empty-conversations">
    <div class="empty-icon">
        <i class="bi bi-chat-dots"></i>
    </div>
    <h3>No conversations yet</h3>
    <p>Start chatting with store owners about your favorite books</p>
    <div class="empty-actions">
        <a href="{% url 'customer_dashboard' %}" class="btn btn-primary">
            <i class="bi bi-book"></i>
            Browse Books
        </a>
        <a href="{% url 'store_list' %}" class="btn btn-outline">
```

```
                <i class="bi bi-shop"></i>
                View Stores
            </a>
        </div>
    </div>
    {% endfor %}
  </div>
</div>

<!-- Main Content Area - Welcome Screen -->
<div class="chat-main">
  <div class="welcome-screen">
    <div class="welcome-icon">
      <i class="bi bi-chat-dots"></i>
    </div>
    <h2 class="welcome-title">Your Messages</h2>
    <p class="welcome-text">Select a conversation from the sidebar to start chatting</p>

    <div class="welcome-features">
      <div class="feature-item">
        <div class="feature-icon">
          <i class="bi bi-shop"></i>
        </div>
        <div class="feature-text">
          <h4>Chat with Stores</h4>
          <p>Ask questions about books, availability, and more</p>
        </div>
      </div>

      <div class="feature-item">
        <div class="feature-icon">
          <i class="bi bi-book"></i>
        </div>
        <div class="feature-text">
          <h4>Discuss Books</h4>
          <p>Get recommendations and discuss your favorite reads</p>
        </div>
      </div>

      <div class="feature-item">
        <div class="feature-icon">
          <i class="bi bi-clock-history"></i>
        </div>
        <div class="feature-text">
          <h4>Track Orders</h4>
          <p>Get real-time updates about your orders</p>
        </div>
      </div>
    </div>


  </div>
</div>
</div>

<!-- New Chat Modal -->
<div class="modal" id="newChatModal">
  <div class="modal-overlay"></div>
  <div class="modal-container">
    <div class="modal-header">
```

```
            <h3 class="modal-title">Start New Conversation</h3>
            <button class="modal-close"><i class="bi bi-x-lg"></i></button>
        </div>
        <div class="modal-body">
            <div class="modal-search">
                <i class="bi bi-search"></i>
                <input type="text" placeholder="Search stores or books..." id="modalSearch">
            </div>

            <div class="quick-actions">
                <h4>Quick Start</h4>
                <div class="quick-buttons">
                    <a href="{% url 'store_list' %}" class="quick-btn">
                        <i class="bi bi-shop"></i>
                        Browse Stores
                    </a>
                    <a href="{% url 'customer_dashboard' %}" class="quick-btn">
                        <i class="bi bi-book"></i>
                        Browse Books
                    </a>
                </div>
            </div>

            <div class="recent-stores">
                <h4>Recent Stores</h4>
                <div class="stores-list" id="storesList">
                    <!-- Will be populated via AJAX -->
                    <div class="loading-spinner">
                        <i class="bi bi-arrow-repeat spin"></i>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<style>
/* ===== FULLSCREEN LAYOUT ===== */
.chat-fullscreen {
    display: flex;
    height: calc(100vh - var(--header-h) - 2rem);
    background: var(--bg-base);
    border-radius: var(--radius-xl);
    overflow: hidden;
    border: 1px solid var(--border);
    box-shadow: var(--shadow-lg);
    margin: 1rem 0;
}

/* ===== SIDEBAR ===== */
.chat-sidebar {
    width: 380px;
    background: var(--bg-card);
    border-right: 1px solid var(--border);
    display: flex;
    flex-direction: column;
    overflow: hidden;
}

/* Sidebar Header */
```

```
.sidebar-header {
    padding: 1.5rem 1.5rem 1rem;
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
    color: white;
}

.header-top {
    display: flex;
    align-items: center;
    justify-content: space-between;
    margin-bottom: 1rem;
}

.header-title {
    font-size: 1.5rem;
    font-weight: 800;
    letter-spacing: -0.02em;
    margin: 0;
}

.header-badge {
    background: rgba(255,255,255,0.2);
    backdrop-filter: blur(8px);
    padding: 0.2rem 0.8rem;
    border-radius: 999px;
    font-size: 0.8rem;
    font-weight: 700;
    border: 1px solid rgba(255,255,255,0.3);
}

/* Search */
.search-wrapper {
    margin-bottom: 1rem;
}

.search-box {
    display: flex;
    align-items: center;
    background: rgba(255,255,255,0.15);
    backdrop-filter: blur(12px);
    border: 1.5px solid rgba(255,255,255,0.2);
    border-radius: 999px;
    padding: 0.3rem 0.3rem 0.3rem 1rem;
    transition: all var(--t-fast);
}

.search-box:focus-within {
    background: rgba(255,255,255,0.2);
    border-color: rgba(255,255,255,0.4);
    box-shadow: 0 0 0 4px rgba(255,255,255,0.1);
}

.search-icon {
    color: rgba(255,255,255,0.7);
    font-size: 0.9rem;
    margin-right: 0.5rem;
}

.search-input {
    flex: 1;
```

```
    background: transparent;
    border: none;
    outline: none;
    color: white;
    font-size: 0.9rem;
    padding: 0.6rem 0;
}

.search-input::placeholder {
    color: rgba(255,255,255,0.5);
}

.search-clear {
    background: rgba(255,255,255,0.2);
    border: none;
    color: white;
    width: 28px;
    height: 28px;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    cursor: pointer;
    transition: all var(--t-fast);
    margin-right: 0.3rem;
}

.search-clear:hover {
    background: rgba(255,255,255,0.3);
    transform: scale(1.1);
}

/* Filter Tabs */
.filter-tabs {
    display: flex;
    gap: 0.5rem;
    overflow-x: auto;
    padding-bottom: 0.25rem;
    scrollbar-width: thin;
}

.filter-tabs::-webkit-scrollbar {
    height: 3px;
}

.filter-tabs::-webkit-scrollbar-thumb {
    background: rgba(255,255,255,0.3);
    border-radius: 10px;
}

.filter-tab {
    display: flex;
    align-items: center;
    gap: 0.4rem;
    padding: 0.5rem 1rem;
    border-radius: 999px;
    background: rgba(255,255,255,0.15);
    border: 1px solid rgba(255,255,255,0.2);
    color: rgba(255,255,255,0.9);
    font-size: 0.8rem;
```

```
    font-weight: 600;
    cursor: pointer;
    transition: all var(--t-fast);
    white-space: nowrap;
    position: relative;
}

.filter-tab i {
    font-size: 0.8rem;
}

.filter-tab:hover {
    background: rgba(255,255,255,0.25);
}

.filter-tab.active {
    background: white;
    color: var(--primary);
    border-color: white;
    box-shadow: 0 4px 12px rgba(0,0,0,0.2);
}

.filter-badge {
    background: var(--danger);
    color: white;
    font-size: 0.65rem;
    padding: 0.1rem 0.4rem;
    border-radius: 999px;
    margin-left: 0.3rem;
}

/* Conversations List */
.conversations-list {
    flex: 1;
    overflow-y: auto;
    padding: 1rem;
    scrollbar-width: thin;
    scrollbar-color: var(--border) transparent;
}

.conversations-list::-webkit-scrollbar {
    width: 6px;
}

.conversations-list::-webkit-scrollbar-track {
    background: transparent;
}

.conversations-list::-webkit-scrollbar-thumb {
    background-color: var(--border);
    border-radius: 20px;
}

/* Conversation Item */
.conversation-item {
    display: flex;
    padding: 1rem;
    margin-bottom: 0.5rem;
    border-radius: var(--radius-lg);
    background: var(--bg-card);
```

```
    border: 1px solid var(--border);
    text-decoration: none;
    color: var(--text-primary);
    transition: all var(--t-fast);
    animation: slideIn 0.3s ease;
    position: relative;
}

@keyframes slideIn {
    from {
        opacity: 0;
        transform: translateX(-20px);
    }
    to {
        opacity: 1;
        transform: translateX(0);
    }
}

.conversation-item:hover {
    transform: translateX(4px);
    border-color: var(--primary);
    box-shadow: var(--shadow);
}

.conversation-item.unread {
    background: var(--primary-soft);
    border-left: 3px solid var(--primary);
}

/* Avatar */
.conversation-avatar {
    position: relative;
    width: 48px;
    height: 48px;
    border-radius: 14px;
    overflow: hidden;
    margin-right: 1rem;
    flex-shrink: 0;
    box-shadow: var(--shadow-sm);
}

.conversation-avatar img {
    width: 100%;
    height: 100%;
    object-fit: cover;
}

.avatar-placeholder {
    width: 100%;
    height: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
    color: white;
    font-weight: 700;
    font-size: 1.2rem;
}

.status-indicator {
```

```
    position: absolute;
    bottom: 2px;
    right: 2px;
    width: 10px;
    height: 10px;
    border-radius: 50%;
    background: var(--success);
    border: 2px solid var(--bg-card);
}

/* Conversation Info */
.conversation-info {
    flex: 1;
    min-width: 0;
}

.info-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 0.3rem;
}

.conversation-name {
    font-weight: 700;
    font-size: 0.95rem;
    color: var(--text-primary);
}

.conversation-time {
    font-size: 0.7rem;
    color: var(--text-muted);
}

.info-preview {
    display: flex;
    justify-content: space-between;
    align-items: center;
    gap: 0.5rem;
}

.preview-wrapper {
    flex: 1;
    display: flex;
    align-items: center;
    gap: 0.3rem;
    min-width: 0;
}

.preview-sender {
    font-size: 0.75rem;
    font-weight: 600;
    color: var(--primary);
    white-space: nowrap;
}

.preview-text {
    font-size: 0.8rem;
    color: var(--text-secondary);
    white-space: nowrap;
```

```
    overflow: hidden;
    text-overflow: ellipsis;
}

.preview-text.empty-message {
    color: var(--text-muted);
    font-style: italic;
}

.attachment-indicator {
    display: inline-flex;
    align-items: center;
    gap: 0.2rem;
    color: var(--primary);
}

.attachment-indicator i {
    font-size: 0.7rem;
}

.preview-meta {
    display: flex;
    align-items: center;
    gap: 0.5rem;
    flex-shrink: 0;
}

.book-badge {
    display: inline-flex;
    align-items: center;
    gap: 0.2rem;
    padding: 0.2rem 0.6rem;
    background: var(--accent-soft);
    border-radius: 999px;
    font-size: 0.65rem;
    font-weight: 600;
    color: var(--accent);
    border: 1px solid rgba(245,176,66,0.2);
    white-space: nowrap;
}

.book-badge i {
    font-size: 0.6rem;
}

.unread-badge {
    background: var(--primary);
    color: white;
    font-size: 0.7rem;
    font-weight: 700;
    min-width: 20px;
    height: 20px;
    border-radius: 10px;
    display: flex;
    align-items: center;
    justify-content: center;
    padding: 0 6px;
    box-shadow: 0 4px 8px var(--primary-glow);
}
```

```
.pulse {
    animation: pulse 2s infinite;
}

@keyframes pulse {
    0%, 100% {
        transform: scale(1);
    }
    50% {
        transform: scale(1.1);
    }
}

/* ===== MAIN CONTENT AREA ===== */
.chat-main {
    flex: 1;
    background: var(--bg-card);
    display: flex;
    align-items: center;
    justify-content: center;
    padding: 2rem;
}

.welcome-screen {
    max-width: 500px;
    text-align: center;
}

.welcome-icon {
    font-size: 4rem;
    color: var(--primary);
    margin-bottom: 1.5rem;
    opacity: 0.5;
}

.welcome-title {
    font-size: 1.8rem;
    font-weight: 800;
    color: var(--text-primary);
    margin-bottom: 0.5rem;
    letter-spacing: -0.02em;
}

.welcome-text {
    font-size: 0.95rem;
    color: var(--text-secondary);
    margin-bottom: 2.5rem;
}

.welcome-features {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 1.5rem;
    margin-bottom: 2.5rem;
}

.feature-item {
    text-align: center;
}
```

```
.feature-icon {
    width: 48px;
    height: 48px;
    border-radius: 14px;
    background: var(--primary-soft);
    border: 1px solid var(--border);
    display: flex;
    align-items: center;
    justify-content: center;
    margin: 0 auto 1rem;
    color: var(--primary);
    font-size: 1.2rem;
    transition: all var(--t);
}

.feature-item:hover .feature-icon {
    background: var(--primary);
    color: white;
    transform: translateY(-4px);
}

.feature-text h4 {
    font-size: 0.9rem;
    font-weight: 700;
    color: var(--text-primary);
    margin-bottom: 0.3rem;
}

.feature-text p {
    font-size: 0.75rem;
    color: var(--text-muted);
    line-height: 1.4;
}

.new-chat-btn {
    display: inline-flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.8rem 2rem;
    border-radius: 999px;
    background: var(--primary);
    color: white;
    border: none;
    font-size: 0.9rem;
    font-weight: 700;
    cursor: pointer;
    transition: all var(--t-fast);
    box-shadow: 0 8px 20px var(--primary-glow);
}

.new-chat-btn:hover {
    background: var(--primary-dark);
    transform: translateY(-2px);
    box-shadow: 0 12px 28px var(--primary-glow);
}

/* ===== EMPTY STATE ===== */
.empty-conversations {
    text-align: center;
    padding: 3rem 1rem;
```

```
}

.empty-icon {
    font-size: 3rem;
    color: var(--text-muted);
    margin-bottom: 1rem;
    opacity: 0.3;
}

.empty-conversations h3 {
    font-size: 1.1rem;
    font-weight: 700;
    color: var(--text-primary);
    margin-bottom: 0.5rem;
}

.empty-conversations p {
    font-size: 0.85rem;
    color: var(--text-secondary);
    margin-bottom: 1.5rem;
}

.empty-actions {
    display: flex;
    gap: 0.5rem;
    justify-content: center;
}

.btn {
    display: inline-flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.6rem 1.2rem;
    border-radius: 999px;
    font-size: 0.8rem;
    font-weight: 700;
    text-decoration: none;
    transition: all var(--t-fast);
    cursor: pointer;
    border: none;
}

.btn-primary {
    background: var(--primary);
    color: white;
    box-shadow: 0 4px 12px var(--primary-glow);
}

.btn-primary:hover {
    background: var(--primary-dark);
    transform: translateY(-2px);
}

.btn-outline {
    background: transparent;
    color: var(--text-secondary);
    border: 1.5px solid var(--border);
}

.btn-outline:hover {
```

```
    border-color: var(--primary);
    color: var(--primary);
    background: var(--primary-soft);
}

/* ===== MODAL ===== */
.modal {
    position: fixed;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    z-index: 1000;
    display: none;
    align-items: center;
    justify-content: center;
}

.modal.active {
    display: flex;
}

.modal-overlay {
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background: rgba(0,0,0,0.5);
    backdrop-filter: blur(8px);
    animation: fadeIn 0.2s ease;
}

.modal-container {
    position: relative;
    z-index: 1001;
    width: 90%;
    max-width: 500px;
    background: var(--bg-card);
    border-radius: var(--radius-lg);
    border: 1px solid var(--border);
    box-shadow: var(--shadow-xl);
    animation: slideUp 0.3s ease;
}

@keyframes slideUp {
    from {
        opacity: 0;
        transform: translateY(30px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

.modal-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
```

```
    padding: 1.2rem 1.5rem;
    border-bottom: 1px solid var(--border);
}

.modal-title {
    font-size: 1.1rem;
    font-weight: 800;
    color: var(--text-primary);
    margin: 0;
}

.modal-close {
    width: 32px;
    height: 32px;
    border-radius: 8px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-muted);
    display: flex;
    align-items: center;
    justify-content: center;
    cursor: pointer;
    transition: all var(--t-fast);
}

.modal-close:hover {
    background: var(--danger-soft);
    color: var(--danger);
    border-color: var(--danger);
}

.modal-body {
    padding: 1.5rem;
}

.modal-search {
    display: flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.5rem 1rem;
    background: var(--bg-raised);
    border: 1.5px solid var(--border);
    border-radius: 999px;
    margin-bottom: 1.5rem;
}

.modal-search i {
    color: var(--text-muted);
    font-size: 0.9rem;
}

.modal-search input {
    flex: 1;
    background: transparent;
    border: none;
    outline: none;
    color: var(--text-primary);
    font-size: 0.9rem;
}
```

```
.quick-actions {
    margin-bottom: 1.5rem;
}

.quick-actions h4 {
    font-size: 0.8rem;
    font-weight: 700;
    color: var(--text-muted);
    margin-bottom: 1rem;
    text-transform: uppercase;
    letter-spacing: 1px;
}

.quick-buttons {
    display: flex;
    gap: 0.5rem;
}

.quick-btn {
    flex: 1;
    display: flex;
    align-items: center;
    justify-content: center;
    gap: 0.5rem;
    padding: 0.8rem;
    border-radius: var(--radius);
    background: var(--bg-raised);
    border: 1.5px solid var(--border);
    color: var(--text-secondary);
    text-decoration: none;
    font-size: 0.85rem;
    font-weight: 600;
    transition: all var(--t-fast);
}

.quick-btn:hover {
    border-color: var(--primary);
    color: var(--primary);
    background: var(--primary-soft);
}

.recent-stores h4 {
    font-size: 0.8rem;
    font-weight: 700;
    color: var(--text-muted);
    margin-bottom: 1rem;
    text-transform: uppercase;
    letter-spacing: 1px;
}

.stores-list {
    max-height: 200px;
    overflow-y: auto;
}

.loading-spinner {
    text-align: center;
    padding: 2rem;
    color: var(--text-muted);
}
```

```
.spin {
    animation: spin 1s linear infinite;
    font-size: 1.5rem;
}

@keyframes spin {
    from { transform: rotate(0deg); }
    to { transform: rotate(360deg); }
}

/* ===== RESPONSIVE ===== */
@media (max-width: 1024px) {
    .chat-sidebar {
        width: 320px;
    }

    .welcome-features {
        gap: 1rem;
    }
}

@media (max-width: 768px) {
    .chat-fullscreen {
        flex-direction: column;
        height: auto;
        min-height: calc(100vh - var(--header-h) - 2rem);
    }

    .chat-sidebar {
        width: 100%;
        border-right: none;
        border-bottom: 1px solid var(--border);
    }

    .chat-main {
        display: none;
    }

    .conversation-item:hover {
        transform: none;
    }

    .welcome-features {
        grid-template-columns: 1fr;
    }
}

@media (max-width: 480px) {
    .sidebar-header {
        padding: 1rem;
    }

    .conversations-list {
        padding: 0.5rem;
    }

    .conversation-item {
        padding: 0.8rem;
    }
```

```
    .conversation-avatar {
        width: 40px;
        height: 40px;
    }

    .book-badge {
        display: none;
    }

    .quick-buttons {
        flex-direction: column;
    }
}
</style>

<script>
document.addEventListener('DOMContentLoaded', function() {
    // ===== SEARCH FUNCTIONALITY =====
    const searchInput = document.getElementById('chat-search');
    const clearBtn = document.getElementById('clearSearch');
    const conversationItems = document.querySelectorAll('.conversation-item');

    function performSearch() {
        const query = searchInput.value.toLowerCase().trim();

        // Show/hide clear button
        clearBtn.style.display = query ? 'flex' : 'none';

        conversationItems.forEach(item => {
            const chatName = item.dataset.store?.toLowerCase() ||
                            item.querySelector('.conversation-name').textContent.toLowerCase();
            const lastMessage = item.dataset.lastMessage?.toLowerCase() || '';
            const bookInfo = item.dataset.book?.toLowerCase() || '';

            const matches = chatName.includes(query) ||
                            lastMessage.includes(query) ||
                            bookInfo.includes(query);

            item.style.display = matches ? 'flex' : 'none';
        });
    }

    if (searchInput) {
        searchInput.addEventListener('input', performSearch);
    }

    if (clearBtn) {
        clearBtn.addEventListener('click', function() {
            searchInput.value = '';
            performSearch();
            searchInput.focus();
        });
    }

    // ===== FILTER TABS =====
    const filterTabs = document.querySelectorAll('.filter-tab');
    const unreadBadge = document.getElementById('totalUnreadBadge');
    const unreadFilterBadge = document.getElementById('unreadFilterBadge');
```

```
function updateUnreadCounts() {
    const unreadItems = document.querySelectorAll('.conversation-item.unread').length;
    if (unreadBadge) unreadBadge.textContent = unreadItems;
    if (unreadFilterBadge) {
        unreadFilterBadge.textContent = unreadItems;
        unreadFilterBadge.style.display = unreadItems > 0 ? 'inline-block' : 'none';
    }
}

filterTabs.forEach(tab => {
    tab.addEventListener('click', function() {
        // Remove active class from all tabs
        filterTabs.forEach(t => t.classList.remove('active'));
        this.classList.add('active');

        const filter = this.dataset.filter;

        conversationItems.forEach(item => {
            const isUnread = item.classList.contains('unread');
            const hasBook = item.dataset.book;

            switch(filter) {
                case 'all':
                    item.style.display = 'flex';
                    break;
                case 'unread':
                    item.style.display = isUnread ? 'flex' : 'none';
                    break;
                case 'stores':
                    item.style.display = 'flex';
                    break;
                case 'books':
                    item.style.display = hasBook ? 'flex' : 'none';
                    break;
            }
        });
    });
});

// ===== NEW CHAT MODAL =====
const newChatBtn = document.getElementById('newChatBtn');
const modal = document.getElementById('newChatModal');
const modalClose = document.querySelector('.modal-close');
const modalOverlay = document.querySelector('.modal-overlay');

function openModal() {
    modal.classList.add('active');
    document.body.style.overflow = 'hidden';

    // Simulate loading stores (replace with actual AJAX)
    setTimeout(() => {
        const storesList = document.getElementById('storesList');
        if (storesList) {
            storesList.innerHTML = `
                <div class="empty-state" style="padding: 1rem;">
                    <p style="color: var(--text-muted);">Browse stores to start a conversation</p>
                </div>
            `;
        }
    }, 500);
```

```
    }

    function closeModal() {
        modal.classList.remove('active');
        document.body.style.overflow = '';
    }

    if (newChatBtn) {
        newChatBtn.addEventListener('click', openModal);
    }

    if (modalClose) {
        modalClose.addEventListener('click', closeModal);
    }

    if (modalOverlay) {
        modalOverlay.addEventListener('click', closeModal);
    }

    // ===== INITIAL COUNTS =====
    updateUnreadCounts();

    // ===== ESCAPE KEY HANDLER =====
    document.addEventListener('keydown', function(e) {
        if (e.key === 'Escape' && modal && modal.classList.contains('active')) {
            closeModal();
        }
    });

    // ===== ANIMATED ENTRY =====
    conversationItems.forEach((item, index) => {
        item.style.animationDelay = `${index * 0.03}s`;
    });
});
</script>
{% endblock %}

=== resources\views\customer\chat_room.blade.php ===
<!-- customer/chat_room.html -->
{% extends 'customer/base.html' %}
{% load static %}
{% load chat_extras %}

{% block content %}
<div class="chat-fullscreen">
    <!-- Chat Sidebar - Conversations (optional) -->
    <div class="chat-sidebar">
        <div class="sidebar-header">
            <div class="header-top">
                <h2 class="sidebar-title">Conversations</h2>
                <span class="header-badge" id="sidebarUnread">3</span>
            </div>
            <div class="sidebar-search">
                <i class="bi bi-search"></i>
                <input type="text" placeholder="Search conversations..." class="search-input">
            </div>
        </div>

        <div class="conversations-list">
            <!-- This would be populated with other conversations -->
```

```
        <a href="#" class="conversation-item active">
            <div class="conversation-avatar">
                {% if conversation.store.store_logo %}
                <img src="{{ conversation.store.store_logo.url }}" alt="{{ conversation.store.store_name }}">
                {% else %}
                <div class="avatar-placeholder" style="background: linear-gradient(135deg, var(--primary), var(-
                    {{ conversation.store.store_name|first|upper }}
                </div>
                {% endif %}
            </div>
            <div class="conversation-info">
                <div class="conv-header">
                    <span class="conv-name">{{ conversation.store.store_name }}</span>
                    <span class="conv-time">now</span>
                </div>
                <div class="conv-preview">
                    <span class="preview-text">{{ messages.last.content|truncatechars:30 }}</span>
                    <span class="unread-badge">2</span>
                </div>
            </div>
        </a>
    </div>
</div>

<!-- Main Chat Area -->
<div class="chat-main">
    <!-- Chat Header -->
    <div class="chat-header">
        <div class="header-left">
            <a href="{% url 'customer_chat_list' %}" class="back-button">
                <i class="bi bi-arrow-left"></i>
            </a>

            <div class="chat-avatar-wrapper">
                <div class="chat-avatar">
                    {% if conversation.store.store_logo %}
                    <img src="{{ conversation.store.store_logo.url }}" alt="{{ conversation.store.store_name }}">
                    {% else %}
                    <div class="avatar-placeholder" style="background: linear-gradient(135deg, var(--primary), va
                        {{ conversation.store.store_name|first|upper }}
                    </div>
                    {% endif %}
                </div>
                <span class="status-indicator online" title="Online"></span>
            </div>

            <div class="chat-info">
                <h3 class="chat-name">{{ conversation.store.store_name }}</h3>
                <div class="chat-meta">
                    <span class="chat-status online">● Online</span>
                    {% if conversation.book %}
                    <span class="chat-book">
                        <i class="bi bi-book"></i> {{ conversation.book.title|truncatechars:30 }}
                    </span>
                    {% endif %}
                </div>
            </div>
        </div>

        <div class="header-right">
```

```
        <button class="header-icon-btn" id="searchMessagesBtn">
            <i class="bi bi-search"></i>
        </button>
        <button class="header-icon-btn" id="moreOptionsBtn">
            <i class="bi bi-three-dots-vertical"></i>
        </button>
    </div>
</div>

<!-- Messages Area -->
<div class="messages-area" id="messageArea">
    <!-- Date Separator -->
    <div class="date-separator">
        <span class="date-badge">Today</span>
    </div>

    <div class="messages-container" id="messagesContainer">
        {% for message in messages %}
        <div class="message-wrapper {% if message.sender == request.user %}message-out{% else %}m
             data-message-id="{{ message.id }}"
             data-timestamp="{{ message.timestamp|date:'c' }}">

            <!-- Avatar for incoming messages -->
            {% if message.sender != request.user %}
            <div class="message-avatar">
                {% if conversation.store.store_logo %}
                <img src="{{ conversation.store.store_logo.url }}" alt="">
                {% else %}
                <div class="avatar-placeholder small" style="background: linear-gradient(135deg, var(--prima
                    {{ conversation.store.store_name|first|upper }}
                </div>
                {% endif %}
            </div>
            {% endif %}

            <div class="message-content-wrapper">
                <div class="message-bubble">
                    <div class="message-text">{{ message.content|linebreaksbr }}</div>

                    {% if message.attachment %}
                    <div class="message-attachment">
                        <i class="bi bi-paperclip"></i>
                        <span>Attachment</span>
                    </div>
                    {% endif %}

                    <div class="message-footer">
                        <span class="message-time">{{ message.timestamp|date:"H:i" }}</span>

                        {% if message.sender == request.user %}
                        <div class="message-status">
                            {% if message.is_read %}
                            <i class="bi bi-check2-all read" title="Read"></i>
                            {% else %}
                            <i class="bi bi-check2" title="Sent"></i>
                            {% endif %}
                        </div>
                        {% endif %}
                    </div>
                </div>
```

```
            </div>
        </div>
        {% empty %}
        <div class="empty-state">
            <div class="empty-state-icon">
                <i class="bi bi-chat-dots"></i>
            </div>
            <h3 class="empty-state-title">No messages yet</h3>
            <p class="empty-state-text">Start a conversation with {{ conversation.store.store_name }}</p>
        </div>
        {% endfor %}
    </div>

    <!-- Scroll to bottom button (appears when scrolled up) -->
    <button class="scroll-bottom-btn" id="scrollBottomBtn" style="display: none;">
        <i class="bi bi-arrow-down"></i>
        <span class="unread-indicator" id="unreadIndicator">0</span>
    </button>
</div>

<!-- Message Input Area -->
<div class="input-area">
    <form id="messageForm" class="message-form">
        {% csrf_token %}

        <div class="input-actions">
            <button type="button" class="input-action-btn" id="attachBtn">
                <i class="bi bi-paperclip"></i>
            </button>
            <button type="button" class="input-action-btn" id="emojiBtn">
                <i class="bi bi-emoji-smile"></i>
            </button>
        </div>

        <div class="input-wrapper">
            <textarea
                id="messageInput"
                class="message-input"
                placeholder="Type a message..."
                autocomplete="off"
                autofocus
                rows="1"></textarea>

            <div class="input-tools">
                <button type="button" class="input-tool-btn" id="voiceBtn">
                    <i class="bi bi-mic"></i>
                </button>
            </div>
        </div>

        <button type="submit" class="send-btn" id="sendBtn" disabled>
            <i class="bi bi-send-fill"></i>
        </button>
    </form>

    <!-- Typing indicator -->
    <div class="typing-indicator" id="typingIndicator" style="display: none;">
        <span class="typing-dots">
            <span></span>
            <span></span>
```

```
                <span></span>
            </span>
            <span class="typing-text">{{ conversation.store.store_name }} is typing...</span>
        </div>
    </div>
</div>

<!-- Info Sidebar (optional) -->
<div class="info-sidebar" id="infoSidebar" style="display: none;">
    <div class="info-header">
        <h3>Chat Info</h3>
        <button class="close-info-btn" id="closeInfoBtn">
            <i class="bi bi-x-lg"></i>
        </button>
    </div>

    <div class="info-content">
        <div class="store-profile">
            <div class="store-avatar-large">
                {% if conversation.store.store_logo %}
                <img src="{{ conversation.store.store_logo.url }}" alt="">
                {% else %}
                <div class="avatar-placeholder large" style="background: linear-gradient(135deg, var(--primary)
                    {{ conversation.store.store_name|first|upper }}
                </div>
                {% endif %}
            </div>
            <h4>{{ conversation.store.store_name }}</h4>
            <p class="store-status">Active now</p>

            <div class="store-actions">
                <button class="store-action-btn">
                    <i class="bi bi-shop"></i>
                    View Store
                </button>
                {% if conversation.book %}
                <button class="store-action-btn">
                    <i class="bi bi-book"></i>
                    View Book
                </button>
                {% endif %}
            </div>
        </div>

        <div class="info-section">
            <h5>About Store</h5>
            <p>{{ conversation.store.store_description|truncatechars:100 }}</p>
        </div>

        <div class="info-section">
            <h5>Media & Files</h5>
            <div class="media-grid">
                <div class="media-placeholder">
                    <i class="bi bi-image"></i>
                    <span>No media</span>
                </div>
            </div>
        </div>
    </div>
</div>
```

```
</div>

<!-- Message Context Menu (Hidden by default) -->
<div class="context-menu" id="contextMenu" style="display: none;">
    <button class="context-menu-item">
        <i class="bi bi-clipboard"></i> Copy
    </button>
    <button class="context-menu-item">
        <i class="bi bi-trash"></i> Delete
    </button>
    <button class="context-menu-item">
        <i class="bi bi-info-circle"></i> Info
    </button>
</div>

<style>
/* ===== FULLSCREEN CHAT LAYOUT ===== */
.chat-fullscreen {
    display: flex;
    height: calc(100vh - var(--header-h) - 2rem);
    background: var(--bg-base);
    border-radius: var(--radius-xl);
    overflow: hidden;
    border: 1px solid var(--border);
    box-shadow: var(--shadow-lg);
    margin: 1rem 0;
}

/* ===== SIDEBAR ===== */
.chat-sidebar {
    width: 320px;
    background: var(--bg-card);
    border-right: 1px solid var(--border);
    display: flex;
    flex-direction: column;
    overflow: hidden;
}

.sidebar-header {
    padding: 1.5rem 1.5rem 1rem;
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
    color: white;
}

.header-top {
    display: flex;
    align-items: center;
    justify-content: space-between;
    margin-bottom: 1rem;
}

.sidebar-title {
    font-size: 1.2rem;
    font-weight: 700;
    margin: 0;
    letter-spacing: -0.02em;
}

.header-badge {
    background: rgba(255,255,255,0.2);
```

```
    backdrop-filter: blur(8px);
    padding: 0.2rem 0.6rem;
    border-radius: 999px;
    font-size: 0.75rem;
    font-weight: 700;
    border: 1px solid rgba(255,255,255,0.3);
}

.sidebar-search {
    display: flex;
    align-items: center;
    background: rgba(255,255,255,0.15);
    backdrop-filter: blur(12px);
    border: 1.5px solid rgba(255,255,255,0.2);
    border-radius: 999px;
    padding: 0.5rem 1rem;
    transition: all var(--t-fast);
}

.sidebar-search i {
    color: rgba(255,255,255,0.7);
    font-size: 0.9rem;
    margin-right: 0.5rem;
}

.sidebar-search input {
    flex: 1;
    background: transparent;
    border: none;
    outline: none;
    color: white;
    font-size: 0.85rem;
}

.sidebar-search input::placeholder {
    color: rgba(255,255,255,0.5);
}

.conversations-list {
    flex: 1;
    overflow-y: auto;
    padding: 1rem;
}

.conversation-item {
    display: flex;
    padding: 0.75rem;
    border-radius: var(--radius);
    text-decoration: none;
    color: var(--text-primary);
    transition: all var(--t-fast);
    margin-bottom: 0.25rem;
}

.conversation-item:hover {
    background: var(--primary-soft);
}

.conversation-item.active {
    background: var(--primary-soft);
```

```
    border-left: 3px solid var(--primary);
}

.conversation-avatar {
    width: 40px;
    height: 40px;
    border-radius: 12px;
    overflow: hidden;
    margin-right: 0.75rem;
    flex-shrink: 0;
}

.conversation-avatar img {
    width: 100%;
    height: 100%;
    object-fit: cover;
}

.conversation-info {
    flex: 1;
    min-width: 0;
}

.conv-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 0.25rem;
}

.conv-name {
    font-weight: 600;
    font-size: 0.9rem;
    color: var(--text-primary);
}

.conv-time {
    font-size: 0.7rem;
    color: var(--text-muted);
}

.conv-preview {
    display: flex;
    justify-content: space-between;
    align-items: center;
}

.preview-text {
    font-size: 0.8rem;
    color: var(--text-secondary);
    white-space: nowrap;
    overflow: hidden;
    text-overflow: ellipsis;
    max-width: 160px;
}

/* ===== MAIN CHAT AREA ===== */
.chat-main {
    flex: 1;
    display: flex;
```

```
    flex-direction: column;
    background: var(--bg-card);
    position: relative;
}

/* Chat Header */
.chat-header {
    padding: 1rem 1.5rem;
    background: var(--bg-card);
    border-bottom: 1px solid var(--border);
    display: flex;
    align-items: center;
    justify-content: space-between;
    box-shadow: var(--shadow-sm);
    z-index: 10;
}

.header-left {
    display: flex;
    align-items: center;
    gap: 1rem;
    flex: 1;
}

.back-button {
    width: 36px;
    height: 36px;
    border-radius: 10px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-secondary);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.1rem;
    text-decoration: none;
    transition: all var(--t-fast);
}

.back-button:hover {
    background: var(--primary-soft);
    color: var(--primary);
    border-color: var(--primary);
}

.chat-avatar-wrapper {
    position: relative;
    width: 44px;
    height: 44px;
}

.chat-avatar {
    width: 44px;
    height: 44px;
    border-radius: 14px;
    overflow: hidden;
    box-shadow: var(--shadow-sm);
}

.chat-avatar img {
```

```
    width: 100%;
    height: 100%;
    object-fit: cover;
}

.avatar-placeholder {
    width: 100%;
    height: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
    color: white;
    font-weight: 700;
    font-size: 1.2rem;
}

.avatar-placeholder.small {
    font-size: 0.9rem;
}

.avatar-placeholder.large {
    font-size: 2rem;
}

.status-indicator {
    position: absolute;
    bottom: 2px;
    right: 2px;
    width: 10px;
    height: 10px;
    border-radius: 50%;
    background: var(--success);
    border: 2px solid var(--bg-card);
}

.status-indicator.online {
    background: var(--success);
    box-shadow: 0 0 0 2px rgba(0,201,139,0.2);
}

.chat-info {
    flex: 1;
    min-width: 0;
}

.chat-name {
    font-size: 1rem;
    font-weight: 700;
    color: var(--text-primary);
    margin-bottom: 0.1rem;
}

.chat-meta {
    display: flex;
    align-items: center;
    gap: 0.75rem;
    font-size: 0.75rem;
}

.chat-status {
```

```
    color: var(--success);
    font-weight: 600;
}

.chat-status.online {
    color: var(--success);
}

.chat-book {
    color: var(--text-muted);
    display: flex;
    align-items: center;
    gap: 0.2rem;
}

.chat-book i {
    font-size: 0.7rem;
}

.header-right {
    display: flex;
    gap: 0.5rem;
}

.header-icon-btn {
    width: 36px;
    height: 36px;
    border-radius: 10px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-secondary);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1rem;
    cursor: pointer;
    transition: all var(--t-fast);
}

.header-icon-btn:hover {
    background: var(--primary-soft);
    color: var(--primary);
    border-color: var(--primary);
}

/* Messages Area */
.messages-area {
    flex: 1;
    overflow-y: auto;
    padding: 2rem 1.5rem;
    background: var(--bg-base);
    position: relative;
    scroll-behavior: smooth;
}

.messages-area::-webkit-scrollbar {
    width: 6px;
}

.messages-area::-webkit-scrollbar-track {
```

```
    background: transparent;
}

.messages-area::-webkit-scrollbar-thumb {
    background: var(--border);
    border-radius: 10px;
}

/* Date Separator */
.date-separator {
    text-align: center;
    margin: 1rem 0;
    position: relative;
}

.date-badge {
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-muted);
    font-size: 0.7rem;
    font-weight: 600;
    padding: 0.3rem 1rem;
    border-radius: 999px;
    display: inline-block;
}

/* Messages Container */
.messages-container {
    display: flex;
    flex-direction: column;
    gap: 1rem;
    max-width: 800px;
    margin: 0 auto;
}

/* Message Wrapper */
.message-wrapper {
    display: flex;
    gap: 0.75rem;
    animation: slideIn 0.3s ease;
}

@keyframes slideIn {
    from {
        opacity: 0;
        transform: translateY(20px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

.message-in {
    justify-content: flex-start;
}

.message-out {
    justify-content: flex-end;
}
```

```
/* Message Avatar */
.message-avatar {
    width: 32px;
    height: 32px;
    border-radius: 10px;
    overflow: hidden;
    flex-shrink: 0;
    align-self: flex-end;
    margin-bottom: 0.5rem;
}

.message-avatar img {
    width: 100%;
    height: 100%;
    object-fit: cover;
}

.message-out .message-avatar {
    display: none;
}

/* Message Content */
.message-content-wrapper {
    max-width: 65%;
    min-width: 120px;
}

.message-bubble {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 0.75rem 1rem;
    box-shadow: var(--shadow-sm);
    transition: all var(--t-fast);
}

.message-out .message-bubble {
    background: var(--primary);
    border-color: var(--primary);
    color: white;
    border-bottom-right-radius: 0;
}

.message-in .message-bubble {
    border-bottom-left-radius: 0;
}

.message-text {
    font-size: 0.9rem;
    line-height: 1.5;
    word-wrap: break-word;
    margin-bottom: 0.5rem;
}

.message-out .message-text {
    color: white;
}

.message-attachment {
```

```
    display: flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.5rem;
    background: rgba(0,0,0,0.05);
    border-radius: var(--radius-sm);
    margin-bottom: 0.5rem;
    font-size: 0.8rem;
}

.message-out .message-attachment {
    background: rgba(255,255,255,0.15);
}

.message-footer {
    display: flex;
    align-items: center;
    justify-content: flex-end;
    gap: 0.5rem;
    font-size: 0.7rem;
}

.message-out .message-footer {
    color: rgba(255,255,255,0.8);
}

.message-in .message-footer {
    color: var(--text-muted);
}

.message-time {
    opacity: 0.8;
}

.message-status i {
    font-size: 0.9rem;
}

.message-status .read {
    color: #4fc3f7;
}

/* Scroll to bottom button */
.scroll-bottom-btn {
    position: absolute;
    bottom: 2rem;
    right: 2rem;
    width: 40px;
    height: 40px;
    border-radius: 50%;
    background: var(--primary);
    border: none;
    color: white;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.1rem;
    cursor: pointer;
    box-shadow: 0 4px 12px var(--primary-glow);
    transition: all var(--t-fast);
```

```
    z-index: 10;
}

.scroll-bottom-btn:hover {
    transform: scale(1.1);
}

.unread-indicator {
    position: absolute;
    top: -4px;
    right: -4px;
    background: var(--danger);
    color: white;
    font-size: 0.6rem;
    font-weight: 700;
    min-width: 16px;
    height: 16px;
    border-radius: 8px;
    display: flex;
    align-items: center;
    justify-content: center;
    padding: 0 4px;
}

/* Input Area */
.input-area {
    padding: 1rem 1.5rem;
    background: var(--bg-card);
    border-top: 1px solid var(--border);
    position: relative;
}

.message-form {
    display: flex;
    align-items: flex-end;
    gap: 0.75rem;
    max-width: 800px;
    margin: 0 auto;
}

.input-actions {
    display: flex;
    gap: 0.25rem;
}

.input-action-btn {
    width: 40px;
    height: 40px;
    border-radius: 12px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-secondary);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.1rem;
    cursor: pointer;
    transition: all var(--t-fast);
}
```

```
.input-action-btn:hover {
    background: var(--primary-soft);
    color: var(--primary);
    border-color: var(--primary);
}

.input-wrapper {
    flex: 1;
    display: flex;
    align-items: flex-end;
    background: var(--bg-raised);
    border: 1.5px solid var(--border);
    border-radius: 24px;
    padding: 0.3rem 0.3rem 0.3rem 1rem;
    transition: all var(--t-fast);
}

.input-wrapper:focus-within {
    border-color: var(--primary);
    box-shadow: 0 0 0 4px var(--primary-soft);
}

.message-input {
    flex: 1;
    background: transparent;
    border: none;
    outline: none;
    color: var(--text-primary);
    font-family: 'Outfit', sans-serif;
    font-size: 0.9rem;
    resize: none;
    max-height: 100px;
    padding: 0.6rem 0;
    line-height: 1.5;
}

.message-input::placeholder {
    color: var(--text-muted);
}

.input-tools {
    display: flex;
    gap: 0.25rem;
    padding-right: 0.3rem;
}

.input-tool-btn {
    width: 32px;
    height: 32px;
    border-radius: 8px;
    background: transparent;
    border: none;
    color: var(--text-muted);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1rem;
    cursor: pointer;
    transition: all var(--t-fast);
}
```

```
.input-tool-btn:hover {
    color: var(--primary);
    background: var(--primary-soft);
}

.send-btn {
    width: 48px;
    height: 48px;
    border-radius: 16px;
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
    border: none;
    color: white;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.2rem;
    cursor: pointer;
    transition: all var(--t-fast);
    box-shadow: 0 4px 12px var(--primary-glow);
    flex-shrink: 0;
}

.send-btn:hover:not(:disabled) {
    transform: translateY(-2px);
    box-shadow: 0 8px 20px var(--primary-glow);
}

.send-btn:disabled {
    opacity: 0.5;
    cursor: not-allowed;
    box-shadow: none;
}

/* Typing Indicator */
.typing-indicator {
    display: flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.5rem 1rem;
    margin-top: 0.5rem;
    color: var(--text-muted);
    font-size: 0.8rem;
}

.typing-dots {
    display: flex;
    gap: 0.2rem;
}

.typing-dots span {
    width: 6px;
    height: 6px;
    border-radius: 50%;
    background: var(--text-muted);
    animation: typing 1.4s infinite;
}

.typing-dots span:nth-child(2) {
    animation-delay: 0.2s;
```

```
}

.typing-dots span:nth-child(3) {
    animation-delay: 0.4s;
}

@keyframes typing {
    0%, 60%, 100% {
        transform: translateY(0);
        opacity: 0.5;
    }
    30% {
        transform: translateY(-4px);
        opacity: 1;
    }
}

/* Info Sidebar */
.info-sidebar {
    width: 280px;
    background: var(--bg-card);
    border-left: 1px solid var(--border);
    display: flex;
    flex-direction: column;
    animation: slideInRight 0.3s ease;
}

@keyframes slideInRight {
    from {
        transform: translateX(100%);
    }
    to {
        transform: translateX(0);
    }
}

.info-header {
    padding: 1.5rem 1.5rem 1rem;
    display: flex;
    align-items: center;
    justify-content: space-between;
    border-bottom: 1px solid var(--border);
}

.info-header h3 {
    font-size: 1rem;
    font-weight: 700;
    color: var(--text-primary);
    margin: 0;
}

.close-info-btn {
    width: 32px;
    height: 32px;
    border-radius: 8px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-muted);
    display: flex;
    align-items: center;
```

```
    justify-content: center;
    cursor: pointer;
    transition: all var(--t-fast);
}

.close-info-btn:hover {
    background: var(--danger-soft);
    color: var(--danger);
    border-color: var(--danger);
}

.info-content {
    flex: 1;
    overflow-y: auto;
    padding: 1.5rem;
}

.store-profile {
    text-align: center;
    margin-bottom: 2rem;
}

.store-avatar-large {
    width: 80px;
    height: 80px;
    border-radius: 20px;
    overflow: hidden;
    margin: 0 auto 1rem;
    box-shadow: var(--shadow);
}

.store-avatar-large img {
    width: 100%;
    height: 100%;
    object-fit: cover;
}

.store-profile h4 {
    font-size: 1.1rem;
    font-weight: 700;
    color: var(--text-primary);
    margin-bottom: 0.25rem;
}

.store-status {
    font-size: 0.8rem;
    color: var(--success);
    margin-bottom: 1rem;
}

.store-actions {
    display: flex;
    gap: 0.5rem;
    justify-content: center;
}

.store-action-btn {
    padding: 0.5rem 1rem;
    border-radius: 999px;
    background: var(--bg-raised);
```

```
    border: 1px solid var(--border);
    color: var(--text-secondary);
    font-size: 0.75rem;
    font-weight: 600;
    display: flex;
    align-items: center;
    gap: 0.3rem;
    cursor: pointer;
    transition: all var(--t-fast);
}

.store-action-btn:hover {
    background: var(--primary-soft);
    color: var(--primary);
    border-color: var(--primary);
}

.info-section {
    margin-bottom: 1.5rem;
}

.info-section h5 {
    font-size: 0.8rem;
    font-weight: 700;
    color: var(--text-muted);
    margin-bottom: 0.5rem;
    text-transform: uppercase;
    letter-spacing: 1px;
}

.info-section p {
    font-size: 0.85rem;
    color: var(--text-secondary);
    line-height: 1.5;
}

.media-grid {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 0.5rem;
}

.media-placeholder {
    aspect-ratio: 1;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: var(--radius-sm);
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    color: var(--text-muted);
    font-size: 0.7rem;
}

.media-placeholder i {
    font-size: 1rem;
    margin-bottom: 0.25rem;
}
```

```
/* Context Menu */
.context-menu {
    position: absolute;
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius);
    box-shadow: var(--shadow-lg);
    padding: 0.5rem;
    z-index: 1000;
    min-width: 150px;
}

.context-menu-item {
    width: 100%;
    padding: 0.5rem 1rem;
    background: transparent;
    border: none;
    color: var(--text-secondary);
    font-size: 0.85rem;
    display: flex;
    align-items: center;
    gap: 0.5rem;
    cursor: pointer;
    border-radius: var(--radius-sm);
    transition: all var(--t-fast);
}

.context-menu-item:hover {
    background: var(--primary-soft);
    color: var(--primary);
}

/* Empty State */
.empty-state {
    text-align: center;
    padding: 4rem 2rem;
    color: var(--text-muted);
}

.empty-state-icon {
    font-size: 4rem;
    margin-bottom: 1rem;
    opacity: 0.3;
}

.empty-state-title {
    font-size: 1.2rem;
    font-weight: 700;
    color: var(--text-primary);
    margin-bottom: 0.5rem;
}

.empty-state-text {
    font-size: 0.9rem;
    color: var(--text-secondary);
}

/* Responsive */
@media (max-width: 1024px) {
    .chat-sidebar {
```

```
        width: 280px;
    }

    .message-content-wrapper {
        max-width: 75%;
    }
}

@media (max-width: 768px) {
    .chat-fullscreen {
        flex-direction: column;
        height: auto;
        min-height: calc(100vh - var(--header-h) - 2rem);
    }

    .chat-sidebar {
        width: 100%;
        border-right: none;
        border-bottom: 1px solid var(--border);
    }

    .info-sidebar {
        position: absolute;
        top: 0;
        right: 0;
        bottom: 0;
        z-index: 100;
        box-shadow: var(--shadow-xl);
    }

    .message-content-wrapper {
        max-width: 85%;
    }

    .header-right {
        gap: 0.25rem;
    }

    .input-area {
        padding: 0.75rem 1rem;
    }
}

@media (max-width: 480px) {
    .chat-header {
        padding: 0.75rem 1rem;
    }

    .chat-avatar-wrapper {
        width: 36px;
        height: 36px;
    }

    .chat-avatar {
        width: 36px;
        height: 36px;
    }

    .chat-name {
        font-size: 0.9rem;
```

```
    }

    .message-content-wrapper {
        max-width: 90%;
    }

    .message-bubble {
        padding: 0.6rem 0.8rem;
    }

    .message-text {
        font-size: 0.85rem;
    }

    .input-action-btn {
        width: 36px;
        height: 36px;
    }

    .send-btn {
        width: 42px;
        height: 42px;
    }
}
</style>

<script>
document.addEventListener('DOMContentLoaded', function() {
    // ===== ELEMENTS =====
    const messageArea = document.getElementById('messageArea');
    const messagesContainer = document.getElementById('messagesContainer');
    const messageForm = document.getElementById('messageForm');
    const messageInput = document.getElementById('messageInput');
    const sendBtn = document.getElementById('sendBtn');
    const scrollBottomBtn = document.getElementById('scrollBottomBtn');
    const unreadIndicator = document.getElementById('unreadIndicator');
    const typingIndicator = document.getElementById('typingIndicator');
    const infoSidebar = document.getElementById('infoSidebar');
    const moreOptionsBtn = document.getElementById('moreOptionsBtn');
    const closeInfoBtn = document.getElementById('closeInfoBtn');
    const contextMenu = document.getElementById('contextMenu');

    const conversationId = {{ conversation.id }};
    let lastMessageCount = {{ messages|length }};
    let isAtBottom = true;
    let unreadCount = 0;

    // ===== SCROLL MANAGEMENT =====
    function scrollToBottom(animated = false) {
        if (animated) {
            messageArea.scrollTo({
                top: messageArea.scrollHeight,
                behavior: 'smooth'
            });
        } else {
            messageArea.scrollTop = messageArea.scrollHeight;
        }
    }

    function checkIfAtBottom() {
```

```
    const threshold = 100;
    isAtBottom = messageArea.scrollHeight - messageArea.scrollTop - messageArea.clientHeight < thresh

    if (isAtBottom) {
        scrollBottomBtn.style.display = 'none';
        unreadCount = 0;
        if (unreadIndicator) unreadIndicator.textContent = '0';
    } else {
        scrollBottomBtn.style.display = 'flex';
    }
}

// Scroll to bottom on load
scrollToBottom();

// Check scroll position on scroll
messageArea.addEventListener('scroll', checkIfAtBottom);

// Scroll bottom button click
scrollBottomBtn.addEventListener('click', () => {
    scrollToBottom(true);
});

// ===== MESSAGE INPUT =====
// Auto-resize textarea
function autoResize() {
    messageInput.style.height = 'auto';
    messageInput.style.height = Math.min(messageInput.scrollHeight, 100) + 'px';
}

messageInput.addEventListener('input', function() {
    autoResize();
    sendBtn.disabled = !this.value.trim();
});

// Enable/disable send button
messageInput.addEventListener('input', function() {
    sendBtn.disabled = !this.value.trim();
});

// Handle Enter key (send on Enter, Shift+Enter for new line)
messageInput.addEventListener('keydown', function(e) {
    if (e.key === 'Enter' && !e.shiftKey) {
        e.preventDefault();
        if (this.value.trim()) {
            messageForm.dispatchEvent(new Event('submit'));
        }
    }
});

// ===== SEND MESSAGE =====
messageForm.addEventListener('submit', async function(e) {
    e.preventDefault();

    const content = messageInput.value.trim();
    if (!content) return;

    // Store current value and clear input
    const messageText = content;
    messageInput.value = '';
```

```
    messageInput.style.height = 'auto';
    sendBtn.disabled = true;

    // Show sending state
    sendBtn.innerHTML = '<i class="bi bi-hourglass-split"></i>';

    try {
        const response = await fetch(`/chat/${conversationId}/send/`, {
            method: 'POST',
            headers: {
                'Content-Type': 'application/json',
                'X-CSRFToken': document.querySelector('[name=csrfmiddlewaretoken]').value
            },
            body: JSON.stringify({ content: messageText })
        });

        const data = await response.json();

        if (data.success) {
            // Instead of reloading, append the message dynamically
            appendNewMessage(messageText, data.message);
            scrollToBottom(true);
        } else {
            alert('Error sending message: ' + data.error);
            messageInput.value = messageText;
            sendBtn.disabled = false;
        }
    } catch (error) {
        console.error('Error:', error);
        alert('Failed to send message');
        messageInput.value = messageText;
        sendBtn.disabled = false;
    } finally {
        sendBtn.innerHTML = '<i class="bi bi-send-fill"></i>';
        messageInput.focus();
    }
});

function appendNewMessage(content, messageData) {
    const time = new Date().toLocaleTimeString([], {
        hour: '2-digit',
        minute: '2-digit',
        hour12: false
    });

    const messageHtml = `
        <div class="message-wrapper message-out" data-message-id="new">
            <div class="message-content-wrapper">
                <div class="message-bubble">
                    <div class="message-text">${content.replace(/\n/g, '<br>')}</div>
                    <div class="message-footer">
                        <span class="message-time">${time}</span>
                        <div class="message-status">
                            <i class="bi bi-check2" title="Sent"></i>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    `;
```

```
    messagesContainer.insertAdjacentHTML('beforeend', messageHtml);
}

// ===== POLLING FOR NEW MESSAGES =====
setInterval(async () => {
    try {
        const response = await fetch(window.location.href, {
            headers: {
                'X-Requested-With': 'XMLHttpRequest'
            }
        });

        if (response.ok) {
            const currentMessages = document.querySelectorAll('.message-wrapper').length;
            if (currentMessages !== lastMessageCount) {
                // New message received
                if (isAtBottom) {
                    location.reload();
                } else {
                    unreadCount++;
                    if (unreadIndicator) unreadIndicator.textContent = unreadCount;
                    scrollBottomBtn.style.display = 'flex';

                    // Show notification dot in header
                    const headerUnread = document.querySelector('.header-badge');
                    if (headerUnread) {
                        headerUnread.textContent = unreadCount;
                        headerUnread.style.display = 'inline-block';
                    }
                }
            }
        }
    } catch (error) {
        console.error('Polling error:', error);
    }
}, 3000);

// ===== TYPING INDICATOR =====
let typingTimeout;
messageInput.addEventListener('keypress', function() {
    // Show typing indicator (simplified)
    typingIndicator.style.display = 'flex';

    clearTimeout(typingTimeout);
    typingTimeout = setTimeout(() => {
        typingIndicator.style.display = 'none';
    }, 2000);
});

// ===== MARK MESSAGES AS READ =====
fetch(`/chat/${conversationId}/mark-read/`, {
    method: 'POST',
    headers: {
        'X-CSRFToken': document.querySelector('[name=csrfmiddlewaretoken]').value
    }
});

// ===== INFO SIDEBAR TOGGLE =====
if (moreOptionsBtn) {
```

```
    moreOptionsBtn.addEventListener('click', function() {
        if (infoSidebar.style.display === 'none') {
            infoSidebar.style.display = 'flex';
        } else {
            infoSidebar.style.display = 'none';
        }
    });
}

if (closeInfoBtn) {
    closeInfoBtn.addEventListener('click', function() {
        infoSidebar.style.display = 'none';
    });
}

// ===== ATTACHMENT BUTTON =====
document.getElementById('attachBtn').addEventListener('click', function() {
    // Create a file input dynamically
    const fileInput = document.createElement('input');
    fileInput.type = 'file';
    fileInput.accept = 'image/*,.pdf,.doc,.docx,.txt';
    fileInput.click();

    fileInput.addEventListener('change', function() {
        if (this.files.length > 0) {
            alert('File upload would be handled here. Selected: ' + this.files[0].name);
        }
    });
});

// ===== EMOJI BUTTON (placeholder) =====
document.getElementById('emojiBtn').addEventListener('click', function() {
    alert('Emoji picker would open here');
});

// ===== VOICE BUTTON (placeholder) =====
document.getElementById('voiceBtn').addEventListener('click', function() {
    alert('Voice recording would start here');
});

// ===== CONTEXT MENU FOR MESSAGES =====
document.querySelectorAll('.message-wrapper').forEach(msg => {
    msg.addEventListener('contextmenu', function(e) {
        e.preventDefault();

        contextMenu.style.display = 'block';
        contextMenu.style.left = e.pageX + 'px';
        contextMenu.style.top = e.pageY + 'px';

        // Hide menu after clicking
        setTimeout(() => {
            document.addEventListener('click', function hideMenu() {
                contextMenu.style.display = 'none';
                document.removeEventListener('click', hideMenu);
            }, { once: true });
        }, 100);
    });
});

// ===== SEARCH MESSAGES (placeholder) =====
```

```
    document.getElementById('searchMessagesBtn').addEventListener('click', function() {
        alert('Search in conversation would open here');
    });

    // ===== FOCUS INPUT ON LOAD =====
    messageInput.focus();
});
</script>
{% endblock %}

=== resources\views\customer\chat_show.blade.php ===
@extends('customer.base')

@section('title', 'Chat - BookHub')

@section('content')
<section class="chat-room">
    <div class="chat-room-head">
        <div>
            <a href="{{ route('chat.index') }}" class="back-link"><i class="bi bi-arrow-left"></i> Back to chats</a>
            <h1>{{ $conversation->subject ?? 'Support Request' }}</h1>
            <p>Status: <strong>{{ ucfirst(str_replace('_', ' ', $conversation->status)) }}</strong></p>
        </div>
        <div class="chat-meta">
            <span>Started {{ $conversation->created_at->format('M d, Y') }}</span>
            @if($conversation->assignedAdmin)
                <span>Assigned to {{ $conversation->assignedAdmin->name }}</span>
            @endif
        </div>
    </div>

    <div class="chat-messages">
        @forelse($messages as $message)
            @php $mine = (int) $message->sender_id === (int) auth()->id(); @endphp
            <div class="message {{ $mine ? 'outgoing' : 'incoming' }}">
                <div class="message-bubble">
                    <p>{{ $message->message }}</p>
                    <span>{{ $message->created_at->format('M d, Y H:i') }}</span>
                </div>
            </div>
        @empty
            <div class="chat-empty">
                <i class="bi bi-chat-square-dots"></i>
                <p>No messages yet. Send the first message below.</p>
            </div>
        @endforelse
    </div>

    <form method="POST" action="{{ route('chat.message', $conversation) }}" class="chat-input">
        @csrf
        <textarea name="message" rows="3" required maxlength="2000" placeholder="Type your message...">
        <button type="submit" class="btn-send">
            <i class="bi bi-send-fill"></i>
            Send
        </button>
    </form>
</section>
@endsection

@section('extra_css')
```

```
<style>
.chat-room {
    max-width: 980px;
    margin: 0 auto;
    display: grid;
    gap: 1.2rem;
}
.chat-room-head {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1.2rem 1.4rem;
    box-shadow: var(--shadow-sm);
    display: flex;
    justify-content: space-between;
    gap: 1rem;
}
.chat-room-head h1 {
    margin: 0.4rem 0 0.3rem;
    font-size: 1.4rem;
}
.chat-room-head p {
    margin: 0;
    color: var(--text-secondary);
    font-size: 0.85rem;
}
.back-link {
    text-decoration: none;
    color: var(--primary);
    font-size: 0.85rem;
    font-weight: 600;
    display: inline-flex;
    align-items: center;
    gap: 0.35rem;
}
.chat-meta {
    display: grid;
    gap: 0.35rem;
    font-size: 0.75rem;
    color: var(--text-muted);
    text-align: right;
}
.chat-messages {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1.2rem;
    min-height: 280px;
    display: flex;
    flex-direction: column;
    gap: 0.75rem;
    box-shadow: var(--shadow-sm);
}
.message {
    display: flex;
}
.message.incoming {
    justify-content: flex-start;
}
.message.outgoing {
```

```
    justify-content: flex-end;
}
.message-bubble {
    max-width: 70%;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: 16px;
    padding: 0.75rem 0.9rem;
    box-shadow: var(--shadow-sm);
}
.message.outgoing .message-bubble {
    background: var(--primary);
    color: #fff;
    border-color: transparent;
}
.message-bubble p {
    margin: 0 0 0.35rem 0;
    font-size: 0.88rem;
}
.message-bubble span {
    font-size: 0.7rem;
    opacity: 0.7;
}
.chat-input {
    display: grid;
    gap: 0.6rem;
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1rem 1.2rem;
    box-shadow: var(--shadow-sm);
}
.chat-input textarea {
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: var(--radius);
    padding: 0.7rem 0.8rem;
    font-family: 'Outfit', sans-serif;
    color: var(--text-primary);
    resize: vertical;
}
.btn-send {
    justify-self: flex-end;
    display: inline-flex;
    align-items: center;
    gap: 0.4rem;
    padding: 0.6rem 1.1rem;
    border-radius: 999px;
    border: none;
    background: var(--primary);
    color: #fff;
    font-weight: 700;
    cursor: pointer;
}
.chat-empty {
    text-align: center;
    color: var(--text-muted);
    margin: auto 0;
}
.chat-empty i {
```

```
    font-size: 2rem;
    display: block;
    margin-bottom: 0.4rem;
}
@media (max-width: 700px) {
    .chat-room-head {
        flex-direction: column;
        align-items: flex-start;
    }
    .chat-meta {
        text-align: left;
    }
    .message-bubble {
        max-width: 100%;
    }
}
</style>
@endsection

=== resources\views\customer\checkout.blade.php ===
{% extends 'customer/base.html' %}

{% block content %}
<div class="container" style="max-width: 800px; margin: 0 auto;">
    <h1 style="color: #2c3e50; margin-bottom: 30px;">
        <i class="fas fa-shopping-cart"></i> Checkout
    </h1>

    {% if messages %}
    <div style="margin-bottom: 20px;">
        {% for message in messages %}
        <div class="alert alert-{{ message.tags }}">
            {{ message }}
        </div>
        {% endfor %}
    </div>
    {% endif %}

    <div class="checkout-container" style="background: white; border-radius: 12px; padding: 30px; box-shado
        <!-- Order Summary -->
        <div class="order-summary" style="margin-bottom: 30px;">
            <h3 style="color: #2c3e50; margin-bottom: 20px; border-bottom: 2px solid #ecf0f1; padding-bottom: 
                <i class="fas fa-receipt"></i> Order Summary
            </h3>

            <div id="cart-items">
                {% for item in rental_items %}
                <div class="cart-item" style="display: flex; justify-content: space-between; align-items: center; pad
                    <div>
                        <h4 style="margin: 0; color: #2c3e50;">{{ item.title }}</h4>
                        <p style="margin: 5px 0; color: #7f8c8d;">by {{ item.author }} • Rental</p>
                    </div>
                    <div style="text-align: right;">
                        <p style="margin: 0; font-weight: 600; color: #2c3e50;">${{ item.rental_price }}/day</p>
                    </div>
                </div>
                {% endfor %}

                {% for item in purchase_items %}
                <div class="cart-item" style="display: flex; justify-content: space-between; align-items: center; pad
```

```
            <div>
                <h4 style="margin: 0; color: #2c3e50;">{{ item.title }}</h4>
                <p style="margin: 5px 0; color: #7f8c8d;">by {{ item.author }} • Purchase</p>
            </div>
            <div style="text-align: right;">
                <p style="margin: 0; font-weight: 600; color: #2c3e50;">${{ item.sale_price }}</p>
            </div>
        </div>
        {% endfor %}
    </div>

    <div class="totals" style="margin-top: 20px; padding-top: 20px; border-top: 2px solid #ecf0f1;">
        <div style="display: flex; justify-content: space-between; margin-bottom: 10px;">
            <span>Subtotal:</span>
            <span style="font-weight: 600;">${{ total }}</span>
        </div>
        <div style="display: flex; justify-content: space-between; margin-bottom: 10px;">
            <span>Delivery Fee:</span>
            <span style="font-weight: 600;" id="delivery-fee">$0.00</span>
        </div>
        <div style="display: flex; justify-content: space-between; font-size: 1.2rem; font-weight: 700; color:
            <span>Total:</span>
            <span id="total-amount">${{ total }}</span>
        </div>
    </div>
</div>

<!-- Order Form -->
<form id="order-form" method="POST" action="{% url 'create_order' %}">
    {% csrf_token %}

    <!-- Order Type -->
    <div class="form-section" style="margin-bottom: 25px;">
        <h3 style="color: #2c3e50; margin-bottom: 15px;">
            <i class="fas fa-tag"></i> Order Type
        </h3>
        <div style="display: flex; gap: 20px; align-items: center;">
            {% if rental_items %}
            <div>
                <input type="radio" id="rent" name="order_type" value="rent" checked>
                <label for="rent" style="margin-left: 5px;">Rental</label>
            </div>
            {% endif %}
            {% if purchase_items %}
            <div>
                <input type="radio" id="buy" name="order_type" value="buy" {% if not rental_items %}checke
                <label for="buy" style="margin-left: 5px;">Purchase</label>
            </div>
            {% endif %}
        </div>

        <!-- Rental Duration (shown only for rentals) -->
        <div id="rental-duration" style="margin-top: 15px; {% if not rental_items %}display: none;{% endif %
            <label for="rental_days" style="display: block; margin-bottom: 5px; font-weight: 500;">Rental Du
            <select id="rental_days" name="rental_days" style="width: 100%; padding: 10px; border: 1px so
                <option value="7">7 days</option>
                <option value="14">14 days</option>
                <option value="30">30 days</option>
            </select>
        </div>
```

```
</div>

<!-- Delivery Options -->
<div class="form-section" style="margin-bottom: 25px;">
    <h3 style="color: #2c3e50; margin-bottom: 15px;">
        <i class="fas fa-truck"></i> Delivery Options
    </h3>

    <div style="margin-bottom: 15px;">
        <input type="radio" id="pickup" name="delivery_option" value="pickup" checked>
        <label for="pickup" style="margin-left: 5px; font-weight: 500;">
            <i class="fas fa-store"></i> Store Pickup (Free)
        </label>
        <p style="margin: 5px 0 0 25px; color: #7f8c8d; font-size: 0.9rem;">
            Pick up your order from the store during business hours
        </p>
    </div>

    <div>
        <input type="radio" id="delivery" name="delivery_option" value="delivery">
        <label for="delivery" style="margin-left: 5px; font-weight: 500;">
            <i class="fas fa-home"></i> Home Delivery (+$3.00)
        </label>
        <p style="margin: 5px 0 0 25px; color: #7f8c8d; font-size: 0.9rem;">
            Get your order delivered to your doorstep
        </p>
    </div>

    <!-- Delivery Address (shown only for delivery) -->
    <div id="delivery-details" style="margin-top: 15px; display: none;">
        <div style="margin-bottom: 15px;">
            <label for="delivery_address" style="display: block; margin-bottom: 5px; font-weight: 500;">D
            <textarea id="delivery_address" name="delivery_address" rows="3" style="width: 100%; pad
        </div>

        <div>
            <label for="preferred_time" style="display: block; margin-bottom: 5px; font-weight: 500;">Pref
            <select id="preferred_time" name="preferred_time" style="width: 100%; padding: 10px; borde
                <option value="">Any Time</option>
                <option value="morning">Morning (9AM - 12PM)</option>
                <option value="afternoon">Afternoon (12PM - 4PM)</option>
                <option value="evening">Evening (4PM - 8PM)</option>
            </select>
        </div>
    </div>
</div>

<!-- Payment Note -->
<div class="payment-note" style="background: #f8f9fa; padding: 20px; border-radius: 8px; margin-bo
    <h4 style="color: #2c3e50; margin-bottom: 10px;">
        <i class="fas fa-info-circle"></i> Payment Information
    </h4>
    <p style="color: #7f8c8d; margin: 0;">
        ■ <strong>Pay when you receive the book</strong> (cash or card)<br>
        The store will contact you to confirm payment method
    </p>
</div>

<!-- Additional Notes -->
<div class="form-section" style="margin-bottom: 25px;">
```

```
            <label for="notes" style="display: block; margin-bottom: 5px; font-weight: 500;">
                <i class="fas fa-sticky-note"></i> Additional Notes (Optional):
            </label>
            <textarea id="notes" name="notes" rows="3" style="width: 100%; padding: 10px; border: 1px solid
        </div>

        <!-- Hidden Fields -->
        <input type="hidden" id="total_amount" name="total_amount" value="{{ total }}">
        <input type="hidden" id="delivery_fee" name="delivery_fee" value="0">

        <!-- Action Buttons -->
        <div style="display: flex; gap: 15px; margin-top: 30px;">
            <a href="{% url 'shopping_cart' %}" class="btn" style="background-color: #95a5a6; color: white; pa
                <i class="fas fa-arrow-left"></i> Back to Cart
            </a>
            <button type="submit" class="btn" style="background-color: #2ecc71; color: white; padding: 12px 2
                <i class="fas fa-check-circle"></i> Place Order
            </button>
        </div>
    </form>
  </div>
</div>

<script>
document.addEventListener('DOMContentLoaded', function() {
    // Toggle rental duration
    const orderTypeRadios = document.querySelectorAll('input[name="order_type"]');
    const rentalDurationDiv = document.getElementById('rental-duration');

    orderTypeRadios.forEach(radio => {
        radio.addEventListener('change', function() {
            if (this.value === 'rent') {
                rentalDurationDiv.style.display = 'block';
            } else {
                rentalDurationDiv.style.display = 'none';
            }
        });
    });

    // Toggle delivery details
    const deliveryOptionRadios = document.querySelectorAll('input[name="delivery_option"]');
    const deliveryDetailsDiv = document.getElementById('delivery-details');
    const deliveryFeeSpan = document.getElementById('delivery-fee');
    const totalAmountSpan = document.getElementById('total-amount');
    const totalAmountInput = document.getElementById('total_amount');
    const deliveryFeeInput = document.getElementById('delivery_fee');

    const subtotal = {{ total }};

    deliveryOptionRadios.forEach(radio => {
        radio.addEventListener('change', function() {
            if (this.value === 'delivery') {
                deliveryDetailsDiv.style.display = 'block';
                deliveryFeeSpan.textContent = '$3.00';
                const newTotal = subtotal + 3.0;
                totalAmountSpan.textContent = '$' + newTotal.toFixed(2);
                totalAmountInput.value = newTotal.toFixed(2);
                deliveryFeeInput.value = '3.00';
            } else {
                deliveryDetailsDiv.style.display = 'none';
```

```
                deliveryFeeSpan.textContent = '$0.00';
                totalAmountSpan.textContent = '$' + subtotal.toFixed(2);
                totalAmountInput.value = subtotal.toFixed(2);
                deliveryFeeInput.value = '0.00';
            }
        });
    });

    // Update total when rental days change
    const rentalDaysSelect = document.getElementById('rental_days');
    rentalDaysSelect.addEventListener('change', function() {
        // Recalculate rental total based on days
        let rentalTotal = 0;
        document.querySelectorAll('#cart-items .cart-item').forEach(item => {
            const priceText = item.querySelector('p:last-child').textContent;
            if (priceText.includes('/day')) {
                const pricePerDay = parseFloat(priceText.replace('$', '').replace('/day', ''));
                rentalTotal += pricePerDay * parseInt(this.value);
            }
        });

        // Update totals
        const deliveryFee = parseFloat(deliveryFeeInput.value);
        const newTotal = rentalTotal + {{ purchase_total|default:0 }} + deliveryFee;
        totalAmountSpan.textContent = '$' + newTotal.toFixed(2);
        totalAmountInput.value = newTotal.toFixed(2);
    });

    // Form submission (normal POST to Django view)
    const orderForm = document.getElementById('order-form');
    orderForm.addEventListener('submit', function(e) {
        const deliveryOption = document.querySelector('input[name="delivery_option"]:checked').value;
        if (deliveryOption === 'delivery') {
            const deliveryAddress = document.getElementById('delivery_address').value.trim();
            if (!deliveryAddress) {
                e.preventDefault();
                alert('Please enter your delivery address');
            }
        }
    });
});
</script>

<style>
.alert {
    padding: 15px;
    border-radius: 8px;
    margin-bottom: 15px;
}

.alert-success {
    background-color: #d4edda;
    color: #155724;
    border: 1px solid #c3e6cb;
}

.alert-error {
    background-color: #f8d7da;
    color: #721c24;
    border: 1px solid #f5c6cb;
```

```
}

.alert-warning {
    background-color: #fff3cd;
    color: #856404;
    border: 1px solid #ffeaa7;
}

.btn:hover {
    opacity: 0.9;
    transform: translateY(-2px);
    transition: all 0.3s;
}
</style>
{% endblock %}

=== resources\views\customer\dashboard.blade.php ===
@extends('customer.base')

@section('title', 'Browse Books · BookHub')

@section('extra_css')
<style>
/* ================================================================
   DASHBOARD — all tokens inherited from base.blade.php
   ================================================================ */

/* ——— Results / info bar ——— */
.results-bar {
    display: flex; align-items: center; justify-content: space-between;
    flex-wrap: wrap; gap: 0.75rem;
    padding: 1rem 1.25rem; margin-bottom: 2rem;
    background: var(--bg-card); border: 1px solid var(--border);
    border-radius: var(--radius-lg); box-shadow: var(--shadow-sm);
}
.results-text { font-size: 0.87rem; color: var(--text-secondary); font-weight: 500; }
.results-text strong { color: var(--text-primary); font-weight: 800; }
.results-text .hl { color: var(--primary); font-style: italic; }

/* Active filter pills */
.active-pills { display: flex; flex-wrap: wrap; gap: 0.5rem; margin-top: 0.65rem; }
.active-pill {
    display: inline-flex; align-items: center; gap: 0.4rem;
    padding: 0.22rem 0.7rem; border-radius: 999px;
    font-size: 0.7rem; font-weight: 700;
}
.pill-blue   { background: var(--primary-soft); color: var(--primary);  border: 1px solid var(--border); }
.pill-green  { background: var(--success-soft);  color: var(--success);  border: 1px solid rgba(0,201,139,0.2); }
.pill-close  { opacity: 0.6; cursor: pointer; transition: opacity var(--t-fast); text-decoration: none; color: inherit; }
.pill-close:hover { opacity: 1; color: inherit; }

/* ——— Empty state ——— */
.empty-state {
    grid-column: 1 / -1;
    text-align: center; padding: 5rem 2rem;
}
.empty-icon {
    width: 80px; height: 80px; border-radius: var(--radius-lg);
    background: var(--primary-soft); border: 1px solid var(--border);
    display: flex; align-items: center; justify-content: center;
```

```
    font-size: 2rem; color: var(--primary); margin: 0 auto 1.5rem;
}
.empty-state h3 {
    font-size: 1.25rem; font-weight: 800; color: var(--text-primary);
    letter-spacing: -0.02em; margin-bottom: 0.5rem;
}
.empty-state p { font-size: 0.87rem; color: var(--text-muted); margin-bottom: 1.5rem; }

/* ——— Genre badge on card ——— */
.book-genre-tag {
    display: inline-flex; align-items: center;
    padding: 0.18rem 0.6rem; border-radius: 999px;
    font-size: 0.65rem; font-weight: 700; letter-spacing: 0.3px;
    background: var(--primary-soft); color: var(--primary);
    border: 1px solid var(--border); margin-bottom: 0.6rem;
}

/* ——— Availability rows ——— */
.avail-row {
    display: flex; align-items: center; gap: 0.45rem;
    font-size: 0.74rem; font-weight: 600; margin-bottom: 0.28rem;
}
.avail-dot { width: 7px; height: 7px; border-radius: 50%; flex-shrink: 0; }
.avail-yes .avail-dot { background: var(--success); }
.avail-no  .avail-dot { background: var(--danger); }
.avail-yes { color: var(--success); }
.avail-no  { color: var(--danger); }

/* ——— 3-col action row: rent | buy | view ——— */
.book-actions-3 {
    display: grid; grid-template-columns: 1fr 1fr auto;
    gap: 0.5rem; margin-top: auto;
}
.btn-view {
    padding: 0.65rem 0.75rem; border-radius: var(--radius-sm);
    font-family: 'Outfit', sans-serif; font-size: 0.8rem; font-weight: 700;
    cursor: pointer; display: flex; align-items: center; justify-content: center;
    gap: 0.35rem; transition: all var(--t-fast); text-decoration: none;
    background: var(--accent-soft); color: var(--accent);
    border: 1.5px solid rgba(245,176,66,0.22);
}
.btn-view:hover { background: var(--accent); color: #fff; border-color: var(--accent); }

/* ——— Card stagger animation ——— */
.book-card { animation: cardIn .38s ease both; }
.book-card:nth-child(1){animation-delay:.04s}
.book-card:nth-child(2){animation-delay:.08s}
.book-card:nth-child(3){animation-delay:.12s}
.book-card:nth-child(4){animation-delay:.16s}
.book-card:nth-child(5){animation-delay:.20s}
.book-card:nth-child(6){animation-delay:.24s}
.book-card:nth-child(7){animation-delay:.28s}
.book-card:nth-child(8){animation-delay:.32s}
@keyframes cardIn {
    from { opacity:0; transform:translateY(18px); }
    to   { opacity:1; transform:none; }
}
</style>
@endsection
```

```
@section('content')
@php
   $baseParams = request()->except('page', 'genre', 'availability');
   $hasFilters = !empty($searchQuery) || !empty($selectedGenre) || !empty($selectedAvailability);
   $wishlistIds = array_map('intval', session('wishlist', []));
@endphp

<!-- ================================================================
     FILTER BAR
     ================================================================ -->
<div class="filter-bar" style="flex-direction:column;align-items:flex-start;gap:0.75rem;">

   <div style="display:flex;align-items:center;gap:1rem;flex-wrap:wrap;width:100%;">
      <span class="filter-label">Browse by</span>
      <div class="filter-tags">

         <a href="{{ route('customer.dashboard', $baseParams) }}"
            class="filter-tag {{ !$selectedGenre && !$selectedAvailability ? 'active' : '' }}">
             <i class="bi bi-grid-3x3-gap"></i> All Books
         </a>

         <a href="{{ route('customer.dashboard', array_merge($baseParams, ['availability' => 'rent'])) }}"
            class="filter-tag {{ $selectedAvailability === 'rent' ? 'active' : '' }}">
             <i class="bi bi-arrow-repeat"></i> For Rent
         </a>

         <a href="{{ route('customer.dashboard', array_merge($baseParams, ['availability' => 'buy'])) }}"
            class="filter-tag {{ $selectedAvailability === 'buy' ? 'active' : '' }}">
             <i class="bi bi-bag-check"></i> For Sale
         </a>

         @foreach($genres as $genre)
             <a href="{{ route('customer.dashboard', array_merge($baseParams, ['genre' => $genre])) }}"
                class="filter-tag {{ $selectedGenre === $genre ? 'active' : '' }}">
                 {{ $genre }}
             </a>
         @endforeach

      </div>
   </div>

   @if($hasFilters)
      <div class="filter-row2">
         <a href="{{ route('customer.dashboard') }}"
            class="nav-btn" style="margin-left:auto;color:var(--danger);background:var(--danger-soft);border-co
             <i class="bi bi-x-circle-fill"></i> Clear All
         </a>
      </div>
   @endif

</div>

<!-- ================================================================
     RESULTS BAR
     ================================================================ -->
<div class="results-bar">
   <div style="flex:1;">
      <div class="results-text">
         Found <strong>{{ $totalBooks }}</strong> book{{ $totalBooks === 1 ? '' : 's' }}
         @if($searchQuery) matching <span class="hl">"{{ $searchQuery }}"</span>@endif
```

```
        </div>

        @if($selectedGenre || $selectedAvailability)
        <div class="active-pills">
            @if($selectedGenre)
            <span class="active-pill pill-blue">
                <i class="bi bi-tag-fill"></i> {{ $selectedGenre }}
            </span>
            @endif
            @if($selectedAvailability)
            <span class="active-pill pill-green">
                <i class="bi bi-check-circle-fill"></i>
                {{ $selectedAvailability === 'rent' ? 'For Rent' : 'For Sale' }}
            </span>
            @endif
        </div>
        @endif
    </div>

    @if($searchQuery)
    <a href="{{ route('customer.dashboard') }}" class="nav-btn" style="flex-shrink:0;">
        <i class="bi bi-x"></i> Clear Search
    </a>
    @endif
</div>

<!-- ================================================================
     SECTION HEADING
     ================================================================ -->
<div class="section-hd">
    <div class="section-hd-left">
        <div class="section-icon">
            @if($searchQuery)<i class="bi bi-search"></i>
            @elseif($selectedGenre)<i class="bi bi-tag-fill"></i>
            @else<i class="bi bi-collection-fill"></i>@endif
        </div>
        <div>
            <div class="section-title">
                @if($searchQuery) Search Results
                @elseif($selectedGenre) {{ $selectedGenre }}
                @elseif($selectedAvailability === 'rent') Books for Rent
                @elseif($selectedAvailability === 'buy') Books for Sale
                @else All Books @endif
            </div>
            <div class="section-sub">{{ $totalBooks }} book{{ $totalBooks === 1 ? '' : 's' }} available</div>
        </div>
    </div>
</div>

<!-- ================================================================
     BOOKS GRID
     ================================================================ -->
<div class="book-grid">

@forelse($books as $book)
<div class="book-card">

    <div class="book-img">
        @php
            $isWished = in_array((int) $book->id, $wishlistIds, true);
```

```
        $wishlistRoute = $isWished ? route('wishlist.remove', $book->id) : route('wishlist.add', $book->id);
    @endphp
    <a href="{{ $wishlistRoute }}"
       class="book-wish {{ $isWished ? 'active' : '' }}"
       aria-label="{{ $isWished ? 'Remove from wishlist' : 'Add to wishlist' }}">
        <i class="bi {{ $isWished ? 'bi-heart-fill' : 'bi-heart' }}"></i>
    </a>

    <a href="{{ route('books.show', $book->id) }}" class="quick-view">
        <i class="bi bi-eye"></i> Quick View
    </a>

    @if($book->cover_image_path)
        <img src="{{ asset($book->cover_image_path) }}"
             alt="{{ $book->title }}"
             loading="lazy">
    @else
        <div class="d-flex align-items-center justify-content-center"
             style="height:220px;background:var(--bg-raised);color:var(--text-muted);font-size:0.85rem;border-
            No Image
        </div>
    @endif
</div>

<div class="book-body">

    @if($book->genre)
    <span class="book-genre-tag">{{ $book->genre }}</span>
    @endif

    <div class="book-title">{{ $book->title }}</div>
    <div class="book-author">{{ $book->author }}</div>

    <div class="pricing-row">
        <div class="price-pill price-rent">
            <span class="price-tag">Rent</span>
            <span class="price-amount">${{ number_format($book->rental_price, 2) }}</span>
            <span class="price-period">/month</span>
        </div>
        <div class="price-pill price-buy">
            <span class="price-tag">Buy</span>
            <span class="price-amount">${{ number_format($book->sale_price, 2) }}</span>
            <span class="price-period">one-time</span>
        </div>
    </div>

    <div style="margin-bottom:1rem;">
        <div class="avail-row {{ $book->available_rent > 0 ? 'avail-yes' : 'avail-no' }}">
            <span class="avail-dot"></span>
            @if($book->available_rent > 0)
                {{ $book->available_rent }} available for rent
            @else
                Not available for rent
            @endif
        </div>
        <div class="avail-row {{ $book->available_sale > 0 ? 'avail-yes' : 'avail-no' }}">
            <span class="avail-dot"></span>
            @if($book->available_sale > 0)
                {{ $book->available_sale }} available to buy
            @else
```

```
                Not available to buy
            @endif
        </div>
    </div>

    <div class="book-actions-3">
        @if($book->available_rent > 0)
        <a href="{{ route('cart.add.rent', $book->id) }}" class="btn btn-rent">
            <i class="bi bi-arrow-repeat"></i> Rent
        </a>
        @else
        <span class="btn btn-disabled">
            <i class="bi bi-arrow-repeat"></i> Rent
        </span>
        @endif

        @if($book->available_sale > 0)
        <a href="{{ route('cart.add.buy', $book->id) }}" class="btn btn-buy">
            <i class="bi bi-bag-check"></i> Buy
        </a>
        @else
        <span class="btn btn-disabled">
            <i class="bi bi-bag-check"></i> Buy
        </span>
        @endif

        <a href="{{ route('books.show', $book->id) }}" class="btn-view">
            <i class="bi bi-eye-fill"></i>
        </a>
    </div>

  </div>
</div>

@empty
<div class="empty-state">
  <div class="empty-icon"><i class="bi bi-search"></i></div>
  <h3>No books found</h3>
  <p>Try different keywords or clear the active filters to see all books.</p>
  <a href="{{ route('customer.dashboard') }}" class="nav-pill" style="display:inline-flex;">
      <i class="bi bi-x-circle"></i> Clear All Filters
  </a>
</div>
@endforelse

</div>

@if($books->hasPages())
<div class="bh-pagination">
  @if($books->previousPageUrl())
  <a class="page-btn" href="{{ $books->previousPageUrl() }}">
      <i class="bi bi-chevron-left"></i> Previous
  </a>
  @endif

  <span class="page-btn current">
      Page {{ $books->currentPage() }} of {{ $books->lastPage() }}
  </span>

  @if($books->nextPageUrl())
```

```
    <a class="page-btn" href="{{ $books->nextPageUrl() }}">
        Next <i class="bi bi-chevron-right"></i>
    </a>
    @endif
</div>
@endif

@endsection

=== resources\views\customer\featured_books.blade.php ===
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>BookHub - Featured Books</title>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">
    <style>
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
            font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
        }

        body {
            background-color: #f8f9fa;
            color: #333;
            line-height: 1.6;
        }

        .container {
            max-width: 1400px;
            margin: 0 auto;
            padding: 0 20px;
        }

        /* Navigation Bar */
        .navbar {
            background-color: #2c3e50;
            color: white;
            padding: 15px 0;
            box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
            position: sticky;
            top: 0;
            z-index: 100;
        }

        .nav-container {
            display: flex;
            justify-content: space-between;
            align-items: center;
        }

        .logo {
            display: flex;
            align-items: center;
            font-size: 1.8rem;
            font-weight: 700;
        }
```

```
.logo i {
    margin-right: 10px;
    color: #3498db;
}

.nav-links {
    display: flex;
    align-items: center;
    gap: 25px;
}

.nav-item {
    display: flex;
    align-items: center;
    cursor: pointer;
    transition: color 0.3s;
    font-weight: 500;
    padding: 8px 15px;
    border-radius: 6px;
}

.nav-item:hover {
    color: #3498db;
    background-color: rgba(255, 255, 255, 0.1);
}

.nav-item.active {
    background-color: #3498db;
    color: white;
}

.nav-item i {
    margin-right: 8px;
}

.cart-badge {
    background-color: #e74c3c;
    color: white;
    border-radius: 50%;
    width: 22px;
    height: 22px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 0.8rem;
    margin-left: 5px;
}

/* Featured Books Section */
.featured-section {
    padding: 40px 0;
}

.section-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 30px;
}
```

```
.section-title {
    font-size: 1.8rem;
    color: #2c3e50;
    display: flex;
    align-items: center;
}

.section-title i {
    color: #3498db;
    margin-right: 10px;
    font-size: 1.5rem;
}

.section-controls {
    display: flex;
    gap: 15px;
}

.view-all-btn {
    background-color: #3498db;
    color: white;
    padding: 10px 20px;
    border-radius: 6px;
    text-decoration: none;
    font-weight: 600;
    display: flex;
    align-items: center;
    transition: background-color 0.3s;
}

.view-all-btn:hover {
    background-color: #2980b9;
}

.view-all-btn i {
    margin-left: 8px;
}

.nav-arrows {
    display: flex;
    gap: 10px;
}

.nav-arrow {
    width: 40px;
    height: 40px;
    border-radius: 50%;
    background-color: white;
    border: 2px solid #dee2e6;
    display: flex;
    align-items: center;
    justify-content: center;
    cursor: pointer;
    transition: all 0.3s;
    font-size: 1.2rem;
    color: #495057;
}

.nav-arrow:hover {
```

```
    background-color: #3498db;
    color: white;
    border-color: #3498db;
}

/* Book Grid */
.book-grid {
    display: grid;
    grid-template-columns: repeat(auto-fill, minmax(280px, 1fr));
    gap: 30px;
}

.book-card {
    background-color: white;
    border-radius: 12px;
    overflow: hidden;
    box-shadow: 0 6px 15px rgba(0, 0, 0, 0.07);
    transition: transform 0.3s, box-shadow 0.3s;
    display: flex;
    flex-direction: column;
}

.book-card:hover {
    transform: translateY(-10px);
    box-shadow: 0 12px 25px rgba(0, 0, 0, 0.12);
}

.book-image {
    height: 280px;
    overflow: hidden;
    position: relative;
}

.book-image img {
    width: 100%;
    height: 100%;
    object-fit: cover;
    transition: transform 0.5s;
}

.book-card:hover .book-image img {
    transform: scale(1.05);
}

.book-badge {
    position: absolute;
    top: 15px;
    left: 15px;
    background-color: #e74c3c;
    color: white;
    padding: 5px 15px;
    border-radius: 20px;
    font-size: 0.8rem;
    font-weight: 600;
}

.book-rating {
    position: absolute;
    top: 15px;
    right: 15px;
```

```
    background-color: rgba(0, 0, 0, 0.7);
    color: white;
    padding: 5px 10px;
    border-radius: 4px;
    font-size: 0.9rem;
    display: flex;
    align-items: center;
}

.book-rating i {
    color: #f1c40f;
    margin-right: 5px;
}

.book-info {
    padding: 20px;
    flex-grow: 1;
    display: flex;
    flex-direction: column;
}

.book-title {
    font-size: 1.3rem;
    font-weight: 700;
    margin-bottom: 8px;
    color: #2c3e50;
}

.book-author {
    color: #7f8c8d;
    margin-bottom: 10px;
    font-size: 0.95rem;
}

.book-description {
    color: #636e72;
    margin-bottom: 20px;
    font-size: 0.95rem;
    line-height: 1.5;
    flex-grow: 1;
}

.book-pricing {
    display: flex;
    justify-content: space-between;
    margin-bottom: 20px;
    padding: 10px 0;
    border-top: 1px solid #ecf0f1;
    border-bottom: 1px solid #ecf0f1;
}

.price-option {
    display: flex;
    flex-direction: column;
    align-items: center;
    flex: 1;
}

.price-label {
    font-size: 0.85rem;
```

```
    color: #7f8c8d;
    margin-bottom: 5px;
}

.price-amount {
    font-weight: 700;
    font-size: 1.2rem;
    color: #2c3e50;
}

.rent-price {
    color: #3498db;
}

.buy-price {
    color: #2ecc71;
}

.book-actions {
    display: flex;
    gap: 10px;
}

.btn {
    padding: 12px 20px;
    border-radius: 8px;
    border: none;
    cursor: pointer;
    font-weight: 600;
    display: inline-flex;
    align-items: center;
    justify-content: center;
    transition: all 0.3s;
    flex: 1;
}

.btn i {
    margin-right: 8px;
}

.btn-rent {
    background-color: #3498db;
    color: white;
}

.btn-rent:hover {
    background-color: #2980b9;
}

.btn-buy {
    background-color: #2ecc71;
    color: white;
}

.btn-buy:hover {
    background-color: #27ae60;
}

/* Responsive Design */
@media (max-width: 992px) {
```

```
            .book-grid {
                grid-template-columns: repeat(auto-fill, minmax(250px, 1fr));
            }
        }

        @media (max-width: 768px) {
            .nav-container {
                flex-direction: column;
                gap: 15px;
            }

            .nav-links {
                width: 100%;
                justify-content: center;
                flex-wrap: wrap;
                gap: 10px;
            }

            .section-header {
                flex-direction: column;
                align-items: flex-start;
                gap: 15px;
            }

            .section-controls {
                width: 100%;
                justify-content: space-between;
            }
        }

        @media (max-width: 576px) {
            .nav-links {
                flex-direction: column;
                align-items: center;
            }

            .book-grid {
                grid-template-columns: 1fr;
            }

            .section-controls {
                flex-direction: column;
                align-items: flex-start;
            }
        }
    </style>
</head>
<body>
    <!-- Navigation Bar -->
    <nav class="navbar">
        <div class="container nav-container">
            <div class="logo">
                <i class="fas fa-book"></i>
                BookHub Store
            </div>
            <div class="nav-links">
                <div class="nav-item">
                    <i class="fas fa-home"></i>
                    <span>Home</span>
                </div>
```

```
            <div class="nav-item active">
                <i class="fas fa-star"></i>
                <span>Featured</span>
            </div>
            <div class="nav-item">
                <i class="fas fa-book-open"></i>
                <span>All Books</span>
            </div>
            <div class="nav-item">
                <i class="fas fa-shopping-cart"></i>
                <span>Cart</span>
                <div class="cart-badge">5</div>
            </div>
            <div class="nav-item">
                <i class="fas fa-user-circle"></i>
                <span>Account</span>
            </div>
        </div>
    </div>
</nav>

<!-- Featured Books Section -->
<section class="featured-section">
    <div class="container">
        <div class="section-header">
            <div class="section-title">
                <i class="fas fa-star"></i>
                Featured Books This Week
            </div>
            <div class="section-controls">
                <a href="#" class="view-all-btn">
                    View All Books
                    <i class="fas fa-arrow-right"></i>
                </a>
                <div class="nav-arrows">
                    <div class="nav-arrow left-arrow">
                        <i class="fas fa-chevron-left"></i>
                    </div>
                    <div class="nav-arrow right-arrow">
                        <i class="fas fa-chevron-right"></i>
                    </div>
                </div>
            </div>
        </div>

        <div class="book-grid">
            <!-- Book 1 -->
            <div class="book-card">
                <div class="book-image">
                    <div class="book-badge">Bestseller</div>
                    <div class="book-rating">
                        <i class="fas fa-star"></i> 4.8
                    </div>
                    <img src="https://images.unsplash.com/photo-1544716278-ca5e3f4abd8c?ixlib=rb-4.0.3&aut
                </div>
                <div class="book-info">
                    <h3 class="book-title">The Silent Patient</h3>
                    <div class="book-author">Alex Michaelides</div>
                    <p class="book-description">A psychological thriller about a woman who shoots her husband
```

```
            <div class="book-pricing">
                <div class="price-option">
                    <span class="price-label">RENT FOR</span>
                    <span class="price-amount rent-price">$4.99</span>
                    <span class="price-label">/month</span>
                </div>
                <div class="price-option">
                    <span class="price-label">BUY FOR</span>
                    <span class="price-amount buy-price">$24.99</span>
                </div>
            </div>

            <div class="book-actions">
                <button class="btn btn-rent">
                    <i class="fas fa-exchange-alt"></i> Rent
                </button>
                <button class="btn btn-buy">
                    <i class="fas fa-shopping-cart"></i> Buy
                </button>
            </div>
        </div>
    </div>

    <!-- Book 2 -->
    <div class="book-card">
        <div class="book-image">
            <div class="book-badge">New Release</div>
            <div class="book-rating">
                <i class="fas fa-star"></i> 4.9
            </div>
            <img src="https://images.unsplash.com/photo-1512820790803-83ca734da794?ixlib=rb-4.0.3
        </div>
        <div class="book-info">
            <h3 class="book-title">Project Hail Mary</h3>
            <div class="book-author">Andy Weir</div>
            <p class="book-description">A lone astronaut must save the earth from disaster in this incred

            <div class="book-pricing">
                <div class="price-option">
                    <span class="price-label">RENT FOR</span>
                    <span class="price-amount rent-price">$5.99</span>
                    <span class="price-label">/month</span>
                </div>
                <div class="price-option">
                    <span class="price-label">BUY FOR</span>
                    <span class="price-amount buy-price">$28.99</span>
                </div>
            </div>

            <div class="book-actions">
                <button class="btn btn-rent">
                    <i class="fas fa-exchange-alt"></i> Rent
                </button>
                <button class="btn btn-buy">
                    <i class="fas fa-shopping-cart"></i> Buy
                </button>
            </div>
        </div>
    </div>
```

```
<!-- Book 3 -->
<div class="book-card">
    <div class="book-image">
        <div class="book-badge">Editor's Pick</div>
        <div class="book-rating">
            <i class="fas fa-star"></i> 4.7
        </div>
        <img src="https://images.unsplash.com/photo-1543002588-bfa74002ed7e?ixlib=rb-4.0.3&aut
    </div>
    <div class="book-info">
        <h3 class="book-title">Klara and the Sun</h3>
        <div class="book-author">Kazuo Ishiguro</div>
        <p class="book-description">A magnificent new novel from the Nobel laureate Kazuo Ishiguro

        <div class="book-pricing">
            <div class="price-option">
                <span class="price-label">RENT FOR</span>
                <span class="price-amount rent-price">$3.99</span>
                <span class="price-label">/month</span>
            </div>
            <div class="price-option">
                <span class="price-label">BUY FOR</span>
                <span class="price-amount buy-price">$22.50</span>
            </div>
        </div>

        <div class="book-actions">
            <button class="btn btn-rent">
                <i class="fas fa-exchange-alt"></i> Rent
            </button>
            <button class="btn btn-buy">
                <i class="fas fa-shopping-cart"></i> Buy
            </button>
        </div>
    </div>
</div>

<!-- Book 4 -->
<div class="book-card">
    <div class="book-image">
        <div class="book-badge">Popular</div>
        <div class="book-rating">
            <i class="fas fa-star"></i> 4.6
        </div>
        <img src="https://images.unsplash.com/photo-1516979187457-637abb4f9353?ixlib=rb-4.0.3&
    </div>
    <div class="book-info">
        <h3 class="book-title">The Midnight Library</h3>
        <div class="book-author">Matt Haig</div>
        <p class="book-description">A novel about a young woman who, after deciding to die, finds h

        <div class="book-pricing">
            <div class="price-option">
                <span class="price-label">RENT FOR</span>
                <span class="price-amount rent-price">$4.50</span>
                <span class="price-label">/month</span>
            </div>
            <div class="price-option">
                <span class="price-label">BUY FOR</span>
                <span class="price-amount buy-price">$26.75</span>
```

```
            </div>
        </div>

        <div class="book-actions">
            <button class="btn btn-rent">
                <i class="fas fa-exchange-alt"></i> Rent
            </button>
            <button class="btn btn-buy">
                <i class="fas fa-shopping-cart"></i> Buy
            </button>
        </div>
    </div>
</div>

<!-- Book 5 -->
<div class="book-card">
    <div class="book-image">
        <div class="book-badge">Award Winner</div>
        <div class="book-rating">
            <i class="fas fa-star"></i> 4.9
        </div>
        <img src="https://images.unsplash.com/photo-1589998059171-988d887df646?ixlib=rb-4.0.38
    </div>
    <div class="book-info">
        <h3 class="book-title">Educated: A Memoir</h3>
        <div class="book-author">Tara Westover</div>
        <p class="book-description">A memoir about a young girl who, kept out of school, leaves her

        <div class="book-pricing">
            <div class="price-option">
                <span class="price-label">RENT FOR</span>
                <span class="price-amount rent-price">$4.25</span>
                <span class="price-label">/month</span>
            </div>
            <div class="price-option">
                <span class="price-label">BUY FOR</span>
                <span class="price-amount buy-price">$21.99</span>
            </div>
        </div>

        <div class="book-actions">
            <button class="btn btn-rent">
                <i class="fas fa-exchange-alt"></i> Rent
            </button>
            <button class="btn btn-buy">
                <i class="fas fa-shopping-cart"></i> Buy
            </button>
        </div>
    </div>
</div>

<!-- Book 6 -->
<div class="book-card">
    <div class="book-image">
        <div class="book-badge">Bestseller</div>
        <div class="book-rating">
            <i class="fas fa-star"></i> 4.8
        </div>
        <img src="https://images.unsplash.com/photo-1541963463532-d68292c34b19?ixlib=rb-4.0.3
    </div>
```

```
                <div class="book-info">
                    <h3 class="book-title">Where the Crawdads Sing</h3>
                    <div class="book-author">Delia Owens</div>
                    <p class="book-description">For years, rumors of the "Marsh Girl" have haunted Barkley Cov

                    <div class="book-pricing">
                        <div class="price-option">
                            <span class="price-label">RENT FOR</span>
                            <span class="price-amount rent-price">$5.25</span>
                            <span class="price-label">/month</span>
                        </div>
                        <div class="price-option">
                            <span class="price-label">BUY FOR</span>
                            <span class="price-amount buy-price">$27.50</span>
                        </div>
                    </div>

                    <div class="book-actions">
                        <button class="btn btn-rent">
                            <i class="fas fa-exchange-alt"></i> Rent
                        </button>
                        <button class="btn btn-buy">
                            <i class="fas fa-shopping-cart"></i> Buy
                        </button>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>

<script>
    // Interactive functionality
    document.addEventListener('DOMContentLoaded', function() {
        // Navigation items
        const navItems = document.querySelectorAll('.nav-item');
        navItems.forEach(item => {
            item.addEventListener('click', function() {
                // Remove active class from all items
                navItems.forEach(i => i.classList.remove('active'));

                // Add active class to clicked item
                this.classList.add('active');

                const pageName = this.querySelector('span').textContent;
                console.log(`Navigating to: ${pageName}`);
            });
        });

        // Buy buttons
        const buyButtons = document.querySelectorAll('.btn-buy');
        const rentButtons = document.querySelectorAll('.btn-rent');
        const cartBadge = document.querySelector('.cart-badge');

        buyButtons.forEach(button => {
            button.addEventListener('click', function() {
                const bookCard = this.closest('.book-card');
                const bookTitle = bookCard.querySelector('.book-title').textContent;
                const price = bookCard.querySelector('.buy-price').textContent;
```

```
                // Update cart count
                let currentCount = parseInt(cartBadge.textContent);
                cartBadge.textContent = currentCount + 1;

                // Show confirmation
                alert(`"${bookTitle}" has been added to your cart for ${price}!`);
            });
        });

        rentButtons.forEach(button => {
            button.addEventListener('click', function() {
                const bookCard = this.closest('.book-card');
                const bookTitle = bookCard.querySelector('.book-title').textContent;
                const price = bookCard.querySelector('.rent-price').textContent;

                // Show rental confirmation
                alert(`Rental started for "${bookTitle}" at ${price}/month! You'll be redirected to the rental agreem
            });
        });

        // Navigation arrows
        const leftArrow = document.querySelector('.left-arrow');
        const rightArrow = document.querySelector('.right-arrow');

        leftArrow.addEventListener('click', function() {
            alert('Showing previous set of featured books...');
        });

        rightArrow.addEventListener('click', function() {
            alert('Showing next set of featured books...');
        });

        // View All button
        const viewAllBtn = document.querySelector('.view-all-btn');
        viewAllBtn.addEventListener('click', function(e) {
            e.preventDefault();
            alert('Loading all featured books...');
        });
    });
    </script>
</body>
</html>

=== resources\views\customer\order_detail.blade.php ===
@extends('customer.base')

@section('title', 'Order Details - BookHub')

@section('content')
<div class="container">
    <div style="max-width: 900px; margin: 0 auto;">
        <div style="background: white; border-radius: 12px; padding: 25px; margin-bottom: 25px; box-shadow:
            <div style="display: flex; justify-content: space-between; align-items: center; margin-bottom: 20px;">
                <div>
                    <h2 style="margin: 0; color: #2c3e50;">Order #{{ $order['order_number'] }}</h2>
                    <p style="color: #7f8c8d; margin: 5px 0 0 0;">
                        Placed on {{ $order['created_at']->format('F d, Y') }} at {{ $order['created_at']->format('g:i A') }
                    </p>
                </div>
                <div style="text-align: right;">
```

```
            <span style="display: inline-block; padding: 8px 20px; background: {{ in_array($order['status'], ['
                color: white; border-radius: 20px; font-weight: 600; font-size: 0.9rem;">
                {{ $order['status_label'] }}
            </span>
        </div>
    </div>

    <div style="display: grid; grid-template-columns: repeat(auto-fit, minmax(200px, 1fr)); gap: 20px; mar
        <div>
            <p style="color: #7f8c8d; margin: 0 0 5px 0; font-size: 0.9rem;">Order Type</p>
            <p style="margin: 0; font-weight: 600; color: #2c3e50;">
                {{ $order['order_type'] === 'rent' ? 'Rental' : ($order['order_type'] === 'mixed' ? 'Mixed' : 'Purch
            </p>
        </div>
        <div>
            <p style="color: #7f8c8d; margin: 0 0 5px 0; font-size: 0.9rem;">Total Amount</p>
            <p style="margin: 0; font-weight: 600; color: #2c3e50;">${{ number_format($order['total_amoun
        </div>
        <div>
            <p style="color: #7f8c8d; margin: 0 0 5px 0; font-size: 0.9rem;">Delivery Method</p>
            <p style="margin: 0; font-weight: 600; color: #2c3e50;">
                {{ ($order['delivery_option'] ?? 'pickup') === 'delivery' ? 'Home Delivery' : 'Store Pickup' }}
            </p>
        </div>
        <div>
            <p style="color: #7f8c8d; margin: 0 0 5px 0; font-size: 0.9rem;">Store</p>
            <p style="margin: 0; font-weight: 600; color: #2c3e50;">{{ $order['store']['store_name'] ?? 'Book
        </div>
    </div>
</div>

<div style="background: white; border-radius: 12px; padding: 25px; margin-bottom: 25px; box-shadow:
    <h3 style="margin-top: 0; color: #2c3e50; border-bottom: 2px solid #f8f9fa; padding-bottom: 15px;">
        Order Items ({{ $items->count() }})
    </h3>

    <div style="margin-top: 20px;">
        @foreach($items as $item)
        <div style="display: flex; padding: 20px; background: #f8f9fa; border-radius: 8px; margin-bottom: 1
            <div style="flex: 1;">
                <h4 style="margin: 0 0 5px 0; color: #2c3e50;">{{ $item['book']->title }}</h4>
                <p style="margin: 0 0 10px 0; color: #7f8c8d;">by {{ $item['book']->author }}</p>
                <div style="display: flex; gap: 20px; font-size: 0.9rem;">
                    <span style="background: {{ $item['item_type'] === 'rent' ? '#3498db' : '#2ecc71' }};
                        color: white; padding: 4px 12px; border-radius: 12px;">
                        {{ $item['item_type'] === 'rent' ? 'Rental' : 'Purchase' }}
                    </span>
                    <span>Quantity: {{ $item['quantity'] }}</span>
                    @if($item['item_type'] === 'rent' && $item['rental_days'])
                    <span>Rental Period: {{ $item['rental_days'] }} days</span>
                    @endif
                </div>
            </div>
            <div style="text-align: right;">
                <p style="margin: 0; font-size: 1.2rem; font-weight: 600; color: #2c3e50;">
                    ${{ number_format($item['price'], 2) }}
                </p>
                @if($item['item_type'] === 'rent')
                <p style="margin: 5px 0 0 0; color: #7f8c8d; font-size: 0.9rem;">
                    ${{ number_format($item['book']->rental_price, 2) }}/day
```

```
                </p>
                @endif
            </div>
        </div>
        @endforeach
    </div>

    <div style="margin-top: 30px; padding-top: 20px; border-top: 2px solid #f8f9fa;">
        <div style="max-width: 300px; margin-left: auto;">
            <div style="display: flex; justify-content: space-between; margin-bottom: 10px;">
                <span style="color: #7f8c8d;">Subtotal</span>
                <span>${{ number_format($subtotal, 2) }}</span>
            </div>
            @if(($order['delivery_fee'] ?? 0) > 0)
            <div style="display: flex; justify-content: space-between; margin-bottom: 10px;">
                <span style="color: #7f8c8d;">Delivery Fee</span>
                <span>${{ number_format($order['delivery_fee'], 2) }}</span>
            </div>
            @endif
            <div style="display: flex; justify-content: space-between; font-size: 1.2rem; font-weight: 600; pad
                <span>Total</span>
                <span>${{ number_format($order['total_amount'], 2) }}</span>
            </div>
        </div>
    </div>
</div>

<div style="background: white; border-radius: 12px; padding: 25px; margin-bottom: 25px; box-shadow:
    <h3 style="margin-top: 0; color: #2c3e50; border-bottom: 2px solid #f8f9fa; padding-bottom: 15px;">
        Store Information
    </h3>

    <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 30px; margin-top: 20px;">
        <div>
            <h4 style="margin: 0 0 10px 0; color: #2c3e50; font-size: 1.1rem;">
                {{ $order['store']['store_name'] ?? 'BookHub' }}
            </h4>
            @if(!empty($order['store']['address']))
            <p style="margin: 0 0 10px 0; color: #7f8c8d;">
                <i class="fas fa-map-marker-alt"></i> {{ $order['store']['address'] }}, {{ $order['store']['city'] }}
            </p>
            @endif
            @if(!empty($order['store']['phone']))
            <p style="margin: 0 0 10px 0; color: #7f8c8d;">
                <i class="fas fa-phone"></i> {{ $order['store']['phone'] }}
            </p>
            @endif
            @if(!empty($order['store']['email']))
            <p style="margin: 0 0 10px 0; color: #7f8c8d;">
                <i class="fas fa-envelope"></i> {{ $order['store']['email'] }}
            </p>
            @endif
        </div>

        <div>
            <h4 style="margin: 0 0 10px 0; color: #2c3e50; font-size: 1.1rem;">Order Notes</h4>
            @if(!empty($order['notes']))
            <div style="background: #f8f9fa; padding: 15px; border-radius: 8px; margin-bottom: 15px;">
                <p style="margin: 0; color: #2c3e50;"><strong>Your Notes:</strong> {{ $order['notes'] }}</p>
            </div>
```

```
                @endif
                @if(!empty($order['store_notes']))
                <div style="background: #e8f4f8; padding: 15px; border-radius: 8px; border-left: 4px solid #3498
                    <p style="margin: 0; color: #2c3e50;"><strong>Store Notes:</strong> {{ $order['store_notes']
                </div>
                @endif
            </div>
        </div>
    </div>

    <div style="display: flex; justify-content: space-between; gap: 15px; margin-top: 30px;">
        <a href="{{ route('orders.index') }}" class="btn"
           style="background: #95a5a6; color: white; padding: 12px 30px; text-decoration: none; border-radiu
            <i class="fas fa-arrow-left"></i> Back to Orders
        </a>

        <div style="display: flex; gap: 15px;">
            @if($order['status'] === 'delivered')
            <form method="POST" action="{{ route('orders.finish', $order['id']) }}" style="display: inline;">
                @csrf
                <button type="submit" class="btn"
                    style="background: #16a085; color: white; padding: 12px 30px; text-decoration: none; border
                    <i class="fas fa-check-double"></i> Finished
                </button>
            </form>
            @endif
        </div>
    </div>
  </div>
</div>

<style>
.btn:hover {
    opacity: 0.9;
    transform: translateY(-2px);
    transition: all 0.3s ease;
}
</style>
@endsection

=== resources\views\customer\order_history.blade.php ===
@extends('customer.base')

@section('title', 'My Orders - BookHub')

@section('content')
<div class="container">
    <div style="max-width: 1200px; margin: 0 auto;">
        <div style="margin-bottom: 30px;">
            <div style="display: flex; justify-content: space-between; align-items: center; flex-wrap: wrap; gap: 20
                <div>
                    <h1 style="color: #2c3e50; margin-bottom: 10px;">My Orders</h1>
                    <p style="color: #7f8c8d;">
                        Track your book rentals and purchases
                    </p>
                </div>
                <div style="display: flex; gap: 15px;">
                    <a href="{{ route('customer.dashboard') }}" class="btn"
                       style="background: #3498db; color: white; padding: 12px 25px; text-decoration: none; border-
                        <i class="fas fa-book"></i> Browse Books
```

```
            </a>
        </div>
    </div>
</div>

<div style="background: white; border-radius: 12px; padding: 20px; margin-bottom: 30px; box-shadow:
    <div style="display: flex; gap: 20px; align-items: center; flex-wrap: wrap;">
        <div>
            <label style="display: block; margin-bottom: 8px; color: #7f8c8d; font-weight: 600;">Filter by Sta
            <select id="status-filter" style="padding: 10px 15px; border-radius: 8px; border: 1px solid #ddd;
                <option value="all" {{ ($statusFilter ?? 'all') === 'all' ? 'selected' : '' }}>All Statuses</option>
                <option value="pending" {{ ($statusFilter ?? '') === 'pending' ? 'selected' : '' }}>Pending</optio
                <option value="approved" {{ ($statusFilter ?? '') === 'approved' ? 'selected' : '' }}>Approved</o
                <option value="preparing" {{ ($statusFilter ?? '') === 'preparing' ? 'selected' : '' }}>Preparing</
                <option value="ready" {{ ($statusFilter ?? '') === 'ready' ? 'selected' : '' }}>Ready</option>
                <option value="out_for_delivery" {{ ($statusFilter ?? '') === 'out_for_delivery' ? 'selected' : '' }}
                <option value="delivered" {{ ($statusFilter ?? '') === 'delivered' ? 'selected' : '' }}>Delivered</o
                <option value="completed" {{ ($statusFilter ?? '') === 'completed' ? 'selected' : '' }}>Complete
                <option value="cancelled" {{ ($statusFilter ?? '') === 'cancelled' ? 'selected' : '' }}>Declined</o
            </select>
        </div>

        <div>
            <label style="display: block; margin-bottom: 8px; color: #7f8c8d; font-weight: 600;">Time Period
            <select id="time-filter" style="padding: 10px 15px; border-radius: 8px; border: 1px solid #ddd; m
                <option value="all" {{ ($timeFilter ?? 'all') === 'all' ? 'selected' : '' }}>All Time</option>
                <option value="30days" {{ ($timeFilter ?? '') === '30days' ? 'selected' : '' }}>Last 30 Days</opt
                <option value="7days" {{ ($timeFilter ?? '') === '7days' ? 'selected' : '' }}>Last 7 Days</option>
            </select>
        </div>

        <div style="margin-top: 25px;">
            <button onclick="applyFilters()" style="background: #2ecc71; color: white; padding: 10px 25px;
                <i class="fas fa-filter"></i> Apply Filters
            </button>
        </div>
    </div>
</div>

@if(!empty($orders) && $orders->count())
<div style="background: white; border-radius: 12px; overflow: hidden; box-shadow: 0 4px 12px rgba(0,0
    <div style="overflow-x: auto;">
        <table style="width: 100%; border-collapse: collapse;">
            <thead>
                <tr style="background: #f8f9fa;">
                    <th style="padding: 20px; text-align: left; color: #2c3e50; font-weight: 600;">Order #</th>
                    <th style="padding: 20px; text-align: left; color: #2c3e50; font-weight: 600;">Date</th>
                    <th style="padding: 20px; text-align: left; color: #2c3e50; font-weight: 600;">Type</th>
                    <th style="padding: 20px; text-align: left; color: #2c3e50; font-weight: 600;">Items</th>
                    <th style="padding: 20px; text-align: left; color: #2c3e50; font-weight: 600;">Total</th>
                    <th style="padding: 20px; text-align: left; color: #2c3e50; font-weight: 600;">Status</th>
                    <th style="padding: 20px; text-align: left; color: #2c3e50; font-weight: 600;">Actions</th>
                </tr>
            </thead>
            <tbody>
                @foreach($orders as $order)
                <tr style="border-top: 1px solid #f8f9fa;">
                    <td style="padding: 20px;">
                        <strong style="color: #3498db;">{{ $order['order_number'] }}</strong>
                        <br>
```

```
                <small style="color: #7f8c8d;">{{ $order['store_name'] }}</small>
            </td>
            <td style="padding: 20px;">
                {{ $order['created_at']->format('M d, Y') }}
                <br>
                <small style="color: #7f8c8d;">{{ $order['created_at']->format('g:i A') }}</small>
            </td>
            <td style="padding: 20px;">
                @if($order['order_type'] === 'rent')
                <span style="background: #3498db; color: white; padding: 4px 12px; border-radius: 12p
                    RENTAL
                </span>
                @else
                <span style="background: #2ecc71; color: white; padding: 4px 12px; border-radius: 12px
                    PURCHASE
                </span>
                @endif
            </td>
            <td style="padding: 20px;">
                {{ $order['items_count'] }} item{{ $order['items_count'] === 1 ? '' : 's' }}
                <br>
                <small style="color: #7f8c8d;">
                    {{ $order['items_preview'] }}
                    @if($order['items_count'] > 2)...@endif
                </small>
            </td>
            <td style="padding: 20px; font-weight: 600; color: #2c3e50;">
                ${{ number_format($order['total_amount'], 2) }}
            </td>
            <td style="padding: 20px;">
                <span style="display: inline-block; padding: 6px 15px; background:
                    {{ in_array($order['status'], ['completed','delivered'], true) ? '#27ae60' : ($order['status'
                    color: white; border-radius: 15px; font-size: 0.8rem; font-weight: 600;">
                    {{ $order['status_label'] }}
                </span>
            </td>
            <td style="padding: 20px;">
                <div style="display: flex; gap: 10px;">
                    <a href="{{ route('orders.show', $order['id']) }}"
                       style="color: #3498db; text-decoration: none; padding: 6px 12px; border: 1px solid #
                        <i class="fas fa-eye"></i> View
                    </a>
                    @if($order['status'] === 'delivered')
                    <form method="POST" action="{{ route('orders.finish', $order['id']) }}" style="display: in
                        @csrf
                        <button type="submit" style="color: #f39c12; background: transparent; padding: 6p
                            <i class="fas fa-check-double"></i> Finished
                        </button>
                    </form>
                    @endif
                </div>
            </td>
        </tr>
        @endforeach
    </tbody>
  </table>
 </div>
</div>
@else
<div style="text-align: center; padding: 60px 20px; background: white; border-radius: 12px; box-shadow
```

```
            <div style="font-size: 5rem; color: #ecf0f1; margin-bottom: 20px;">
                <i class="fas fa-shopping-bag"></i>
            </div>
            <h3 style="color: #7f8c8d; margin-bottom: 15px;">No orders found</h3>
            <p style="color: #bdc3c7; max-width: 400px; margin: 0 auto 25px;">
                You haven't placed any orders yet. Start browsing our collection to rent or buy books.
            </p>
            <a href="{{ route('customer.dashboard') }}" class="btn"
               style="background-color: #3498db; color: white; padding: 12px 30px; text-decoration: none; border
                <i class="fas fa-book"></i> Browse Books
            </a>
        </div>
        @endif

        @if(!empty($activeRentals) && $activeRentals->count())
        <div style="margin-top: 50px;">
            <h2 style="color: #2c3e50; margin-bottom: 20px; border-bottom: 2px solid #f8f9fa; padding-bottom: 1
                <i class="fas fa-history"></i> Active Rentals
            </h2>

            <div class="book-grid" style="grid-template-columns: repeat(auto-fill, minmax(300px, 1fr)); gap: 20px
                @foreach($activeRentals as $order)
                <div style="background: white; border-radius: 12px; padding: 20px; box-shadow: 0 4px 12px rgba(
                    <div style="display: flex; justify-content: space-between; align-items: start; margin-bottom: 15px
                        <div>
                            <h4 style="margin: 0 0 5px 0; color: #2c3e50;">{{ $order['order_number'] }}</h4>
                            <p style="margin: 0; color: #7f8c8d; font-size: 0.9rem;">
                                Due: {{ $order['created_at']->format('M d') }}
                            </p>
                        </div>
                        <span style="background: #f39c12; color: white; padding: 4px 12px; border-radius: 12px; font
                            ACTIVE
                        </span>
                    </div>

                    <div style="margin: 15px 0;">
                        <p style="margin: 0 0 5px 0; color: #2c3e50; font-weight: 600;">
                            {{ $order['items_preview'] ?: 'Rental Items' }}
                        </p>
                    </div>

                    <div style="display: flex; justify-content: space-between; margin-top: 20px;">
                        <a href="{{ route('orders.show', $order['id']) }}"
                           style="color: #3498db; text-decoration: none; font-weight: 600; font-size: 0.9rem;">
                            <i class="fas fa-eye"></i> View Details
                        </a>
                        <a href="#" style="color: #e74c3c; text-decoration: none; font-weight: 600; font-size: 0.9rem;"
                            <i class="fas fa-redo"></i> Renew
                        </a>
                    </div>
                </div>
                @endforeach
            </div>
        </div>
        @endif
    </div>
</div>

<script>
function applyFilters() {
```

```
    const status = document.getElementById('status-filter').value;
    const time = document.getElementById('time-filter').value;

    const params = new URLSearchParams();
    if (status !== 'all') {
        params.set('status', status);
    }
    if (time !== 'all') {
        params.set('time', time);
    }

    const url = '{{ route('orders.index') }}' + (params.toString() ? ('?' + params.toString()) : '');
    window.location.href = url;
}
</script>

<style>
.btn:hover {
    opacity: 0.9;
    transform: translateY(-2px);
    transition: all 0.3s ease;
}

table tr:hover {
    background: #f8f9fa;
}

.book-grid {
    display: grid;
    grid-template-columns: repeat(auto-fill, minmax(250px, 1fr));
    gap: 20px;
    margin-top: 20px;
}
</style>
@endsection

=== resources\views\customer\support_chat_detail.blade.php ===
<!-- customer/support_chat_detail.html -->
{% extends 'customer/base.html' %}

{% block content %}
<div class="chat-fullscreen">
    <!-- Back Navigation -->
    <div class="chat-navigation">
        <a href="{% url 'support_chat_list' %}" class="back-button">
            <i class="bi bi-arrow-left"></i>
            <span>Back to Support</span>
        </a>
    </div>

    <!-- Main Chat Area -->
    <div class="chat-main">
        <!-- Chat Header -->
        <div class="chat-header">
            <div class="header-left">
                <div class="chat-avatar">
                    <div class="avatar-icon">
                        {% if conversation.target == 'admin' %}
                        <i class="bi bi-shield-fill-check"></i>
                        {% else %}
```

```
                <i class="bi bi-person-badge"></i>
                {% endif %}
            </div>
        </div>

        <div class="chat-info">
            <div class="chat-title">
                <h3 class="chat-name">{{ conversation.subject|default:'Support Chat' }}</h3>
                {% if conversation.issue_report %}
                <span class="report-badge">#{{ conversation.issue_report.id }}</span>
                {% endif %}
            </div>

            <div class="chat-meta">
                <span class="target-badge {{ conversation.target }}">
                    <i class="bi {% if conversation.target == 'admin' %}bi-shield{% else %}bi-person{% endif %
                    {{ conversation.get_target_display }}
                </span>

                {% if conversation.assigned_sub_admin %}
                <span class="assignee-badge">
                    <i class="bi bi-person-check"></i>
                    {{ conversation.assigned_sub_admin.name }}
                </span>
                {% endif %}

                <span class="chat-status online">
                    <i class="bi bi-circle-fill"></i>
                    Active
                </span>
            </div>
        </div>
    </div>

    <div class="header-right">
        <button class="header-icon-btn" id="refreshBtn">
            <i class="bi bi-arrow-repeat"></i>
        </button>
        <button class="header-icon-btn" id="infoBtn">
            <i class="bi bi-info-circle"></i>
        </button>
    </div>
</div>

<!-- Messages Area -->
<div class="messages-area" id="messagesArea">
    <div class="messages-container" id="messagesContainer">
        <!-- Date Separator -->
        <div class="date-separator">
            <span class="date-badge">Today</span>
        </div>

        {% for message in messages_list %}
        <div class="message-wrapper {% if message.sender_user == request.user %}message-out{% els
             data-message-id="{{ message.id }}"
             data-timestamp="{{ message.created_at|date:'c' }}">

            {% if message.sender_user != request.user %}
            <div class="message-avatar">
                <div class="avatar-icon small">
```

```
                <i class="bi bi-person-badge"></i>
            </div>
        </div>
        {% endif %}

        <div class="message-content-wrapper">
            <div class="message-sender">{{ message.sender_role|title }}</div>

            <div class="message-bubble">
                {% if message.content %}
                <div class="message-text">{{ message.content|linebreaksbr }}</div>
                {% endif %}

                {% if message.attachment %}
                <div class="message-attachment">
                    {% with attachment_url=message.attachment.url|lower %}
                    {% if ".jpg" in attachment_url or ".jpeg" in attachment_url or ".png" in attachment_url or "
                    <div class="attachment-image">
                        <img src="{{ message.attachment.url }}" alt="attachment">
                    </div>
                    <a href="{{ message.attachment.url }}" target="_blank" class="attachment-link">
                        <i class="bi bi-eye"></i> View Image
                    </a>
                    {% else %}
                    <a href="{{ message.attachment.url }}" target="_blank" class="attachment-link">
                        <i class="bi bi-paperclip"></i>
                        {{ message.attachment.name|truncatechars:30 }}
                    </a>
                    {% endif %}
                    {% endwith %}
                </div>
                {% endif %}

                <div class="message-footer">
                    <span class="message-time">{{ message.created_at|date:'H:i' }}</span>
                    {% if message.sender_user == request.user %}
                    <span class="message-status">
                        <i class="bi bi-check2{% if message.is_read %}-all{% endif %}"></i>
                    </span>
                    {% endif %}
                </div>
            </div>
        </div>
    </div>
    {% endfor %}
</div>

<!-- Scroll to bottom button -->
<button class="scroll-bottom-btn" id="scrollBottomBtn" style="display: none;">
    <i class="bi bi-arrow-down"></i>
</button>
</div>

<!-- Message Input Area -->
<div class="input-area">
<form id="support-send-form" enctype="multipart/form-data" class="message-form">
    {% csrf_token %}

    <div class="input-actions">
        <button type="button" class="input-action-btn" id="attachBtn">
```

```
                <i class="bi bi-paperclip"></i>
            </button>
        </div>

        <div class="input-wrapper">
            <textarea
                name="content"
                id="support-content"
                class="message-input"
                placeholder="Type your message..."
                rows="1"></textarea>

            <div class="input-tools">
                <button type="button" class="input-tool-btn" id="emojiBtn">
                    <i class="bi bi-emoji-smile"></i>
                </button>
            </div>
        </div>

        <div class="input-attachment" id="inputAttachment" style="display: none;">
            <span class="attachment-name" id="attachmentName"></span>
            <button type="button" class="remove-attachment" id="removeAttachment">
                <i class="bi bi-x"></i>
            </button>
        </div>

        <button type="submit" class="send-btn" id="sendBtn" disabled>
            <i class="bi bi-send-fill"></i>
        </button>
    </form>

    <!-- Typing indicator -->
    <div class="typing-indicator" id="typingIndicator" style="display: none;">
        <span class="typing-dots">
            <span></span>
            <span></span>
            <span></span>
        </span>
        <span class="typing-text">Support is typing...</span>
    </div>
  </div>
</div>

<!-- Info Sidebar (hidden by default) -->
<div class="info-sidebar" id="infoSidebar" style="display: none;">
  <div class="info-header">
    <h3>Conversation Info</h3>
    <button class="close-info-btn" id="closeInfoBtn">
        <i class="bi bi-x-lg"></i>
    </button>
  </div>

  <div class="info-content">
    <div class="info-section">
        <h5>Details</h5>
        <div class="info-row">
            <span class="info-label">Target:</span>
            <span class="info-value target-badge {{ conversation.target }}">
                {{ conversation.get_target_display }}
            </span>
```

```
            </div>

            <div class="info-row">
                <span class="info-label">Status:</span>
                <span class="info-value">
                    <span class="chat-status online">
                        <i class="bi bi-circle-fill"></i> Active
                    </span>
                </span>
            </div>

            {% if conversation.assigned_sub_admin %}
            <div class="info-row">
                <span class="info-label">Assigned to:</span>
                <span class="info-value">{{ conversation.assigned_sub_admin.name }}</span>
            </div>
            {% endif %}

            <div class="info-row">
                <span class="info-label">Started:</span>
                <span class="info-value">{{ conversation.created_at|date:'M d, Y H:i' }}</span>
            </div>

            {% if conversation.issue_report %}
            <div class="info-row">
                <span class="info-label">Related Report:</span>
                <span class="info-value">
                    <a href="#" class="report-link">#{{ conversation.issue_report.id }}</a>
                </span>
            </div>
            {% endif %}
        </div>

        <div class="info-section">
            <h5>Attachments</h5>
            <div class="attachments-list" id="attachmentsList">
                <!-- Will be populated with attachments from messages -->
            </div>
        </div>
    </div>
  </div>
</div>

<!-- Hidden file input for attachments -->
<input type="file" id="fileInput" style="display: none;" name="attachment">

<style>
/* ===== CHAT NAVIGATION ===== */
.chat-navigation {
    padding: 1rem 2rem;
    background: var(--bg-card);
    border-bottom: 1px solid var(--border);
}

.back-button {
    display: inline-flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.5rem 1rem;
    border-radius: 999px;
```

```
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-secondary);
    text-decoration: none;
    font-size: 0.85rem;
    font-weight: 600;
    transition: all var(--t-fast);
}

.back-button:hover {
    background: var(--primary-soft);
    color: var(--primary);
    border-color: var(--primary);
}

/* ===== CHAT MAIN ===== */
.chat-fullscreen {
    display: flex;
    flex-direction: column;
    height: calc(100vh - var(--header-h) - 2rem);
    background: var(--bg-card);
    border-radius: var(--radius-xl);
    overflow: hidden;
    border: 1px solid var(--border);
    box-shadow: var(--shadow-lg);
    margin: 1rem 0;
    position: relative;
}

.chat-main {
    flex: 1;
    display: flex;
    flex-direction: column;
    position: relative;
}

/* Chat Header */
.chat-header {
    padding: 1rem 2rem;
    background: var(--bg-card);
    border-bottom: 1px solid var(--border);
    display: flex;
    align-items: center;
    justify-content: space-between;
    box-shadow: var(--shadow-sm);
    z-index: 10;
}

.header-left {
    display: flex;
    align-items: center;
    gap: 1rem;
    flex: 1;
}

.chat-avatar {
    flex-shrink: 0;
}

.avatar-icon {
```

```
    width: 48px;
    height: 48px;
    border-radius: 14px;
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
    display: flex;
    align-items: center;
    justify-content: center;
    color: white;
    font-size: 1.5rem;
    box-shadow: 0 4px 12px var(--primary-glow);
}

.avatar-icon.small {
    width: 32px;
    height: 32px;
    font-size: 1rem;
    border-radius: 10px;
}

.chat-title {
    display: flex;
    align-items: center;
    gap: 0.5rem;
    margin-bottom: 0.25rem;
}

.chat-name {
    font-size: 1.1rem;
    font-weight: 700;
    color: var(--text-primary);
    margin: 0;
}

.report-badge {
    padding: 0.15rem 0.6rem;
    background: var(--accent-soft);
    border-radius: 999px;
    font-size: 0.65rem;
    font-weight: 600;
    color: var(--accent);
    border: 1px solid rgba(245,176,66,0.2);
}

.chat-meta {
    display: flex;
    align-items: center;
    gap: 0.75rem;
    flex-wrap: wrap;
}

.target-badge.admin {
    background: var(--primary-soft);
    color: var(--primary);
    border: 1px solid rgba(91,76,255,0.2);
}

.target-badge.sub_admin {
    background: var(--success-soft);
    color: var(--success);
    border: 1px solid rgba(0,201,139,0.2);
```

```
}

.assignee-badge {
    display: inline-flex;
    align-items: center;
    gap: 0.25rem;
    padding: 0.2rem 0.6rem;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: 999px;
    font-size: 0.75rem;
    font-weight: 600;
    color: var(--text-secondary);
}

.chat-status {
    display: flex;
    align-items: center;
    gap: 0.2rem;
    font-size: 0.75rem;
    font-weight: 600;
    color: var(--success);
}

.chat-status i {
    font-size: 0.5rem;
}

.header-right {
    display: flex;
    gap: 0.5rem;
}

.header-icon-btn {
    width: 36px;
    height: 36px;
    border-radius: 10px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-secondary);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1rem;
    cursor: pointer;
    transition: all var(--t-fast);
}

.header-icon-btn:hover {
    background: var(--primary-soft);
    color: var(--primary);
    border-color: var(--primary);
}

/* Messages Area */
.messages-area {
    flex: 1;
    overflow-y: auto;
    padding: 2rem;
    background: var(--bg-base);
```

```
    position: relative;
    scroll-behavior: smooth;
}

.messages-area::-webkit-scrollbar {
    width: 6px;
}

.messages-area::-webkit-scrollbar-track {
    background: transparent;
}

.messages-area::-webkit-scrollbar-thumb {
    background: var(--border);
    border-radius: 10px;
}

.messages-container {
    display: flex;
    flex-direction: column;
    gap: 1rem;
    max-width: 800px;
    margin: 0 auto;
}

/* Date Separator */
.date-separator {
    text-align: center;
    margin: 1rem 0;
    position: relative;
}

.date-badge {
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-muted);
    font-size: 0.7rem;
    font-weight: 600;
    padding: 0.3rem 1rem;
    border-radius: 999px;
    display: inline-block;
}

/* Message Wrapper */
.message-wrapper {
    display: flex;
    gap: 0.75rem;
    animation: slideIn 0.3s ease;
}

.message-in {
    justify-content: flex-start;
}

.message-out {
    justify-content: flex-end;
}

.message-avatar {
    width: 32px;
```

```
    height: 32px;
    border-radius: 10px;
    overflow: hidden;
    flex-shrink: 0;
    align-self: flex-end;
    margin-bottom: 0.5rem;
}

.message-content-wrapper {
    max-width: 65%;
    min-width: 200px;
}

.message-sender {
    font-size: 0.7rem;
    font-weight: 600;
    color: var(--text-muted);
    margin-bottom: 0.25rem;
    margin-left: 0.5rem;
}

.message-out .message-sender {
    text-align: right;
    margin-right: 0.5rem;
    color: var(--primary);
}

.message-bubble {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 0.75rem 1rem;
    box-shadow: var(--shadow-sm);
}

.message-out .message-bubble {
    background: var(--primary);
    border-color: var(--primary);
}

.message-text {
    font-size: 0.9rem;
    line-height: 1.5;
    color: var(--text-primary);
    word-wrap: break-word;
    margin-bottom: 0.5rem;
}

.message-out .message-text {
    color: white;
}

/* Attachment */
.message-attachment {
    margin-top: 0.5rem;
}

.attachment-image {
    max-width: 100%;
    max-height: 260px;
```

```
    overflow: hidden;
    border-radius: var(--radius-sm);
    border: 1px solid var(--border);
    margin-bottom: 0.5rem;
}

.attachment-image img {
    width: 100%;
    height: 100%;
    object-fit: cover;
}

.attachment-link {
    display: inline-flex;
    align-items: center;
    gap: 0.4rem;
    padding: 0.4rem 0.8rem;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: var(--radius-sm);
    font-size: 0.8rem;
    color: var(--text-secondary);
    text-decoration: none;
    transition: all var(--t-fast);
}

.attachment-link:hover {
    background: var(--primary-soft);
    color: var(--primary);
    border-color: var(--primary);
}

.message-out .attachment-link {
    background: rgba(255,255,255,0.15);
    color: white;
}

.message-footer {
    display: flex;
    align-items: center;
    justify-content: flex-end;
    gap: 0.5rem;
    margin-top: 0.25rem;
    font-size: 0.65rem;
}

.message-out .message-footer {
    color: rgba(255,255,255,0.7);
}

.message-in .message-footer {
    color: var(--text-muted);
}

.message-status i {
    font-size: 0.8rem;
}

/* Scroll bottom button */
.scroll-bottom-btn {
```

```
    position: absolute;
    bottom: 2rem;
    right: 2rem;
    width: 40px;
    height: 40px;
    border-radius: 50%;
    background: var(--primary);
    border: none;
    color: white;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.1rem;
    cursor: pointer;
    box-shadow: 0 4px 12px var(--primary-glow);
    transition: all var(--t-fast);
    z-index: 10;
}

.scroll-bottom-btn:hover {
    transform: scale(1.1);
}

/* Input Area */
.input-area {
    padding: 1rem 2rem;
    background: var(--bg-card);
    border-top: 1px solid var(--border);
    position: relative;
}

.message-form {
    display: flex;
    flex-direction: column;
    gap: 0.5rem;
    max-width: 800px;
    margin: 0 auto;
}

.input-actions {
    display: flex;
    gap: 0.25rem;
}

.input-action-btn {
    width: 40px;
    height: 40px;
    border-radius: 12px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-secondary);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.1rem;
    cursor: pointer;
    transition: all var(--t-fast);
}

.input-action-btn:hover {
```

```
    background: var(--primary-soft);
    color: var(--primary);
    border-color: var(--primary);
}

.input-wrapper {
    display: flex;
    align-items: flex-end;
    background: var(--bg-raised);
    border: 1.5px solid var(--border);
    border-radius: 24px;
    padding: 0.3rem 0.3rem 0.3rem 1rem;
    transition: all var(--t-fast);
}

.input-wrapper:focus-within {
    border-color: var(--primary);
    box-shadow: 0 0 0 4px var(--primary-soft);
}

.message-input {
    flex: 1;
    background: transparent;
    border: none;
    outline: none;
    color: var(--text-primary);
    font-family: 'Outfit', sans-serif;
    font-size: 0.9rem;
    resize: none;
    max-height: 100px;
    padding: 0.6rem 0;
    line-height: 1.5;
}

.message-input::placeholder {
    color: var(--text-muted);
}

.input-tools {
    display: flex;
    gap: 0.25rem;
    padding-right: 0.3rem;
}

.input-tool-btn {
    width: 32px;
    height: 32px;
    border-radius: 8px;
    background: transparent;
    border: none;
    color: var(--text-muted);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1rem;
    cursor: pointer;
    transition: all var(--t-fast);
}

.input-tool-btn:hover {
```

```
    color: var(--primary);
    background: var(--primary-soft);
}

.input-attachment {
    display: flex;
    align-items: center;
    justify-content: space-between;
    padding: 0.5rem 1rem;
    background: var(--bg-raised);
    border-radius: 999px;
    border: 1px solid var(--border);
    margin-top: 0.5rem;
}

.attachment-name {
    font-size: 0.8rem;
    color: var(--text-secondary);
}

.remove-attachment {
    width: 24px;
    height: 24px;
    border-radius: 50%;
    background: var(--bg-card);
    border: 1px solid var(--border);
    color: var(--text-muted);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 0.8rem;
    cursor: pointer;
    transition: all var(--t-fast);
}

.remove-attachment:hover {
    background: var(--danger-soft);
    color: var(--danger);
    border-color: var(--danger);
}

.send-btn {
    width: 48px;
    height: 48px;
    border-radius: 16px;
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
    border: none;
    color: white;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.2rem;
    cursor: pointer;
    transition: all var(--t-fast);
    box-shadow: 0 4px 12px var(--primary-glow);
    align-self: flex-end;
}

.send-btn:hover:not(:disabled) {
    transform: translateY(-2px);
```

```
    box-shadow: 0 8px 20px var(--primary-glow);
}

.send-btn:disabled {
    opacity: 0.5;
    cursor: not-allowed;
    box-shadow: none;
}

/* Typing Indicator */
.typing-indicator {
    display: flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.5rem 1rem;
    margin-top: 0.5rem;
    color: var(--text-muted);
    font-size: 0.8rem;
}

.typing-dots {
    display: flex;
    gap: 0.2rem;
}

.typing-dots span {
    width: 6px;
    height: 6px;
    border-radius: 50%;
    background: var(--text-muted);
    animation: typing 1.4s infinite;
}

.typing-dots span:nth-child(2) {
    animation-delay: 0.2s;
}

.typing-dots span:nth-child(3) {
    animation-delay: 0.4s;
}

@keyframes typing {
    0%, 60%, 100% {
        transform: translateY(0);
        opacity: 0.5;
    }
    30% {
        transform: translateY(-4px);
        opacity: 1;
    }
}

/* Info Sidebar */
.info-sidebar {
    position: absolute;
    top: 0;
    right: 0;
    bottom: 0;
    width: 300px;
    background: var(--bg-card);
```

```
    border-left: 1px solid var(--border);
    box-shadow: var(--shadow-xl);
    animation: slideInRight 0.3s ease;
    z-index: 100;
    display: flex;
    flex-direction: column;
}

@keyframes slideInRight {
    from {
        transform: translateX(100%);
    }
    to {
        transform: translateX(0);
    }
}

.info-header {
    padding: 1.5rem;
    border-bottom: 1px solid var(--border);
    display: flex;
    align-items: center;
    justify-content: space-between;
}

.info-header h3 {
    font-size: 1rem;
    font-weight: 700;
    color: var(--text-primary);
    margin: 0;
}

.close-info-btn {
    width: 32px;
    height: 32px;
    border-radius: 8px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-muted);
    display: flex;
    align-items: center;
    justify-content: center;
    cursor: pointer;
    transition: all var(--t-fast);
}

.close-info-btn:hover {
    background: var(--danger-soft);
    color: var(--danger);
    border-color: var(--danger);
}

.info-content {
    flex: 1;
    overflow-y: auto;
    padding: 1.5rem;
}

.info-section {
    margin-bottom: 2rem;
```

```
}

.info-section h5 {
    font-size: 0.8rem;
    font-weight: 700;
    color: var(--text-muted);
    margin-bottom: 1rem;
    text-transform: uppercase;
    letter-spacing: 1px;
}

.info-row {
    display: flex;
    align-items: center;
    margin-bottom: 0.75rem;
}

.info-label {
    width: 100px;
    font-size: 0.8rem;
    color: var(--text-muted);
}

.info-value {
    flex: 1;
    font-size: 0.8rem;
    color: var(--text-primary);
}

.report-link {
    color: var(--primary);
    text-decoration: none;
    font-weight: 600;
}

.report-link:hover {
    text-decoration: underline;
}

/* Attachments List */
.attachments-list {
    display: flex;
    flex-direction: column;
    gap: 0.5rem;
}

/* Responsive */
@media (max-width: 768px) {
    .chat-header {
        padding: 1rem;
        flex-direction: column;
        align-items: flex-start;
        gap: 1rem;
    }

    .header-left {
        width: 100%;
    }

    .chat-meta {
```

```
        flex-direction: column;
        align-items: flex-start;
    }

    .message-content-wrapper {
        max-width: 85%;
    }

    .input-area {
        padding: 1rem;
    }

    .info-sidebar {
        width: 100%;
    }
}

@media (max-width: 480px) {
    .chat-avatar .avatar-icon {
        width: 40px;
        height: 40px;
        font-size: 1.2rem;
    }

    .chat-name {
        font-size: 1rem;
    }

    .message-content-wrapper {
        max-width: 90%;
    }

    .message-bubble {
        padding: 0.6rem 0.8rem;
    }

    .message-text {
        font-size: 0.85rem;
    }

    .input-action-btn {
        width: 36px;
        height: 36px;
    }

    .send-btn {
        width: 42px;
        height: 42px;
    }
}
</style>

{% endblock %}

{% block extra_js %}
<script>
(function() {
    // ===== ELEMENTS =====
    const messageArea = document.getElementById('messagesArea');
    const messagesContainer = document.getElementById('messagesContainer');
```

```
const form = document.getElementById('support-send-form');
const contentInput = document.getElementById('support-content');
const sendBtn = document.getElementById('sendBtn');
const scrollBottomBtn = document.getElementById('scrollBottomBtn');
const attachBtn = document.getElementById('attachBtn');
const fileInput = document.getElementById('fileInput');
const inputAttachment = document.getElementById('inputAttachment');
const attachmentName = document.getElementById('attachmentName');
const removeAttachment = document.getElementById('removeAttachment');
const infoBtn = document.getElementById('infoBtn');
const closeInfoBtn = document.getElementById('closeInfoBtn');
const infoSidebar = document.getElementById('infoSidebar');
const refreshBtn = document.getElementById('refreshBtn');

const sendUrl = "{% url 'support_chat_send_message' conversation.id %}";
const pollUrlBase = "{% url 'support_chat_poll_messages' conversation.id %}";

let selectedFile = null;
let isAtBottom = true;

// ===== SCROLL MANAGEMENT =====
function scrollToBottom(animated = false) {
    if (animated) {
        messageArea.scrollTo({
            top: messageArea.scrollHeight,
            behavior: 'smooth'
        });
    } else {
        messageArea.scrollTop = messageArea.scrollHeight;
    }
}

function checkIfAtBottom() {
    const threshold = 100;
    isAtBottom = messageArea.scrollHeight - messageArea.scrollTop - messageArea.clientHeight < thresh
    scrollBottomBtn.style.display = isAtBottom ? 'none' : 'flex';
}

messageArea.addEventListener('scroll', checkIfAtBottom);
scrollToBottom();

scrollBottomBtn.addEventListener('click', () => {
    scrollToBottom(true);
});

// ===== MESSAGE INPUT =====
function autoResize() {
    contentInput.style.height = 'auto';
    contentInput.style.height = Math.min(contentInput.scrollHeight, 100) + 'px';
}

contentInput.addEventListener('input', function() {
    autoResize();
    sendBtn.disabled = !this.value.trim() && !selectedFile;
});

contentInput.addEventListener('keydown', function(e) {
    if (e.key === 'Enter' && !e.shiftKey) {
        e.preventDefault();
        if (this.value.trim() || selectedFile) {
```

```
            form.dispatchEvent(new Event('submit'));
        }
    }
});

// ===== FILE ATTACHMENT =====
attachBtn.addEventListener('click', () => {
    fileInput.click();
});

fileInput.addEventListener('change', function() {
    if (this.files.length > 0) {
        selectedFile = this.files[0];
        attachmentName.textContent = selectedFile.name;
        inputAttachment.style.display = 'flex';
        sendBtn.disabled = false;
    }
});

removeAttachment.addEventListener('click', function() {
    selectedFile = null;
    fileInput.value = '';
    inputAttachment.style.display = 'none';
    sendBtn.disabled = !contentInput.value.trim();
});

// ===== SEND MESSAGE =====
form.addEventListener('submit', async function(event) {
    event.preventDefault();

    const formData = new FormData();
    formData.append('csrfmiddlewaretoken', document.querySelector('[name=csrfmiddlewaretoken]').value

    if (contentInput.value.trim()) {
        formData.append('content', contentInput.value);
    }

    if (selectedFile) {
        formData.append('attachment', selectedFile);
    }

    if (!contentInput.value.trim() && !selectedFile) return;

    // Disable input while sending
    contentInput.disabled = true;
    sendBtn.disabled = true;
    sendBtn.innerHTML = '<i class="bi bi-hourglass-split"></i>';

    try {
        const response = await fetch(sendUrl, {
            method: 'POST',
            body: formData,
            headers: {
                'X-Requested-With': 'XMLHttpRequest'
            }
        });

        const data = await response.json();

        if (data.success) {
```

```
            // Clear form
            contentInput.value = '';
            contentInput.style.height = 'auto';
            selectedFile = null;
            fileInput.value = '';
            inputAttachment.style.display = 'none';

            // Append new message
            if (data.message) {
                renderMessage(data.message);
            }

            scrollToBottom(true);
        } else {
            alert(data.error || 'Unable to send message.');
        }
    } catch (error) {
        alert('Message send failed.');
    } finally {
        contentInput.disabled = false;
        sendBtn.disabled = !contentInput.value.trim() && !selectedFile;
        sendBtn.innerHTML = '<i class="bi bi-send-fill"></i>';
        contentInput.focus();
    }
});

// ===== RENDER MESSAGE =====
function renderMessage(msg) {
    if (messagesContainer.querySelector(`[data-message-id="${msg.id}"]`)) return;

    const isMe = msg.is_me;
    const row = document.createElement('div');
    row.className = `message-wrapper ${isMe ? 'message-out' : 'message-in'}`;
    row.dataset.messageId = msg.id;

    let attachmentHtml = '';
    if (msg.attachment_url) {
        if (msg.attachment_is_image) {
            attachmentHtml = `
                <div class="message-attachment">
                    <div class="attachment-image">
                        <img src="${escapeHtml(msg.attachment_url)}" alt="attachment">
                    </div>
                    <a href="${escapeHtml(msg.attachment_url)}" target="_blank" class="attachment-link">
                        <i class="bi bi-eye"></i> View Image
                    </a>
                </div>
            `;
        } else {
            const fileName = escapeHtml(msg.attachment_name || 'Attached file');
            attachmentHtml = `
                <div class="message-attachment">
                    <a href="${escapeHtml(msg.attachment_url)}" target="_blank" class="attachment-link">
                        <i class="bi bi-paperclip"></i> ${fileName}
                    </a>
                </div>
            `;
        }
    }
```

```
    row.innerHTML = `
        ${!isMe ? `
            <div class="message-avatar">
                <div class="avatar-icon small">
                    <i class="bi bi-person-badge"></i>
                </div>
            </div>
        ` : ''}
        <div class="message-content-wrapper">
            <div class="message-sender">${escapeHtml(msg.sender_role)}</div>
            <div class="message-bubble">
                ${msg.content ? `<div class="message-text">${escapeHtml(msg.content).replace(/\n/g, '<br>')}<
                ${attachmentHtml}
                <div class="message-footer">
                    <span class="message-time">${escapeHtml(msg.created_at)}</span>
                    ${isMe ? `
                        <span class="message-status">
                            <i class="bi bi-check2"></i>
                        </span>
                    ` : ''}
                </div>
            </div>
        </div>
    `;

    messagesContainer.appendChild(row);
    scrollToBottom();
}

// ===== POLL FOR NEW MESSAGES =====
async function pollMessages() {
    const lastId = getLastId();
    try {
        const response = await fetch(`${pollUrlBase}?last_id=${lastId}`);
        const data = await response.json();

        if (data.success && data.messages) {
            data.messages.forEach(renderMessage);
        }
    } catch (error) {
        // Silent fail for polling
    }
}

function getLastId() {
    const messages = messagesContainer.querySelectorAll('[data-message-id]');
    if (!messages.length) return 0;
    return Number(messages[messages.length - 1].dataset.messageId || 0);
}

// Poll every 4 seconds
setInterval(pollMessages, 4000);

// ===== INFO SIDEBAR =====
if (infoBtn) {
    infoBtn.addEventListener('click', () => {
        infoSidebar.style.display = 'flex';
    });
}
```

```
    if (closeInfoBtn) {
        closeInfoBtn.addEventListener('click', () => {
            infoSidebar.style.display = 'none';
        });
    }

    // ===== REFRESH BUTTON =====
    if (refreshBtn) {
        refreshBtn.addEventListener('click', () => {
            window.location.reload();
        });
    }

    // ===== EMOJI BUTTON (placeholder) =====
    document.getElementById('emojiBtn').addEventListener('click', () => {
        alert('Emoji picker would open here');
    });

    // ===== ESCAPE KEY HANDLER =====
    document.addEventListener('keydown', function(e) {
        if (e.key === 'Escape' && infoSidebar.style.display === 'flex') {
            infoSidebar.style.display = 'none';
        }
    });

    // Helper function
    function escapeHtml(value) {
        if (!value) return '';
        const div = document.createElement('div');
        div.textContent = value;
        return div.innerHTML;
    }

    // Focus input on load
    contentInput.focus();
})();
</script>
{% endblock %}

=== resources\views\customer\support_chat_list.blade.php ===
<!-- customer/support_chat_list.html -->
{% extends 'customer/base.html' %}

{% block content %}
<div class="support-fullscreen">
    <!-- Sidebar - New Chat Form -->
    <div class="support-sidebar">
        <div class="sidebar-header">
            <div class="header-icon">
                <i class="bi bi-headset"></i>
            </div>
            <h2 class="sidebar-title">Support Center</h2>
            <p class="sidebar-subtitle">We're here to help</p>
        </div>

        <div class="new-chat-form">
            <form method="post" action="{% url 'support_chat_start' %}" enctype="multipart/form-data" id="newC
                {% csrf_token %}

                <div class="form-group">
```

```
            <label class="form-label">
                <i class="bi bi-shield-check"></i>
                Contact
            </label>
            <select name="target" class="form-control">
                {% for value,label in target_choices %}
                <option value="{{ value }}">{{ label }}</option>
                {% endfor %}
            </select>
        </div>

        <div class="form-group">
            <label class="form-label">
                <i class="bi bi-flag"></i>
                Related Report
            </label>
            <select name="issue_report_id" class="form-control">
                <option value="">No linked report</option>
                {% for report in open_reports %}
                <option value="{{ report.id }}">Report #{{ report.id }} - {{ report.get_status_display }}</option>
                {% endfor %}
            </select>
        </div>

        <div class="form-group">
            <label class="form-label">
                <i class="bi bi-tag"></i>
                Subject
            </label>
            <input type="text" name="subject" class="form-control" placeholder="Brief description...">
        </div>

        <div class="form-group">
            <label class="form-label">
                <i class="bi bi-chat-text"></i>
                Message
            </label>
            <textarea class="form-control" name="message" rows="4" placeholder="How can we help you?
        </div>

        <div class="form-group">
            <label class="form-label file-upload" id="fileUploadLabel">
                <i class="bi bi-paperclip"></i>
                Attach File
                <input type="file" name="attachment" class="file-input" id="fileInput">
            </label>
            <div class="file-preview" id="filePreview"></div>
        </div>

        <button type="submit" class="submit-btn">
            <i class="bi bi-send-fill"></i>
            Start Support Chat
        </button>
    </form>
  </div>
</div>

<!-- Main Area - Conversations List -->
<div class="support-main">
  <div class="main-header">
```

```
    <div class="header-left">
        <h1 class="main-title">Support Conversations</h1>
        <span class="unread-badge-large" id="totalUnreadBadge">
            {{ total_unread }} unread
        </span>
    </div>

    <div class="header-right">
        <div class="search-wrapper">
            <i class="bi bi-search"></i>
            <input type="text" placeholder="Search conversations..." id="searchConversations" class="sear
        </div>
    </div>
</div>

<div class="conversations-list" id="conversationsList">
    {% for row in conversation_rows %}
    <a href="{% url 'support_chat_detail' row.conversation.id %}"
       class="conversation-card {% if row.unread_count %}unread{% endif %}"
       data-conversation-id="{{ row.conversation.id }}"
       data-search-text="{{ row.conversation.subject|default:'' }} {{ row.last_message.content|default:'' }}">

        <div class="conversation-avatar">
            <div class="avatar-icon">
                {% if row.conversation.target == 'admin' %}
                <i class="bi bi-shield-fill-check"></i>
                {% else %}
                <i class="bi bi-person-badge"></i>
                {% endif %}
            </div>
        </div>

        <div class="conversation-content">
            <div class="conversation-header">
                <div class="conversation-title">
                    <span class="conversation-subject">
                        {{ row.conversation.subject|default:'Support conversation' }}
                    </span>
                    {% if row.conversation.issue_report %}
                    <span class="report-badge">
                        #{{ row.conversation.issue_report.id }}
                    </span>
                    {% endif %}
                </div>
                <div class="conversation-time">
                    {{ row.conversation.updated_at|date:'H:i' }}
                </div>
            </div>

            <div class="conversation-meta">
                <div class="meta-badges">
                    <span class="target-badge {{ row.conversation.target }}">
                        <i class="bi {% if row.conversation.target == 'admin' %}bi-shield{% else %}bi-person{% e
                        {{ row.conversation.get_target_display }}
                    </span>
                    {% if row.conversation.assigned_sub_admin %}
                    <span class="assignee-badge">
                        <i class="bi bi-person-check"></i>
                        {{ row.conversation.assigned_sub_admin.name }}
                    </span>
```

```
                    {% endif %}
                </div>
            </div>

            <div class="conversation-preview">
                <div class="preview-text">
                    {% if row.last_message %}
                        {{ row.last_message.content|truncatechars:80 }}
                    {% else %}
                        <span class="no-messages">No messages yet</span>
                    {% endif %}
                </div>

                <div class="preview-meta">
                    {% if row.unread_count %}
                    <span class="unread-badge">{{ row.unread_count }}</span>
                    {% endif %}
                    <span class="message-time">{{ row.conversation.updated_at|date:'M d' }}</span>
                </div>
            </div>
        </div>
    </a>
    {% empty %}
    <div class="empty-state">
        <div class="empty-icon">
            <i class="bi bi-chat-dots"></i>
        </div>
        <h3>No support conversations</h3>
        <p>Start a new support chat using the form on the left</p>
    </div>
    {% endfor %}
  </div>
 </div>
</div>

<style>
/* ===== FULLSCREEN SUPPORT LAYOUT ===== */
.support-fullscreen {
    display: flex;
    height: calc(100vh - var(--header-h) - 2rem);
    background: var(--bg-base);
    border-radius: var(--radius-xl);
    overflow: hidden;
    border: 1px solid var(--border);
    box-shadow: var(--shadow-lg);
    margin: 1rem 0;
}

/* ===== SIDEBAR ===== */
.support-sidebar {
    width: 380px;
    background: linear-gradient(145deg, var(--bg-card), var(--bg-raised));
    border-right: 1px solid var(--border);
    overflow-y: auto;
    padding: 2rem 1.5rem;
}

.sidebar-header {
    text-align: center;
    margin-bottom: 2rem;
```

```
}

.header-icon {
    width: 64px;
    height: 64px;
    border-radius: 20px;
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
    display: flex;
    align-items: center;
    justify-content: center;
    margin: 0 auto 1rem;
    color: white;
    font-size: 2rem;
    box-shadow: 0 8px 20px var(--primary-glow);
}

.sidebar-title {
    font-size: 1.5rem;
    font-weight: 800;
    color: var(--text-primary);
    margin-bottom: 0.25rem;
    letter-spacing: -0.02em;
}

.sidebar-subtitle {
    font-size: 0.85rem;
    color: var(--text-muted);
}

/* New Chat Form */
.new-chat-form {
    background: var(--bg-card);
    border-radius: var(--radius-lg);
    padding: 1.5rem;
    border: 1px solid var(--border);
    box-shadow: var(--shadow-sm);
}

.form-group {
    margin-bottom: 1.25rem;
}

.form-label {
    display: flex;
    align-items: center;
    gap: 0.4rem;
    font-size: 0.8rem;
    font-weight: 600;
    color: var(--text-secondary);
    margin-bottom: 0.5rem;
}

.form-label i {
    color: var(--primary);
    font-size: 0.9rem;
}

.form-control {
    width: 100%;
    padding: 0.7rem 1rem;
```

```
    border-radius: var(--radius);
    border: 1.5px solid var(--border);
    background: var(--bg-raised);
    color: var(--text-primary);
    font-size: 0.9rem;
    transition: all var(--t-fast);
}

.form-control:focus {
    outline: none;
    border-color: var(--primary);
    box-shadow: 0 0 0 4px var(--primary-soft);
}

textarea.form-control {
    resize: vertical;
    min-height: 100px;
    font-family: 'Outfit', sans-serif;
}

/* File Upload */
.file-upload {
    position: relative;
    display: flex;
    align-items: center;
    gap: 0.5rem;
    padding: 0.7rem 1rem;
    background: var(--bg-raised);
    border: 1.5px dashed var(--border);
    border-radius: var(--radius);
    color: var(--text-secondary);
    font-size: 0.9rem;
    cursor: pointer;
    transition: all var(--t-fast);
}

.file-upload:hover {
    border-color: var(--primary);
    background: var(--primary-soft);
}

.file-input {
    position: absolute;
    opacity: 0;
    width: 100%;
    height: 100%;
    top: 0;
    left: 0;
    cursor: pointer;
}

.file-preview {
    margin-top: 0.5rem;
    padding: 0.5rem;
    background: var(--bg-raised);
    border-radius: var(--radius-sm);
    font-size: 0.8rem;
    color: var(--text-secondary);
    display: none;
}
```

```
.file-preview.active {
    display: flex;
    align-items: center;
    gap: 0.5rem;
}

.file-preview i {
    color: var(--success);
}

.submit-btn {
    width: 100%;
    padding: 0.9rem;
    border-radius: var(--radius);
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
    border: none;
    color: white;
    font-size: 0.9rem;
    font-weight: 700;
    display: flex;
    align-items: center;
    justify-content: center;
    gap: 0.5rem;
    cursor: pointer;
    transition: all var(--t-fast);
    box-shadow: 0 4px 12px var(--primary-glow);
}

.submit-btn:hover {
    transform: translateY(-2px);
    box-shadow: 0 8px 20px var(--primary-glow);
}

/* ===== MAIN AREA ===== */
.support-main {
    flex: 1;
    background: var(--bg-card);
    display: flex;
    flex-direction: column;
    overflow: hidden;
}

.main-header {
    padding: 1.5rem 2rem;
    border-bottom: 1px solid var(--border);
    display: flex;
    align-items: center;
    justify-content: space-between;
    flex-wrap: wrap;
    gap: 1rem;
    background: var(--bg-card);
}

.header-left {
    display: flex;
    align-items: center;
    gap: 1rem;
}
```

```
.main-title {
    font-size: 1.5rem;
    font-weight: 800;
    color: var(--text-primary);
    letter-spacing: -0.02em;
    margin: 0;
}

.unread-badge-large {
    background: var(--danger);
    color: white;
    padding: 0.3rem 1rem;
    border-radius: 999px;
    font-size: 0.8rem;
    font-weight: 700;
    box-shadow: 0 4px 12px rgba(255,77,109,0.3);
}

.search-wrapper {
    display: flex;
    align-items: center;
    background: var(--bg-raised);
    border: 1.5px solid var(--border);
    border-radius: 999px;
    padding: 0.3rem 0.3rem 0.3rem 1rem;
    width: 280px;
}

.search-wrapper i {
    color: var(--text-muted);
    font-size: 0.9rem;
    margin-right: 0.5rem;
}

.search-input {
    flex: 1;
    border: none;
    background: transparent;
    outline: none;
    color: var(--text-primary);
    font-size: 0.9rem;
    padding: 0.6rem 0;
}

.search-input::placeholder {
    color: var(--text-muted);
}

/* Conversations List */
.conversations-list {
    flex: 1;
    overflow-y: auto;
    padding: 1.5rem 2rem;
    scrollbar-width: thin;
    scrollbar-color: var(--border) transparent;
}

.conversations-list::-webkit-scrollbar {
    width: 6px;
}
```

```
.conversations-list::-webkit-scrollbar-track {
    background: transparent;
}

.conversations-list::-webkit-scrollbar-thumb {
    background: var(--border);
    border-radius: 10px;
}

/* Conversation Card */
.conversation-card {
    display: flex;
    gap: 1rem;
    padding: 1.25rem;
    border-radius: var(--radius-lg);
    background: var(--bg-card);
    border: 1px solid var(--border);
    margin-bottom: 0.75rem;
    text-decoration: none;
    color: inherit;
    transition: all var(--t-fast);
    animation: slideIn 0.3s ease;
}

@keyframes slideIn {
    from {
        opacity: 0;
        transform: translateX(-20px);
    }
    to {
        opacity: 1;
        transform: translateX(0);
    }
}

.conversation-card:hover {
    transform: translateX(4px);
    border-color: var(--primary);
    box-shadow: var(--shadow);
}

.conversation-card.unread {
    background: var(--primary-soft);
    border-left: 3px solid var(--primary);
}

/* Avatar */
.conversation-avatar {
    flex-shrink: 0;
}

.avatar-icon {
    width: 48px;
    height: 48px;
    border-radius: 14px;
    background: linear-gradient(135deg, var(--primary), var(--primary-dark));
    display: flex;
    align-items: center;
    justify-content: center;
```

```
    color: white;
    font-size: 1.5rem;
    box-shadow: 0 4px 12px var(--primary-glow);
}

.conversation-card.unread .avatar-icon {
    box-shadow: 0 0 0 3px rgba(91,76,255,0.3);
}

/* Content */
.conversation-content {
    flex: 1;
    min-width: 0;
}

.conversation-header {
    display: flex;
    justify-content: space-between;
    align-items: flex-start;
    margin-bottom: 0.4rem;
}

.conversation-title {
    display: flex;
    align-items: center;
    gap: 0.5rem;
    flex-wrap: wrap;
}

.conversation-subject {
    font-weight: 700;
    font-size: 1rem;
    color: var(--text-primary);
}

.report-badge {
    padding: 0.15rem 0.6rem;
    background: var(--accent-soft);
    border-radius: 999px;
    font-size: 0.65rem;
    font-weight: 600;
    color: var(--accent);
    border: 1px solid rgba(245,176,66,0.2);
}

.conversation-time {
    font-size: 0.7rem;
    color: var(--text-muted);
    white-space: nowrap;
}

/* Meta badges */
.conversation-meta {
    margin-bottom: 0.5rem;
}

.meta-badges {
    display: flex;
    flex-wrap: wrap;
    gap: 0.5rem;
```

```
}

.target-badge {
    display: inline-flex;
    align-items: center;
    gap: 0.25rem;
    padding: 0.2rem 0.6rem;
    border-radius: 999px;
    font-size: 0.7rem;
    font-weight: 600;
}

.target-badge.admin {
    background: var(--primary-soft);
    color: var(--primary);
    border: 1px solid rgba(91,76,255,0.2);
}

.target-badge.sub_admin {
    background: var(--success-soft);
    color: var(--success);
    border: 1px solid rgba(0,201,139,0.2);
}

.assignee-badge {
    display: inline-flex;
    align-items: center;
    gap: 0.25rem;
    padding: 0.2rem 0.6rem;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: 999px;
    font-size: 0.7rem;
    font-weight: 600;
    color: var(--text-secondary);
}

/* Preview */
.conversation-preview {
    display: flex;
    justify-content: space-between;
    align-items: center;
    gap: 0.5rem;
}

.preview-text {
    font-size: 0.85rem;
    color: var(--text-secondary);
    white-space: nowrap;
    overflow: hidden;
    text-overflow: ellipsis;
    flex: 1;
}

.no-messages {
    color: var(--text-muted);
    font-style: italic;
}

.preview-meta {
```

```
    display: flex;
    align-items: center;
    gap: 0.75rem;
    flex-shrink: 0;
}

.unread-badge {
    background: var(--primary);
    color: white;
    font-size: 0.7rem;
    font-weight: 700;
    min-width: 20px;
    height: 20px;
    border-radius: 10px;
    display: flex;
    align-items: center;
    justify-content: center;
    padding: 0 6px;
    box-shadow: 0 4px 8px var(--primary-glow);
}

.message-time {
    font-size: 0.7rem;
    color: var(--text-muted);
}

/* Empty State */
.empty-state {
    text-align: center;
    padding: 4rem 2rem;
    background: var(--bg-card);
    border-radius: var(--radius-lg);
    border: 1px solid var(--border);
}

.empty-icon {
    font-size: 4rem;
    color: var(--text-muted);
    margin-bottom: 1rem;
    opacity: 0.3;
}

.empty-state h3 {
    font-size: 1.2rem;
    font-weight: 700;
    color: var(--text-primary);
    margin-bottom: 0.5rem;
}

.empty-state p {
    font-size: 0.9rem;
    color: var(--text-secondary);
}

/* Responsive */
@media (max-width: 1024px) {
    .support-sidebar {
        width: 340px;
    }
```

```
    .search-wrapper {
        width: 240px;
    }
}

@media (max-width: 768px) {
    .support-fullscreen {
        flex-direction: column;
        height: auto;
        min-height: calc(100vh - var(--header-h) - 2rem);
    }

    .support-sidebar {
        width: 100%;
        border-right: none;
        border-bottom: 1px solid var(--border);
    }

    .main-header {
        flex-direction: column;
        align-items: flex-start;
    }

    .search-wrapper {
        width: 100%;
    }

    .conversations-list {
        padding: 1rem;
    }
}

@media (max-width: 480px) {
    .conversation-card {
        padding: 1rem;
    }

    .avatar-icon {
        width: 40px;
        height: 40px;
        font-size: 1.2rem;
    }

    .conversation-subject {
        font-size: 0.9rem;
    }

    .report-badge {
        display: none;
    }

    .meta-badges {
        flex-direction: column;
        gap: 0.25rem;
    }
}
</style>

<script>
document.addEventListener('DOMContentLoaded', function() {
```

```
    // ===== FILE UPLOAD PREVIEW =====
    const fileInput = document.getElementById('fileInput');
    const filePreview = document.getElementById('filePreview');

    if (fileInput) {
        fileInput.addEventListener('change', function() {
            if (this.files.length > 0) {
                const file = this.files[0];
                filePreview.innerHTML = `
                    <i class="bi bi-paperclip"></i>
                    <span>${file.name} (${(file.size / 1024).toFixed(1)} KB)</span>
                `;
                filePreview.classList.add('active');

                // Update upload label
                document.getElementById('fileUploadLabel').innerHTML = `
                    <i class="bi bi-check-circle-fill" style="color: var(--success);"></i>
                    File attached
                    ${fileInput.outerHTML}
                `;
            } else {
                filePreview.classList.remove('active');
                document.getElementById('fileUploadLabel').innerHTML = `
                    <i class="bi bi-paperclip"></i>
                    Attach File
                    ${fileInput.outerHTML}
                `;
            }
        });
    }

    // ===== SEARCH CONVERSATIONS =====
    const searchInput = document.getElementById('searchConversations');
    const conversationCards = document.querySelectorAll('.conversation-card');

    if (searchInput) {
        searchInput.addEventListener('input', function() {
            const query = this.value.toLowerCase().trim();

            conversationCards.forEach(card => {
                const searchText = card.dataset.searchText?.toLowerCase() || '';
                const subject = card.querySelector('.conversation-subject')?.textContent.toLowerCase() || '';
                const messages = card.querySelector('.preview-text')?.textContent.toLowerCase() || '';

                const matches = subject.includes(query) || messages.includes(query) || searchText.includes(query
                card.style.display = matches ? 'flex' : 'none';
            });
        });
    }

    // ===== ANIMATED ENTRY =====
    conversationCards.forEach((card, index) => {
        card.style.animationDelay = `${index * 0.05}s`;
    });
});
</script>
{% endblock %}

=== resources\views\customer\wishlist.blade.php ===
@extends('customer.base')
```

```
@section('title', 'My Wishlist - BookHub')

@section('content')
<section class="wl-shell container">
    <div class="wl-hero">
        <div class="wl-hero-copy">
            <p class="wl-eyebrow"><i class="bi bi-bookmarks-fill"></i> Saved Collection</p>
            <h1>My Wishlist</h1>
            <p>Keep your favorite books in one place and move them to cart when you are ready.</p>
        </div>
        <div class="wl-hero-metric">
            <span>Items saved</span>
            <strong>{{ $wishlistCount ?? 0 }}</strong>
            <small>book{{ ($wishlistCount ?? 0) === 1 ? '' : 's' }}</small>
        </div>
    </div>

    @if(!empty($wishlistBooks) && $wishlistBooks->count())
    <div class="wl-grid">
        @foreach($wishlistBooks as $book)
        <article class="wl-card" style="--i:{{ $loop->index }};">
            <a href="{{ route('books.show', $book->id) }}" class="wl-media">
                @if($book->cover_image_path)
                <img src="{{ asset($book->cover_image_path) }}" alt="{{ $book->title }}">
                @else
                <div class="wl-media-fallback">
                    <i class="bi bi-journal-bookmark-fill"></i>
                    <span>No Cover</span>
                </div>
                @endif
            </a>

            <div class="wl-body">
                <h3 class="wl-title">{{ $book->title }}</h3>
                <p class="wl-author">{{ $book->author }}</p>
                <div class="wl-meta">
                    <span class="wl-chip"><i class="bi bi-tag-fill"></i> {{ $book->genre ?? 'General' }}</span>
                    @if($book->available_rent > 0 || $book->available_sale > 0)
                    <span class="wl-chip wl-chip-live"><i class="bi bi-lightning-charge-fill"></i> Available</span>
                    @else
                    <span class="wl-chip wl-chip-muted"><i class="bi bi-pause-circle-fill"></i> Out of stock</span>
                    @endif
                </div>

                <div class="wl-prices">
                    @if($book->available_rent > 0)
                    <div class="wl-price wl-rent">
                        <span>Rent</span>
                        <strong>${{ number_format($book->rental_price, 2) }}</strong>
                        <small>/month</small>
                    </div>
                    @endif
                    @if($book->available_sale > 0)
                    <div class="wl-price wl-buy">
                        <span>Buy</span>
                        <strong>${{ number_format($book->sale_price, 2) }}</strong>
                    </div>
                    @endif
                    @if($book->available_rent <= 0 && $book->available_sale <= 0)
```

```
                <div class="wl-price wl-muted">
                    <span>Unavailable right now</span>
                </div>
                @endif
            </div>

            <div class="wl-actions">
                <a href="{{ route('books.show', $book->id) }}" class="wl-btn wl-btn-ghost">
                    <i class="bi bi-eye-fill"></i> View
                </a>
                @if($book->available_rent > 0)
                <a href="{{ route('cart.add.rent', $book->id) }}" class="wl-btn wl-btn-rent">
                    <i class="bi bi-arrow-left-right"></i> Rent
                </a>
                @endif
                @if($book->available_sale > 0)
                <a href="{{ route('cart.add.buy', $book->id) }}" class="wl-btn wl-btn-buy">
                    <i class="bi bi-bag-check-fill"></i> Buy
                </a>
                @endif
                <a href="{{ route('wishlist.remove', $book->id) }}" class="wl-btn wl-btn-danger" onclick="return c
                    <i class="bi bi-trash3-fill"></i> Remove
                </a>
            </div>
        </div>
    </article>
    @endforeach
</div>

<div class="wl-footer-actions">
    <a href="{{ route('customer.dashboard') }}" class="wl-footer-btn wl-footer-primary">
        <i class="bi bi-plus-circle-fill"></i> Add More Books
    </a>
    <a href="{{ route('cart.index') }}" class="wl-footer-btn wl-footer-success">
        <i class="bi bi-cart-check-fill"></i> Open Cart
    </a>
    <a href="{{ route('wishlist.clear') }}" class="wl-footer-btn wl-footer-danger" onclick="return confirm('Clear
        <i class="bi bi-trash-fill"></i> Clear All
    </a>
</div>
@else
<div class="wl-empty">
    <div class="wl-empty-icon"><i class="bi bi-heart-fill"></i></div>
    <h3>Your wishlist is empty</h3>
    <p>Save books you are interested in by clicking the heart icon on any book page.</p>
    <a href="{{ route('customer.dashboard') }}" class="wl-footer-btn wl-footer-primary">
        <i class="bi bi-compass-fill"></i> Browse Books
    </a>
</div>
@endif
</section>
@endsection

@section('extra_css')
<style>
.wl-shell {
    max-width: 1240px;
    margin: 1rem auto 0;
    position: relative;
    z-index: 2;
```

```
}

.wl-hero {
    display: grid;
    grid-template-columns: 1fr auto;
    gap: 1rem;
    align-items: center;
    background:
        linear-gradient(140deg, rgba(91, 76, 255, 0.14), rgba(245, 176, 66, 0.10)),
        var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-xl);
    padding: 1.4rem 1.5rem;
    box-shadow: var(--shadow);
    overflow: hidden;
}

.wl-eyebrow {
    margin: 0 0 0.45rem 0;
    font-size: 0.75rem;
    letter-spacing: 1px;
    text-transform: uppercase;
    font-weight: 800;
    color: var(--primary);
    display: inline-flex;
    align-items: center;
    gap: 0.35rem;
}

.wl-hero h1 {
    margin: 0;
    font-size: clamp(1.3rem, 1.9vw, 2rem);
    letter-spacing: -0.02em;
    font-weight: 800;
    color: var(--text-primary);
}

.wl-hero-copy p:last-child {
    margin: 0.45rem 0 0;
    color: var(--text-secondary);
    font-size: 0.92rem;
}

.wl-hero-metric {
    min-width: 150px;
    text-align: center;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 0.75rem 0.9rem;
}

.wl-hero-metric span {
    display: block;
    font-size: 0.7rem;
    text-transform: uppercase;
    letter-spacing: 1px;
    color: var(--text-muted);
    font-weight: 700;
}
```

```
.wl-hero-metric strong {
    display: block;
    font-size: 1.8rem;
    color: var(--primary);
    line-height: 1.05;
    margin-top: 0.2rem;
}

.wl-hero-metric small {
    color: var(--text-muted);
    font-size: 0.75rem;
}

.wl-grid {
    display: grid;
    grid-template-columns: repeat(auto-fill, minmax(250px, 1fr));
    gap: 1rem;
    margin-top: 1.2rem;
}

.wl-card {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    overflow: hidden;
    box-shadow: var(--shadow-sm);
    transition: transform var(--t), box-shadow var(--t), border-color var(--t);
    animation: wl-rise 420ms both;
    animation-delay: calc(var(--i) * 50ms);
}

.wl-card:hover {
    transform: translateY(-6px);
    border-color: rgba(91, 76, 255, 0.35);
    box-shadow: var(--shadow-lg);
}

.wl-media {
    position: relative;
    display: block;
    height: 220px;
    background: var(--bg-raised);
    overflow: hidden;
}

.wl-media img {
    width: 100%;
    height: 100%;
    object-fit: cover;
    transition: transform var(--t);
}

.wl-card:hover .wl-media img {
    transform: scale(1.05);
}

.wl-media-fallback {
    width: 100%;
    height: 100%;
```

```
    display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: center;
    gap: 0.4rem;
    color: var(--text-muted);
    font-weight: 700;
}

.wl-media-fallback i {
    font-size: 2rem;
    color: var(--primary);
}

.wl-body {
    padding: 0.95rem 0.95rem 1rem;
}

.wl-title {
    margin: 0;
    font-size: 1rem;
    font-weight: 800;
    line-height: 1.3;
    color: var(--text-primary);
    display: -webkit-box;
    -webkit-line-clamp: 2;
    -webkit-box-orient: vertical;
    overflow: hidden;
}

.wl-author {
    margin: 0.28rem 0 0.65rem;
    font-size: 0.8rem;
    color: var(--text-muted);
}

.wl-meta {
    display: flex;
    gap: 0.45rem;
    flex-wrap: wrap;
    margin-bottom: 0.75rem;
}

.wl-chip {
    display: inline-flex;
    align-items: center;
    gap: 0.25rem;
    border-radius: 999px;
    border: 1px solid var(--border);
    background: var(--bg-raised);
    color: var(--text-secondary);
    font-size: 0.68rem;
    font-weight: 700;
    padding: 0.17rem 0.5rem;
}

.wl-chip-live {
    background: var(--success-soft);
    border-color: rgba(0, 201, 139, 0.24);
    color: var(--success);
```

```
}

.wl-chip-muted {
    background: var(--danger-soft);
    border-color: rgba(255, 77, 109, 0.24);
    color: var(--danger);
}

.wl-prices {
    border: 1px solid var(--border-soft);
    border-radius: var(--radius);
    overflow: hidden;
    margin-bottom: 0.85rem;
}

.wl-price {
    display: flex;
    align-items: baseline;
    gap: 0.36rem;
    padding: 0.45rem 0.6rem;
    background: var(--bg-raised);
}

.wl-price + .wl-price {
    border-top: 1px solid var(--border-soft);
}

.wl-price span {
    font-size: 0.67rem;
    font-weight: 700;
    text-transform: uppercase;
    letter-spacing: 0.7px;
    color: var(--text-muted);
}

.wl-price strong {
    font-size: 0.95rem;
    line-height: 1;
}

.wl-price small {
    font-size: 0.64rem;
    color: var(--text-muted);
}

.wl-rent strong { color: var(--primary); }
.wl-buy strong { color: var(--success); }
.wl-muted span { text-transform: none; }

.wl-actions {
    display: flex;
    flex-wrap: wrap;
    gap: 0.42rem;
}

.wl-btn {
    border-radius: var(--radius-sm);
    padding: 0.45rem 0.6rem;
    font-size: 0.76rem;
    font-weight: 700;
```

```
    text-decoration: none;
    display: inline-flex;
    align-items: center;
    justify-content: center;
    gap: 0.3rem;
    border: 1px solid transparent;
    transition: all var(--t-fast);
    flex: 1 1 calc(50% - 0.42rem);
}

.wl-btn-ghost {
    color: var(--text-secondary);
    background: var(--bg-raised);
    border-color: var(--border);
}

.wl-btn-rent {
    color: var(--primary);
    background: var(--primary-soft);
    border-color: var(--border);
}

.wl-btn-buy {
    color: var(--success);
    background: var(--success-soft);
    border-color: rgba(0, 201, 139, 0.22);
}

.wl-btn-danger {
    color: var(--danger);
    background: var(--danger-soft);
    border-color: rgba(255, 77, 109, 0.22);
}

.wl-btn:hover {
    transform: translateY(-1px);
    filter: saturate(1.08);
}

.wl-footer-actions {
    margin-top: 1.2rem;
    display: flex;
    flex-wrap: wrap;
    gap: 0.65rem;
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 0.85rem;
    box-shadow: var(--shadow-sm);
}

.wl-footer-btn {
    text-decoration: none;
    border-radius: var(--radius);
    padding: 0.62rem 0.88rem;
    font-size: 0.82rem;
    font-weight: 700;
    display: inline-flex;
    align-items: center;
    gap: 0.4rem;
```

```
    border: 1px solid transparent;
    transition: all var(--t-fast);
}

.wl-footer-btn:hover {
    transform: translateY(-1px);
}

.wl-footer-primary {
    background: var(--primary-soft);
    border-color: var(--border);
    color: var(--primary);
}

.wl-footer-success {
    background: var(--success-soft);
    border-color: rgba(0, 201, 139, 0.22);
    color: var(--success);
}

.wl-footer-danger {
    background: var(--danger-soft);
    border-color: rgba(255, 77, 109, 0.22);
    color: var(--danger);
}

.wl-empty {
    margin-top: 1.2rem;
    text-align: center;
    padding: 2rem 1.1rem;
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-xl);
    box-shadow: var(--shadow);
}

.wl-empty-icon {
    width: 88px;
    height: 88px;
    border-radius: 22px;
    background: linear-gradient(135deg, var(--danger-soft), var(--primary-soft));
    margin: 0 auto 0.85rem;
    display: flex;
    align-items: center;
    justify-content: center;
}

.wl-empty-icon i {
    font-size: 2rem;
    color: var(--danger);
}

.wl-empty h3 {
    margin: 0;
    font-size: 1.22rem;
    font-weight: 800;
    color: var(--text-primary);
}

.wl-empty p {
```

```
    max-width: 460px;
    margin: 0.55rem auto 1rem;
    color: var(--text-secondary);
    font-size: 0.92rem;
    line-height: 1.6;
}

@keyframes wl-rise {
    from {
        opacity: 0;
        transform: translateY(14px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

@media (max-width: 860px) {
    .wl-hero {
        grid-template-columns: 1fr;
        text-align: left;
    }

    .wl-hero-metric {
        width: 100%;
        text-align: left;
    }

    .wl-hero-metric strong {
        font-size: 1.5rem;
    }
}

@media (max-width: 540px) {
    .wl-shell {
        margin-top: 0.8rem;
    }

    .wl-grid {
        grid-template-columns: 1fr;
    }

    .wl-actions .wl-btn {
        flex: 1 1 100%;
    }

    .wl-footer-actions {
        padding: 0.7rem;
    }
}
</style>
@endsection

=== resources\views\customer\issue_reports\create.blade.php ===
@extends('customer.base')

@section('title', 'Report an Issue - BookHub')

@section('content')
```

```
<section class="issue-form-shell">
    <div class="issue-form-head">
        <div>
            <h1>Report an Issue</h1>
            <p>Provide details so our admin team can help quickly.</p>
        </div>
        <a href="{{ route('issue-reports.index') }}" class="btn-secondary">
            <i class="bi bi-arrow-left"></i> Back to Reports
        </a>
    </div>

    <form method="POST" action="{{ route('issue-reports.store') }}" class="issue-form">
        @csrf
        <label class="field">
            <span>Subject</span>
            <input type="text" name="subject" value="{{ old('subject') }}" required maxlength="255" placeholder=
        </label>

        <label class="field">
            <span>Description</span>
            <textarea name="description" rows="6" required maxlength="4000" placeholder="Describe the issue
        </label>

        <label class="field">
            <span>Priority</span>
            <select name="priority" required>
                <option value="low" @selected(old('priority') === 'low')>Low</option>
                <option value="medium" @selected(old('priority', 'medium') === 'medium')>Medium</option>
                <option value="high" @selected(old('priority') === 'high')>High</option>
            </select>
        </label>

        <button type="submit" class="btn-primary">
            <i class="bi bi-flag-fill"></i>
            Submit Report
        </button>
    </form>
</section>
@endsection

@section('extra_css')
<style>
.issue-form-shell {
    max-width: 760px;
    margin: 0 auto;
    display: grid;
    gap: 1.2rem;
}
.issue-form-head {
    display: flex;
    align-items: center;
    justify-content: space-between;
    gap: 1rem;
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1.2rem 1.4rem;
    box-shadow: var(--shadow-sm);
}
.issue-form-head h1 {
```

```
    margin: 0 0 0.35rem 0;
    font-size: 1.5rem;
}
.issue-form-head p {
    margin: 0;
    color: var(--text-secondary);
    font-size: 0.9rem;
}
.issue-form {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1.4rem;
    box-shadow: var(--shadow-sm);
    display: grid;
    gap: 1rem;
}
.field {
    display: grid;
    gap: 0.45rem;
    font-size: 0.82rem;
    color: var(--text-secondary);
    font-weight: 600;
}
.field input,
.field textarea,
.field select {
    background: var(--bg-raised);
    border: 1px solid var(--border);
    border-radius: var(--radius);
    padding: 0.7rem 0.8rem;
    font-family: 'Outfit', sans-serif;
    color: var(--text-primary);
}
.btn-primary {
    justify-self: flex-start;
    display: inline-flex;
    align-items: center;
    gap: 0.45rem;
    padding: 0.65rem 1.2rem;
    border-radius: 999px;
    background: var(--primary);
    color: #fff;
    font-weight: 700;
    border: none;
    cursor: pointer;
}
.btn-secondary {
    display: inline-flex;
    align-items: center;
    gap: 0.4rem;
    padding: 0.6rem 1.1rem;
    border-radius: 999px;
    background: var(--bg-raised);
    border: 1px solid var(--border);
    color: var(--text-secondary);
    text-decoration: none;
    font-weight: 700;
}
</style>
```

```
@endsection

=== resources\views\customer\issue_reports\index.blade.php ===
@extends('customer.base')

@section('title', 'Issue Reports - BookHub')

@section('content')
<section class="issue-shell">
    <div class="issue-head">
        <div>
            <h1>Your Issue Reports</h1>
            <p>Track the status of your submitted issues.</p>
        </div>
        <a href="{{ route('issue-reports.create') }}" class="btn-primary">
            <i class="bi bi-plus-circle"></i>
            New Report
        </a>
    </div>

    <div class="issue-list">
        @forelse($reports as $report)
            <a href="{{ route('issue-reports.show', $report) }}" class="issue-card">
                <div>
                    <h3>{{ $report->subject }}</h3>
                    <p>{{ \Illuminate\Support\Str::limit($report->description, 110) }}</p>
                </div>
                <div class="issue-meta">
                    <span class="pill priority-{{ $report->priority }}">{{ ucfirst($report->priority) }}</span>
                    <span class="pill status-{{ $report->status }}">{{ ucfirst(str_replace('_', ' ', $report->status)) }}</sp
                    <span class="date">{{ $report->created_at->format('M d, Y') }}</span>
                </div>
            </a>
        @empty
            <div class="issue-empty">
                <i class="bi bi-flag"></i>
                <h3>No reports yet</h3>
                <p>If something is wrong, submit a report and our admins will help.</p>
                <a href="{{ route('issue-reports.create') }}" class="btn-primary">
                    <i class="bi bi-plus-circle"></i> Create Report
                </a>
            </div>
        @endforelse
    </div>
</section>
@endsection

@section('extra_css')
<style>
.issue-shell {
    max-width: 980px;
    margin: 0 auto;
    display: grid;
    gap: 1.2rem;
}
.issue-head {
    display: flex;
    align-items: center;
    justify-content: space-between;
    gap: 1rem;
```

```
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1.2rem 1.4rem;
    box-shadow: var(--shadow-sm);
}
.issue-head h1 {
    margin: 0 0 0.35rem 0;
    font-size: 1.5rem;
}
.issue-head p {
    margin: 0;
    color: var(--text-secondary);
    font-size: 0.9rem;
}
.btn-primary {
    display: inline-flex;
    align-items: center;
    gap: 0.45rem;
    padding: 0.6rem 1.1rem;
    border-radius: 999px;
    background: var(--primary);
    color: #fff;
    font-weight: 700;
    text-decoration: none;
    border: none;
}
.issue-list {
    display: grid;
    gap: 0.9rem;
}
.issue-card {
    display: flex;
    justify-content: space-between;
    gap: 1rem;
    padding: 1rem 1.2rem;
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    text-decoration: none;
    color: inherit;
    box-shadow: var(--shadow-sm);
    transition: all var(--t-fast);
}
.issue-card:hover {
    border-color: var(--primary);
    box-shadow: var(--shadow);
}
.issue-card h3 {
    margin: 0 0 0.35rem 0;
    font-size: 1rem;
}
.issue-card p {
    margin: 0;
    font-size: 0.82rem;
    color: var(--text-secondary);
}
.issue-meta {
    display: grid;
    gap: 0.4rem;
```

```
    align-content: center;
    text-align: right;
    font-size: 0.75rem;
    color: var(--text-muted);
}
.pill {
    padding: 0.18rem 0.6rem;
    border-radius: 999px;
    font-weight: 700;
    font-size: 0.7rem;
    border: 1px solid transparent;
}
.priority-low { background: var(--bg-raised); color: var(--text-secondary); border-color: var(--border); }
.priority-medium { background: var(--accent-soft); color: var(--accent); border-color: rgba(245,176,66,0.3); }
.priority-high { background: var(--danger-soft); color: var(--danger); border-color: rgba(255,77,109,0.3); }
.status-open { background: var(--primary-soft); color: var(--primary); border-color: var(--border); }
.status-in_review { background: var(--bg-raised); color: var(--text-secondary); border-color: var(--border); }
.status-resolved { background: var(--success-soft); color: var(--success); border-color: rgba(0,201,139,0.3); }
.status-closed { background: var(--bg-raised); color: var(--text-muted); border-color: var(--border); }
.issue-empty {
    text-align: center;
    padding: 2rem 1rem;
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    box-shadow: var(--shadow-sm);
}
.issue-empty i {
    font-size: 2rem;
    display: block;
    margin-bottom: 0.6rem;
    color: var(--text-muted);
}
@media (max-width: 720px) {
    .issue-card {
        flex-direction: column;
        text-align: left;
    }
    .issue-meta {
        text-align: left;
    }
}
</style>
@endsection

=== resources\views\customer\issue_reports\show.blade.php ===
@extends('customer.base')

@section('title', 'Issue Report - BookHub')

@section('content')
<section class="issue-detail">
    <div class="detail-head">
        <div>
            <a href="{{ route('issue-reports.index') }}" class="back-link"><i class="bi bi-arrow-left"></i> Back to R
            <h1>{{ $report->subject }}</h1>
            <p>Created {{ $report->created_at->format('M d, Y H:i') }}</p>
        </div>
        <div class="detail-meta">
            <span class="pill priority-{{ $report->priority }}">{{ ucfirst($report->priority) }}</span>
```

```
            <span class="pill status-{{ $report->status }}">{{ ucfirst(str_replace('_', ' ', $report->status)) }}</span>
        </div>
    </div>

    <div class="detail-body">
        <h3>Description</h3>
        <p>{{ $report->description }}</p>
        @if($report->assignedAdmin)
            <div class="assigned">Assigned admin: {{ $report->assignedAdmin->name }}</div>
        @endif
    </div>
</section>
@endsection

@section('extra_css')
<style>
.issue-detail {
    max-width: 800px;
    margin: 0 auto;
    display: grid;
    gap: 1rem;
}
.detail-head {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1.2rem 1.4rem;
    box-shadow: var(--shadow-sm);
    display: flex;
    justify-content: space-between;
    gap: 1rem;
}
.detail-head h1 {
    margin: 0.5rem 0 0.35rem;
    font-size: 1.4rem;
}
.detail-head p {
    margin: 0;
    color: var(--text-secondary);
    font-size: 0.85rem;
}
.back-link {
    text-decoration: none;
    color: var(--primary);
    font-size: 0.85rem;
    font-weight: 600;
    display: inline-flex;
    align-items: center;
    gap: 0.35rem;
}
.detail-meta {
    display: grid;
    gap: 0.4rem;
    align-content: center;
    text-align: right;
}
.pill {
    padding: 0.2rem 0.6rem;
    border-radius: 999px;
    font-weight: 700;
```

```
    font-size: 0.7rem;
    border: 1px solid transparent;
}
.priority-low { background: var(--bg-raised); color: var(--text-secondary); border-color: var(--border); }
.priority-medium { background: var(--accent-soft); color: var(--accent); border-color: rgba(245,176,66,0.3); }
.priority-high { background: var(--danger-soft); color: var(--danger); border-color: rgba(255,77,109,0.3); }
.status-open { background: var(--primary-soft); color: var(--primary); border-color: var(--border); }
.status-in_review { background: var(--bg-raised); color: var(--text-secondary); border-color: var(--border); }
.status-resolved { background: var(--success-soft); color: var(--success); border-color: rgba(0,201,139,0.3); }
.status-closed { background: var(--bg-raised); color: var(--text-muted); border-color: var(--border); }
.detail-body {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: var(--radius-lg);
    padding: 1.2rem 1.4rem;
    box-shadow: var(--shadow-sm);
}
.detail-body h3 {
    margin: 0 0 0.5rem 0;
}
.detail-body p {
    margin: 0 0 0.8rem 0;
    color: var(--text-secondary);
    font-size: 0.9rem;
    line-height: 1.6;
}
.assigned {
    font-size: 0.85rem;
    color: var(--text-muted);
}
@media (max-width: 700px) {
    .detail-head {
        flex-direction: column;
        text-align: left;
    }
    .detail-meta {
        text-align: left;
    }
}
</style>
@endsection

=== resources\views\store\chats.html ===
{% extends 'store/base.html' %}

{% block title %}Messages - Store Dashboard{% endblock %}

{% block content %}
<div class="wa-history-shell">
    <div class="wa-history-header">
        <div>
            <h4>Chats</h4>
            <p>Messages with your customers</p>
        </div>
        {% if total_unread %}
        <span class="wa-total-unread">{{ total_unread }} unread</span>
        {% endif %}
    </div>

    <form method="GET" class="wa-history-search">
```

```
        <div class="wa-search-box">
            <i class="bi bi-search"></i>
            <input type="text" name="search" placeholder="Search customer, message, or book" value="{{ searc
        </div>
        <select name="store">
            <option value="">All stores</option>
            {% for store in stores %}
            <option value="{{ store.id }}" {% if selected_store == store.id|stringformat:"s" %}selected{% endif %}>
                {{ store.store_name }}
            </option>
            {% endfor %}
        </select>
        <button type="submit" title="Search">
            <i class="bi bi-arrow-right"></i>
        </button>
    </form>

    <div class="wa-history-list">
        {% for item in conversation_data %}
        <a href="{% url 'store_chat_detail' item.conversation.id %}" class="wa-history-item {% if item.unread_co
            <div class="wa-avatar">{{ item.conversation.customer.username|first|upper }}</div>

            <div class="wa-item-body">
                <div class="wa-item-top">
                    <h6>{{ item.conversation.customer.username }}</h6>
                    <span>{{ item.conversation.updated_at|date:"H:i" }}</span>
                </div>

                <div class="wa-item-message">
                    {% if item.last_message %}
                        {% if item.last_message.sender == request.user %}You:{% else %}{{ item.last_message.send
                        {{ item.last_message.content|truncatechars:70 }}
                    {% else %}
                        No messages yet
                    {% endif %}
                </div>

                <div class="wa-item-meta">
                    <span><i class="bi bi-shop"></i> {{ item.conversation.store.store_name }}</span>
                    {% if item.conversation.book %}
                    <span><i class="bi bi-book"></i> {{ item.conversation.book.title|truncatechars:34 }}</span>
                    {% endif %}
                </div>
            </div>

            {% if item.unread_count %}
            <span class="wa-item-unread">{{ item.unread_count }}</span>
            {% endif %}
        </a>
        {% empty %}
        <div class="wa-history-empty">
            <i class="bi bi-chat-dots"></i>
            <h5>No conversations yet</h5>
            <p>Customer conversations will appear here.</p>
        </div>
        {% endfor %}
    </div>
</div>

<style>
```

```
.wa-history-shell {
    max-width: 980px;
    margin: 1rem auto;
    border: 1px solid #d1d7db;
    border-radius: 14px;
    overflow: hidden;
    background: #fff;
}

.wa-history-header {
    background: #075e54;
    color: #fff;
    padding: 14px 18px;
    display: flex;
    justify-content: space-between;
    align-items: center;
    gap: 16px;
}

.wa-history-header h4 {
    margin: 0;
}

.wa-history-header p {
    margin: 2px 0 0;
    opacity: 0.9;
    font-size: 13px;
}

.wa-total-unread {
    background: #25d366;
    color: #083f35;
    font-weight: 700;
    padding: 6px 12px;
    border-radius: 999px;
    font-size: 12px;
}

.wa-history-search {
    background: #f0f2f5;
    padding: 12px 14px;
    display: grid;
    grid-template-columns: 1fr 220px 44px;
    gap: 10px;
    border-bottom: 1px solid #dde2e6;
}

.wa-search-box {
    display: flex;
    align-items: center;
    gap: 8px;
    background: #fff;
    border: 1px solid #d1d7db;
    border-radius: 8px;
    padding: 0 10px;
}

.wa-search-box input {
    border: none;
    outline: none;
```

```
    width: 100%;
    padding: 10px 0;
    font-size: 14px;
}

.wa-history-search select {
    border: 1px solid #d1d7db;
    border-radius: 8px;
    padding: 10px;
    background: #fff;
    font-size: 14px;
}

.wa-history-search button {
    border: none;
    border-radius: 50%;
    background: #075e54;
    color: #fff;
}

.wa-history-list {
    background: #fff;
}

.wa-history-item {
    display: flex;
    align-items: flex-start;
    gap: 12px;
    padding: 14px 16px;
    text-decoration: none;
    color: #111b21;
    border-bottom: 1px solid #edf0f2;
    transition: background 0.2s;
    position: relative;
}

.wa-history-item:hover {
    background: #f8f9fa;
}

.wa-history-item.unread {
    background: #eef8f6;
}

.wa-avatar {
    width: 46px;
    height: 46px;
    border-radius: 50%;
    background: #128c7e;
    color: #fff;
    display: grid;
    place-items: center;
    font-weight: 700;
    flex-shrink: 0;
}

.wa-item-body {
    flex: 1;
    min-width: 0;
}
```

```
.wa-item-top {
    display: flex;
    justify-content: space-between;
    align-items: baseline;
    gap: 10px;
}

.wa-item-top h6 {
    margin: 0;
    font-size: 16px;
}

.wa-item-top span {
    color: #667781;
    font-size: 12px;
}

.wa-item-message {
    color: #54656f;
    font-size: 14px;
    margin-top: 4px;
    white-space: nowrap;
    overflow: hidden;
    text-overflow: ellipsis;
}

.wa-item-meta {
    margin-top: 5px;
    display: flex;
    flex-wrap: wrap;
    gap: 10px;
    color: #667781;
    font-size: 12px;
}

.wa-item-unread {
    min-width: 22px;
    height: 22px;
    border-radius: 50%;
    background: #25d366;
    color: #fff;
    display: grid;
    place-items: center;
    font-size: 12px;
    font-weight: 700;
    margin-top: 2px;
}

.wa-history-empty {
    text-align: center;
    padding: 56px 20px;
    color: #667781;
}

.wa-history-empty i {
    font-size: 48px;
}

.wa-history-empty h5 {
```

```
    margin-top: 10px;
    color: #111b21;
}

@media (max-width: 768px) {
    .wa-history-shell {
        margin: 0.5rem;
    }

    .wa-history-search {
        grid-template-columns: 1fr;
    }

    .wa-history-search button {
        height: 42px;
        border-radius: 8px;
    }

    .wa-item-message {
        white-space: normal;
        display: -webkit-box;
        -webkit-line-clamp: 2;
        -webkit-box-orient: vertical;
    }
}
</style>
{% endblock %}

=== resources\views\store\chat_detail.html ===
{% extends 'store/base.html' %}
{% load chat_extras %}

{% block title %}Chat with {{ conversation.customer.username }} - Store Dashboard{% endblock %}

{% block content %}
<div class="wa-layout">
    <aside class="wa-sidebar">
        <div class="wa-sidebar-header">
            <div>
                <h5 class="mb-0">Chats</h5>
                <small>Store Inbox</small>
            </div>
            <a href="{% url 'store_chat_list' %}" class="wa-icon-btn" title="Back to all chats">
                <i class="bi bi-arrow-left"></i>
            </a>
        </div>

        <div class="wa-chat-list">
            <a href="{% url 'store_chat_detail' conversation.id %}" class="wa-chat-item active">
                <div class="wa-avatar">
                    {{ conversation.customer.username|first|upper }}
                </div>
                <div class="wa-chat-meta">
                    <div class="wa-chat-top">
                        <span class="wa-chat-name">{{ conversation.customer.username }}</span>
                        <span class="wa-chat-time">{{ conversation.updated_at|date:"H:i" }}</span>
                    </div>
                    <div class="wa-chat-preview">
                        {% if book %}
                        {{ book.title|truncatechars:30 }}
```

```
                {% else %}
                General conversation
                {% endif %}
            </div>
        </div>
    </a>

    {% for conv in other_conversations %}
    <a href="{% url 'store_chat_detail' conv.id %}" class="wa-chat-item">
        <div class="wa-avatar">
            {{ conv.customer.username|first|upper }}
        </div>
        <div class="wa-chat-meta">
            <div class="wa-chat-top">
                <span class="wa-chat-name">{{ conv.customer.username }}</span>
                <span class="wa-chat-time">{{ conv.updated_at|date:"H:i" }}</span>
            </div>
            <div class="wa-chat-preview">
                {% if conv.book %}
                {{ conv.book.title|truncatechars:30 }}
                {% else %}
                General conversation
                {% endif %}
                {% if unread_counts|get_item:conv.id %}
                <span class="wa-unread">{{ unread_counts|get_item:conv.id }}</span>
                {% endif %}
            </div>
        </div>
    </a>
    {% empty %}
    <div class="wa-empty-list">No other conversations</div>
    {% endfor %}
  </div>
</aside>

<section class="wa-room">
  <header class="wa-room-header">
    <div class="wa-room-user">
        <div class="wa-avatar lg">{{ conversation.customer.username|first|upper }}</div>
        <div>
            <h6 class="mb-0">{{ conversation.customer.username }}</h6>
            <small>
                {% if conversation.customer.first_name %}
                {{ conversation.customer.first_name }} {{ conversation.customer.last_name }}
                {% else %}
                Customer
                {% endif %}
                {% if book %} | {{ book.title|truncatechars:50 }}{% endif %}
            </small>
        </div>
    </div>
    <div class="wa-room-actions">
        <a href="{% url 'store_detail' conversation.store.id %}" class="wa-action-link" title="View store">
            <i class="bi bi-shop"></i>
        </a>
        <a href="{% url 'delete_conversation' conversation.id %}" class="wa-action-link danger" title="Dele
            <i class="bi bi-trash"></i>
        </a>
    </div>
  </header>
```

```
        <div class="wa-messages" id="message-area">
            {% for message in messages %}
            <div class="wa-message {% if message.sender == request.user %}out{% else %}in{% endif %}">
                <div class="wa-bubble">
                    <div class="wa-text">{{ message.content|linebreaksbr }}</div>
                    <div class="wa-time">
                        {{ message.timestamp|date:"H:i" }}
                        {% if message.sender == request.user and message.is_read %}
                        <i class="bi bi-check2-all read"></i>
                        {% elif message.sender == request.user %}
                        <i class="bi bi-check2"></i>
                        {% endif %}
                    </div>
                </div>
            </div>
            {% empty %}
            <div class="wa-empty-room">
                <i class="bi bi-chat-dots"></i>
                <p>No messages yet. Send the first message.</p>
            </div>
            {% endfor %}
        </div>

        <div class="wa-input-bar">
            <form id="message-form" class="wa-form">
                {% csrf_token %}
                <input type="text" id="message-input" placeholder="Type a message" autocomplete="off">
                <button type="submit" id="send-btn">
                    <i class="bi bi-send"></i>
                </button>
            </form>
        </div>
    </section>
</div>

<style>
.wa-layout {
    display: flex;
    height: calc(100vh - 95px);
    margin: 1rem;
    border-radius: 14px;
    overflow: hidden;
    border: 1px solid #d1d7db;
    background: #fff;
}

.wa-sidebar {
    width: 360px;
    border-right: 1px solid #d1d7db;
    background: #fff;
    display: flex;
    flex-direction: column;
}

.wa-sidebar-header {
    background: #075e54;
    color: #fff;
    padding: 12px 16px;
    display: flex;
```

```
    justify-content: space-between;
    align-items: center;
}

.wa-sidebar-header small {
    opacity: 0.85;
}

.wa-icon-btn {
    width: 34px;
    height: 34px;
    border-radius: 50%;
    background: rgba(255, 255, 255, 0.18);
    color: #fff;
    display: grid;
    place-items: center;
    text-decoration: none;
}

.wa-chat-list {
    overflow-y: auto;
    flex: 1;
    background: #fff;
}

.wa-chat-item {
    display: flex;
    gap: 12px;
    text-decoration: none;
    color: #111b21;
    padding: 12px 14px;
    border-bottom: 1px solid #edf0f2;
    transition: background 0.2s ease;
}

.wa-chat-item:hover {
    background: #f0f2f5;
}

.wa-chat-item.active {
    background: #e9f5f3;
}

.wa-avatar {
    width: 42px;
    height: 42px;
    border-radius: 50%;
    background: #128c7e;
    color: #fff;
    display: grid;
    place-items: center;
    font-weight: 700;
    flex-shrink: 0;
}

.wa-avatar.lg {
    width: 46px;
    height: 46px;
}
```

```
.wa-chat-meta {
    min-width: 0;
    flex: 1;
}

.wa-chat-top {
    display: flex;
    justify-content: space-between;
    gap: 10px;
}

.wa-chat-name {
    font-weight: 600;
}

.wa-chat-time {
    font-size: 12px;
    color: #667781;
}

.wa-chat-preview {
    font-size: 13px;
    color: #667781;
    margin-top: 3px;
    display: flex;
    justify-content: space-between;
    gap: 8px;
}

.wa-unread {
    min-width: 20px;
    height: 20px;
    border-radius: 20px;
    background: #25d366;
    color: #fff;
    display: grid;
    place-items: center;
    font-size: 11px;
    font-weight: 700;
    padding: 0 6px;
}

.wa-empty-list {
    padding: 20px 16px;
    color: #667781;
    font-size: 14px;
}

.wa-room {
    flex: 1;
    display: flex;
    flex-direction: column;
    background: #efeae2;
}

.wa-room-header {
    background: #f0f2f5;
    border-bottom: 1px solid #d1d7db;
    padding: 10px 14px;
    display: flex;
```

```
    justify-content: space-between;
    align-items: center;
}

.wa-room-user {
    display: flex;
    gap: 12px;
    align-items: center;
}

.wa-room-user small {
    color: #667781;
}

.wa-room-actions {
    display: flex;
    gap: 8px;
}

.wa-action-link {
    width: 34px;
    height: 34px;
    border-radius: 50%;
    display: grid;
    place-items: center;
    text-decoration: none;
    color: #54656f;
    background: #fff;
    border: 1px solid #dde2e6;
}

.wa-action-link.danger {
    color: #c53030;
}

.wa-messages {
    flex: 1;
    overflow-y: auto;
    padding: 18px 22px;
    background-image: url('https://web.whatsapp.com/img/bg-chat-tile-light_04fc847e12db0da419e9a7c06a4
}

.wa-message {
    display: flex;
    margin-bottom: 10px;
}

.wa-message.in {
    justify-content: flex-start;
}

.wa-message.out {
    justify-content: flex-end;
}

.wa-bubble {
    max-width: min(72%, 620px);
    border-radius: 8px;
    padding: 7px 10px 5px;
    box-shadow: 0 1px 1px rgba(11, 20, 26, 0.14);
```

```
}

.wa-message.in .wa-bubble {
    background: #fff;
}

.wa-message.out .wa-bubble {
    background: #d9fdd3;
}

.wa-text {
    color: #111b21;
    font-size: 14px;
    line-height: 1.4;
    white-space: pre-wrap;
}

.wa-time {
    margin-top: 2px;
    color: #667781;
    font-size: 11px;
    text-align: right;
}

.wa-time .read {
    color: #53bdeb;
}

.wa-empty-room {
    height: 100%;
    display: grid;
    place-content: center;
    text-align: center;
    color: #667781;
    gap: 8px;
}

.wa-empty-room i {
    font-size: 2.2rem;
}

.wa-input-bar {
    background: #f0f2f5;
    border-top: 1px solid #d1d7db;
    padding: 10px 14px;
}

.wa-form {
    display: flex;
    gap: 8px;
}

.wa-form input {
    flex: 1;
    border: 1px solid #d1d7db;
    border-radius: 8px;
    padding: 10px 12px;
    outline: none;
    font-size: 14px;
}
```

```
.wa-form button {
    border: none;
    width: 44px;
    height: 44px;
    border-radius: 50%;
    color: #fff;
    background: #075e54;
}

.wa-form button:disabled {
    background: #a1a8ad;
}

@media (max-width: 991px) {
    .wa-layout {
        margin: 0.75rem;
        height: calc(100vh - 88px);
    }

    .wa-sidebar {
        display: none;
    }

    .wa-bubble {
        max-width: 86%;
    }
}
</style>

<script>
document.addEventListener('DOMContentLoaded', function() {
    const messageArea = document.getElementById('message-area');
    const messageForm = document.getElementById('message-form');
    const messageInput = document.getElementById('message-input');
    const sendButton = document.getElementById('send-btn');
    const csrfTokenInput = messageForm.querySelector('[name=csrfmiddlewaretoken]');
    const conversationId = {{ conversation.id }};

    function scrollToBottom() {
        messageArea.scrollTop = messageArea.scrollHeight;
    }

    function escapeHtml(value) {
        return value
            .replace(/&/g, '&amp;')
            .replace(/</g, '&lt;')
            .replace(/>/g, '&gt;')
            .replace(/"/g, '&quot;')
            .replace(/'/g, '&#39;');
    }

    function messageTimeLabel(message) {
        if (message.formatted_time) {
            return message.formatted_time;
        }
        const timestamp = message.timestamp ? new Date(message.timestamp) : new Date();
        return timestamp.toLocaleTimeString([], { hour: '2-digit', minute: '2-digit' });
    }
```

```
function createMessageElement(message) {
    const safeContent = escapeHtml(message.content || '').replace(/\n/g, '<br>');
    return `
        <div class="wa-message out">
            <div class="wa-bubble">
                <div class="wa-text">${safeContent}</div>
                <div class="wa-time">
                    ${messageTimeLabel(message)}
                    <i class="bi bi-check2"></i>
                </div>
            </div>
        </div>
    `;
}

function setSendState(isSending) {
    const isEmpty = !messageInput.value.trim();
    messageInput.disabled = isSending;
    sendButton.disabled = isSending || isEmpty;
}

async function sendMessage(content) {
    const response = await fetch(`/chat/${conversationId}/send/`, {
        method: 'POST',
        headers: {
            'Content-Type': 'application/json',
            'X-CSRFToken': csrfTokenInput.value
        },
        body: JSON.stringify({ content: content })
    });

    const data = await response.json().catch(() => ({}));
    if (!response.ok || !data.success) {
        const errorText = data.error || `Request failed (${response.status})`;
        throw new Error(errorText);
    }

    return data.message;
}

async function markMessagesRead() {
    try {
        await fetch(`/chat/${conversationId}/mark-read/`, {
            method: 'POST',
            headers: {
                'X-CSRFToken': csrfTokenInput.value
            }
        });
    } catch (error) {
        console.error('Failed to mark messages as read', error);
    }
}

messageInput.addEventListener('input', function() {
    setSendState(false);
});

messageInput.addEventListener('keydown', function(event) {
    if (event.key === 'Enter' && !event.shiftKey) {
        event.preventDefault();
```

```
            messageForm.dispatchEvent(new Event('submit'));
        }
    });

    messageForm.addEventListener('submit', async function(event) {
        event.preventDefault();
        const content = messageInput.value.trim();
        if (!content) {
            return;
        }

        setSendState(true);
        try {
            await sendMessage(content);
            window.location.href = window.location.pathname + window.location.search;
            return;
        } catch (error) {
            alert('Error sending message: ' + error.message);
        } finally {
            setSendState(false);
            messageInput.focus();
        }
    });

    scrollToBottom();
    setSendState(false);
    markMessagesRead();
});
</script>
{% endblock %}

=== resources\views\store\dashboard.blade.php ===
<!DOCTYPE html>
<html lang="en" data-bs-theme="light">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>BookTracker | Store Dashboard</title>
    <!-- Bootstrap 5 CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css" rel="styleshee
    <!-- Bootstrap Icons -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.3/font/bootstrap-icons.css">
    <!-- Google Fonts -->
    <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap
    <style>
        :root {
            --primary-color: #4e73df;
            --primary-dark: #3a56c4;
            --secondary-color: #858796;
            --success-color: #1cc88a;
            --info-color: #36b9cc;
            --warning-color: #f6c23e;
            --danger-color: #e74a3b;
            --light-color: #f8f9fc;
            --dark-color: #5a5c69;
            --sidebar-width: 250px;
            --sidebar-collapsed-width: 80px;
            --transition-speed: 0.3s;
            --book-color: #4361ee;
            --read-color: #1cc88a;
```

```
    --reading-color: #f6c23e;
    --toread-color: #e74a3b;
}

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

body {
    font-family: 'Poppins', sans-serif;
    background-color: #f8f9fc;
    color: #333;
    overflow-x: hidden;
    min-height: 100vh;
    padding-top: 70px;
}

/* Navbar Styling */
.navbar {
    background-color: white;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.15);
    padding: 0.75rem 0;
    position: fixed;
    top: 0;
    right: 0;
    left: 0;
    z-index: 1030;
    transition: all var(--transition-speed) ease;
    height: 70px;
}

.navbar-brand {
    font-weight: 700;
    font-size: 1.5rem;
    color: var(--book-color);
    display: flex;
    align-items: center;
}

.nav-user-img {
    width: 40px;
    height: 40px;
    border-radius: 50%;
    object-fit: cover;
    border: 2px solid #e3e6f0;
}

/* Sidebar Styling */
#sidebar {
    width: var(--sidebar-width);
    background-color: white;
    color: #858796;
    position: fixed;
    top: 70px;
    left: 0;
    height: calc(100vh - 70px);
    z-index: 1000;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.15);
```

```
    transition: all var(--transition-speed) ease;
    overflow-y: auto;
    display: flex;
    flex-direction: column;
}

.sidebar-heading {
    padding: 1.5rem 1rem 0.5rem;
    font-size: 0.8rem;
    text-transform: uppercase;
    color: #b7b9cc;
    font-weight: 700;
    letter-spacing: 0.5px;
}

.sidebar-item {
    padding: 0.75rem 1rem;
    display: flex;
    align-items: center;
    color: #3a3b45;
    text-decoration: none;
    border-left: 3px solid transparent;
    transition: all 0.2s;
    white-space: nowrap;
}

.sidebar-item:hover,
.sidebar-item.active {
    color: var(--book-color);
    background-color: #f8f9fc;
    border-left-color: var(--book-color);
}

.sidebar-item i {
    margin-right: 10px;
    width: 20px;
    text-align: center;
    font-size: 1.1rem;
}

.sidebar-item span {
    transition: opacity var(--transition-speed);
}

/* Logout button in sidebar */
.sidebar-item.logout-btn {
    margin-top: auto;
    border-top: 1px solid #e3e6f0;
    padding: 0.75rem 1rem;
    display: flex;
    align-items: center;
    color: #3a3b45;
    text-decoration: none;
    border-left: 3px solid transparent;
    transition: all 0.2s;
    white-space: nowrap;
    width: 100%;
    background: none;
    border: none;
    cursor: pointer;
```

```
    text-align: left;
}

.sidebar-item.logout-btn:hover {
    color: var(--book-color);
    background-color: #f8f9fc;
    border-left-color: var(--book-color);
}

/* Main Content Area */
#content {
    margin-left: var(--sidebar-width);
    padding: 20px;
    min-height: calc(100vh - 70px);
    transition: all var(--transition-speed) ease;
}

/* Cards */
.dashboard-card {
    border-radius: 10px;
    border: none;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.1);
    transition: all 0.3s;
    overflow: hidden;
    height: 100%;
}

.dashboard-card:hover {
    transform: translateY(-5px);
    box-shadow: 0 0.5rem 2rem 0 rgba(58, 59, 69, 0.2);
}

.card-icon {
    font-size: 2.5rem;
    opacity: 0.8;
}

.border-left-book {
    border-left: 4px solid var(--book-color) !important;
}

.border-left-revenue {
    border-left: 4px solid var(--success-color) !important;
}

.border-left-rental {
    border-left: 4px solid var(--warning-color) !important;
}

.border-left-delivery {
    border-left: 4px solid var(--danger-color) !important;
}

/* Store Stats Cards */
.store-stat-card {
    border-radius: 8px;
    padding: 15px;
    margin-bottom: 15px;
    background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
    color: white;
```

```
    position: relative;
    overflow: hidden;
}

.store-stat-card::before {
    content: '';
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background: rgba(255, 255, 255, 0.1);
}

.store-stat-card.revenue {
    background: linear-gradient(135deg, #f093fb 0%, #f5576c 100%);
}

.store-stat-card.books {
    background: linear-gradient(135deg, #4facfe 0%, #00f2fe 100%);
}

.store-stat-card.rentals {
    background: linear-gradient(135deg, #43e97b 0%, #38f9d7 100%);
}

.store-stat-card.deliveries {
    background: linear-gradient(135deg, #fa709a 0%, #fee140 100%);
}

.store-stat-card.customers {
    background: linear-gradient(135deg, #a8edea 0%, #fed6e3 100%);
    color: #333;
}

.store-stat-card.owner {
    background: linear-gradient(135deg, #3a506b 0%, #1c2541 100%);
}

.store-stat-card.pending {
    background: linear-gradient(135deg, #f6d365 0%, #fda085 100%);
}

.store-stat-card.active {
    background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
}

.store-stat-card.completed {
    background: linear-gradient(135deg, #2af598 0%, #009efd 100%);
}

.store-stat-card.declined {
    background: linear-gradient(135deg, #ff758c 0%, #ff7eb3 100%);
}

.store-stat-card.today {
    background: linear-gradient(135deg, #4facfe 0%, #00f2fe 100%);
}

.store-stat-card.month {
```

```
    background: linear-gradient(135deg, #43e97b 0%, #38f9d7 100%);
}

/* Recent Orders Styling */
.order-card {
    border: 1px solid #e3e6f0;
    border-radius: 8px;
    margin-bottom: 15px;
    padding: 15px;
    transition: all 0.3s;
    background: white;
}

.order-card:hover {
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
    transform: translateY(-2px);
}

.order-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 10px;
    padding-bottom: 10px;
    border-bottom: 1px dashed #e3e6f0;
}

.order-actions {
    display: flex;
    gap: 10px;
    margin-top: 15px;
}

/* Inventory Alerts */
.alert-card {
    border-left: 4px solid #f6c23e;
    background-color: #fff9e6;
    border-radius: 8px;
    padding: 15px;
    margin-bottom: 15px;
}

.alert-card.danger {
    border-left-color: #e74a3b;
    background-color: #ffeaea;
}

/* Quick Actions Grid */
.quick-actions-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
    gap: 15px;
    margin-top: 20px;
}

.quick-action-btn {
    padding: 20px;
    border-radius: 10px;
    display: flex;
    flex-direction: column;
```

```
    align-items: center;
    justify-content: center;
    text-align: center;
    background: white;
    border: 2px solid #e3e6f0;
    transition: all 0.3s;
    cursor: pointer;
}

.quick-action-btn:hover {
    transform: translateY(-5px);
    box-shadow: 0 10px 20px rgba(0, 0, 0, 0.1);
    border-color: var(--book-color);
}

/* Dark Mode Styles */
body[data-bs-theme="dark"] {
    background-color: #12151e;
    color: #adb5bd;
}

body[data-bs-theme="dark"] .navbar {
    background-color: #1a1d28;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(0, 0, 0, 0.3);
}

body[data-bs-theme="dark"] #sidebar {
    background-color: #1a1d28;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(0, 0, 0, 0.3);
}

body[data-bs-theme="dark"] .dashboard-card {
    background-color: #1a1d28;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(0, 0, 0, 0.3);
}

body[data-bs-theme="dark"] .sidebar-item {
    color: #adb5bd;
}

body[data-bs-theme="dark"] .sidebar-item:hover,
body[data-bs-theme="dark"] .sidebar-item.active {
    background-color: #12151e;
    color: var(--book-color);
}

body[data-bs-theme="dark"] .sidebar-item.logout-btn {
    border-top-color: #2a2d38;
    color: #adb5bd;
}

body[data-bs-theme="dark"] .sidebar-item.logout-btn:hover {
    background-color: #12151e;
    color: var(--book-color);
}

body[data-bs-theme="dark"] .table {
    color: #adb5bd;
}
```

```
body[data-bs-theme="dark"] .table-hover tbody tr:hover {
    background-color: rgba(255, 255, 255, 0.05);
}

/* Quick Action Buttons */
.quick-action-btn {
    padding: 15px;
    border-radius: 8px;
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    text-align: center;
    height: 100%;
    transition: all 0.3s;
}

.quick-action-btn:hover {
    transform: translateY(-5px);
}

/* Status Badges */
.badge-read {
    background-color: var(--read-color);
}

.badge-reading {
    background-color: var(--reading-color);
}

.badge-toread {
    background-color: var(--toread-color);
}

/* Activity Timeline */
.timeline {
    position: relative;
    padding-left: 30px;
}

.timeline-item {
    position: relative;
    margin-bottom: 20px;
}

.timeline-marker {
    position: absolute;
    left: -30px;
    top: 0;
    width: 20px;
    height: 20px;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    color: white;
    font-size: 0.8rem;
}

.timeline-content {
```

```
    padding: 10px 15px;
    background-color: rgba(78, 115, 223, 0.05);
    border-radius: 8px;
    border-left: 3px solid var(--book-color);
}

/* Responsive Adjustments */
@media (max-width: 768px) {
    #sidebar {
        transform: translateX(-100%);
        width: 280px;
    }

    #content {
        margin-left: 0;
    }

    .sidebar-open #sidebar {
        transform: translateX(0);
    }

    .sidebar-open::after {
        content: '';
        position: fixed;
        top: 0;
        left: 0;
        right: 0;
        bottom: 0;
        background-color: rgba(0, 0, 0, 0.5);
        z-index: 999;
    }

    .quick-actions-grid {
        grid-template-columns: 1fr;
    }
}

/* Animations */
.fade-in {
    animation: fadeIn 0.5s ease-in-out;
}

@keyframes fadeIn {
    from {
        opacity: 0;
        transform: translateY(20px);
    }

    to {
        opacity: 1;
        transform: translateY(0);
    }
}

/* Scrollbar Styling */
#sidebar::-webkit-scrollbar {
    width: 5px;
}

#sidebar::-webkit-scrollbar-track {
```

```
    background: #f1f1f1;
}

#sidebar::-webkit-scrollbar-thumb {
    background: #c1c1c1;
    border-radius: 10px;
}

#sidebar::-webkit-scrollbar-thumb:hover {
    background: #a8a8a8;
}

body[data-bs-theme="dark"] #sidebar::-webkit-scrollbar-track {
    background: #2a2d38;
}

body[data-bs-theme="dark"] #sidebar::-webkit-scrollbar-thumb {
    background: #4a4d58;
}

body[data-bs-theme="dark"] #sidebar::-webkit-scrollbar-thumb:hover {
    background: #5a5d68;
}

/* Badge Notification */
.notification-badge {
    position: absolute;
    top: -5px;
    right: -5px;
    padding: 0.25em 0.6em;
    font-size: 0.75rem;
}

/* Dropdown Menu */
.dropdown-menu {
    border: none;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.2);
    border-radius: 10px;
}

body[data-bs-theme="dark"] .dropdown-menu {
    background-color: #1a1d28;
}

body[data-bs-theme="dark"] .dropdown-item {
    color: #adb5bd;
}

body[data-bs-theme="dark"] .dropdown-item:hover {
    background-color: #12151e;
    color: var(--book-color);
}

/* Dropdown Logout Button Styling */
.dropdown-item.logout-btn {
    padding: 0.5rem 1rem;
    color: #212529;
    text-decoration: none;
    display: flex;
    align-items: center;
```

```
    width: 100%;
    text-align: left;
    background: none;
    border: none;
    cursor: pointer;
}

.dropdown-item.logout-btn:hover {
    background-color: #f8f9fa;
    color: var(--book-color);
}

body[data-bs-theme="dark"] .dropdown-item.logout-btn {
    color: #adb5bd;
}

body[data-bs-theme="dark"] .dropdown-item.logout-btn:hover {
    background-color: #12151e;
    color: var(--book-color);
}

/* Book Status Colors */
.book-status-read {
    color: var(--read-color);
}

.book-status-reading {
    color: var(--reading-color);
}

.book-status-toread {
    color: var(--toread-color);
}

/* Header Navigation */
.header-nav {
    display: flex;
    align-items: center;
    gap: 20px;
    padding: 10px 0;
    border-bottom: 1px solid #e3e6f0;
    margin-bottom: 20px;
}

.header-nav-item {
    display: flex;
    align-items: center;
    gap: 8px;
    padding: 8px 16px;
    border-radius: 20px;
    background: #f8f9fc;
    color: #5a5c69;
    text-decoration: none;
    transition: all 0.3s;
    font-weight: 500;
}

.header-nav-item:hover {
    background: var(--book-color);
    color: white;
```

```
        }

        .header-nav-item.active {
            background: var(--book-color);
            color: white;
        }

        .header-nav-item .badge {
            font-size: 0.7em;
            padding: 2px 6px;
        }
    </style>
</head>

<body>
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg">
        <div class="container-fluid px-4">
            <!-- Sidebar Toggle Button -->
            <button class="btn btn-link text-dark me-3 d-lg-none" id="sidebarToggle">
                <i class="bi bi-list" style="font-size: 1.5rem;"></i>
            </button>

            <!-- Brand -->
            <a class="navbar-brand" href="#">
                <i class="bi bi-shop me-2"></i>
                <span>■ My Book Store</span>
            </a>

            <!-- Navbar Items -->
            <div class="d-flex align-items-center ms-auto">
                <!-- Store Name Display -->
                <div class="me-4 d-none d-md-block">
                    <span class="text-muted">Welcome,</span>
                        <span class="fw-bold ms-1">{{ $accountOwner ?? (Auth::user()->name ?? Auth::user()->user
                </div>

                <!-- Dark Mode Toggle -->
                <div class="form-check form-switch me-4">
                    <input class="form-check-input" type="checkbox" id="darkModeToggle">
                    <label class="form-check-label" for="darkModeToggle">
                        <i class="bi bi-moon-fill"></i>
                    </label>
                </div>

                <!-- Notifications -->
                <div class="dropdown me-4">
                    <a href="#" class="text-dark position-relative" id="notificationDropdown" data-bs-toggle="dropdo
                        <i class="bi bi-bell" style="font-size: 1.3rem;"></i>
                        <span class="position-absolute top-0 start-100 translate-middle badge rounded-pill bg-dange
                            3
                        </span>
                    </a>
                    <ul class="dropdown-menu dropdown-menu-end p-3" style="width: 300px;">
                        <li>
                            <h6 class="dropdown-header">Book Alerts</h6>
                        </li>
                        <li><a class="dropdown-item" href="#"><i class="bi bi-exclamation-triangle text-warning me-2
                        <li><a class="dropdown-item" href="#"><i class="bi bi-clock text-info me-2"></i>5 rentals due
                        <li><a class="dropdown-item" href="#"><i class="bi bi-cart-check text-success me-2"></i>Ne
```

```
                    <li>
                        <hr class="dropdown-divider">
                    </li>
                    <li><a class="dropdown-item text-center" href="#">View all alerts</a></li>
                </ul>
            </div>

            <!-- User Dropdown -->
<div class="dropdown">
    <a href="#" class="d-flex align-items-center text-dark text-decoration-none dropdown-toggle" id="userDro
                    <img src="https://ui-avatars.com/api/?name=John+Doe&background=4361ee&color=fff&size=
                    <span class="d-none d-md-inline">{{ $currentDisplayName ?? ($accountOwner ?? Auth::use
                </a>
   <ul class="dropdown-menu dropdown-menu-end">
      <!-- ■ FIXED: profile.edit instead of profile -->
      <li>
         <a class="dropdown-item" href="{{ route('profile.edit') }}">
            <i class="bi bi-person me-2"></i>Profile
         </a>
      </li>
      <li><hr class="dropdown-divider"></li>
      <!-- ■ Logout is correct - route name 'logout' exists in auth.php -->
      <li>
         <form method="POST" action="{{ route('logout') }}" class="d-inline w-100">
            @csrf
            <button type="submit" class="dropdown-item logout-btn">
               <i class="bi bi-box-arrow-right me-2"></i>Logout
            </button>
         </form>
      </li>
   </ul>
</div>
         </div>
      </div>
   </nav>

   <!-- Sidebar -->
   <div id="sidebar">
      <div class="sidebar-heading">Order Management</div>
      <a href="#" class="sidebar-item active">
         <i class="bi bi-speedometer2"></i> <span>Dashboard</span>
      </a>

      <!-- ORDER MANAGEMENT -->
      <a href="#" class="sidebar-item">
         <i class="bi bi-receipt"></i> <span>Order Management</span>
         <span class="badge bg-danger ms-auto">5</span>
      </a>

      <a href="#" class="sidebar-item">
         <i class="bi bi-heart"></i> <span>Wishlisted Books</span>
         <span class="badge bg-warning ms-auto">3</span>
      </a>

      <div class="sidebar-heading">Messages Management</div>
      <a href="#" class="sidebar-item">
         <i class="bi bi-chat-dots me-2"></i>
         Messages
         <span class="badge bg-danger ms-auto">2</span>
      </a>
```

```
        <div class="sidebar-heading">Store Management</div>
        <a href="{{ route('store.registration.create') }}" class="sidebar-item">
            <i class="bi bi-cart"></i> <span>Register Store</span>
        </a>
        <a href="{{ route('store.registration.view') }}" class="sidebar-item">
            <i class="bi bi-list"></i> <span>View Stores</span>
        </a>

        <div class="sidebar-heading">Book Management</div>
         <a href="{{ route('add.book.registration') }}" class="sidebar-item @if(request()->routeIs('add.book.regis
            <i class="bi bi-plus-circle"></i>
            <span>Add Book</span>
        </a>
        <a href="{{ route('view.inventory') }}" class="sidebar-item @if(request()->routeIs('view.inventory')) active
            <i class="bi bi-archive"></i>
            <span>View Inventory</span>
            <span class="badge bg-success ms-auto">{{ $storeMetrics['total_books'] ?? 0 }}</span>
        </a>
        <a href="{{ route('manage.books') }}" class="sidebar-item @if(request()->routeIs('manage.books')) activ
            <i class="bi bi-pencil-square"></i>
            <span>Manage Books</span>
        </a>
  <!-- Logout Button in Sidebar -->
<form method="POST" action="{{ route('logout') }}" class="w-100">
    @csrf
    <button type="submit" class="sidebar-item logout-btn w-100">
        <i class="bi bi-box-arrow-right"></i>
        <span>Logout</span>
    </button>
</form>
    </div>

    <!-- Main Content -->
    <div id="content">
        <div class="container-fluid">
            <div class="d-flex justify-content-between align-items-center mb-4">
                <h1 class="h3 mb-0 text-gray-800">Dashboard</h1>
            </div>

            <!-- Stats Row -->
            <div class="row">
                <div class="col-xl-3 col-md-6 mb-4">
                    <div class="store-stat-card owner h-100">
                        <div class="d-flex justify-content-between align-items-center">
                            <div>
                                <div class="text-white-50 small text-uppercase fw-bold mb-1">Account Owner</div>
                                <div class="h5 mb-0 fw-bold text-white">
                                    John Doe
                                </div>
                            </div>
                            <i class="bi bi-person-badge card-icon text-white-50"></i>
                        </div>
                    </div>
                </div>

                <div class="col-xl-3 col-md-6 mb-4">
                    <div class="store-stat-card pending h-100">
                        <div class="d-flex justify-content-between align-items-center">
                            <div>
```

```
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Pending Approval</div>
                <div class="h5 mb-0 fw-bold text-white">
                    8
                </div>
            </div>
            <i class="bi bi-hourglass-split card-icon text-white-50"></i>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="store-stat-card active h-100">
        <div class="d-flex justify-content-between align-items-center">
            <div>
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Active Orders</div>
                <div class="h5 mb-0 fw-bold text-white">12</div>
            </div>
            <i class="bi bi-gear card-icon text-white-50"></i>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="store-stat-card completed h-100">
        <div class="d-flex justify-content-between align-items-center">
            <div>
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Completed</div>
                <div class="h5 mb-0 fw-bold text-white">45</div>
            </div>
            <i class="bi bi-check-circle card-icon text-white-50"></i>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="store-stat-card declined h-100">
        <div class="d-flex justify-content-between align-items-center">
            <div>
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Declined</div>
                <div class="h5 mb-0 fw-bold text-white">3</div>
            </div>
            <i class="bi bi-x-circle card-icon text-white-50"></i>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="store-stat-card today h-100">
        <div class="d-flex justify-content-between align-items-center">
            <div>
                <div class="text-white-50 small text-uppercase fw-bold mb-1">Today's Revenue</div>
                <div class="h5 mb-0 fw-bold text-white">
                    $1,245.50
                </div>
            </div>
            <i class="bi bi-cash-stack card-icon text-white-50"></i>
        </div>
    </div>
</div>
```

```
    <div class="col-xl-3 col-md-6 mb-4">
        <div class="store-stat-card month h-100">
            <div class="d-flex justify-content-between align-items-center">
                <div>
                    <div class="text-white-50 small text-uppercase fw-bold mb-1">Monthly Revenue</div>
                    <div class="h5 mb-0 fw-bold text-white">
                        $15,780.25
                    </div>
                </div>
                <i class="bi bi-calendar-range card-icon text-white-50"></i>
            </div>
        </div>
    </div>
</div>

<!-- Recent Orders -->
<div class="row">
    <div class="col-12">
        <div class="card shadow mb-4">
            <div class="card-header py-3 d-flex flex-row align-items-center justify-content-between">
                <h6 class="m-0 fw-bold text-primary">Recent Orders</h6>
                <div class="dropdown no-arrow">
                    <a href="#" class="btn btn-sm btn-primary">View All</a>
                </div>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table class="table table-hover align-middle">
                        <thead>
                            <tr>
                                <th>Order ID</th>
                                <th>Customer</th>
                                <th>Date</th>
                                <th>Amount</th>
                                <th>Status</th>
                            </tr>
                        </thead>
                        <tbody>
                            <tr>
                                <td>#1001</td>
                                <td>Alice Johnson</td>
                                <td>Mar 10, 2026</td>
                                <td>$89.99</td>
                                <td>
                                    <span class="badge bg-warning">
                                        Pending
                                    </span>
                                </td>
                            </tr>
                            <tr>
                                <td>#1002</td>
                                <td>Bob Smith</td>
                                <td>Mar 10, 2026</td>
                                <td>$45.50</td>
                                <td>
                                    <span class="badge bg-success">
                                        Completed
                                    </span>
                                </td>
                            </tr>
```

```
                        <tr>
                            <td>#1003</td>
                            <td>Carol Davis</td>
                            <td>Mar 9, 2026</td>
                            <td>$120.00</td>
                            <td>
                                <span class="badge bg-success">
                                    Completed
                                </span>
                            </td>
                        </tr>
                        <tr>
                            <td>#1004</td>
                            <td>David Wilson</td>
                            <td>Mar 9, 2026</td>
                            <td>$34.95</td>
                            <td>
                                <span class="badge bg-secondary">
                                    Processing
                                </span>
                            </td>
                        </tr>
                        <tr>
                            <td>#1005</td>
                            <td>Emma Brown</td>
                            <td>Mar 8, 2026</td>
                            <td>$67.30</td>
                            <td>
                                <span class="badge bg-success">
                                    Completed
                                </span>
                            </td>
                        </tr>
                    </tbody>
                </table>
            </div>
        </div>
    </div>
  </div>
</div>
</div>

<!-- Bootstrap JS Bundle with Popper -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/js/bootstrap.bundle.min.js"></script>

<script>
    // DOM Elements
    const sidebarToggle = document.getElementById('sidebarToggle');
    const darkModeToggle = document.getElementById('darkModeToggle');
    const sidebar = document.getElementById('sidebar');
    const body = document.body;

    // Check for saved dark mode preference
    const isDarkMode = localStorage.getItem('darkMode') === 'true';

    // Apply dark mode if previously enabled
    if (isDarkMode) {
        body.setAttribute('data-bs-theme', 'dark');
        darkModeToggle.checked = true;
```

```
        }

        // Toggle Sidebar on Mobile
        sidebarToggle.addEventListener('click', () => {
            body.classList.toggle('sidebar-open');
        });

        // Close sidebar when clicking outside on mobile
        document.addEventListener('click', (e) => {
            if (window.innerWidth <= 768 &&
                body.classList.contains('sidebar-open') &&
                !sidebar.contains(e.target) &&
                !sidebarToggle.contains(e.target)) {
                body.classList.remove('sidebar-open');
            }
        });

        // Toggle Dark Mode
        darkModeToggle.addEventListener('change', () => {
            if (darkModeToggle.checked) {
                body.setAttribute('data-bs-theme', 'dark');
                localStorage.setItem('darkMode', 'true');
            } else {
                body.setAttribute('data-bs-theme', 'light');
                localStorage.setItem('darkMode', 'false');
            }
        });

        // Sidebar Navigation
        document.querySelectorAll('.sidebar-item').forEach(item => {
            item.addEventListener('click', function(e) {
                // Don't trigger active state for logout button
                if (this.classList.contains('logout-btn')) return;

                document.querySelectorAll('.sidebar-item').forEach(el => {
                    el.classList.remove('active');
                });
                this.classList.add('active');

                if (window.innerWidth <= 768) {
                    body.classList.remove('sidebar-open');
                }
            });
        });

        // Initialize tooltips
        document.addEventListener('DOMContentLoaded', function() {
            var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'));
            var tooltipList = tooltipTriggerList.map(function(tooltipTriggerEl) {
                return new bootstrap.Tooltip(tooltipTriggerEl);
            });
        });
    </script>
</body>
</html>

=== resources\views\store\delivery_management.html ===

=== resources\views\store\manage_books.html ===
<!-- store/manage_books.html -->
```

```
{% extends 'store/base.html' %}

{% block content %}
<div class="container">
    <h2>Manage Book Availability</h2>

    <div style="margin-bottom: 20px;">
        <a href="{% url 'add_book_registration' %}" class="btn" style="background: #3498db; color: white;">
            <i class="fas fa-plus"></i> Add New Book
        </a>
    </div>

    <table style="width: 100%; border-collapse: collapse;">
        <thead>
            <tr style="background: #f8f9fa;">
                <th style="padding: 15px; border: 1px solid #ddd;">Cover</th>
                <th style="padding: 15px; border: 1px solid #ddd;">Title</th>
                <th style="padding: 15px; border: 1px solid #ddd;">Author</th>
                <th style="padding: 15px; border: 1px solid #ddd;">Total Copies</th>
                <th style="padding: 15px; border: 1px solid #ddd;">Available for Rent</th>
                <th style="padding: 15px; border: 1px solid #ddd;">Available for Purchase</th>
                <th style="padding: 15px; border: 1px solid #ddd;">Actions</th>
            </tr>
        </thead>
        <tbody>
            {% for book in books %}
            <tr>
                <td style="padding: 15px; border: 1px solid #ddd; text-align: center;">
                    {% if book.cover_image %}
                        <img src="{{ book.cover_image.url }}" alt="{{ book.title }}" style="height: 50px; object-fit: cover
                    {% else %}
                        <div style="height: 50px; width: 35px; background: #eee; margin: 0 auto; display: flex; align-it
                            <i class="fas fa-book"></i>
                        </div>
                    {% endif %}
                </td>
                <td style="padding: 15px; border: 1px solid #ddd;">{{ book.title }}</td>
                <td style="padding: 15px; border: 1px solid #ddd;">{{ book.author }}</td>
                <td style="padding: 15px; border: 1px solid #ddd;">
                    <input type="number" id="total_{{ book.id }}" value="{{ book.total_copies }}" style="width: 60px;"
                </td>
                <td style="padding: 15px; border: 1px solid #ddd;">
                    <input type="number" id="rent_{{ book.id }}" value="{{ book.available_copies }}" style="width: 60
                </td>
                <td style="padding: 15px; border: 1px solid #ddd;">
                    <input type="number" id="sale_{{ book.id }}" value="{{ book.available_sales }}" style="width: 60p
                </td>
                <td style="padding: 15px; border: 1px solid #ddd;">
                    <button onclick="updateBook({{ book.id }})" class="btn" style="background: #2ecc71; color: whit
                        Update
                    </button>
                    <a href="{% url 'edit_book' book.id %}" class="btn" style="background: #f39c12; color: white;">
                        Edit
                    </a>
                </td>
            </tr>
            {% endfor %}
        </tbody>
    </table>
</div>
```

```
<script>
function getCookie(name) {
    let cookieValue = null;
    if (document.cookie && document.cookie !== '') {
        const cookies = document.cookie.split(';');
        for (let i = 0; i < cookies.length; i++) {
            const cookie = cookies[i].trim();
            if (cookie.substring(0, name.length + 1) === (name + '=')) {
                cookieValue = decodeURIComponent(cookie.substring(name.length + 1));
                break;
            }
        }
    }
    return cookieValue;
}

function updateBook(bookId) {
    const total = document.getElementById('total_' + bookId).value;
    const rent = document.getElementById('rent_' + bookId).value;
    const sale = document.getElementById('sale_' + bookId).value;

    fetch('/update-book-availability/', {
        method: 'POST',
        headers: {
            'Content-Type': 'application/json',
            'X-CSRFToken': getCookie('csrftoken')
        },
        body: JSON.stringify({
            book_id: bookId,
            total_copies: total,
            available_copies: rent,
            available_sales: sale
        })
    })
    .then(response => response.json())
    .then(data => {
        if (data.success) {
            alert('Book updated successfully!');
        } else {
            alert('Error: ' + data.message);
        }
    });
}
</script>
{% endblock %}

=== resources\views\store\my_issue_reports.html ===
{% extends 'store/base.html' %}

{% block title %}My Issue Reports{% endblock %}

{% block content %}
<div class="container-fluid" style="max-width:1050px; margin:1.5rem auto;">
  <div class="d-flex justify-content-between align-items-center flex-wrap gap-2 mb-3">
    <h3 class="mb-0">My Issue Reports</h3>
    <a class="btn btn-primary" href="{% url 'issue_report_create' %}"><i class="bi bi-plus-circle me-1"></i>Ne
  </div>
  <div class="card" style="border:none; box-shadow:0 8px 24px rgba(0,0,0,.08); border-radius:12px; overflow
    <div class="table-responsive">
```

```
      <table class="table table-striped mb-0">
        <thead>
          <tr>
            <th>ID</th>
            <th>Reported User</th>
            <th>Category</th>
            <th>Status</th>
            <th>Sub-Admin</th>
            <th>Support Chat</th>
            <th>Date</th>
          </tr>
        </thead>
        <tbody>
          {% for row in report_rows %}
          {% with report=row.report conversation=row.conversation %}
          <tr>
            <td>#{{ report.id }}</td>
            <td>{{ report.reported_user.username }}</td>
            <td>{{ report.get_category_display }}</td>
            <td>{{ report.get_status_display }}</td>
            <td>{{ report.assigned_sub_admin.name|default:'Unassigned' }}</td>
            <td>
              {% if conversation %}
              <a class="btn btn-sm btn-outline-primary" href="{% url 'support_chat_detail' conversation.id %}">Op
              {% else %}
              <span class="text-muted small">No chat</span>
              {% endif %}
            </td>
            <td>{{ report.created_at|date:"Y-m-d H:i" }}</td>
          </tr>
          {% endwith %}
          {% empty %}
          <tr><td colspan="7" class="text-center text-muted py-4">No reports yet.</td></tr>
          {% endfor %}
        </tbody>
      </table>
    </div>
  </div>
</div>
{% endblock %}

=== resources\views\store\orders.blade.php ===
@extends('store.registration-layout')

@section('title', 'Order Management')

@section('content')
    <div class="container-fluid">
        <div class="d-flex align-items-center justify-content-between mb-3">
            <h1 class="h3 mb-0">Order Management</h1>
            <span class="text-muted">Review and manage store orders.</span>
        </div>

        <div class="card border-0 shadow-sm">
            <div class="card-body">
                <div class="text-muted">No orders to display yet.</div>
            </div>
        </div>
    </div>
@endsection
```

=== resources\views\store\order_detail.html ===

```
<!-- store/order_detail.html -->
{% extends 'store/base.html' %}

{% block title %}Order #{{ order.order_number }} - Store Dashboard{% endblock %}

{% block content %}
<div class="container-fluid">
    <!-- Breadcrumb Navigation -->
    <nav aria-label="breadcrumb" class="mb-4">
        <ol class="breadcrumb">
            <li class="breadcrumb-item"><a href="{% url 'store_dashboard' %}">Dashboard</a></li>
            <li class="breadcrumb-item"><a href="{% url 'store_orders' %}">Orders</a></li>
            <li class="breadcrumb-item active" aria-current="page">Order #{{ order.order_number }}</li>
        </ol>
    </nav>

    <!-- Order Header -->
    <div class="row mb-4">
        <div class="col-12">
            <div class="dashboard-card p-4">
                <div class="row align-items-center">
                    <div class="col-md-8">
                        <div class="d-flex align-items-center">
                            <div class="me-3">
                                <span class="badge bg-book-color rounded-pill p-2">
                                    <i class="bi bi-receipt"></i>
                                </span>
                            </div>
                            <div>
                                <h3 class="mb-1">Order #{{ order.order_number }}</h3>
                                <p class="text-muted mb-0">
                                    <i class="bi bi-clock me-1"></i>
                                    {{ order.created_at|date:"F d, Y" }} at {{ order.created_at|time:"g:i A" }}
                                </p>
                            </div>
                        </div>
                    </div>
                    <div class="col-md-4">
                        <div class="d-flex justify-content-end gap-2">
                            <span class="badge {% if order.status == 'completed' or order.status == 'delivered' %}bg-s
                                {% elif order.status == 'cancelled' %}bg-danger
                                {% elif order.status == 'out_for_delivery' %}bg-info
                                {% elif order.status == 'ready' %}bg-warning
                                {% else %}bg-primary{% endif %}
                                rounded-pill p-2 px-3 fs-6">
                                {{ order.get_status_display }}
                            </span>
                            <a href="{% url 'store_orders' %}" class="btn btn-outline-secondary">
                                <i class="bi bi-arrow-left"></i> Back
                            </a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

    <!-- Order Information Grid -->
    <div class="row mb-4">
```

```
<div class="col-xl-3 col-md-6 mb-4">
    <div class="dashboard-card p-4 h-100">
        <div class="d-flex align-items-center">
            <div class="flex-shrink-0">
                <i class="bi bi-person fs-2 text-book-color"></i>
            </div>
            <div class="flex-grow-1 ms-3">
                <h6 class="mb-1">Customer</h6>
                <h5 class="mb-0">{{ order.customer.username }}</h5>
                {% if order.customer.email %}
                <small class="text-muted">{{ order.customer.email }}</small>
                {% endif %}
            </div>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="dashboard-card p-4 h-100">
        <div class="d-flex align-items-center">
            <div class="flex-shrink-0">
                <i
                    class="bi bi-cart {% if order.order_type == 'rent' %}text-warning{% else %}text-success{% e
            </div>
            <div class="flex-grow-1 ms-3">
                <h6 class="mb-1">Order Type</h6>
                <h5 class="mb-0">
                    {% if order.order_type == 'rent' %}
                    <span class="badge bg-warning text-dark">RENTAL</span>
                    {% else %}
                    <span class="badge bg-success">PURCHASE</span>
                    {% endif %}
                </h5>
                {% if order.rental_days %}
                <small class="text-muted">{{ order.rental_days }} days rental</small>
                {% endif %}
            </div>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="dashboard-card p-4 h-100">
        <div class="d-flex align-items-center">
            <div class="flex-shrink-0">
                <i
                    class="bi bi-truck {% if order.delivery_option == 'delivery' %}text-info{% else %}text-second
            </div>
            <div class="flex-grow-1 ms-3">
                <h6 class="mb-1">Delivery Method</h6>
                <h5 class="mb-0">
                    {% if order.delivery_option == 'delivery' %}
                    <span class="badge bg-info">Home Delivery</span>
                    {% else %}
                    <span class="badge bg-secondary">Store Pickup</span>
                    {% endif %}
                </h5>
                {% if order.preferred_time %}
                <small class="text-muted">Preferred: {{ order.preferred_time }}</small>
                {% endif %}
```

```
            </div>
        </div>
    </div>
</div>

<div class="col-xl-3 col-md-6 mb-4">
    <div class="dashboard-card p-4 h-100">
        <div class="d-flex align-items-center">
            <div class="flex-shrink-0">
                <i class="bi bi-cash-coin fs-2 text-success"></i>
            </div>
            <div class="flex-grow-1 ms-3">
                <h6 class="mb-1">Total Amount</h6>
                <h5 class="mb-0">${{ order.total_amount|floatformat:2 }}</h5>
                <small class="text-muted">Paid via {{ order.get_payment_method_display }}</small>
            </div>
        </div>
    </div>
</div>
</div>

<!-- Order Items -->
<div class="row mb-4">
    <div class="col-12">
        <div class="dashboard-card p-4">
            <div class="d-flex justify-content-between align-items-center mb-4">
                <h4 class="mb-0">
                    <i class="bi bi-list-check me-2"></i>
                    Order Items ({{ items.count }})
                </h4>
            </div>

            <div class="table-responsive">
                <table class="table table-hover">
                    <thead>
                        <tr>
                            <th>Book</th>
                            <th class="text-center">Type</th>
                            <th class="text-center">Quantity</th>
                            <th class="text-center">Days</th>
                            <th class="text-end">Price</th>
                        </tr>
                    </thead>
                    <tbody>
                        {% for item in items %}
                        <tr>
                            <td>
                                <div class="d-flex align-items-center">
                                    <div class="flex-shrink-0 me-3">
                                        <div class="bg-light rounded p-2">
                                            <i class="bi bi-book text-book-color"></i>
                                        </div>
                                    </div>
                                    <div class="flex-grow-1">
                                        <h6 class="mb-1">{{ item.book.title }}</h6>
                                        <small class="text-muted">by {{ item.book.author }}</small>
                                    </div>
                                </div>
                            </td>
                            <td class="text-center">
```

```
                    {% if item.item_type == 'rent' %}
                    <span class="badge bg-warning text-dark">Rental</span>
                    {% else %}
                    <span class="badge bg-success">Purchase</span>
                    {% endif %}
                </td>
                <td class="text-center">
                    <span class="badge bg-secondary">{{ item.quantity }}</span>
                </td>
                <td class="text-center">
                    {% if item.rental_days %}
                    {{ item.rental_days }} days
                    {% else %}
                    <span class="text-muted">-</span>
                    {% endif %}
                </td>
                <td class="text-end">
                    <strong>${{ item.price|floatformat:2 }}</strong>
                    {% if item.item_type == 'rent' %}
                    <br>
                    <small class="text-muted">${{ item.book.rental_price }}/day</small>
                    {% endif %}
                </td>
            </tr>
            {% endfor %}
        </tbody>
        <tfoot>
            <tr>
                <td colspan="4" class="text-end"><strong>Subtotal</strong></td>
                <td class="text-end">${{ subtotal|floatformat:2 }}
                </td>
            </tr>
            {% if order.delivery_fee > 0 %}
            <tr>
                <td colspan="4" class="text-end"><strong>Delivery Fee</strong></td>
                <td class="text-end">${{ order.delivery_fee|floatformat:2 }}</td>
            </tr>
            {% endif %}
            <tr class="table-active">
                <td colspan="4" class="text-end"><strong>TOTAL</strong></td>
                <td class="text-end">
                    <h5 class="mb-0 text-book-color">${{ order.total_amount|floatformat:2 }}</h5>
                </td>
            </tr>
        </tfoot>
    </table>
  </div>
 </div>
</div>
</div>

<!-- Delivery Information -->
{% if order.delivery_option == 'delivery' or delivery %}
<div class="row mb-4">
  <div class="col-12">
    <div class="dashboard-card p-4">
      <h4 class="mb-4">
        <i class="bi bi-truck me-2"></i>
        Delivery Information
      </h4>
```

```
<div class="row">
    <div class="col-md-6 mb-3 mb-md-0">
        <div class="border rounded p-3 h-100">
            <h6 class="text-muted mb-3">Delivery Address</h6>
            {% if order.delivery_address %}
            <p class="mb-0">{{ order.delivery_address|linebreaksbr }}</p>
            {% else %}
            <p class="text-danger mb-0">
                <i class="bi bi-exclamation-triangle me-2"></i>
                No delivery address provided
            </p>
            {% endif %}
        </div>
    </div>

    <div class="col-md-6">
        <div class="border rounded p-3 h-100">
            <h6 class="text-muted mb-3">Delivery Status</h6>
            {% if delivery %}
            <div class="mb-3">
                <strong>Status:</strong>
                <span class="badge {% if delivery.status == 'delivered' %}bg-success
                    {% elif delivery.status == 'failed' %}bg-danger
                    {% elif delivery.status == 'on_the_way' %}bg-info
                    {% else %}bg-warning{% endif %} ms-2">
                    {{ delivery.get_status_display }}
                </span>
            </div>

            {% if delivery.driver_name %}
            <div class="mb-3">
                <strong>Driver:</strong>
                <span class="ms-2">{{ delivery.driver_name }}</span>
                {% if delivery.driver_phone %}
                <br>
                <small class="text-muted">{{ delivery.driver_phone }}</small>
                {% endif %}
            </div>
            {% endif %}

            {% if delivery.estimated_arrival %}
            <div class="mb-3">
                <strong>Estimated Arrival:</strong>
                <span class="ms-2">
                    {{ delivery.estimated_arrival|date:"M d, Y" }} at
                    {{ delivery.estimated_arrival|time:"g:i A" }}
                </span>
            </div>
            {% endif %}

            {% if delivery.current_location %}
            <div>
                <strong>Current Location:</strong>
                <span class="ms-2">{{ delivery.current_location }}</span>
            </div>
            {% endif %}

            {% else %}
            <div class="text-center py-4">
```

```
                    <i class="bi bi-info-circle fs-1 text-muted mb-3"></i>
                    <p class="text-muted">No delivery information yet</p>
                    <button class="btn btn-primary">
                        <i class="bi bi-plus me-2"></i> Assign Driver
                    </button>
                </div>
                {% endif %}
            </div>
        </div>
    </div>
  </div>
</div>
{% endif %}

<!-- Order Management -->
<div class="row mb-4">
  <div class="col-12">
    <div class="dashboard-card p-4">
      <h4 class="mb-4">
        <i class="bi bi-gear me-2"></i>
        Manage Order
      </h4>

      <div class="row">
        <div class="col-md-6 mb-4">
          <form method="POST" action="{% url 'process_order' order.id %}" class="h-100">
            {% csrf_token %}
            <div class="card h-100 border">
              <div class="card-body">
                <h5 class="card-title">Update Status</h5>
                <div class="mb-3">
                  <label class="form-label">Order Status</label>
                  <select name="status" class="form-select">
                    <option value="pending" {% if order.status == 'pending' %}selected{% endif %}>
                      ■ Pending</option>
                    <option value="contacted" {% if order.status == 'contacted' %}selected{% endif %
                    <option value="preparing" {% if order.status == 'preparing' %}selected{% endif %
                    <option value="ready" {% if order.status == 'ready' %}selected{% endif %}>■
                      Ready for Pickup/Delivery</option>
                    <option value="out_for_delivery" {% if order.status == 'out_for_delivery' %}select
                    <option value="delivered" {% if order.status == 'delivered' %}selected{% endif %
                    <option value="completed" {% if order.status == 'completed' %}selected{% endif
                    <option value="cancelled" {% if order.status == 'cancelled' %}selected{% endif %
                  </select>
                </div>
                <button type="submit" name="action" value="update_status"
                  class="btn btn-primary w-100">
                  <i class="bi bi-sync me-2"></i> Update Status
                </button>
              </div>
            </div>
          </form>
        </div>

        <div class="col-md-6 mb-4">
          <form method="POST" action="{% url 'process_order' order.id %}" class="h-100">
            {% csrf_token %}
            <div class="card h-100 border">
              <div class="card-body">
```

```
                    <h5 class="card-title">Add Internal Note</h5>
                    <div class="mb-3">
                        <label class="form-label">Note for Internal Use</label>
                        <textarea name="store_note" class="form-control" rows="3"
                            placeholder="Add note about this order..."></textarea>
                    </div>
                    <button type="submit" name="action" value="add_note" class="btn btn-warning w-100
                        <i class="bi bi-sticky me-2"></i> Add Note
                    </button>
                </div>
            </div>
        </form>
    </div>
</div>

{% if order.notes %}
<div class="mt-4">
    <h6 class="text-muted mb-2">Customer Notes</h6>
    <div class="alert alert-info">
        <i class="bi bi-chat-left-text me-2"></i>
        {{ order.notes }}
    </div>
</div>
{% endif %}

{% if order.store_notes %}
<div class="mt-4">
    <h6 class="text-muted mb-2">Internal Notes History</h6>
    <div class="bg-light rounded p-3">
        <pre class="mb-0" style="white-space: pre-wrap;">{{ order.store_notes }}</pre>
    </div>
</div>
{% endif %}
    </div>
  </div>
</div>

<!-- Quick Actions -->
<div class="row">
  <div class="col-12">
    <div class="d-flex justify-content-between">
      <div>
        <a href="{% url 'store_orders' %}" class="btn btn-secondary">
          <i class="bi bi-arrow-left me-2"></i> Back to Orders
        </a>
        <a href="{% url 'store_dashboard' %}" class="btn btn-outline-secondary ms-2">
          <i class="bi bi-speedometer2 me-2"></i> Dashboard
        </a>
      </div>

      <div>
        {% if order.order_type == 'rent' %}
        <button class="btn btn-info me-2">
          <i class="bi bi-file-earmark-text me-2"></i> Rental Agreement
        </button>
        {% endif %}

        <button class="btn btn-success me-2" onclick="window.print()">
          <i class="bi bi-printer me-2"></i> Print Invoice
        </button>
```

```
                {% if order.status != 'cancelled' %}
                <button class="btn btn-danger"
                    onclick="return confirm('Are you sure you want to cancel this order?')">
                    <i class="bi bi-x-circle me-2"></i> Cancel Order
                </button>
                {% endif %}
            </div>
        </div>
    </div>
  </div>
</div>

<style>
    .table-hover tbody tr:hover {
        background-color: rgba(67, 97, 238, 0.05);
    }

    .bg-book-color {
        background-color: var(--book-color) !important;
    }

    .text-book-color {
        color: var(--book-color) !important;
    }

    .card {
        transition: transform 0.2s, box-shadow 0.2s;
    }

    .card:hover {
        transform: translateY(-2px);
        box-shadow: 0 0.5rem 1rem rgba(0, 0, 0, 0.15) !important;
    }

    @media print {

        .btn,
        .breadcrumb,
        .d-print-none {
            display: none !important;
        }

        .dashboard-card {
            box-shadow: none !important;
            border: 1px solid #dee2e6 !important;
        }
    }
</style>

<script>
    // Quick status update without page refresh
    function getCookie(name) {
        let cookieValue = null;
        if (document.cookie && document.cookie !== '') {
            const cookies = document.cookie.split(';');
            for (let i = 0; i < cookies.length; i++) {
                const cookie = cookies[i].trim();
                if (cookie.substring(0, name.length + 1) === (name + '=')) {
                    cookieValue = decodeURIComponent(cookie.substring(name.length + 1));
```

```
                break;
            }
        }
    }
    return cookieValue;
}

function quickUpdateStatus(status) {
    fetch(`/api/order/{{ order.id }}/status/`, {
        method: 'POST',
        headers: {
            'Content-Type': 'application/json',
            'X-CSRFToken': getCookie('csrftoken')
        },
        body: JSON.stringify({ status: status })
    })
        .then(response => response.json())
        .then(data => {
            if (data.success) {
                showAlert('Status Updated', 'Order status has been updated successfully');
                setTimeout(() => location.reload(), 1000);
            }
        });
}

function showAlert(title, message) {
    const alertDiv = document.createElement('div');
    alertDiv.className = 'alert alert-success alert-dismissible fade show position-fixed';
    alertDiv.style.cssText = 'top: 80px; right: 20px; z-index: 9999; min-width: 300px;';
    alertDiv.innerHTML = `
    <strong>${title}</strong><br>
    ${message}
    <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
`;
    document.body.appendChild(alertDiv);

    setTimeout(() => {
        if (alertDiv.parentNode) {
            alertDiv.remove();
        }
    }, 3000);
}
</script>
{% endblock %}

=== resources\views\store\order_history.html ===
<!-- store/order_history.html -->
{% extends 'store/base.html' %}

{% block title %}Order History - Store Dashboard{% endblock %}

{% block content %}
<div class="container-fluid">
    <!-- Breadcrumb Navigation -->
    <nav aria-label="breadcrumb" class="mb-4">
        <ol class="breadcrumb">
            <li class="breadcrumb-item"><a href="{% url 'store_dashboard' %}">Dashboard</a></li>
            <li class="breadcrumb-item active" aria-current="page">Order History</li>
        </ol>
    </nav>
```

```
<!-- Page Header -->
<div class="row mb-4">
    <div class="col-12">
        <div class="dashboard-card p-4">
            <div class="row align-items-center">
                <div class="col-md-8">
                    <h3 class="mb-2">
                        <i class="bi bi-clock-history text-book-color me-2"></i>
                        Order History
                    </h3>
                    <p class="text-muted mb-0">
                        Manage and track all orders for your store
                    </p>
                </div>
                <div class="col-md-4">
                    <div class="d-flex justify-content-end gap-2">
                        <a href="{% url 'store_dashboard' %}" class="btn btn-secondary">
                            <i class="bi bi-speedometer2 me-2"></i> Dashboard
                        </a>
                        <button class="btn btn-purple" onclick="printReport()">
                            <i class="bi bi-printer me-2"></i> Print Report
                        </button>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<!-- Stats Overview -->
<div class="row mb-4">
    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-book">
            <div class="text-book-color mb-2">
                <i class="bi bi-cart fs-1"></i>
            </div>
            <h4 class="mb-1">{{ total_orders|default:"0" }}</h4>
            <p class="text-muted mb-0">Total Orders</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-revenue">
            <div class="text-success mb-2">
                <i class="bi bi-currency-dollar fs-1"></i>
            </div>
            <h4 class="mb-1">${{ total_revenue|floatformat:2|default:"0.00" }}</h4>
            <p class="text-muted mb-0">Total Revenue</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-rental">
            <div class="text-warning mb-2">
                <i class="bi bi-clock fs-1"></i>
            </div>
            <h4 class="mb-1">{{ pending_orders|default:"0" }}</h4>
            <p class="text-muted mb-0">Pending Orders</p>
        </div>
```

```
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-delivery">
            <div class="text-danger mb-2">
                <i class="bi bi-arrow-repeat fs-1"></i>
            </div>
            <h4 class="mb-1">{{ rental_orders|default:"0" }}</h4>
            <p class="text-muted mb-0">Active Rentals</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-primary">
            <div class="text-info mb-2">
                <i class="bi bi-calendar-day fs-1"></i>
            </div>
            <h4 class="mb-1">${{ today_revenue|floatformat:2|default:"0.00" }}</h4>
            <p class="text-muted mb-0">Today's Revenue</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-success">
            <div class="text-purple mb-2">
                <i class="bi bi-graph-up-arrow fs-1"></i>
            </div>
            <h4 class="mb-1">${{ month_revenue|floatformat:2|default:"0.00" }}</h4>
            <p class="text-muted mb-0">Monthly Revenue</p>
        </div>
    </div>
</div>

<!-- Filters -->
<div class="row mb-4">
    <div class="col-12">
        <div class="dashboard-card p-4">
            <form method="GET" action="{% url 'store_order_history' %}">
                <div class="row g-3">
                    <div class="col-md-3">
                        <label class="form-label">Status</label>
                        <select name="status" class="form-select">
                            <option value="all" {% if status_filter == 'all' %}selected{% endif %}>All Statuses</option
                            <option value="pending" {% if status_filter == 'pending' %}selected{% endif %}>Pending
                            <option value="approved" {% if status_filter == 'approved' %}selected{% endif %}>Appro
                            <option value="preparing" {% if status_filter == 'preparing' %}selected{% endif %}>Prepa
                            <option value="ready" {% if status_filter == 'ready' %}selected{% endif %}>Ready</optio
                            <option value="out_for_delivery" {% if status_filter == 'out_for_delivery' %}selected{% en
                            <option value="delivered" {% if status_filter == 'delivered' %}selected{% endif %}>Delive
                            <option value="completed" {% if status_filter == 'completed' %}selected{% endif %}>Com
                            <option value="cancelled" {% if status_filter == 'cancelled' %}selected{% endif %}>Decli
                        </select>
                    </div>

                    <div class="col-md-3">
                        <label class="form-label">Order Type</label>
                        <select name="type" class="form-select">
                            <option value="all" {% if order_type_filter == 'all' %}selected{% endif %}>All Types
                            </option>
                            <option value="rent" {% if order_type_filter == 'rent' %}selected{% endif %}>Rental
```

```
                    </option>
                    <option value="buy" {% if order_type_filter == 'buy' %}selected{% endif %}>Purchase
                    </option>
                </select>
            </div>

            <div class="col-md-3">
                <label class="form-label">Time Period</label>
                <select name="date" class="form-select">
                    <option value="all" {% if date_filter == 'all' %}selected{% endif %}>All Time</option>
                    <option value="today" {% if date_filter == 'today' %}selected{% endif %}>Today</option>
                    <option value="week" {% if date_filter == 'week' %}selected{% endif %}>This Week</opt
                    <option value="month" {% if date_filter == 'month' %}selected{% endif %}>This Month
                    </option>
                </select>
            </div>

            <div class="col-md-3 d-flex align-items-end">
                <button type="submit" class="btn btn-primary w-100">
                    <i class="bi bi-funnel me-2"></i> Apply Filters
                </button>
            </div>
        </div>
    </form>
  </div>
 </div>
</div>

<!-- Orders Table -->
<div class="row">
 <div class="col-12">
  <div class="dashboard-card p-4">
    <div class="d-flex justify-content-between align-items-center mb-4">
      <h4 class="mb-0">Recent Orders</h4>
      <div class="d-flex gap-2">
        <button class="btn btn-sm btn-outline-primary" onclick="exportData('csv')">
          <i class="bi bi-file-earmark-arrow-down me-1"></i> CSV
        </button>
        <button class="btn btn-sm btn-outline-success" onclick="exportData('excel')">
          <i class="bi bi-file-earmark-excel me-1"></i> Excel
        </button>
      </div>
    </div>

    {% if orders %}
    <div class="table-responsive">
      <table class="table table-hover">
        <thead>
          <tr>
            <th>Order #</th>
            <th>Customer</th>
            <th>Date & Time</th>
            <th class="text-center">Type</th>
            <th class="text-center">Items</th>
            <th class="text-end">Total</th>
            <th class="text-center">Status</th>
            <th class="text-center">Actions</th>
          </tr>
        </thead>
        <tbody>
```

```
{% for order in orders %}
<tr>
    <td>
        <strong class="text-book-color">#{{ order.order_number|default:"N/A" }}</strong>
    </td>
    <td>
        <strong>{{ order.customer.username|default:"Customer" }}</strong>
        {% if order.customer.email %}
        <br>
        <small class="text-muted">{{ order.customer.email }}</small>
        {% endif %}
    </td>
    <td>
        {{ order.created_at|date:"M d, Y"|default:"N/A" }}
        <br>
        <small class="text-muted">{{ order.created_at|time:"g:i A"|default:"" }}</small>
    </td>
    <td class="text-center">
        {% if order.order_type == 'rent' %}
        <span class="badge bg-warning text-dark">
            <i class="bi bi-arrow-repeat me-1"></i> RENTAL
        </span>
        {% else %}
        <span class="badge bg-success">
            <i class="bi bi-cart-check me-1"></i> PURCHASE
        </span>
        {% endif %}
        {% if order.rental_days %}
        <br>
        <small class="text-muted">{{ order.rental_days }} days</small>
        {% endif %}
    </td>
    <td class="text-center">
        {% with order.items.all as items %}
        <span class="badge bg-secondary">{{ items.count|default:"0" }}</span>
        <br>
        <small class="text-muted">
            {% for item in items|slice:":2" %}
            {{ item.book.title|truncatechars:15|default:"Book" }}{% if not forloop.last %},
            {% endif %}
            {% endfor %}
            {% if items.count > 2 %}...{% endif %}
        </small>
        {% endwith %}
    </td>
    <td class="text-end">
        <strong>${{ order.total_amount|floatformat:2|default:"0.00" }}</strong>
    </td>
    <td class="text-center">
        <span class="badge {% if order.status == 'completed' or order.status == 'delivered' %
            {% elif order.status == 'cancelled' %}bg-danger
            {% elif order.status == 'out_for_delivery' %}bg-info
            {% elif order.status == 'ready' %}bg-warning
            {% else %}bg-primary{% endif %}
            rounded-pill p-2">
            {{ order.get_status_display|default:"Pending" }}
        </span>
    </td>
    <td class="text-center">
        <div class="dropdown">
```

```
                    <button class="btn btn-sm btn-outline-secondary dropdown-toggle" type="button"
                        data-bs-toggle="dropdown">
                        Actions
                    </button>
                    <ul class="dropdown-menu">
                        <li>
                            <a class="dropdown-item" href="{% url 'process_order' order.id %}">
                                <i class="bi bi-gear me-2"></i> Manage
                            </a>
                        </li>
                        <li>
                            <a class="dropdown-item" href="{% url 'store_order_detail' order.id %}">
                                <i class="bi bi-eye me-2"></i> View Details
                            </a>
                        </li>
                        {% if order.delivery_option == 'delivery' %}
                        <li>
                            <a class="dropdown-item" href="#">
                                <i class="bi bi-truck me-2"></i> Track Delivery
                            </a>
                        </li>
                        {% endif %}
                        <li>
                            <hr class="dropdown-divider">
                        </li>
                        <li>
                            <a class="dropdown-item text-danger" href="#"
                                onclick="return confirm('Cancel this order?')">
                                <i class="bi bi-x-circle me-2"></i> Cancel Order
                            </a>
                        </li>
                    </ul>
                </div>
            </td>
        </tr>
        {% endfor %}
    </tbody>
  </table>
</div>

<!-- Pagination -->
{% if orders.has_other_pages %}
<nav aria-label="Page navigation" class="mt-4">
  <ul class="pagination justify-content-center">
    {% if orders.has_previous %}
    <li class="page-item">
        <a class="page-link"
            href="?page={{ orders.previous_page_number }}{% for key, value in request.GET.items
            Previous
        </a>
    </li>
    {% endif %}

    {% for i in orders.paginator.page_range %}
    {% if orders.number == i %}
    <li class="page-item active">
        <span class="page-link">{{ i }}</span>
    </li>
    {% else %}
    <li class="page-item">
```

```
                <a class="page-link"
                    href="?page={{ i }}{% for key, value in request.GET.items %}{% if key != 'page' %}&{{ ke
                    {{ i }}
                </a>
            </li>
            {% endif %}
            {% endfor %}

            {% if orders.has_next %}
            <li class="page-item">
                <a class="page-link"
                    href="?page={{ orders.next_page_number }}{% for key, value in request.GET.items %}{%
                    Next
                </a>
            </li>
            {% endif %}
        </ul>
    </nav>
    {% endif %}

    {% else %}
    <!-- Empty State -->
    <div class="text-center py-5">
        <i class="bi bi-cart-x text-muted" style="font-size: 4rem;"></i>
        <h4 class="mt-3 mb-2">No orders found</h4>
        <p class="text-muted mb-4">
            {% if status_filter != 'all' or order_type_filter != 'all' or date_filter != 'all' %}
            No orders match your current filters
            {% else %}
            You haven't received any orders yet
            {% endif %}
        </p>
        <a href="{% url 'store_order_history' %}" class="btn btn-primary">
            {% if status_filter != 'all' or order_type_filter != 'all' or date_filter != 'all' %}
            Clear filters
            {% else %}
            Refresh
            {% endif %}
        </a>
    </div>
    {% endif %}
  </div>
 </div>
</div>

<!-- Sales Summary -->
<div class="row mt-4">
 <div class="col-12">
  <div class="dashboard-card p-4">
    <h4 class="mb-4">
        <i class="bi bi-bar-chart-line text-book-color me-2"></i>
        Sales Summary
    </h4>

    <div class="row">
        <div class="col-md-3">
            <div class="card border-0 bg-light">
                <div class="card-body text-center">
                    <h6 class="text-muted mb-2">Today</h6>
                    <h3 class="mb-0 text-success">${{ today_revenue|floatformat:2|default:"0.00" }}</h3>
```

```
                    </div>
                </div>
            </div>

            <div class="col-md-3">
                <div class="card border-0 bg-light">
                    <div class="card-body text-center">
                        <h6 class="text-muted mb-2">This Week</h6>
                        <h3 class="mb-0 text-primary">${{ week_revenue|floatformat:2|default:"0.00" }}</h3>
                    </div>
                </div>
            </div>

            <div class="col-md-3">
                <div class="card border-0 bg-light">
                    <div class="card-body text-center">
                        <h6 class="text-muted mb-2">This Month</h6>
                        <h3 class="mb-0 text-warning">${{ month_revenue|floatformat:2|default:"0.00" }}</h3>
                    </div>
                </div>
            </div>

            <div class="col-md-3">
                <div class="card border-0 bg-light">
                    <div class="card-body text-center">
                        <h6 class="text-muted mb-2">All Time</h6>
                        <h3 class="mb-0 text-book-color">${{ total_revenue|floatformat:2|default:"0.00" }}</h3>
                    </div>
                </div>
            </div>
        </div>
    </div>
  </div>
</div>

<style>
    .border-left-book {
        border-left: 4px solid var(--book-color) !important;
    }

    .border-left-revenue {
        border-left: 4px solid var(--success-color) !important;
    }

    .border-left-rental {
        border-left: 4px solid var(--warning-color) !important;
    }

    .border-left-delivery {
        border-left: 4px solid var(--danger-color) !important;
    }

    .border-left-primary {
        border-left: 4px solid #4e73df !important;
    }

    .border-left-success {
        border-left: 4px solid #1cc88a !important;
    }
```

```
    .text-book-color {
        color: var(--book-color) !important;
    }

    .bg-purple {
        background-color: #6f42c1 !important;
    }

    .text-purple {
        color: #6f42c1 !important;
    }

    .btn-purple {
        background-color: #6f42c1;
        color: white;
        border-color: #6f42c1;
    }

    .btn-purple:hover {
        background-color: #5a32a3;
        border-color: #5a32a3;
    }

    .table-hover tbody tr:hover {
        background-color: rgba(67, 97, 238, 0.05);
    }

    .page-link {
        color: var(--book-color);
    }

    .page-item.active .page-link {
        background-color: var(--book-color);
        border-color: var(--book-color);
    }

    @media print {

        .btn,
        .breadcrumb,
        .dropdown,
        .d-print-none {
            display: none !important;
        }

        .dashboard-card {
            box-shadow: none !important;
            border: 1px solid #dee2e6 !important;
        }
    }
</style>

<script>
    function printReport() {
        window.print();
    }

    function exportData(format) {
        // Get current URL parameters
```

```
    const urlParams = new URLSearchParams(window.location.search);
    urlParams.set('export', format);

    // Show alert
    showAlert('Export Started', `${format.toUpperCase()} export will begin shortly`);

    // In production, this would trigger a download
    // window.location.href = `/store/orders/export/?${urlParams.toString()}`;
}

// Quick status update
function quickUpdateStatus(orderId, status) {
    if (confirm('Update order status?')) {
        showAlert('Status Updating', 'Order status is being updated...');

        // In production, this would be an API call
        // fetch(`/api/order/${orderId}/status/`, {
        //     method: 'POST',
        //     headers: {
        //         'Content-Type': 'application/json',
        //         'X-CSRFToken': getCookie('csrftoken')
        //     },
        //     body: JSON.stringify({status: status})
        // })
        // .then(response => response.json())
        // .then(data => {
        //     if (data.success) {
        //         location.reload();
        //     }
        // });
    }
}

function showAlert(title, message) {
    // Remove any existing alerts
    const existingAlerts = document.querySelectorAll('.custom-alert');
    existingAlerts.forEach(alert => alert.remove());

    // Create alert element
    const alertDiv = document.createElement('div');
    alertDiv.className = 'custom-alert alert alert-success alert-dismissible fade show position-fixed';
    alertDiv.style.cssText = 'top: 80px; right: 20px; z-index: 9999; min-width: 300px;';
    alertDiv.innerHTML = `
    <strong>${title}</strong><br>
    ${message}
    <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
`;
    document.body.appendChild(alertDiv);

    // Auto remove after 3 seconds
    setTimeout(() => {
        if (alertDiv.parentNode) {
            alertDiv.remove();
        }
    }, 3000);
}

// Helper function to get CSRF token
function getCookie(name) {
    let cookieValue = null;
```

```
        if (document.cookie && document.cookie !== '') {
            const cookies = document.cookie.split(';');
            for (let i = 0; i < cookies.length; i++) {
                const cookie = cookies[i].trim();
                if (cookie.substring(0, name.length + 1) === (name + '=')) {
                    cookieValue = decodeURIComponent(cookie.substring(name.length + 1));
                    break;
                }
            }
        }
        return cookieValue;
    }

    // Initialize tooltips
    document.addEventListener('DOMContentLoaded', function () {
        var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'));
        var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {
            return new bootstrap.Tooltip(tooltipTriggerEl);
        });
    });
</script>
{% endblock %}

=== resources\views\store\order_management.html ===
{% extends 'store/base.html' %}

{% block content %}
<div class="container-fluid">
    <!-- Breadcrumb Navigation -->
    <nav aria-label="breadcrumb" class="mb-4">
        <ol class="breadcrumb">
            <li class="breadcrumb-item"><a href="{% url 'store_dashboard' %}">Dashboard</a></li>
            <li class="breadcrumb-item active" aria-current="page">Order Management</li>
        </ol>
    </nav>

    <!-- Page Header -->
    <div class="row mb-4">
        <div class="col-12">
            <div class="dashboard-card p-4">
                <div class="row align-items-center">
                    <div class="col-md-8">
                        <h3 class="mb-2">
                            <i class="bi bi-cart-check text-primary me-2"></i>
                            Order Management
                        </h3>
                        <p class="text-muted mb-0">
                            Manage, approve, and process customer orders
                        </p>
                    </div>
                    <div class="col-md-4">
                        <div class="d-flex justify-content-end gap-2">
                            <a href="{% url 'store_dashboard' %}" class="btn btn-outline-secondary">
                                <i class="bi bi-speedometer2 me-2"></i> Dashboard
                            </a>
                            <button class="btn btn-primary" onclick="window.location.reload();">
                                <i class="bi bi-arrow-clockwise me-2"></i> Refresh
                            </button>
                        </div>
                    </div>
```

```
            </div>
        </div>
    </div>
</div>

<!-- Stats Cards -->
<div class="row mb-4">
    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-warning">
            <div class="text-warning mb-2">
                <i class="bi bi-hourglass-split fs-1"></i>
            </div>
            <h4 class="mb-1">{{ pending_orders|default:"0" }}</h4>
            <p class="text-muted mb-0">Pending Approval</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-info">
            <div class="text-info mb-2">
                <i class="bi bi-gear fs-1"></i>
            </div>
            <h4 class="mb-1">{{ active_orders|default:"0" }}</h4>
            <p class="text-muted mb-0">Active Orders</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-success">
            <div class="text-success mb-2">
                <i class="bi bi-check-circle fs-1"></i>
            </div>
            <h4 class="mb-1">{{ completed_orders|default:"0" }}</h4>
            <p class="text-muted mb-0">Completed</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-danger">
            <div class="text-danger mb-2">
                <i class="bi bi-x-circle fs-1"></i>
            </div>
            <h4 class="mb-1">{{ cancelled_orders|default:"0" }}</h4>
            <p class="text-muted mb-0">Declined</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-primary">
            <div class="text-primary mb-2">
                <i class="bi bi-cash-stack fs-1"></i>
            </div>
            <h4 class="mb-1">${{ today_revenue|floatformat:2|default:"0.00" }}</h4>
            <p class="text-muted mb-0">Today's Revenue</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center border-left-book">
            <div class="text-book-color mb-2">
```

```
            <i class="bi bi-calendar-range fs-1"></i>
          </div>
          <h4 class="mb-1">${{ month_revenue|floatformat:2|default:"0.00" }}</h4>
          <p class="text-muted mb-0">Monthly Revenue</p>
        </div>
      </div>
    </div>

    <!-- Filters -->
    <div class="row mb-4">
      <div class="col-12">
        <div class="dashboard-card p-4">
          <form method="GET" action="{% url 'store_orders' %}">
            <div class="row g-3">
              <div class="col-md-3">
                <label class="form-label fw-bold">Order Status</label>
                <select name="status" class="form-select">
                  <option value="all" {% if status_filter == 'all' %}selected{% endif %}>All Statuses</option
                  <option value="pending" {% if status_filter == 'pending' %}selected{% endif %}>■ Pendi
                  <option value="approved" {% if status_filter == 'approved' %}selected{% endif %}>Appro
                  <option value="preparing" {% if status_filter == 'preparing' %}selected{% endif %}>■ Pre
                  <option value="ready" {% if status_filter == 'ready' %}selected{% endif %}>■ Ready</op
                  <option value="out_for_delivery" {% if status_filter == 'out_for_delivery' %}selected{% en
                  <option value="delivered" {% if status_filter == 'delivered' %}selected{% endif %}>■ Deli
                  <option value="completed" {% if status_filter == 'completed' %}selected{% endif %}>■ C
                  <option value="cancelled" {% if status_filter == 'cancelled' %}selected{% endif %}>Decli
                </select>
              </div>

              <div class="col-md-3">
                <label class="form-label fw-bold">Order Type</label>
                <select name="type" class="form-select">
                  <option value="all" {% if order_type_filter == 'all' %}selected{% endif %}>All Types</opti
                  <option value="rent" {% if order_type_filter == 'rent' %}selected{% endif %}>■ Rental</o
                  <option value="buy" {% if order_type_filter == 'buy' %}selected{% endif %}>■ Purchase<
                  <option value="mixed" {% if order_type_filter == 'mixed' %}selected{% endif %}>■ Mixed
                </select>
              </div>

              <div class="col-md-3">
                <label class="form-label fw-bold">Time Period</label>
                <select name="date" class="form-select">
                  <option value="all" {% if date_filter == 'all' %}selected{% endif %}>All Time</option>
                  <option value="today" {% if date_filter == 'today' %}selected{% endif %}>Today</option>
                  <option value="week" {% if date_filter == 'week' %}selected{% endif %}>This Week</opt
                  <option value="month" {% if date_filter == 'month' %}selected{% endif %}>This Month</
                </select>
              </div>

              <div class="col-md-3 d-flex align-items-end">
                <button type="submit" class="btn btn-primary w-100">
                  <i class="bi bi-funnel me-2"></i> Apply Filters
                </button>
              </div>
            </div>
          </form>
        </div>
      </div>
    </div>
```

```
<!-- Orders Table -->
<div class="row">
    <div class="col-12">
        <div class="dashboard-card p-4">
            <div class="d-flex justify-content-between align-items-center mb-4">
                <h4 class="mb-0">
                    <i class="bi bi-receipt me-2"></i>
                    Orders ({{ total_orders }})
                </h4>
                <div class="d-flex gap-2">
                    <button class="btn btn-sm btn-outline-primary" onclick="exportOrders()">
                        <i class="bi bi-download me-1"></i> Export
                    </button>
                </div>
            </div>

            {% if orders %}
            <div class="table-responsive">
                <table class="table table-hover align-middle">
                    <thead class="table-light">
                        <tr>
                            <th>Order #</th>
                            <th>Customer</th>
                            <th>Date</th>
                            <th>Type</th>
                            <th>Items</th>
                            <th class="text-end">Total</th>
                            <th>Status</th>
                            <th class="text-center">Actions</th>
                        </tr>
                    </thead>
                    <tbody>
                        {% for order in orders %}
                        <tr class="{% if order.status == 'pending' %}table-warning{% endif %}">
                            <td>
                                <strong class="text-primary">#{{ order.order_number }}</strong>
                                <br>
                                <small class="text-muted">ID: {{ order.id }}</small>
                            </td>
                            <td>
                                <strong>{{ order.customer.username }}</strong>
                                <br>
                                <small class="text-muted">{{ order.customer.email }}</small>
                            </td>
                            <td>
                                {{ order.created_at|date:"M d, Y" }}
                                <br>
                                <small class="text-muted">{{ order.created_at|time:"g:i A" }}</small>
                            </td>
                            <td>
                                {% if order.order_type == 'rent' %}
                                <span class="badge bg-warning text-dark">
                                    <i class="bi bi-arrow-repeat me-1"></i> Rental
                                </span>
                                {% elif order.order_type == 'buy' %}
                                <span class="badge bg-success">
                                    <i class="bi bi-cart-check me-1"></i> Purchase
                                </span>
                                {% else %}
                                <span class="badge bg-info">
```

```
            <i class="bi bi-arrow-left-right me-1"></i> Mixed
        </span>
        {% endif %}

        {% if order.rental_days %}
        <br>
        <small class="text-muted">{{ order.rental_days }} days</small>
        {% endif %}
    </td>
    <td>
        <span class="badge bg-secondary">{{ order.items.count }}</span>
        <br>
        <small class="text-muted">
            {% for item in order.items.all|slice:":2" %}
                {{ item.book.title|truncatechars:15 }}{% if not forloop.last %}, {% endif %}
            {% endfor %}
            {% if order.items.count > 2 %}...{% endif %}
        </small>
    </td>
    <td class="text-end">
        <strong class="text-primary">${{ order.total_amount|floatformat:2 }}</strong>
        {% if order.delivery_fee > 0 %}
        <br>
        <small class="text-muted">+${{ order.delivery_fee }} delivery</small>
        {% endif %}
    </td>
    <td>
        {% if order.status == 'pending' %}
        <span class="badge bg-warning p-2">
            <i class="bi bi-hourglass-split me-1"></i> PENDING APPROVAL
        </span>
        {% elif order.status == 'approved' %}
        <span class="badge bg-primary p-2">
            <i class="bi bi-check-circle me-1"></i> APPROVED
        </span>
        {% elif order.status == 'preparing' %}
        <span class="badge bg-info p-2">
            <i class="bi bi-gear me-1"></i> PREPARING
        </span>
        {% elif order.status == 'ready' %}
        <span class="badge bg-primary p-2">
            <i class="bi bi-box me-1"></i> READY
        </span>
        {% elif order.status == 'out_for_delivery' %}
        <span class="badge bg-secondary p-2">
            <i class="bi bi-truck me-1"></i> OUT FOR DELIVERY
        </span>
        {% elif order.status == 'delivered' %}
        <span class="badge bg-success p-2">
            <i class="bi bi-check-circle me-1"></i> DELIVERED
        </span>
        {% elif order.status == 'completed' %}
        <span class="badge bg-success p-2">
            <i class="bi bi-check-circle-fill me-1"></i> COMPLETED
        </span>
        {% elif order.status == 'cancelled' %}
        <span class="badge bg-danger p-2">
            <i class="bi bi-x-circle me-1"></i> DECLINED
        </span>
        {% endif %}
```

```
                </td>
                <td class="text-center">
                    {% if order.status == 'pending' %}
                    <div class="d-flex justify-content-center gap-2 mb-2">
                        <form method="POST" action="{% url 'process_order' order.id %}" style="display: i
                            {% csrf_token %}
                            <input type="hidden" name="action" value="approve">
                            <button type="submit" class="btn btn-sm btn-success" onclick="return confirm('A
                                <i class="bi bi-check-circle me-1"></i> Approve
                            </button>
                        </form>
                        <button type="button" class="btn btn-sm btn-danger" data-bs-toggle="modal" data-
                            <i class="bi bi-x-circle me-1"></i> Decline
                        </button>
                    </div>
                    {% endif %}

                    <div class="dropdown">
                        <button class="btn btn-sm btn-outline-primary dropdown-toggle" type="button" data
                            Actions
                        </button>
                        <ul class="dropdown-menu dropdown-menu-end">
                            <li>
                                <a class="dropdown-item" href="{% url 'process_order' order.id %}">
                                    <i class="bi bi-gear me-2"></i> Manage Order
                                </a>
                            </li>

                            {% if order.status == 'pending' %}
                            <li>
                                <hr class="dropdown-divider">
                            </li>
                            <li>
                                <form method="POST" action="{% url 'process_order' order.id %}" style="disp
                                    {% csrf_token %}
                                    <input type="hidden" name="action" value="approve">
                                    <button type="submit" class="dropdown-item text-success" onclick="return
                                        <i class="bi bi-check-circle me-2"></i> Approve Order
                                    </button>
                                </form>
                            </li>
                            <li>
                                <button type="button" class="dropdown-item text-danger" data-bs-toggle="mo
                                    <i class="bi bi-x-circle me-2"></i> Decline Order
                                </button>
                            </li>
                            {% endif %}

                            <li>
                                <hr class="dropdown-divider">
                            </li>
                            <li>
                                <a class="dropdown-item" href="{% url 'store_order_detail' order.id %}">
                                    <i class="bi bi-eye me-2"></i> View Details
                                </a>
                            </li>

                            {% if order.delivery_option == 'delivery' and order.status != 'cancelled' %}
                            <li>
                                <a class="dropdown-item" href="#">
```

```
                        <i class="bi bi-truck me-2"></i> Track Delivery
                    </a>
                </li>
                {% endif %}
            </ul>
        </div>

    </td>
  </tr>
  {% endfor %}
</tbody>
</table>
</div>

<!-- Pagination -->
{% if orders.has_other_pages %}
<nav aria-label="Page navigation" class="mt-4">
  <ul class="pagination justify-content-center">
    {% if orders.has_previous %}
    <li class="page-item">
      <a class="page-link" href="?page={{ orders.previous_page_number }}{% for key, value in r
        <i class="bi bi-chevron-left"></i> Previous
      </a>
    </li>
    {% else %}
    <li class="page-item disabled">
      <span class="page-link"><i class="bi bi-chevron-left"></i> Previous</span>
    </li>
    {% endif %}

    {% for i in orders.paginator.page_range %}
      {% if orders.number == i %}
      <li class="page-item active">
        <span class="page-link">{{ i }}</span>
      </li>
      {% elif i > orders.number|add:'-3' and i < orders.number|add:'3' %}
      <li class="page-item">
        <a class="page-link" href="?page={{ i }}{% for key, value in request.GET.items %}{% if k
      </li>
      {% endif %}
    {% endfor %}

    {% if orders.has_next %}
    <li class="page-item">
      <a class="page-link" href="?page={{ orders.next_page_number }}{% for key, value in requ
        Next <i class="bi bi-chevron-right"></i>
      </a>
    </li>
    {% else %}
    <li class="page-item disabled">
      <span class="page-link">Next <i class="bi bi-chevron-right"></i></span>
    </li>
    {% endif %}
  </ul>
</nav>
{% endif %}

{% else %}
<!-- Empty State -->
<div class="text-center py-5">
```

```
                <div class="mb-4">
                    <i class="bi bi-inbox text-muted" style="font-size: 5rem;"></i>
                </div>
                <h4 class="mb-3">No orders found</h4>
                <p class="text-muted mb-4">
                    {% if status_filter != 'all' or order_type_filter != 'all' or date_filter != 'all' %}
                        No orders match your current filters.
                        <br>
                        <a href="{% url 'store_orders' %}" class="btn btn-sm btn-primary mt-2">
                            <i class="bi bi-x-circle me-1"></i> Clear Filters
                        </a>
                    {% else %}
                        You haven't received any orders yet.
                        <br>
                        Once customers place orders, they will appear here.
                    {% endif %}
                </p>
            </div>
            {% endif %}
        </div>
    </div>
  </div>
</div>

{% if orders %}
  {% for order in orders %}
    {% if order.status == 'pending' %}
    <div class="modal fade" id="rejectModal{{ order.id }}" tabindex="-1" aria-hidden="true">
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title">Decline Order #{{ order.order_number }}</h5>
                    <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></buttor
                </div>
                <form method="POST" action="{% url 'process_order' order.id %}">
                    {% csrf_token %}
                    <input type="hidden" name="action" value="reject">
                    <div class="modal-body">
                        <div class="mb-3">
                            <label class="form-label fw-bold">Reason for Decline</label>
                            <textarea name="rejection_reason" class="form-control" rows="4" required placeholder=
                        </div>
                        <div class="alert alert-warning">
                            <i class="bi bi-exclamation-triangle me-2"></i>
                            This will decline the order and restore the books to inventory.
                        </div>
                    </div>
                    <div class="modal-footer">
                        <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</buttor
                        <button type="submit" class="btn btn-danger">Decline Order</button>
                    </div>
                </form>
            </div>
        </div>
    </div>
    {% endif %}
  {% endfor %}
{% endif %}

<style>
```

```
    .border-left-warning {
        border-left: 4px solid #f6c23e !important;
    }
    .border-left-info {
        border-left: 4px solid #36b9cc !important;
    }
    .border-left-success {
        border-left: 4px solid #1cc88a !important;
    }
    .border-left-danger {
        border-left: 4px solid #e74a3b !important;
    }
    .border-left-primary {
        border-left: 4px solid #4e73df !important;
    }
    .border-left-book {
        border-left: 4px solid var(--book-color, #4361ee) !important;
    }
    .table-hover tbody tr:hover {
        background-color: rgba(67, 97, 238, 0.05);
    }
    .dashboard-card {
        transition: all 0.3s ease;
    }
    .dashboard-card:hover {
        transform: translateY(-2px);
        box-shadow: 0 0.5rem 1.5rem rgba(0,0,0,0.1);
    }
    .page-link {
        color: #4361ee;
    }
    .page-item.active .page-link {
        background-color: #4361ee;
        border-color: #4361ee;
    }
</style>

<script>
    function exportOrders() {
        const status = document.querySelector('select[name="status"]').value;
        const type = document.querySelector('select[name="type"]').value;
        const date = document.querySelector('select[name="date"]').value;

        let url = '?export=csv';
        if (status !== 'all') url += `&status=${status}`;
        if (type !== 'all') url += `&type=${type}`;
        if (date !== 'all') url += `&date=${date}`;

        // Show alert (you can implement actual export here)
        showAlert('Export Started', 'Orders export will begin shortly');
        // window.location.href = url;
    }

    function showAlert(title, message) {
        const alertDiv = document.createElement('div');
        alertDiv.className = 'alert alert-success alert-dismissible fade show position-fixed';
        alertDiv.style.cssText = 'top: 80px; right: 20px; z-index: 9999; min-width: 300px;';
        alertDiv.innerHTML = `
            <strong>${title}</strong><br>
            ${message}
```

```
            <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
        `;
        document.body.appendChild(alertDiv);

        setTimeout(() => {
            if (alertDiv.parentNode) {
                alertDiv.remove();
            }
        }, 3000);
    }
</script>
{% endblock %}



=== resources\views\store\registration-layout.blade.php ===
<!DOCTYPE html>
<html lang="en" data-bs-theme="light">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>@yield('title', 'Book Collection Tracker')</title>

    <!-- Bootstrap 5 CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
    <!-- Bootstrap Icons -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.3/font/bootstrap-icons.css">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">
    <!-- Google Fonts -->
    <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap

    <style>
        :root {
            --primary-color: #4e73df;
            --primary-dark: #3a56c4;
            --secondary-color: #858796;
            --success-color: #1cc88a;
            --info-color: #36b9cc;
            --warning-color: #f6c23e;
            --danger-color: #e74a3b;
            --light-color: #f8f9fc;
            --dark-color: #5a5c69;
            --sidebar-width: 250px;
            --transition-speed: 0.3s;
            --brand-color: #4361ee;
        }

        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body {
            font-family: 'Poppins', sans-serif;
            background-color: #f8f9fc;
            color: #333;
            overflow-x: hidden;
            min-height: 100vh;
```

```
    padding-top: 70px;
}

.navbar {
    background-color: white;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.15);
    padding: 0.75rem 0;
    position: fixed;
    top: 0;
    right: 0;
    left: 0;
    z-index: 1030;
    transition: all var(--transition-speed) ease;
    height: 70px;
}

.navbar-brand {
    font-weight: 700;
    font-size: 1.3rem;
    color: var(--brand-color);
    display: flex;
    align-items: center;
}

.nav-user-img {
    width: 40px;
    height: 40px;
    border-radius: 50%;
    object-fit: cover;
    border: 2px solid #e3e6f0;
}

#sidebar {
    width: var(--sidebar-width);
    background-color: white;
    color: #858796;
    position: fixed;
    top: 70px;
    left: 0;
    height: calc(100vh - 70px);
    z-index: 1000;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.15);
    transition: all var(--transition-speed) ease;
    overflow-y: auto;
    display: flex;
    flex-direction: column;
}

.sidebar-heading {
    padding: 1.5rem 1rem 0.5rem;
    font-size: 0.8rem;
    text-transform: uppercase;
    color: #b7b9cc;
    font-weight: 700;
    letter-spacing: 0.5px;
}

.sidebar-item {
    padding: 0.75rem 1rem;
    display: flex;
```

```
    align-items: center;
    color: #3a3b45;
    text-decoration: none;
    border-left: 3px solid transparent;
    transition: all 0.2s;
    white-space: nowrap;
}

.sidebar-item:hover,
.sidebar-item.active {
    color: var(--brand-color);
    background-color: #f8f9fc;
    border-left-color: var(--brand-color);
}

.sidebar-item i {
    margin-right: 10px;
    width: 20px;
    text-align: center;
    font-size: 1.1rem;
}

.sidebar-item.logout-bottom {
    margin-top: auto;
    border-top: 1px solid #e3e6f0;
}

.main-content {
    margin-left: var(--sidebar-width);
    padding: 20px;
    min-height: calc(100vh - 70px);
    transition: all var(--transition-speed) ease;
}

.header-nav-item {
    display: flex;
    align-items: center;
    gap: 8px;
    padding: 8px 16px;
    border-radius: 20px;
    background: #f8f9fc;
    color: #5a5c69;
    text-decoration: none;
    transition: all 0.3s;
    font-weight: 500;
    margin-right: 10px;
}

.header-nav-item:hover,
.header-nav-item.active {
    background: var(--brand-color);
    color: white;
}

.notification-badge {
    position: absolute;
    top: -5px;
    right: -5px;
    padding: 0.25em 0.6em;
    font-size: 0.75rem;
```

```
}

.dropdown-menu {
    border: none;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(58, 59, 69, 0.2);
    border-radius: 10px;
}

@media (max-width: 768px) {
    #sidebar {
        transform: translateX(-100%);
        width: 280px;
    }

    .main-content {
        margin-left: 0;
    }

    .sidebar-open #sidebar {
        transform: translateX(0);
    }

    .sidebar-open::after {
        content: '';
        position: fixed;
        top: 0;
        left: 0;
        right: 0;
        bottom: 0;
        background-color: rgba(0, 0, 0, 0.5);
        z-index: 999;
    }
}

body[data-bs-theme="dark"] {
    background-color: #12151e;
    color: #adb5bd;
}

body[data-bs-theme="dark"] .navbar {
    background-color: #1a1d28;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(0, 0, 0, 0.3);
}

body[data-bs-theme="dark"] #sidebar {
    background-color: #1a1d28;
    box-shadow: 0 0.15rem 1.75rem 0 rgba(0, 0, 0, 0.3);
}

body[data-bs-theme="dark"] .sidebar-item {
    color: #adb5bd;
}

body[data-bs-theme="dark"] .sidebar-item:hover,
body[data-bs-theme="dark"] .sidebar-item.active {
    background-color: #12151e;
    color: var(--brand-color);
}

body[data-bs-theme="dark"] .sidebar-item.logout-bottom {
```

```
            border-top-color: #2a2d38;
        }

        body[data-bs-theme="dark"] .dropdown-menu {
            background-color: #1a1d28;
        }

        body[data-bs-theme="dark"] .dropdown-item {
            color: #adb5bd;
        }

        body[data-bs-theme="dark"] .dropdown-item:hover {
            background-color: #12151e;
            color: var(--brand-color);
        }

        #sidebar::-webkit-scrollbar {
            width: 5px;
        }

        #sidebar::-webkit-scrollbar-track {
            background: #f1f1f1;
        }

        #sidebar::-webkit-scrollbar-thumb {
            background: #c1c1c1;
            border-radius: 10px;
        }

        #sidebar::-webkit-scrollbar-thumb:hover {
            background: #a8a8a8;
        }
    </style>

    @yield('extra_css')
</head>
<body>
    <nav class="navbar navbar-expand-lg">
        <div class="container-fluid px-4">
            <button class="btn btn-link text-dark me-3 d-lg-none" id="sidebarToggle">
                <i class="bi bi-list" style="font-size: 1.5rem;"></i>
            </button>

            <a class="navbar-brand" href="{{ route('store.dashboard') }}">
                <i class="bi bi-shop me-2"></i>
                <span>My Book Store</span>
            </a>

            <div class="d-flex align-items-center ms-auto">
                <div class="me-4 d-none d-md-block">
                    <span class="text-muted">Welcome,</span>
                    <span class="fw-bold ms-1">{{ $accountOwner ?? (Auth::user()->name ?? Auth::user()->usern
                </div>

                <div class="form-check form-switch me-4">
                    <input class="form-check-input" type="checkbox" id="darkModeToggle">
                    <label class="form-check-label" for="darkModeToggle">
                        <i class="bi bi-moon-fill"></i>
                    </label>
                </div>
```

```
            <div class="dropdown me-4">
                <a href="#" class="text-dark position-relative" id="notificationDropdown" data-bs-toggle="dropdo
                    <i class="bi bi-bell" style="font-size: 1.3rem;"></i>
                    <span class="position-absolute top-0 start-100 translate-middle badge rounded-pill bg-dange
                        {{ $pendingOrdersCount ?? 0 }}
                    </span>
                </a>
                <ul class="dropdown-menu dropdown-menu-end p-3" style="width: 300px;">
                    <li><h6 class="dropdown-header">Quick Alerts</h6></li>
                    <li>
                        <a class="dropdown-item" href="#">
                            <i class="bi bi-hourglass-split text-warning me-2"></i>
                            Pending Orders: {{ $pendingOrdersCount ?? 0 }}
                        </a>
                    </li>
                    <li>
                        <a class="dropdown-item" href="#">
                            <i class="bi bi-heart text-danger me-2"></i>
                            Wishlist Items: {{ $wishlistCount ?? 0 }}
                        </a>
                    </li>
                </ul>
            </div>

            <div class="dropdown">
                <a href="#" class="d-flex align-items-center text-dark text-decoration-none dropdown-toggle" id=
                    <img src="https://ui-avatars.com/api/?name=John+Doe&background=4361ee&color=fff&size=
                    <span class="d-none d-md-inline">{{ $currentDisplayName ?? ($accountOwner ?? Auth::use
                </a>
                 <ul class="dropdown-menu dropdown-menu-end">
    <!-- ■ FIXED: profile.edit instead of profile -->
    <li>
        <a class="dropdown-item" href="{{ route('profile.edit') }}">
            <i class="bi bi-person me-2"></i>Profile
        </a>
    </li>
    <li><hr class="dropdown-divider"></li>
    <!-- ■ Logout is correct - route name 'logout' exists in auth.php -->
    <li>
        <form method="POST" action="{{ route('logout') }}" class="d-inline w-100">
            @csrf
            <button type="submit" class="dropdown-item logout-btn">
                <i class="bi bi-box-arrow-right me-2"></i>Logout
            </button>
        </form>
    </li>
</ul>
            </div>
        </div>
    </div>
</nav>

<div id="sidebar">
    <div class="sidebar-heading">Order Management</div>
    <a href="{{ route('store.dashboard') }}" class="sidebar-item @if(request()->routeIs('store.dashboard')) a
        <i class="bi bi-speedometer2"></i>
        <span>Dashboard</span>
    </a>
    <a href="#" class="sidebar-item @if(request()->routeIs('store.orders')) active @endif">
```

```
    <i class="bi bi-receipt"></i>
    <span>Order Management</span>
    @if(!empty($pendingOrdersCount))
    <span class="badge bg-danger ms-auto">{{ $pendingOrdersCount }}</span>
    @endif
</a>
<a href="#" class="sidebar-item @if(request()->routeIs('store.wishlist')) active @endif">
    <i class="bi bi-heart"></i>
    <span>Wishlisted Books</span>
    <span class="badge bg-warning ms-auto">{{ $wishlistCount ?? 0 }}</span>
</a>

<div class="sidebar-heading">Messages Management</div>
<a class="sidebar-item @if(request()->routeIs('store.chat.list')) active @endif"
   href="#">
    <i class="bi bi-chat-dots me-2"></i>
    Customer Chats
    @if(!empty($totalUnread))
    <span class="badge bg-danger ms-auto">{{ $totalUnread }}</span>
    @endif
</a>
<a class="sidebar-item @if(request()->routeIs('support.chat.list')) active @endif" href="#">
    <i class="bi bi-headset me-2"></i>
    Support Chats
</a>
<a class="sidebar-item @if(request()->routeIs('issue.report.create') || request()->routeIs('my.issue.repor
    <i class="bi bi-flag me-2"></i>
    Report Customer
</a>

<div class="sidebar-heading">Store Management</div>
<a href="{{ route('store.registration.create') }}" class="sidebar-item @if(request()->routeIs('store.registra
    <i class="bi bi-cart"></i>
    <span>Register Store</span>
</a>
<a href="{{ route('store.registration.view') }}" class="sidebar-item @if(request()->routeIs('store.registrati
    <i class="bi bi-list"></i>
    <span>View Stores</span>
</a>

<div class="sidebar-heading">Book Management</div>
<a href="{{ route('add.book.registration') }}" class="sidebar-item @if(request()->routeIs('add.book.regist
    <i class="bi bi-plus-circle"></i>
    <span>Add Book</span>
</a>
<a href="{{ route('view.inventory') }}" class="sidebar-item @if(request()->routeIs('view.inventory')) active
    <i class="bi bi-archive"></i>
    <span>View Inventory</span>
    <span class="badge bg-success ms-auto">{{ $storeMetrics['total_books'] ?? 0 }}</span>
</a>
<a href="{{ route('manage.books') }}" class="sidebar-item @if(request()->routeIs('manage.books')) activ
    <i class="bi bi-pencil-square"></i>
    <span>Manage Books</span>
</a>

<form method="POST" action="{{ route('logout') }}" class="sidebar-item logout-bottom">
    @csrf
    <button type="submit" class="btn btn-link p-0 text-decoration-none d-flex align-items-center w-100" s
        <i class="bi bi-box-arrow-right"></i>
        <span>Logout</span>
```

```
            </button>
        </form>
    </div>

    <div class="main-content">
        @yield('content')
    </div>

    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
    <script>
        const sidebarToggle = document.getElementById('sidebarToggle');
        const darkModeToggle = document.getElementById('darkModeToggle');
        const sidebar = document.getElementById('sidebar');
        const body = document.body;

        const isDarkMode = localStorage.getItem('darkMode') === 'true';
        if (isDarkMode && darkModeToggle) {
            body.setAttribute('data-bs-theme', 'dark');
            darkModeToggle.checked = true;
        }

        if (sidebarToggle) {
            sidebarToggle.addEventListener('click', () => {
                body.classList.toggle('sidebar-open');
            });
        }

        document.addEventListener('click', (e) => {
            if (
                window.innerWidth <= 768 &&
                body.classList.contains('sidebar-open') &&
                sidebar &&
                !sidebar.contains(e.target) &&
                sidebarToggle &&
                !sidebarToggle.contains(e.target)
            ) {
                body.classList.remove('sidebar-open');
            }
        });

        if (darkModeToggle) {
            darkModeToggle.addEventListener('change', () => {
                if (darkModeToggle.checked) {
                    body.setAttribute('data-bs-theme', 'dark');
                    localStorage.setItem('darkMode', 'true');
                } else {
                    body.setAttribute('data-bs-theme', 'light');
                    localStorage.setItem('darkMode', 'false');
                }
            });
        }
    </script>
    @yield('extra_js')
</body>
</html>

=== resources\views\store\registration-update.blade.php ===
@extends('store.registration-layout')
@section('title', 'Register Your Book Store - BookHub Ethiopia')
```

```
@section('extra_css')
<style>
    :root {
        --primary-blue: #1e40af;
        --secondary-blue: #3b82f6;
        --light-blue: #dbeafe;
        --accent-blue: #60a5fa;
        --dark-blue: #1e3a8a;
        --success-green: #10b981;
        --warning-orange: #f59e0b;
        --error-red: #ef4444;
        --gray-50: #f8fafc;
        --gray-100: #f1f5f9;
        --gray-200: #e2e8f0;
        --gray-300: #cbd5e1;
        --gray-600: #475569;
        --gray-700: #334155;
        --shadow-sm: 0 1px 3px rgba(0,0,0,0.12);
        --shadow-md: 0 4px 6px rgba(0,0,0,0.1);
        --shadow-lg: 0 10px 25px rgba(0,0,0,0.15);
        --shadow-xl: 0 20px 40px rgba(0,0,0,0.2);
    }

    body {
        font-family: 'Inter', -apple-system, BlinkMacSystemFont, sans-serif;
    }

    .registration-container {
        background: linear-gradient(135deg, var(--primary-blue) 0%, var(--dark-blue) 100%);
        min-height: 100vh;
        padding: 30px 0;
        position: relative;
        overflow-x: hidden;
    }

    .registration-container::before {
        content: '';
        position: absolute;
        top: 0;
        left: 0;
        right: 0;
        bottom: 0;
        background:
            radial-gradient(circle at 20% 80%, rgba(255,255,255,0.1) 0%, transparent 50%),
            radial-gradient(circle at 80% 20%, rgba(255,255,255,0.05) 0%, transparent 50%);
        pointer-events: none;
    }

    .registration-card {
        background: white;
        border-radius: 24px;
        box-shadow: var(--shadow-xl);
        overflow: hidden;
        position: relative;
        z-index: 1;
        margin: 20px 0;
    }

    .registration-header {
        background: linear-gradient(135deg, var(--primary-blue), var(--secondary-blue));
```

```
    color: white;
    padding: 40px 30px;
    text-align: center;
    position: relative;
}

.registration-header::after {
    content: '';
    position: absolute;
    bottom: 0;
    left: 0;
    right: 0;
    height: 4px;
    background: linear-gradient(to right, var(--success-green), var(--accent-blue));
}

.ethiopia-flag {
    font-size: 64px;
    margin-bottom: 20px;
    display: inline-block;
    filter: drop-shadow(0 4px 8px rgba(0,0,0,0.2));
    animation: float 3s ease-in-out infinite;
}

@keyframes float {
    0%, 100% { transform: translateY(0) rotate(0deg); }
    50% { transform: translateY(-10px) rotate(2deg); }
}

.header-title {
    font-size: 2.5rem;
    font-weight: 800;
    margin-bottom: 10px;
    background: linear-gradient(to right, #ffffff, var(--light-blue));
    -webkit-background-clip: text;
    background-clip: text;
    -webkit-text-fill-color: transparent;
    text-shadow: 0 2px 4px rgba(0,0,0,0.1);
}

.header-subtitle {
    font-size: 1.1rem;
    opacity: 0.9;
    max-width: 600px;
    margin: 0 auto;
    line-height: 1.6;
}

/* Progress Steps */
.progress-container {
    padding: 30px;
    background: var(--gray-50);
    border-bottom: 1px solid var(--gray-200);
}

.steps {
    display: flex;
    justify-content: space-between;
    position: relative;
    margin: 0 40px;
```

```
}

.steps::before {
    content: '';
    position: absolute;
    top: 50%;
    left: 40px;
    right: 40px;
    height: 3px;
    background: var(--gray-300);
    transform: translateY(-50%);
    z-index: 1;
}

.step {
    display: flex;
    flex-direction: column;
    align-items: center;
    position: relative;
    z-index: 2;
}

.step-circle {
    width: 60px;
    height: 60px;
    background: white;
    border: 3px solid var(--gray-300);
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    font-weight: 700;
    font-size: 20px;
    color: var(--gray-600);
    margin-bottom: 12px;
    transition: all 0.4s cubic-bezier(0.4, 0, 0.2, 1);
    box-shadow: var(--shadow-sm);
}

.step.active .step-circle {
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    color: white;
    border-color: var(--secondary-blue);
    transform: scale(1.1);
    box-shadow: 0 8px 20px rgba(37, 99, 235, 0.3);
}

.step.completed .step-circle {
    background: linear-gradient(135deg, var(--success-green), #34d399);
    color: white;
    border-color: var(--success-green);
}

.step.completed .step-circle::after {
    content: '✓';
    font-size: 24px;
}

.step-label {
    font-size: 14px;
```

```
    font-weight: 600;
    color: var(--gray-600);
    text-align: center;
    max-width: 120px;
    line-height: 1.4;
}

.step.active .step-label {
    color: var(--primary-blue);
    transform: translateY(2px);
}

/* Form Sections */
.form-section {
    padding: 40px;
    display: none;
    animation: fadeInUp 0.5s ease-out;
}

@keyframes fadeInUp {
    from {
        opacity: 0;
        transform: translateY(20px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

.form-section.active {
    display: block;
}

.section-header {
    display: flex;
    align-items: flex-start;
    gap: 20px;
    margin-bottom: 40px;
    padding-bottom: 20px;
    border-bottom: 2px solid var(--gray-200);
}

.section-icon {
    width: 70px;
    height: 70px;
    background: linear-gradient(135deg, var(--light-blue), #bfdbfe);
    border-radius: 18px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 32px;
    color: var(--primary-blue);
    flex-shrink: 0;
}

.section-content {
    flex: 1;
}
```

```
.section-title {
    font-size: 2rem;
    font-weight: 700;
    color: var(--gray-700);
    margin: 0 0 8px 0;
    line-height: 1.2;
}

.section-subtitle {
    color: var(--gray-600);
    font-size: 1.1rem;
    line-height: 1.6;
    margin: 0;
}

/* Form Elements */
.form-group {
    margin-bottom: 32px;
    position: relative;
}

.form-label {
    display: flex;
    align-items: center;
    gap: 8px;
    font-weight: 600;
    color: var(--gray-700);
    margin-bottom: 12px;
    font-size: 15px;
}

.form-label i {
    color: var(--secondary-blue);
    font-size: 18px;
}

.required-field::after {
    content: "*";
    color: var(--error-red);
    margin-left: 4px;
}

.form-control, .form-select {
    width: 100%;
    padding: 16px 20px;
    font-size: 16px;
    line-height: 1.5;
    color: var(--gray-700);
    background-color: white;
    border: 2px solid var(--gray-300);
    border-radius: 12px;
    transition: all 0.3s ease;
    font-family: inherit;
}

.form-control:focus, .form-select:focus {
    outline: none;
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
    transform: translateY(-1px);
```

```
}

.form-control.is-invalid {
    border-color: var(--error-red);
    background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='24' he
    background-repeat: no-repeat;
    background-position: right 16px center;
    background-size: 20px;
    padding-right: 48px;
}

.form-control.is-valid {
    border-color: var(--success-green);
    background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='24' he
    background-repeat: no-repeat;
    background-position: right 16px center;
    background-size: 20px;
    padding-right: 48px;
}

.input-with-icon {
    position: relative;
}

.input-icon {
    position: absolute;
    left: 20px;
    top: 50%;
    transform: translateY(-50%);
    color: var(--gray-600);
    font-size: 20px;
    z-index: 1;
}

.input-with-icon .form-control {
    padding-left: 56px;
}

/* Error Messages */
.error-message {
    display: none;
    align-items: center;
    gap: 8px;
    color: var(--error-red);
    font-size: 14px;
    margin-top: 8px;
    padding: 8px 12px;
    background: #fef2f2;
    border-radius: 8px;
    border-left: 4px solid var(--error-red);
}

.error-message.show {
    display: flex;
    animation: slideIn 0.3s ease;
}

@keyframes slideIn {
    from {
        opacity: 0;
```

```
        transform: translateX(-10px);
    }
    to {
        opacity: 1;
        transform: translateX(0);
    }
}

.error-message i {
    flex-shrink: 0;
}

/* Phone Input */
.phone-input-group {
    display: flex;
    gap: 16px;
    align-items: stretch;
}

.country-code-select {
    flex: 0 0 180px;
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    border: 2px solid var(--gray-300);
    border-radius: 12px;
    padding: 16px;
    font-weight: 600;
    color: var(--gray-700);
    font-size: 16px;
    transition: all 0.3s;
}

.country-code-select:focus {
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
}

.ethiopian-flag {
    display: inline-flex;
    align-items: center;
    gap: 10px;
    padding: 6px 16px;
    background: linear-gradient(135deg, #da1212, #f8d210, #078930);
    color: white;
    border-radius: 24px;
    font-weight: 600;
    font-size: 15px;
    box-shadow: var(--shadow-sm);
}

/* Service Cards */
.service-cards-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
    gap: 24px;
    margin-bottom: 40px;
}

.service-card {
    background: white;
    border: 2px solid var(--gray-200);
```

```
    border-radius: 18px;
    padding: 28px 24px;
    text-align: center;
    cursor: pointer;
    transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
    position: relative;
    overflow: hidden;
}

.service-card::before {
    content: '';
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    height: 4px;
    background: linear-gradient(to right, var(--secondary-blue), var(--primary-blue));
    transform: scaleX(0);
    transition: transform 0.3s;
}

.service-card:hover {
    border-color: var(--secondary-blue);
    transform: translateY(-6px);
    box-shadow: var(--shadow-lg);
}

.service-card:hover::before {
    transform: scaleX(1);
}

.service-card.active {
    border-color: var(--secondary-blue);
    background: linear-gradient(135deg, #f0f9ff, #e0f2fe);
    transform: translateY(-4px);
    box-shadow: 0 12px 24px rgba(59, 130, 246, 0.15);
}

.service-card.active::before {
    transform: scaleX(1);
}

.service-icon {
    font-size: 56px;
    margin-bottom: 20px;
    display: block;
    transition: all 0.3s;
}

.service-card.active .service-icon {
    transform: scale(1.1);
}

.service-title {
    font-size: 20px;
    font-weight: 700;
    color: var(--gray-700);
    margin-bottom: 10px;
}
```

```
.service-description {
    color: var(--gray-600);
    font-size: 15px;
    line-height: 1.5;
    margin: 0;
}

/* Store Hours Card */
.store-hours-card {
    background: white;
    border-radius: 18px;
    border: 2px solid var(--gray-200);
    padding: 32px;
    margin-bottom: 40px;
    transition: all 0.3s;
}

.store-hours-card:hover {
    border-color: var(--secondary-blue);
    box-shadow: var(--shadow-md);
}

.store-hours-table {
    width: 100%;
    border-collapse: separate;
    border-spacing: 0;
}

.store-hours-table th {
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    padding: 18px 20px;
    text-align: left;
    font-weight: 600;
    color: var(--gray-700);
    border-bottom: 2px solid var(--gray-200);
    font-size: 15px;
}

.store-hours-table td {
    padding: 20px;
    border-bottom: 1px solid var(--gray-100);
    transition: background-color 0.2s;
}

.store-hours-table tr:hover td {
    background: var(--gray-50);
}

/* Terms Card */
.terms-card {
    background: linear-gradient(135deg, var(--gray-50), var(--gray-100));
    border-radius: 18px;
    padding: 32px;
    margin-bottom: 32px;
    border: 2px solid var(--gray-200);
}

.terms-header {
    display: flex;
    align-items: center;
```

```
    gap: 20px;
    margin-bottom: 24px;
}

.terms-icon {
    width: 60px;
    height: 60px;
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    border-radius: 14px;
    display: flex;
    align-items: center;
    justify-content: center;
    color: white;
    font-size: 28px;
    flex-shrink: 0;
}

.terms-content {
    max-height: 300px;
    overflow-y: auto;
    padding-right: 16px;
}

.terms-content::-webkit-scrollbar {
    width: 8px;
}

.terms-content::-webkit-scrollbar-track {
    background: var(--gray-100);
    border-radius: 4px;
}

.terms-content::-webkit-scrollbar-thumb {
    background: var(--gray-300);
    border-radius: 4px;
}

.terms-content::-webkit-scrollbar-thumb:hover {
    background: var(--gray-400);
}

/* Currency Input */
.currency-input-group {
    display: flex;
    border-radius: 12px;
    overflow: hidden;
    border: 2px solid var(--gray-300);
    transition: all 0.3s;
}

.currency-input-group:focus-within {
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
}

.currency-symbol {
    padding: 0 24px;
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    color: var(--gray-700);
    font-weight: 600;
```

```
    font-size: 20px;
    display: flex;
    align-items: center;
    justify-content: center;
    min-width: 80px;
    border-right: 2px solid var(--gray-300);
}

.et-birr {
    color: var(--primary-blue);
    font-weight: 700;
}

.currency-input-group .form-control {
    border: none;
    box-shadow: none;
    border-radius: 0;
}

/* Navigation Buttons */
.navigation-buttons {
    display: flex;
    justify-content: space-between;
    padding: 32px;
    background: var(--gray-50);
    border-top: 1px solid var(--gray-200);
    gap: 16px;
}

.btn {
    padding: 18px 40px;
    font-size: 16px;
    font-weight: 600;
    border-radius: 12px;
    border: none;
    cursor: pointer;
    transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
    display: inline-flex;
    align-items: center;
    justify-content: center;
    gap: 12px;
    font-family: inherit;
    min-width: 160px;
}

.btn-primary {
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    color: white;
    box-shadow: 0 8px 20px rgba(37, 99, 235, 0.2);
}

.btn-primary:hover {
    transform: translateY(-3px);
    box-shadow: 0 15px 30px rgba(37, 99, 235, 0.3);
}

.btn-primary:active {
    transform: translateY(-1px);
}
```

```
.btn-secondary {
    background: white;
    color: var(--gray-600);
    border: 2px solid var(--gray-300);
}

.btn-secondary:hover {
    border-color: var(--secondary-blue);
    color: var(--secondary-blue);
    background: var(--gray-50);
    transform: translateY(-2px);
    box-shadow: var(--shadow-sm);
}

.btn i {
    font-size: 20px;
}

/* Success Badge */
.success-badge {
    display: inline-flex;
    align-items: center;
    gap: 10px;
    padding: 10px 20px;
    background: linear-gradient(135deg, var(--success-green), #34d399);
    color: white;
    border-radius: 24px;
    font-weight: 600;
    font-size: 15px;
    margin-left: 16px;
    box-shadow: var(--shadow-sm);
}

/* Info Card */
.info-card {
    background: linear-gradient(135deg, #e0f2fe, #bae6fd);
    border: 2px solid #7dd3fc;
    border-radius: 18px;
    padding: 28px;
    margin-bottom: 32px;
}

.info-card-header {
    display: flex;
    align-items: center;
    gap: 16px;
    margin-bottom: 16px;
}

.info-card-icon {
    color: #0369a1;
    font-size: 32px;
}

/* Responsive Design */
@media (max-width: 768px) {
    .registration-header {
        padding: 30px 20px;
    }
```

```
    .header-title {
        font-size: 2rem;
    }

    .steps {
        margin: 0 20px;
    }

    .steps::before {
        left: 20px;
        right: 20px;
    }

    .step-circle {
        width: 50px;
        height: 50px;
        font-size: 18px;
    }

    .form-section {
        padding: 30px 20px;
    }

    .section-header {
        flex-direction: column;
        gap: 16px;
    }

    .section-icon {
        width: 60px;
        height: 60px;
        font-size: 28px;
    }

    .service-cards-grid {
        grid-template-columns: 1fr;
    }

    .phone-input-group {
        flex-direction: column;
        gap: 12px;
    }

    .country-code-select {
        flex: 0 0 auto;
    }

    .navigation-buttons {
        padding: 24px 20px;
        flex-direction: column;
    }

    .btn {
        width: 100%;
        min-width: auto;
    }
}

@media (max-width: 480px) {
    .store-hours-table {
```

```
            display: block;
            overflow-x: auto;
        }

        .section-title {
            font-size: 1.8rem;
        }

        .registration-card {
            margin: 10px;
        }
    }

    /* Helper Text */
    .helper-text {
        display: block;
        color: var(--gray-600);
        font-size: 14px;
        margin-top: 8px;
        line-height: 1.5;
    }

    /* Loading State */
    .btn.loading {
        position: relative;
        color: transparent;
    }

    .btn.loading::after {
        content: '';
        position: absolute;
        width: 24px;
        height: 24px;
        border: 3px solid rgba(255, 255, 255, 0.3);
        border-top-color: white;
        border-radius: 50%;
        animation: spin 1s linear infinite;
    }

    @keyframes spin {
        to { transform: rotate(360deg); }
    }
</style>
@endsection

@section('content')
<div class="registration-container">
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-12">
                <div class="registration-card">

                    <!-- Header -->
                    <div class="registration-header">
                        <span class="ethiopia-flag">■■</span>
                        <h1 class="header-title">Open Your Book Store</h1>
                        <p class="header-subtitle">Join Ethiopia's premier book sharing platform and connect with re
                    </div>

                    <!-- Progress Steps -->
```

```
<div class="progress-container">
    <div class="steps">
        <div class="step active" data-step="1">
            <div class="step-circle">1</div>
            <span class="step-label">Store Details</span>
        </div>
        <div class="step" data-step="2">
            <div class="step-circle">2</div>
            <span class="step-label">Services</span>
        </div>
        <div class="step" data-step="3">
            <div class="step-circle">3</div>
            <span class="step-label">Policies</span>
        </div>
        <div class="step" data-step="4">
            <div class="step-circle">4</div>
            <span class="step-label">Account</span>
        </div>
    </div>
</div>

<!-- Registration Form -->
<form method="POST" action="{{ route('store.registration.update') }}" id="storeRegistrationForm
    @csrf
    @if(!empty($storeId))
        <input type="hidden" name="store_id" value="{{ $storeId }}">
    @endif

    <!-- Step 1: Store & Owner Information -->
    <div class="form-section active" id="step1">
        <div class="section-header">
            <div class="section-icon">
                <i class="bi bi-shop"></i>
            </div>
            <div class="section-content">
                <h2 class="section-title">Store Information</h2>
                <p class="section-subtitle">Tell us about your bookstore and contact details</p>
            </div>
        </div>

        <!-- Store Name -->
        <div class="form-group">
            <label for="store_name" class="form-label required-field">
                <i class="bi bi-building"></i>
                Store Name
            </label>
            <div class="input-with-icon">
                <i class="bi bi-shop input-icon"></i>
                <input type="text"
                       class="form-control"
                       id="store_name"
                       name="store_name"
                       placeholder="e.g., Addis Book House"
                       required
                       value="@{{ store.store_name|default:'' }}">
            </div>
            <span class="helper-text">Choose a memorable name for your bookstore</span>
            <div class="error-message" id="store_name_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
```

```
    </div>
</div>

<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <label for="owner_name" class="form-label required-field">
                <i class="bi bi-person"></i>
                Owner Full Name
            </label>
            <div class="input-with-icon">
                <i class="bi bi-person input-icon"></i>
                <input type="text"
                       class="form-control"
                       id="owner_name"
                       name="owner_full_name"
                       placeholder="e.g., Selamawit Abebe"
                       required
                       value="@{{ store.owner_full_name|default:'' }}">
            </div>
            <div class="error-message" id="owner_name_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label for="email" class="form-label required-field">
                <i class="bi bi-envelope"></i>
                Email Address
            </label>
            <div class="input-with-icon">
                <i class="bi bi-envelope input-icon"></i>
                <input type="email"
                       class="form-control"
                       id="email"
                       name="email"
                       placeholder="contact@yourbookstore.com"
                       required
                       value="@{{ store.email|default:'' }}">
            </div>
            <div class="error-message" id="email_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>
</div>

<!-- Phone Number -->
<div class="form-group">
    <label for="phone" class="form-label required-field">
        <i class="bi bi-phone"></i>
        Phone Number
    </label>
    <div class="phone-input-group">
        <select class="form-select country-code-select" name="country_code" id="country_co
            <option value="+251" selected>
```

```
                <span class="ethiopian-flag">
                    ■■ +251
                </span>
            </option>
            <option value="+1">■■ +1 (USA)</option>
            <option value="+44">■■ +44 (UK)</option>
            <option value="+91">■■ +91 (India)</option>
        </select>
        <div class="input-with-icon" style="flex: 1;">
            <i class="bi bi-phone input-icon"></i>
            <input type="tel"
                   class="form-control"
                   id="phone"
                   name="phone"
                   pattern="[0-9]{9}"
                   placeholder="911223344"
                   required
                   value="@{{ store.phone|default:'' }}"
                   oninput="formatEthiopianPhone(this)">
        </div>
    </div>
    <span class="helper-text">Enter your 9-digit Ethiopian mobile number</span>
    <div class="error-message" id="phone_error">
        <i class="bi bi-exclamation-circle"></i>
        <span></span>
    </div>
</div>

<!-- Store Type -->
<div class="form-group">
    <label for="store_type" class="form-label required-field">
        <i class="bi bi-tag"></i>
        Store Type
    </label>
    <select class="form-select" id="store_type" name="store_type" required>
        <option value="">Select your store type</option>
        <option value="bookstore" {% if store.store_type == 'bookstore' %}selected{% endif %
        <option value="library" {% if store.store_type == 'library' %}selected{% endif %}>■■ L
        <option value="coffee_shop" {% if store.store_type == 'coffee_shop' %}selected{% en
        <option value="educational" {% if store.store_type == 'educational' %}selected{% end
        <option value="online_only" {% if store.store_type == 'online_only' %}selected{% end
        <option value="home_based" {% if store.store_type == 'home_based' %}selected{% e
        <option value="religious" {% if store.store_type == 'religious' %}selected{% endif %}>
        <option value="children" {% if store.store_type == 'children' %}selected{% endif %}>■
    </select>
    <div class="error-message" id="store_type_error">
        <i class="bi bi-exclamation-circle"></i>
        <span></span>
    </div>
</div>

<!-- Location -->
<div class="info-card">
    <div class="info-card-header">
        <i class="bi bi-geo-alt-fill info-card-icon"></i>
        <h5 class="mb-0" style="color: #0369a1;">Store Location</h5>
    </div>

    <div class="row">
        <div class="col-md-6">
```

```
            <div class="form-group">
                <label for="city" class="form-label required-field">City</label>
                <select class="form-select" id="city" name="city" required>
                    <option value="">Select your city</option>
                    <option value="addis_ababa" {% if store.city == 'addis_ababa' %}selected{% e
                    <option value="dire_dawa" {% if store.city == 'dire_dawa' %}selected{% endif
                    <option value="bahir_dar" {% if store.city == 'bahir_dar' %}selected{% endif %
                    <option value="mekele" {% if store.city == 'mekele' %}selected{% endif %}>Me
                    <option value="hawassa" {% if store.city == 'hawassa' %}selected{% endif %}
                    <option value="gondar" {% if store.city == 'gondar' %}selected{% endif %}>Go
                    <option value="jimma" {% if store.city == 'jimma' %}selected{% endif %}>Jimm
                    <option value="desse" {% if store.city == 'desse' %}selected{% endif %}>Dess
                    <option value="harar" {% if store.city == 'harar' %}selected{% endif %}>Harar
                    <option value="adama" {% if store.city == 'adama' %}selected{% endif %}>Ada
                    <option value="jijiga" {% if store.city == 'jijiga' %}selected{% endif %}>Jijiga (
                    <option value="shashamane" {% if store.city == 'shashamane' %}selected{% e
                    <option value="arba_minch" {% if store.city == 'arba_minch' %}selected{% end
                    <option value="other" {% if store.city == 'other' %}selected{% endif %}>Other
                </select>
                <div class="error-message" id="city_error">
                    <i class="bi bi-exclamation-circle"></i>
                    <span></span>
                </div>
            </div>
        </div>

        <div class="col-md-6">
            <div class="form-group">
                <label for="subcity" class="form-label">Subcity / Woreda</label>
                <input type="text"
                       class="form-control"
                       id="subcity"
                       name="subcity"
                       placeholder="e.g., Bole, Kirkos, Piazza"
                       value="@{{ store.subcity|default:'' }}">
            </div>
        </div>
    </div>

    <div class="form-group">
        <label for="address" class="form-label required-field">Street Address</label>
        <input type="text"
               class="form-control"
               id="address"
               name="address"
               placeholder="e.g., Bole Road, Near Edna Mall"
               required
               value="@{{ store.address|default:'' }}">
        <div class="error-message" id="address_error">
            <i class="bi bi-exclamation-circle"></i>
            <span></span>
        </div>
    </div>
</div>

<!-- Store Description -->
<div class="form-group">
    <label for="store_description" class="form-label">
        <i class="bi bi-card-text"></i>
        Store Description (Optional)
```

```
            </label>
            <textarea class="form-control"
                      id="store_description"
                      name="store_description"
                      rows="4"
                      placeholder="Describe your store in English or Amharic...">@{{ store.store_descr
            <span class="helper-text">Tell customers what makes your bookstore special</span>
        </div>
    </div>

    <!-- Step 2: Services & Hours -->
    <div class="form-section" id="step2">
        <div class="section-header">
            <div class="section-icon">
                <i class="bi bi-gear"></i>
            </div>
            <div class="section-content">
                <h2 class="section-title">Services & Business Hours</h2>
                <p class="section-subtitle">Choose services you offer and set your operating hours</
            </div>
        </div>

        <!-- Services Offered -->
        <div class="mb-5">
            <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Services Offered</h5
            <div class="service-cards-grid">
                <div class="service-card active" data-service="rental">
                    <div class="service-icon">■</div>
                    <h5 class="service-title">Book Rentals</h5>
                    <p class="service-description">■■■■ ■■■■■</p>
                    <input type="checkbox" name="offers_rental" class="d-none" checked>
                </div>
                <div class="service-card active" data-service="sale">
                    <div class="service-icon">■</div>
                    <h5 class="service-title">Book Sales</h5>
                    <p class="service-description">■■■■■ ■■■</p>
                    <input type="checkbox" name="offers_sale" class="d-none" checked>
                </div>
                <div class="service-card active" data-service="delivery">
                    <div class="service-icon">■</div>
                    <h5 class="service-title">Home Delivery</h5>
                    <p class="service-description">■■ ■■ ■■■■■</p>
                    <input type="checkbox" name="offers_delivery" class="d-none" checked>
                </div>
            </div>
        </div>

        <!-- Delivery Settings -->
        <div class="store-hours-card">
            <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Delivery Settings</h5
            <div class="row">
                <div class="col-md-6">
                    <div class="form-group">
                        <label for="delivery_radius" class="form-label">Delivery Radius</label>
                        <div class="input-group">
                            <input type="number"
                                   class="form-control"
                                   id="delivery_radius"
                                   name="delivery_radius"
                                   min="1"
```

```
                    max="50"
                    value="@{{ store.delivery_radius|default:'10' }}">
                <span class="input-group-text">km</span>
            </div>
            <span class="helper-text">Kilometers from your store</span>
        </div>
    </div>
    <div class="col-md-6">
        <div class="form-group">
            <label for="delivery_fee" class="form-label">Delivery Fee</label>
            <div class="currency-input-group">
                <span class="currency-symbol">
                    <span class="et-birr">■■</span>
                </span>
                <input type="number"
                    class="form-control"
                    id="delivery_fee"
                    name="delivery_fee"
                    min="0"
                    step="10"
                    value="@{{ store.delivery_fee|default:'50' }}">
            </div>
            <span class="helper-text">Fee in Ethiopian Birr</span>
        </div>
    </div>
</div>

<div class="form-group mt-4">
    <label class="form-label">Delivery Methods</label>
    <div class="row">
        <div class="col-md-4">
            <div class="form-check mb-3">
                <input class="form-check-input"
                    type="checkbox"
                    id="delivery_bike"
                    name="delivery_methods[]"
                    value="bike"
                    {% if 'bike' in store.delivery_methods %}checked{% endif %}>
                <label class="form-check-label" for="delivery_bike">
                    ■ Bike Delivery
                </label>
            </div>
        </div>
        <div class="col-md-4">
            <div class="form-check mb-3">
                <input class="form-check-input"
                    type="checkbox"
                    id="delivery_car"
                    name="delivery_methods[]"
                    value="car"
                    {% if 'car' in store.delivery_methods %}checked{% endif %}>
                <label class="form-check-label" for="delivery_car">
                    ■ Car Delivery
                </label>
            </div>
        </div>
        <div class="col-md-4">
            <div class="form-check mb-3">
                <input class="form-check-input"
                    type="checkbox"
```

```
                    id="delivery_pickup"
                    name="delivery_methods[]"
                    value="pickup"
                    {% if 'pickup' in store.delivery_methods %}checked{% endif %}>
                <label class="form-check-label" for="delivery_pickup">
                  ■ Store Pickup
                </label>
              </div>
            </div>
          </div>
        </div>

        <!-- Business Hours -->
        <div class="store-hours-card">
          <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Business Hours (Eth
          <div class="table-responsive">
            <table class="store-hours-table">
              <thead>
                <tr>
                  <th>Day</th>
                  <th>Open</th>
                  <th>Opening Time</th>
                  <th>Closing Time</th>
                  <th>Closed</th>
                </tr>
              </thead>
              <tbody>
                <tr>
                  <td><strong>Monday</strong></td>
                  <td>
                    <div class="form-check form-switch">
                      <input class="form-check-input"
                          type="checkbox"
                          name="open_monday"
                          id="open_monday"
                          {% if store.open_monday %}checked{% endif %}>
                    </div>
                  </td>
                  <td>
                    <input type="time"
                        class="form-control"
                        name="open_time_monday"
                        value="@{{ store.open_time_monday|default:'08:30' }}">
                  </td>
                  <td>
                    <input type="time"
                        class="form-control"
                        name="close_time_monday"
                        value="@{{ store.close_time_monday|default:'20:30' }}">
                  </td>
                  <td>
                    <div class="form-check form-switch">
                      <input class="form-check-input"
                          type="checkbox"
                          name="closed_monday"
                          id="closed_monday"
                          {% if store.closed_monday %}checked{% endif %}>
                    </div>
                  </td>
```

```
</tr>

<tr>
    <td><strong>Tuesday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="open_tuesday"
                id="open_tuesday"
                {% if store.open_tuesday %}checked{% endif %}>
        </div>
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="open_time_tuesday"
            value="@{{ store.open_time_tuesday|default:'08:30' }}">
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="close_time_tuesday"
            value="@{{ store.close_time_tuesday|default:'20:30' }}">
    </td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="closed_tuesday"
                id="closed_tuesday"
                {% if store.closed_tuesday %}checked{% endif %}>
        </div>
    </td>
</tr>

<tr>
    <td><strong>Wednesday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="open_wednesday"
                id="open_wednesday"
                {% if store.open_wednesday %}checked{% endif %}>
        </div>
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="open_time_wednesday"
            value="@{{ store.open_time_wednesday|default:'08:30' }}">
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="close_time_wednesday"
            value="@{{ store.close_time_wednesday|default:'20:30' }}">
    </td>
    <td>
```

```
            <div class="form-check form-switch">
                <input class="form-check-input"
                        type="checkbox"
                        name="closed_wednesday"
                        id="closed_wednesday"
                        {% if store.closed_wednesday %}checked{% endif %}>
            </div>
        </td>
    </tr>

    <tr>
        <td><strong>Thursday</strong></td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                        type="checkbox"
                        name="open_thursday"
                        id="open_thursday"
                        {% if store.open_thursday %}checked{% endif %}>
            </div>
        </td>
        <td>
            <input type="time"
                    class="form-control"
                    name="open_time_thursday"
                    value="@{{ store.open_time_thursday|default:'08:30' }}">
        </td>
        <td>
            <input type="time"
                    class="form-control"
                    name="close_time_thursday"
                    value="@{{ store.close_time_thursday|default:'20:30' }}">
        </td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                        type="checkbox"
                        name="closed_thursday"
                        id="closed_thursday"
                        {% if store.closed_thursday %}checked{% endif %}>
            </div>
        </td>
    </tr>

    <tr>
        <td><strong>Friday</strong></td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                        type="checkbox"
                        name="open_friday"
                        id="open_friday"
                        {% if store.open_friday %}checked{% endif %}>
            </div>
        </td>
        <td>
            <input type="time"
                    class="form-control"
                    name="open_time_friday"
                    value="@{{ store.open_time_friday|default:'08:30' }}">
```

```
            </td>
            <td>
                <input type="time"
                       class="form-control"
                       name="close_time_friday"
                       value="@{{ store.close_time_friday|default:'20:30' }}">
            </td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                           type="checkbox"
                           name="closed_friday"
                           id="closed_friday"
                           {% if store.closed_friday %}checked{% endif %}>
                </div>
            </td>
        </tr>

        <tr>
            <td><strong>Saturday</strong></td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                           type="checkbox"
                           name="open_saturday"
                           id="open_saturday"
                           {% if store.open_saturday %}checked{% endif %}>
                </div>
            </td>
            <td>
                <input type="time"
                       class="form-control"
                       name="open_time_saturday"
                       value="@{{ store.open_time_saturday|default:'08:30' }}">
            </td>
            <td>
                <input type="time"
                       class="form-control"
                       name="close_time_saturday"
                       value="@{{ store.close_time_saturday|default:'20:30' }}">
            </td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                           type="checkbox"
                           name="closed_saturday"
                           id="closed_saturday"
                           {% if store.closed_saturday %}checked{% endif %}>
                </div>
            </td>
        </tr>

        <tr>
            <td><strong>Sunday</strong></td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                           type="checkbox"
                           name="open_sunday"
                           id="open_sunday"
```

```
                    {% if store.open_sunday %}checked{% endif %}>
                </div>
            </td>
            <td>
                <input type="time"
                    class="form-control"
                    name="open_time_sunday"
                    value="@{{ store.open_time_sunday|default:'08:30' }}"
                    {% if not store.open_sunday %}disabled{% endif %}>
            </td>
            <td>
                <input type="time"
                    class="form-control"
                    name="close_time_sunday"
                    value="@{{ store.close_time_sunday|default:'20:30' }}"
                    {% if not store.open_sunday %}disabled{% endif %}>
            </td>
            <td>
                <div class="form-check form-switch">
                    <input class="form-check-input"
                        type="checkbox"
                        name="closed_sunday"
                        id="closed_sunday"
                        {% if store.closed_sunday %}checked{% endif %}>
                </div>
            </td>
        </tr>
    </tbody>
  </table>
</div>
<div class="alert alert-info mt-4 mb-0">
  <i class="bi bi-info-circle me-2"></i>
  <small>Note: Most Ethiopian businesses are closed on Sundays. Adjust hours accord
</div>
</div>
</div>

<!-- Step 3: Policies -->
<div class="form-section" id="step3">
  <div class="section-header">
    <div class="section-icon">
      <i class="bi bi-file-text"></i>
    </div>
    <div class="section-content">
      <h2 class="section-title">Store Policies</h2>
      <p class="section-subtitle">Set your rental policies and pricing in Ethiopian Birr</p>
    </div>
  </div>

  <!-- Rental Policies -->
  <div class="row">
    <div class="col-md-6">
      <div class="form-group">
        <label for="rental_period" class="form-label required-field">
          <i class="bi bi-calendar"></i>
          Default Rental Period
        </label>
        <div class="input-group">
          <input type="number"
              class="form-control"
```

```
                id="rental_period"
                name="rental_period"
                min="1"
                max="30"
                value="@{{ store.rental_period|default:'7' }}"
                required>
            <span class="input-group-text">days</span>
        </div>
        <span class="helper-text">Standard rental duration</span>
        <div class="error-message" id="rental_period_error">
            <i class="bi bi-exclamation-circle"></i>
            <span></span>
        </div>
    </div>
</div>

<div class="col-md-6">
    <div class="form-group">
        <label for="rental_price" class="form-label required-field">
            <i class="bi bi-cash-stack"></i>
            Rental Price per Day
        </label>
        <div class="currency-input-group">
            <span class="currency-symbol">
                <span class="et-birr">■■</span>
            </span>
            <input type="number"
                class="form-control"
                id="rental_price"
                name="rental_price"
                min="0"
                step="10"
                value="@{{ store.rental_price|default:'50' }}"
                required>
        </div>
        <span class="helper-text">Daily rental rate in Birr</span>
        <div class="error-message" id="rental_price_error">
            <i class="bi bi-exclamation-circle"></i>
            <span></span>
        </div>
    </div>
</div>
</div>

<div class="row">
<div class="col-md-6">
    <div class="form-group">
        <label for="late_fee" class="form-label required-field">
            <i class="bi bi-clock-history"></i>
            Late Fee per Day
        </label>
        <div class="currency-input-group">
            <span class="currency-symbol">
                <span class="et-birr">■■</span>
            </span>
            <input type="number"
                class="form-control"
                id="late_fee"
                name="late_fee"
                min="0"
```

```
                    step="5"
                    value="@{{ store.late_fee|default:'20' }}"
                    required>
                </div>
                <span class="helper-text">Charged for each overdue day</span>
                <div class="error-message" id="late_fee_error">
                    <i class="bi bi-exclamation-circle"></i>
                    <span></span>
                </div>
            </div>
        </div>

        <div class="col-md-6">
            <div class="form-group">
                <label for="security_deposit" class="form-label required-field">
                    <i class="bi bi-shield-check"></i>
                    Security Deposit
                </label>
                <div class="currency-input-group">
                    <span class="currency-symbol">
                        <span class="et-birr">■■</span>
                    </span>
                    <input type="number"
                        class="form-control"
                        id="security_deposit"
                        name="security_deposit"
                        min="0"
                        step="50"
                        value="@{{ store.security_deposit|default:'500' }}"
                        required>
                </div>
                <span class="helper-text">Refundable deposit for rentals</span>
                <div class="error-message" id="security_deposit_error">
                    <i class="bi bi-exclamation-circle"></i>
                    <span></span>
                </div>
            </div>
        </div>
    </div>

    <!-- Additional Settings -->
    <div class="store-hours-card">
        <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Additional Settings</
        <div class="row">
            <div class="col-md-6">
                <div class="form-group">
                    <label for="max_books" class="form-label">
                        <i class="bi bi-book"></i>
                        Max Books per Customer
                    </label>
                    <div class="input-group">
                        <input type="number"
                            class="form-control"
                            id="max_books"
                            name="max_books"
                            min="1"
                            value="@{{ store.max_books|default:'5' }}">
                        <span class="input-group-text">books</span>
                    </div>
                </div>
```

```
            </div>

            <div class="col-md-6">
                <div class="form-group">
                    <label for="discount_percent" class="form-label">
                        <i class="bi bi-percent"></i>
                        Student Discount
                    </label>
                    <div class="input-group">
                        <input type="number"
                               class="form-control"
                               id="discount_percent"
                               name="discount_percent"
                               min="0"
                               max="50"
                               value="@{{ store.discount_percent|default:'10' }}">
                        <span class="input-group-text">%</span>
                    </div>
                    <span class="helper-text">Discount for students with ID</span>
                </div>
            </div>
        </div>
    </div>

    <!-- Payment Methods -->
    <div class="store-hours-card">
        <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Accepted Payment M
        <div class="row">
            <div class="col-md-3">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="cash_payment"
                           name="payment_methods[]"
                           value="cash"
                           {% if 'cash' in store.payment_methods %}checked{% endif %}>
                    <label class="form-check-label" for="cash_payment">
                        ■ Cash (■■)
                    </label>
                </div>
            </div>
            <div class="col-md-3">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="telebirr_payment"
                           name="payment_methods[]"
                           value="telebirr"
                           {% if 'telebirr' in store.payment_methods %}checked{% endif %}>
                    <label class="form-check-label" for="telebirr_payment">
                        ■ Telebirr
                    </label>
                </div>
            </div>
            <div class="col-md-3">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="cbe_payment"
                           name="payment_methods[]"
```

```
                    value="cbe"
                    {% if 'cbe' in store.payment_methods %}checked{% endif %}>
                <label class="form-check-label" for="cbe_payment">
                  ■ CBE Birr
                </label>
              </div>
            </div>
            <div class="col-md-3">
              <div class="form-check mb-3">
                <input class="form-check-input"
                    type="checkbox"
                    id="bank_transfer"
                    name="payment_methods[]"
                    value="bank"
                    {% if 'bank' in store.payment_methods %}checked{% endif %}>
                <label class="form-check-label" for="bank_transfer">
                  ■ Bank Transfer
                </label>
              </div>
            </div>
          </div>
        </div>

        <!-- Terms & Conditions -->
        <div class="terms-card">
          <div class="terms-header">
            <div class="terms-icon">
              <i class="bi bi-file-earmark-text"></i>
            </div>
            <div>
              <h5 class="mb-1">Terms & Conditions</h5>
              <small class="text-muted">Please read and agree to continue</small>
            </div>
          </div>

          <div class="terms-content">
            <h6>■■ ■■ ■■■■■ (Terms & Conditions)</h6>
            <p class="mb-3">By registering your store, you agree to the following terms:</p>
            <ol class="mb-3">
              <li><strong>Payment Handling:</strong> All transactions are handled offline in Eth
              <li><strong>Inventory Management:</strong> You are responsible for maintaining
              <li><strong>Customer Service:</strong> Respond to customer inquiries and orders
              <li><strong>Rental Policies:</strong> Honor the rental periods, prices, and return p
              <li><strong>Book Condition:</strong> Maintain books in good condition and accura
              <li><strong>Delivery Commitment:</strong> If you offer delivery, provide accurate
              <li><strong>Legal Compliance:</strong> Comply with Ethiopian copyright laws and
              <li><strong>Data Privacy:</strong> Protect customer information and only use it fo
            </ol>
            <p class="mb-0"><strong>■■■■■ ■■■■■:</strong> BookHub serves as a platform
          </div>

          <div class="form-check mt-4">
            <input class="form-check-input"
                type="checkbox"
                id="agree_terms"
                name="agree_terms"
                required
                {% if store.agree_terms %}checked{% endif %}>
            <label class="form-check-label" for="agree_terms">
              ■ I have read and agree to the Terms & Conditions / ■■■■ ■■■■ ■■■■■■
```

```
            </label>
            <div class="error-message" id="agree_terms_error">
                <i class="bi bi-exclamation-circle"></i>
                <span>You must agree to the terms to continue</span>
            </div>
        </div>
    </div>
</div>

<!-- Step 4: Account Setup -->
<div class="form-section" id="step4">
    <div class="section-header">
        <div class="section-icon">
            <i class="bi bi-lock"></i>
        </div>
        <div class="section-content">
            <h2 class="section-title">Account Setup</h2>
            <p class="section-subtitle">Create your login credentials and store profile</p>
            <span class="success-badge">
                <i class="bi bi-check-circle"></i>
                Almost done!
            </span>
        </div>
    </div>

    <!-- Success Message -->
    <div class="info-card">
        <div class="info-card-header">
            <i class="bi bi-rocket-takeoff info-card-icon"></i>
            <h5 class="mb-0" style="color: #0369a1;">Ready to Launch Your Store!</h5>
        </div>
        <p class="mb-0">Complete your registration to start managing your bookstore online. Y
    </div>

    <!-- Next Steps -->
    <div class="info-card">
        <div class="info-card-header">
            <i class="bi bi-check-circle info-card-icon"></i>
            <h5 class="mb-0" style="color: #0369a1;">What Happens Next?</h5>
        </div>
        <div class="row">
            <div class="col-md-6">
                <ul class="mb-0">
                    <li>■ Instant store profile creation</li>
                    <li>■ Start adding books immediately</li>
                    <li>■ Accept orders from customers</li>
                </ul>
            </div>
            <div class="col-md-6">
                <ul class="mb-0">
                    <li>■ Manage orders from mobile</li>
                    <li>■ View sales analytics</li>
                    <li>■ Get listed in local searches</li>
                </ul>
            </div>
        </div>
    </div>
</div>

<!-- Navigation Buttons -->
```

```
                <div class="navigation-buttons">
                    <button type="button" class="btn btn-secondary" id="prevBtn" style="display: none;">
                        <i class="bi bi-arrow-left"></i>
                        Previous
                    </button>
                    <button type="button" class="btn btn-primary" id="nextBtn">
                        Next Step
                        <i class="bi bi-arrow-right"></i>
                    </button>
                    <button type="submit" class="btn btn-primary" id="submitBtn" style="display: none;">
                        <i class="bi bi-check-circle"></i>
                        Complete Registration
                    </button>
                </div>
            </form>
        </div>

        <!-- Login Link -->
        <div class="text-center mt-4 text-white">
            <p class="mb-2">Already have a store account?</p>
            <a href="{{ route('login') }}" class="btn btn-outline-light btn-lg">
                <i class="bi bi-box-arrow-in-right me-2"></i>
                Login to Your Store
            </a>
        </div>
    </div>
  </div>
</div>
</div>
@endsection

@section('extra_js')
<script>
document.addEventListener('DOMContentLoaded', function() {
    let currentStep = 1;
    const totalSteps = 4;
    const form = document.getElementById('storeRegistrationForm');
    const storeData = @json($store ?? null);

    if (storeData) {
        Object.entries(storeData).forEach(([key, value]) => {
            if (value === null || value === undefined) {
                return;
            }

            if (Array.isArray(value)) {
                const list = value.map(String);
                document.querySelectorAll(`[name="${key}[]"]`).forEach((field) => {
                    field.checked = list.includes(String(field.value));
                });
                return;
            }

            const fields = document.querySelectorAll(`[name="${key}"]`);
            fields.forEach((field) => {
                if (field.type === 'checkbox') {
                    field.checked = Boolean(value);
                } else if (field.type === 'radio') {
                    field.checked = String(field.value) === String(value);
                } else {
```

```
            field.value = value;
        }
    });
});
}

// Initialize password toggles
initializePasswordToggles();

// Initialize service cards
initializeServiceCards();

// Initialize business hours toggles
initializeBusinessHours();

// Initialize step navigation
initializeStepNavigation();

// Initialize form validation
initializeFormValidation();

// Initialize form submission
initializeFormSubmission();

// Initialize auto-slug generation
initializeAutoSlug();

function initializePasswordToggles() {
    document.querySelectorAll('.password-toggle').forEach(function(toggle) {
        toggle.addEventListener('click', function() {
            const targetId = this.getAttribute('data-target');
            const passwordInput = document.getElementById(targetId);
            const icon = this.querySelector('i');

            if (passwordInput.type === 'password') {
                passwordInput.type = 'text';
                icon.className = 'bi bi-eye-slash';
            } else {
                passwordInput.type = 'password';
                icon.className = 'bi bi-eye';
            }
        });
    });
}

function initializeServiceCards() {
    document.querySelectorAll('.service-card').forEach(function(card) {
        card.addEventListener('click', function() {
            const checkbox = this.querySelector('input[type="checkbox"]');
            checkbox.checked = !checkbox.checked;

            if (checkbox.checked) {
                this.classList.add('active');
            } else {
                this.classList.remove('active');
            }
        });

        // Set initial active state
        const checkbox = card.querySelector('input[type="checkbox"]');
```

```
        if (checkbox.checked) {
            card.classList.add('active');
        }
    });
}

function initializeBusinessHours() {
    // Toggle closed days logic
    document.querySelectorAll('input[name^="closed_"]').forEach(function(checkbox) {
        checkbox.addEventListener('change', function() {
            const day = this.name.split('_')[1];
            const openCheckbox = document.querySelector(`input[name="open_${day}"]`);
            const openTime = document.querySelector(`input[name="open_time_${day}"]`);
            const closeTime = document.querySelector(`input[name="close_time_${day}"]`);

            if (this.checked) {
                openCheckbox.checked = false;
                openTime.disabled = true;
                closeTime.disabled = true;
            } else {
                openTime.disabled = false;
                closeTime.disabled = false;
            }
        });
    });

    // Toggle open/close logic
    document.querySelectorAll('input[name^="open_"]').forEach(function(checkbox) {
        checkbox.addEventListener('change', function() {
            const day = this.name.split('_')[1];
            const closedCheckbox = document.querySelector(`input[name="closed_${day}"]`);
            const openTime = document.querySelector(`input[name="open_time_${day}"]`);
            const closeTime = document.querySelector(`input[name="close_time_${day}"]`);

            if (!this.checked) {
                closedCheckbox.checked = true;
                openTime.disabled = true;
                closeTime.disabled = true;
            } else {
                closedCheckbox.checked = false;
                openTime.disabled = false;
                closeTime.disabled = false;
            }
        });
    });
}

function initializeStepNavigation() {
    // Next button click
    document.getElementById('nextBtn').addEventListener('click', function() {
        if (validateStep(currentStep)) {
            if (currentStep < totalSteps) {
                currentStep++;
                showStep(currentStep);
            }
        }
    });

    // Previous button click
    document.getElementById('prevBtn').addEventListener('click', function() {
```

```
        if (currentStep > 1) {
            currentStep--;
            showStep(currentStep);
        }
    });
}

function showStep(step) {
    // Hide all steps
    document.querySelectorAll('.form-section').forEach(function(section) {
        section.classList.remove('active');
    });

    // Show current step
    document.getElementById(`step${step}`).classList.add('active');

    // Update step indicators
    document.querySelectorAll('.step').forEach(function(stepEl) {
        const stepNumber = parseInt(stepEl.getAttribute('data-step'));
        stepEl.classList.remove('active', 'completed');

        if (stepNumber === step) {
            stepEl.classList.add('active');
        } else if (stepNumber < step) {
            stepEl.classList.add('completed');
        }
    });

    // Update navigation buttons
    document.getElementById('prevBtn').style.display = step === 1 ? 'none' : 'flex';
    document.getElementById('nextBtn').style.display = step === totalSteps ? 'none' : 'flex';
    document.getElementById('submitBtn').style.display = step === totalSteps ? 'flex' : 'none';

    // Scroll to top of form
    document.querySelector('.form-section.active').scrollIntoView({ behavior: 'smooth', block: 'start' });
}

function validateStep(step) {
    let isValid = true;

    // Clear previous errors
    clearErrors();

    // Step 1 validation
    if (step === 1) {
        const requiredFields = ['store_name', 'owner_name', 'email', 'phone', 'city', 'address', 'store_type'];

        requiredFields.forEach(function(field) {
            const input = document.getElementById(field);
            const error = document.getElementById(`${field}_error`);

            if (!input.value.trim()) {
                isValid = false;
                showError(input, error, 'This field is required');
            } else {
                clearError(input, error);

                // Email validation
                if (field === 'email') {
                    const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
```

```
                if (!emailRegex.test(input.value)) {
                    isValid = false;
                    showError(input, error, 'Please enter a valid email address');
                }
            }

            // Phone validation
            if (field === 'phone') {
                const phoneRegex = /^[0-9]{9}$/;
                if (!phoneRegex.test(input.value)) {
                    isValid = false;
                    showError(input, error, 'Please enter a valid 9-digit phone number');
                }
            }
        }
    });
}

// Step 3 validation (terms agreement)
if (step === 3) {
    const agreeTerms = document.getElementById('agree_terms');
    const error = document.getElementById('agree_terms_error');

    if (!agreeTerms.checked) {
        isValid = false;
        showError(agreeTerms, error, 'You must agree to the terms and conditions');
    } else {
        clearError(agreeTerms, error);
    }
}

// Step 4 validation (passwords)
if (step === 4) {
    const password = document.getElementById('password');
    const confirmPassword = document.getElementById('confirm_password');
    const passwordError = document.getElementById('password_error');
    const confirmError = document.getElementById('confirm_password_error');

    // Password validation
    if (password && password.value.length < 8) {
        isValid = false;
        showError(password, passwordError, 'Password must be at least 8 characters');
    } else if (password) {
        clearError(password, passwordError);
    }

    // Confirm password validation
    if (confirmPassword && password.value !== confirmPassword.value) {
        isValid = false;
        showError(confirmPassword, confirmError, 'Passwords do not match');
    } else if (confirmPassword) {
        clearError(confirmPassword, confirmError);
    }
}

return isValid;
}

function showError(input, errorElement, message) {
    input.classList.add('is-invalid');
```

```
    errorElement.querySelector('span').textContent = message;
    errorElement.classList.add('show');
}

function clearError(input, errorElement) {
    input.classList.remove('is-invalid');
    input.classList.add('is-valid');
    errorElement.classList.remove('show');
}

function clearErrors() {
    document.querySelectorAll('.error-message').forEach(function(error) {
        error.classList.remove('show');
    });

    document.querySelectorAll('.form-control, .form-select').forEach(function(input) {
        input.classList.remove('is-invalid', 'is-valid');
    });
}

function initializeFormValidation() {
    // Real-time validation for required fields
    document.querySelectorAll('[required]').forEach(function(input) {
        input.addEventListener('blur', function() {
            const field = this.id;
            const error = document.getElementById(`${field}_error`);

            if (!this.value.trim() && this.hasAttribute('required')) {
                showError(this, error, 'This field is required');
            } else {
                clearError(this, error);
            }
        });
    });

    // Real-time email validation
    document.getElementById('email').addEventListener('blur', function() {
        const error = document.getElementById('email_error');
        const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;

        if (this.value && !emailRegex.test(this.value)) {
            showError(this, error, 'Please enter a valid email address');
        } else if (this.value) {
            clearError(this, error);
        }
    });

    // Real-time phone validation
    document.getElementById('phone').addEventListener('blur', function() {
        const error = document.getElementById('phone_error');
        const phoneRegex = /^[0-9]{9}$/;

        if (this.value && !phoneRegex.test(this.value)) {
            showError(this, error, 'Please enter a valid 9-digit phone number');
        } else if (this.value) {
            clearError(this, error);
        }
    });

    // Real-time password validation (if password fields exist)
```

```
    const password = document.getElementById('password');
    const confirmPassword = document.getElementById('confirm_password');

    if (password) {
        password.addEventListener('input', function() {
            const error = document.getElementById('password_error');
            const confirmError = document.getElementById('confirm_password_error');

            if (this.value.length > 0 && this.value.length < 8) {
                showError(this, error, 'Password must be at least 8 characters');
            } else if (this.value.length >= 8) {
                clearError(this, error);
            }

            // Update confirm password validation
            if (confirmPassword && confirmPassword.value && this.value !== confirmPassword.value) {
                showError(confirmPassword, confirmError, 'Passwords do not match');
            } else if (confirmPassword && confirmPassword.value && this.value === confirmPassword.value) {
                clearError(confirmPassword, confirmError);
            }
        });
    }

    if (confirmPassword) {
        // Real-time confirm password validation
        confirmPassword.addEventListener('input', function() {
            const error = document.getElementById('confirm_password_error');
            const password = document.getElementById('password');

            if (this.value && password.value !== this.value) {
                showError(this, error, 'Passwords do not match');
            } else if (this.value && password.value === this.value) {
                clearError(this, error);
            }
        });
    }
}

function initializeFormSubmission() {
    form.addEventListener('submit', function(e) {
        // Validate current step before allowing normal form POST
        if (!validateStep(currentStep)) {
            e.preventDefault();
            return;
        }

        // Show loading state and allow form to submit normally to the server
        const submitBtn = document.getElementById('submitBtn');
        submitBtn.innerHTML = '<i class="bi bi-hourglass-split"></i> Saving...';
        submitBtn.disabled = true;
        submitBtn.classList.add('loading');
        // do not preventDefault() so the browser performs the POST to the server
    });
}

function initializeAutoSlug() {
    const storeNameInput = document.getElementById('store_name');
    const storeSlugInput = document.getElementById('store_slug');

    if (storeNameInput && storeSlugInput) {
```

```
            storeNameInput.addEventListener('input', function() {
                if (!storeSlugInput.value) {
                    const slug = this.value
                        .toLowerCase()
                        .replace(/[^a-z0-9\s]/g, '')
                        .replace(/\s+/g, '-')
                        .substring(0, 30);
                    storeSlugInput.value = slug;
                }
            });
        }

        // Format Ethiopian phone number
        window.formatEthiopianPhone = function(input) {
            let value = input.value.replace(/\D/g, '');

            if (value.length > 9) {
                value = value.substring(0, 9);
            }

            input.value = value;
        };
    }

    // Initialize first step
    showStep(currentStep);
});
</script>
@endsection

=== resources\views\store\registration-view.blade.php ===
@extends('store.registration-layout')
@section('title', 'Store Management')
@section('content')

<div class="container-fluid py-4">

    <!-- Header + Add Button -->
    <div class="d-flex justify-content-between align-items-center mb-4">
        <h4 class="mb-0 fw-semibold text-dark">Store Management</h4>
        <a href="{{ route('store.registration.create') }}" class="btn btn-primary btn-lg shadow-sm">
            <i class="fas fa-plus me-2"></i>Add New Store
        </a>
    </div>
    @if (session('status'))
        <div class="alert alert-success">{{ session('status') }}</div>
    @endif
    @if (session('error'))
        <div class="alert alert-danger">{{ session('error') }}</div>
    @endif

    <div class="card shadow border-0">
        <div class="card-body p-0">
            <div class="table-responsive">
                <table class="table table-hover table-bordered align-middle mb-0 small">
                    <thead class="bg-dark text-white text-center">
                        <tr>
                            <th class="py-3">ID</th>
                            <th class="py-3">Store Name</th>
                            <th class="py-3">Owner</th>
```

```
            <th class="py-3">Email</th>
            <th class="py-3">Phone</th>
            <th class="py-3">Type</th>
            <th class="py-3">City</th>
            <th class="py-3">Sub City</th>
            <th class="py-3">Address</th>
            <th class="py-3">Description</th>

            <!-- Services -->
            <th class="py-3">Rental</th>
            <th class="py-3">Sale</th>
            <th class="py-3">Delivery</th>
            <th class="py-3">Del. Fee</th>
            <th class="py-3">Bike</th>
            <th class="py-3">Car</th>
            <th class="py-3">Pickup</th>

            <!-- Working Days - grouped visually -->
            <th colspan="4" class="bg-secondary text-white">Monday</th>
            <th colspan="4" class="bg-secondary text-white">Tuesday</th>
            <th colspan="4" class="bg-secondary text-white">Wednesday</th>
            <th colspan="4" class="bg-secondary text-white">Thursday</th>
            <th colspan="4" class="bg-secondary text-white">Friday</th>
            <th colspan="4" class="bg-secondary text-white">Saturday</th>
            <th colspan="4" class="bg-secondary text-white">Sunday</th>

            <!-- Rental Terms -->
            <th class="py-3">Period</th>
            <th class="py-3">Price</th>
            <th class="py-3">Late Fee</th>
            <th class="py-3">Deposit</th>
            <th class="py-3">Max Books</th>
            <th class="py-3">Discount</th>
            <th class="py-3">Payments</th>
            <th class="py-3">Terms</th>

            <th class="py-3">Actions</th>
        </tr>
        <!-- Second header row for day details -->
        <tr class="bg-dark text-white text-center small fw-normal">
            <th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th
            <!-- Services -->
            <th></th><th></th><th></th><th></th><th></th><th></th><th></th>
            <!-- Monday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Tuesday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Wednesday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Thursday -->
            <th>Open</th>
```

```
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Friday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Saturday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Sunday -->
            <th>Open</th>
            <th>Open Time</th>
            <th>Close Time</th>
            <th>Closed</th>
            <!-- Rental -->
            <th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th>
            <th></th>
        </tr>
    </thead>

    <tbody class="text-center">
        @php
            $get = function ($store, array $keys, $default = null) {
                foreach ($keys as $key) {
                    $value = data_get($store, $key);
                    if ($value !== null && $value !== '') {
                        return $value;
                    }
                }
                return $default;
            };
            $yesNo = function ($value, $dash = '-') {
                return is_null($value) ? $dash : ($value ? 'Yes' : 'No');
            };
            $yesNoClosed = function ($value, $dash = '-') {
                return is_null($value) ? $dash : ($value ? 'Closed' : 'Open');
            };
            $money = function ($value) {
                return is_null($value) || $value == '' ? '0.00' : number_format((float) $value, 2, '.', '');
            };
            $text = function ($value, $dash = '-') {
                return is_null($value) || $value === '' ? $dash : $value;
            };
        @endphp
        @forelse ($stores as $store)
            @php
                $paymentMethods = $store->payment_methods ?? null;
                if (is_array($paymentMethods)) {
                    $paymentMethods = implode(', ', $paymentMethods);
                }
                $description = $get($store, ['store_description', 'description'], null);
            @endphp
            <tr>
                <td class="fw-bold text-muted">{{ $store->id }}</td>
                <td class="fw-semibold">{{ $text($get($store, ['store_name', 'name'])) }}</td>
                <td>{{ $text($get($store, ['owner_full_name', 'owner_name'])) }}</td>
```

```
<td class="text-nowrap">{{ $text($get($store, ['email'])) }}</td>
<td>{{ $text($get($store, ['phone'])) }}</td>
<td>{{ $text($get($store, ['store_type', 'type'])) }}</td>
<td>{{ $text($get($store, ['city'])) }}</td>
<td>{{ $text($get($store, ['sub_city', 'subcity'])) }}</td>
<td class="text-start">{{ $text($get($store, ['address'])) }}</td>
<td class="text-start text-truncate" style="max-width: 180px;" title="{{ $description ?? '' }}
    {{ $description ? \Illuminate\Support\Str::words($description, 8, '...') : '-' }}
</td>

<td><span class="badge bg-success-subtle text-success">{{ $yesNo($get($store, ['offer
<td><span class="badge bg-success-subtle text-success">{{ $yesNo($get($store, ['offer
<td><span class="badge bg-info-subtle text-info">{{ $yesNo($get($store, ['offers_deliver
<td class="fw-medium">$${{ $money($get($store, ['delivery_fee'])) }}</td>
<td>{{ $yesNo($get($store, ['delivery_bike'])) }}</td>
<td>{{ $yesNo($get($store, ['delivery_car'])) }}</td>
<td>{{ $yesNo($get($store, ['delivery_pickup'])) }}</td>

<!-- Monday -->
<td>{{ $yesNo($get($store, ['open_monday'])) }}</td>
<td>{{ $text($get($store, ['open_time_monday'])) }}</td>
<td>{{ $text($get($store, ['close_time_monday'])) }}</td>
<td>{{ $yesNoClosed($get($store, ['closed_monday', 'close_monday'])) }}</td>

<!-- Tuesday -->
<td>{{ $yesNo($get($store, ['open_tuesday'])) }}</td>
<td>{{ $text($get($store, ['open_time_tuesday'])) }}</td>
<td>{{ $text($get($store, ['close_time_tuesday'])) }}</td>
<td>{{ $yesNoClosed($get($store, ['closed_tuesday', 'close_tuesday'])) }}</td>

<!-- Wednesday -->
<td>{{ $yesNo($get($store, ['open_wednesday'])) }}</td>
<td>{{ $text($get($store, ['open_time_wednesday'])) }}</td>
<td>{{ $text($get($store, ['close_time_wednesday'])) }}</td>
<td>{{ $yesNoClosed($get($store, ['closed_wednesday', 'close_wednesday'])) }}</td>

<!-- Thursday -->
<td>{{ $yesNo($get($store, ['open_thursday'])) }}</td>
<td>{{ $text($get($store, ['open_time_thursday'])) }}</td>
<td>{{ $text($get($store, ['close_time_thursday'])) }}</td>
<td>{{ $yesNoClosed($get($store, ['closed_thursday', 'close_thursday'])) }}</td>

<!-- Friday -->
<td>{{ $yesNo($get($store, ['open_friday'])) }}</td>
<td>{{ $text($get($store, ['open_time_friday'])) }}</td>
<td>{{ $text($get($store, ['close_time_friday'])) }}</td>
<td>{{ $yesNoClosed($get($store, ['closed_friday', 'close_friday'])) }}</td>

<!-- Saturday -->
<td>{{ $yesNo($get($store, ['open_saturday'])) }}</td>
<td>{{ $text($get($store, ['open_time_saturday'])) }}</td>
<td>{{ $text($get($store, ['close_time_saturday'])) }}</td>
<td>{{ $yesNoClosed($get($store, ['closed_saturday', 'close_saturday'])) }}</td>

<!-- Sunday -->
<td>{{ $yesNo($get($store, ['open_sunday'])) }}</td>
<td>{{ $text($get($store, ['open_time_sunday'])) }}</td>
<td>{{ $text($get($store, ['close_time_sunday'])) }}</td>
<td>{{ $yesNoClosed($get($store, ['closed_sunday', 'close_sunday'])) }}</td>
```

```
                    <!-- Rental Terms -->
                    <td>{{ $text($get($store, ['rental_period', 'rental_period_days'])) }}</td>
                    <td class="fw-medium">${{ $money($get($store, ['rental_price', 'rental_price_per_day']))
                    <td>${{ $money($get($store, ['late_fee', 'late_fee_per_day'])) }}</td>
                    <td>${{ $money($get($store, ['security_deposit'])) }}</td>
                    <td>{{ $text($get($store, ['max_books', 'max_books_per_customer'])) }}</td>
                    <td>{{ $text($get($store, ['discount_percent', 'student_discount_percent']), '0') }}%</td>
                    <td class="text-start">{{ $text($paymentMethods ?? $get($store, ['payment_methods', 'p
                    <td>{{ $yesNo($get($store, ['agree_terms', 'agreed_terms'])) }}</td>

                    <td class="text-nowrap">
                        @if(($storeSource ?? 'registrations') === 'registrations')
                            <a href="{{ route('store.registration.edit', ['store_id' => $store->id]) }}" class="btn btn
                                <i class="far fa-edit"></i>edit
                            </a>
                            <form action="{{ route('store.registration.destroy', $store->id) }}" method="post" clas
                                @csrf
                                @method('DELETE')
                                <button type="submit" class="btn btn-outline-danger btn-sm"
                                        onclick="return confirm('Delete this store permanently?');">
                                    <i class="far fa-trash-alt"></i>delete
                                </button>
                            </form>
                        @else
                            <span class="text-muted">Not editable</span>
                        @endif
                    </td>
                </tr>
            @empty
                <tr>
                    <td colspan="70" class="text-center py-5 text-muted fs-5">
                        <i class="fas fa-store-slash me-2"></i>No stores found.
                    </td>
                </tr>
            @endforelse
        </tbody>
    </table>
  </div>
 </div>
</div>

</div>

@endsection

=== resources\views\store\registration.blade.php ===
@extends('store.registration-layout')
@section('title', 'Register Your Book Store - BookHub Ethiopia')

@section('extra_css')
<style>
    :root {
        --primary-blue: #1e40af;
        --secondary-blue: #3b82f6;
        --light-blue: #dbeafe;
        --accent-blue: #60a5fa;
        --dark-blue: #1e3a8a;
        --success-green: #10b981;
        --warning-orange: #f59e0b;
        --error-red: #ef4444;
```

```
    --gray-50: #f8fafc;
    --gray-100: #f1f5f9;
    --gray-200: #e2e8f0;
    --gray-300: #cbd5e1;
    --gray-600: #475569;
    --gray-700: #334155;
    --shadow-sm: 0 1px 3px rgba(0,0,0,0.12);
    --shadow-md: 0 4px 6px rgba(0,0,0,0.1);
    --shadow-lg: 0 10px 25px rgba(0,0,0,0.15);
    --shadow-xl: 0 20px 40px rgba(0,0,0,0.2);
}

body {
    font-family: 'Inter', -apple-system, BlinkMacSystemFont, sans-serif;
}

.registration-container {
    background: linear-gradient(135deg, var(--primary-blue) 0%, var(--dark-blue) 100%);
    min-height: 100vh;
    padding: 30px 0;
    position: relative;
    overflow-x: hidden;
}

.registration-container::before {
    content: '';
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background:
        radial-gradient(circle at 20% 80%, rgba(255,255,255,0.1) 0%, transparent 50%),
        radial-gradient(circle at 80% 20%, rgba(255,255,255,0.05) 0%, transparent 50%);
    pointer-events: none;
}

.registration-card {
    background: white;
    border-radius: 24px;
    box-shadow: var(--shadow-xl);
    overflow: hidden;
    position: relative;
    z-index: 1;
    margin: 20px 0;
}

.registration-header {
    background: linear-gradient(135deg, var(--primary-blue), var(--secondary-blue));
    color: white;
    padding: 40px 30px;
    text-align: center;
    position: relative;
}

.registration-header::after {
    content: '';
    position: absolute;
    bottom: 0;
    left: 0;
```

```
    right: 0;
    height: 4px;
    background: linear-gradient(to right, var(--success-green), var(--accent-blue));
}

.ethiopia-flag {
    font-size: 64px;
    margin-bottom: 20px;
    display: inline-block;
    filter: drop-shadow(0 4px 8px rgba(0,0,0,0.2));
    animation: float 3s ease-in-out infinite;
}

@keyframes float {
    0%, 100% { transform: translateY(0) rotate(0deg); }
    50% { transform: translateY(-10px) rotate(2deg); }
}

.header-title {
    font-size: 2.5rem;
    font-weight: 800;
    margin-bottom: 10px;
    background: linear-gradient(to right, #ffffff, var(--light-blue));
    -webkit-background-clip: text;
    background-clip: text;
    -webkit-text-fill-color: transparent;
    text-shadow: 0 2px 4px rgba(0,0,0,0.1);
}

.header-subtitle {
    font-size: 1.1rem;
    opacity: 0.9;
    max-width: 600px;
    margin: 0 auto;
    line-height: 1.6;
}

/* Progress Steps */
.progress-container {
    padding: 30px;
    background: var(--gray-50);
    border-bottom: 1px solid var(--gray-200);
}

.steps {
    display: flex;
    justify-content: space-between;
    position: relative;
    margin: 0 40px;
}

.steps::before {
    content: '';
    position: absolute;
    top: 50%;
    left: 40px;
    right: 40px;
    height: 3px;
    background: var(--gray-300);
    transform: translateY(-50%);
```

```
    z-index: 1;
}

.step {
    display: flex;
    flex-direction: column;
    align-items: center;
    position: relative;
    z-index: 2;
}

.step-circle {
    width: 60px;
    height: 60px;
    background: white;
    border: 3px solid var(--gray-300);
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    font-weight: 700;
    font-size: 20px;
    color: var(--gray-600);
    margin-bottom: 12px;
    transition: all 0.4s cubic-bezier(0.4, 0, 0.2, 1);
    box-shadow: var(--shadow-sm);
}

.step.active .step-circle {
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    color: white;
    border-color: var(--secondary-blue);
    transform: scale(1.1);
    box-shadow: 0 8px 20px rgba(37, 99, 235, 0.3);
}

.step.completed .step-circle {
    background: linear-gradient(135deg, var(--success-green), #34d399);
    color: white;
    border-color: var(--success-green);
}

.step.completed .step-circle::after {
    content: '✓';
    font-size: 24px;
}

.step-label {
    font-size: 14px;
    font-weight: 600;
    color: var(--gray-600);
    text-align: center;
    max-width: 120px;
    line-height: 1.4;
}

.step.active .step-label {
    color: var(--primary-blue);
    transform: translateY(2px);
}
```

```
/* Form Sections */
.form-section {
    padding: 40px;
    display: none;
    animation: fadeInUp 0.5s ease-out;
}

@keyframes fadeInUp {
    from {
        opacity: 0;
        transform: translateY(20px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

.form-section.active {
    display: block;
}

.section-header {
    display: flex;
    align-items: flex-start;
    gap: 20px;
    margin-bottom: 40px;
    padding-bottom: 20px;
    border-bottom: 2px solid var(--gray-200);
}

.section-icon {
    width: 70px;
    height: 70px;
    background: linear-gradient(135deg, var(--light-blue), #bfdbfe);
    border-radius: 18px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 32px;
    color: var(--primary-blue);
    flex-shrink: 0;
}

.section-content {
    flex: 1;
}

.section-title {
    font-size: 2rem;
    font-weight: 700;
    color: var(--gray-700);
    margin: 0 0 8px 0;
    line-height: 1.2;
}

.section-subtitle {
    color: var(--gray-600);
    font-size: 1.1rem;
```

```
    line-height: 1.6;
    margin: 0;
}

/* Form Elements */
.form-group {
    margin-bottom: 32px;
    position: relative;
}

.form-label {
    display: flex;
    align-items: center;
    gap: 8px;
    font-weight: 600;
    color: var(--gray-700);
    margin-bottom: 12px;
    font-size: 15px;
}

.form-label i {
    color: var(--secondary-blue);
    font-size: 18px;
}

.required-field::after {
    content: "*";
    color: var(--error-red);
    margin-left: 4px;
}

.form-control, .form-select {
    width: 100%;
    padding: 16px 20px;
    font-size: 16px;
    line-height: 1.5;
    color: var(--gray-700);
    background-color: white;
    border: 2px solid var(--gray-300);
    border-radius: 12px;
    transition: all 0.3s ease;
    font-family: inherit;
}

.form-control:focus, .form-select:focus {
    outline: none;
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
    transform: translateY(-1px);
}

.form-control.is-invalid {
    border-color: var(--error-red);
    background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='24' he
    background-repeat: no-repeat;
    background-position: right 16px center;
    background-size: 20px;
    padding-right: 48px;
}
```

```
.form-control.is-valid {
    border-color: var(--success-green);
    background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='24' he
    background-repeat: no-repeat;
    background-position: right 16px center;
    background-size: 20px;
    padding-right: 48px;
}

.input-with-icon {
    position: relative;
}

.input-icon {
    position: absolute;
    left: 20px;
    top: 50%;
    transform: translateY(-50%);
    color: var(--gray-600);
    font-size: 20px;
    z-index: 1;
}

.input-with-icon .form-control {
    padding-left: 56px;
}

/* Error Messages */
.error-message {
    display: none;
    align-items: center;
    gap: 8px;
    color: var(--error-red);
    font-size: 14px;
    margin-top: 8px;
    padding: 8px 12px;
    background: #fef2f2;
    border-radius: 8px;
    border-left: 4px solid var(--error-red);
}

.error-message.show {
    display: flex;
    animation: slideIn 0.3s ease;
}

@keyframes slideIn {
    from {
        opacity: 0;
        transform: translateX(-10px);
    }
    to {
        opacity: 1;
        transform: translateX(0);
    }
}

.error-message i {
    flex-shrink: 0;
}
```

```
/* Phone Input */
.phone-input-group {
    display: flex;
    gap: 16px;
    align-items: stretch;
}

.country-code-select {
    flex: 0 0 180px;
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    border: 2px solid var(--gray-300);
    border-radius: 12px;
    padding: 16px;
    font-weight: 600;
    color: var(--gray-700);
    font-size: 16px;
    transition: all 0.3s;
}

.country-code-select:focus {
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
}

.ethiopian-flag {
    display: inline-flex;
    align-items: center;
    gap: 10px;
    padding: 6px 16px;
    background: linear-gradient(135deg, #da1212, #f8d210, #078930);
    color: white;
    border-radius: 24px;
    font-weight: 600;
    font-size: 15px;
    box-shadow: var(--shadow-sm);
}

/* Service Cards */
.service-cards-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
    gap: 24px;
    margin-bottom: 40px;
}

.service-card {
    background: white;
    border: 2px solid var(--gray-200);
    border-radius: 18px;
    padding: 28px 24px;
    text-align: center;
    cursor: pointer;
    transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
    position: relative;
    overflow: hidden;
}

.service-card::before {
    content: '';
```

```
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    height: 4px;
    background: linear-gradient(to right, var(--secondary-blue), var(--primary-blue));
    transform: scaleX(0);
    transition: transform 0.3s;
}

.service-card:hover {
    border-color: var(--secondary-blue);
    transform: translateY(-6px);
    box-shadow: var(--shadow-lg);
}

.service-card:hover::before {
    transform: scaleX(1);
}

.service-card.active {
    border-color: var(--secondary-blue);
    background: linear-gradient(135deg, #f0f9ff, #e0f2fe);
    transform: translateY(-4px);
    box-shadow: 0 12px 24px rgba(59, 130, 246, 0.15);
}

.service-card.active::before {
    transform: scaleX(1);
}

.service-icon {
    font-size: 56px;
    margin-bottom: 20px;
    display: block;
    transition: all 0.3s;
}

.service-card.active .service-icon {
    transform: scale(1.1);
}

.service-title {
    font-size: 20px;
    font-weight: 700;
    color: var(--gray-700);
    margin-bottom: 10px;
}

.service-description {
    color: var(--gray-600);
    font-size: 15px;
    line-height: 1.5;
    margin: 0;
}

/* Store Hours Card */
.store-hours-card {
    background: white;
    border-radius: 18px;
```

```
    border: 2px solid var(--gray-200);
    padding: 32px;
    margin-bottom: 40px;
    transition: all 0.3s;
}

.store-hours-card:hover {
    border-color: var(--secondary-blue);
    box-shadow: var(--shadow-md);
}

.store-hours-table {
    width: 100%;
    border-collapse: separate;
    border-spacing: 0;
}

.store-hours-table th {
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    padding: 18px 20px;
    text-align: left;
    font-weight: 600;
    color: var(--gray-700);
    border-bottom: 2px solid var(--gray-200);
    font-size: 15px;
}

.store-hours-table td {
    padding: 20px;
    border-bottom: 1px solid var(--gray-100);
    transition: background-color 0.2s;
}

.store-hours-table tr:hover td {
    background: var(--gray-50);
}

/* Terms Card */
.terms-card {
    background: linear-gradient(135deg, var(--gray-50), var(--gray-100));
    border-radius: 18px;
    padding: 32px;
    margin-bottom: 32px;
    border: 2px solid var(--gray-200);
}

.terms-header {
    display: flex;
    align-items: center;
    gap: 20px;
    margin-bottom: 24px;
}

.terms-icon {
    width: 60px;
    height: 60px;
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    border-radius: 14px;
    display: flex;
    align-items: center;
```

```
    justify-content: center;
    color: white;
    font-size: 28px;
    flex-shrink: 0;
}

.terms-content {
    max-height: 300px;
    overflow-y: auto;
    padding-right: 16px;
}

.terms-content::-webkit-scrollbar {
    width: 8px;
}

.terms-content::-webkit-scrollbar-track {
    background: var(--gray-100);
    border-radius: 4px;
}

.terms-content::-webkit-scrollbar-thumb {
    background: var(--gray-300);
    border-radius: 4px;
}

.terms-content::-webkit-scrollbar-thumb:hover {
    background: var(--gray-400);
}

/* Currency Input */
.currency-input-group {
    display: flex;
    border-radius: 12px;
    overflow: hidden;
    border: 2px solid var(--gray-300);
    transition: all 0.3s;
}

.currency-input-group:focus-within {
    border-color: var(--secondary-blue);
    box-shadow: 0 0 0 4px rgba(59, 130, 246, 0.15);
}

.currency-symbol {
    padding: 0 24px;
    background: linear-gradient(to bottom, var(--gray-50), var(--gray-100));
    color: var(--gray-700);
    font-weight: 600;
    font-size: 20px;
    display: flex;
    align-items: center;
    justify-content: center;
    min-width: 80px;
    border-right: 2px solid var(--gray-300);
}

.et-birr {
    color: var(--primary-blue);
    font-weight: 700;
```

```
}

.currency-input-group .form-control {
    border: none;
    box-shadow: none;
    border-radius: 0;
}

/* Navigation Buttons */
.navigation-buttons {
    display: flex;
    justify-content: space-between;
    padding: 32px;
    background: var(--gray-50);
    border-top: 1px solid var(--gray-200);
    gap: 16px;
}

.btn {
    padding: 18px 40px;
    font-size: 16px;
    font-weight: 600;
    border-radius: 12px;
    border: none;
    cursor: pointer;
    transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
    display: inline-flex;
    align-items: center;
    justify-content: center;
    gap: 12px;
    font-family: inherit;
    min-width: 160px;
}

.btn-primary {
    background: linear-gradient(135deg, var(--secondary-blue), var(--primary-blue));
    color: white;
    box-shadow: 0 8px 20px rgba(37, 99, 235, 0.2);
}

.btn-primary:hover {
    transform: translateY(-3px);
    box-shadow: 0 15px 30px rgba(37, 99, 235, 0.3);
}

.btn-primary:active {
    transform: translateY(-1px);
}

.btn-secondary {
    background: white;
    color: var(--gray-600);
    border: 2px solid var(--gray-300);
}

.btn-secondary:hover {
    border-color: var(--secondary-blue);
    color: var(--secondary-blue);
    background: var(--gray-50);
    transform: translateY(-2px);
```

```
    box-shadow: var(--shadow-sm);
}

.btn i {
    font-size: 20px;
}

/* Success Badge */
.success-badge {
    display: inline-flex;
    align-items: center;
    gap: 10px;
    padding: 10px 20px;
    background: linear-gradient(135deg, var(--success-green), #34d399);
    color: white;
    border-radius: 24px;
    font-weight: 600;
    font-size: 15px;
    margin-left: 16px;
    box-shadow: var(--shadow-sm);
}

/* Info Card */
.info-card {
    background: linear-gradient(135deg, #e0f2fe, #bae6fd);
    border: 2px solid #7dd3fc;
    border-radius: 18px;
    padding: 28px;
    margin-bottom: 32px;
}

.info-card-header {
    display: flex;
    align-items: center;
    gap: 16px;
    margin-bottom: 16px;
}

.info-card-icon {
    color: #0369a1;
    font-size: 32px;
}

/* Responsive Design */
@media (max-width: 768px) {
    .registration-header {
        padding: 30px 20px;
    }

    .header-title {
        font-size: 2rem;
    }

    .steps {
        margin: 0 20px;
    }

    .steps::before {
        left: 20px;
        right: 20px;
```

```
    }

    .step-circle {
        width: 50px;
        height: 50px;
        font-size: 18px;
    }

    .form-section {
        padding: 30px 20px;
    }

    .section-header {
        flex-direction: column;
        gap: 16px;
    }

    .section-icon {
        width: 60px;
        height: 60px;
        font-size: 28px;
    }

    .service-cards-grid {
        grid-template-columns: 1fr;
    }

    .phone-input-group {
        flex-direction: column;
        gap: 12px;
    }

    .country-code-select {
        flex: 0 0 auto;
    }

    .navigation-buttons {
        padding: 24px 20px;
        flex-direction: column;
    }

    .btn {
        width: 100%;
        min-width: auto;
    }
}

@media (max-width: 480px) {
    .store-hours-table {
        display: block;
        overflow-x: auto;
    }

    .section-title {
        font-size: 1.8rem;
    }

    .registration-card {
        margin: 10px;
    }
```

```
    }

    /* Helper Text */
    .helper-text {
        display: block;
        color: var(--gray-600);
        font-size: 14px;
        margin-top: 8px;
        line-height: 1.5;
    }

    /* Loading State */
    .btn.loading {
        position: relative;
        color: transparent;
    }

    .btn.loading::after {
        content: '';
        position: absolute;
        width: 24px;
        height: 24px;
        border: 3px solid rgba(255, 255, 255, 0.3);
        border-top-color: white;
        border-radius: 50%;
        animation: spin 1s linear infinite;
    }

    @keyframes spin {
        to { transform: rotate(360deg); }
    }
</style>
@endsection

@section('content')
<div class="registration-container">
    <div class="container">
        @if (session('error'))
            <div class="alert alert-danger mt-3">{{ session('error') }}</div>
        @endif
        @if ($errors->any())
            <div class="alert alert-danger mt-3">
                <strong>Please fix the errors below.</strong>
                <ul class="mb-0">
                    @foreach ($errors->all() as $message)
                        <li>{{ $message }}</li>
                    @endforeach
                </ul>
            </div>
        @endif
    </div>
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-12">
                <div class="registration-card">

                    <!-- Header -->
                    <div class="registration-header">

                        <h1 class="header-title">Open Your Book Store</h1>
```

```
    <p class="header-subtitle">Join Ethiopia's premier book sharing platform and connect with re
</div>

<!-- Progress Steps -->
<div class="progress-container">
    <div class="steps">
        <div class="step active" data-step="1">
            <div class="step-circle">1</div>
            <span class="step-label">Store Details</span>
        </div>
        <div class="step" data-step="2">
            <div class="step-circle">2</div>
            <span class="step-label">Services</span>
        </div>
        <div class="step" data-step="3">
            <div class="step-circle">3</div>
            <span class="step-label">Policies</span>
        </div>
        <div class="step" data-step="4">
            <div class="step-circle">4</div>
            <span class="step-label">Account</span>
        </div>
    </div>
</div>

<!-- Registration Form -->
<form method="POST" action="{{ route('store.registration.store') }}" id="storeRegistrationForm"
    @csrf

    <!-- Step 1: Store & Owner Information -->
    <div class="form-section active" id="step1">
        <div class="section-header">
            <div class="section-icon">
                <i class="bi bi-shop"></i>
            </div>
            <div class="section-content">
                <h2 class="section-title">Store Information</h2>
                <p class="section-subtitle">Tell us about your bookstore and contact details</p>
            </div>
        </div>

        <!-- Store Name -->
        <div class="form-group">
            <label for="store_name" class="form-label required-field">
                <i class="bi bi-building"></i>
                Store Name
            </label>
            <div class="input-with-icon">
                <i class="bi bi-shop input-icon"></i>
                <input type="text"
                       class="form-control"
                       id="store_name"
                       name="store_name"
                       placeholder="e.g., Addis Book House"
                       required>
            </div>
            <span class="helper-text">Choose a memorable name for your bookstore</span>
            <div class="error-message" id="store_name_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
```

```
    </div>
</div>

<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <label for="owner_name" class="form-label required-field">
                <i class="bi bi-person"></i>
                Owner Full Name
            </label>
            <div class="input-with-icon">
                <i class="bi bi-person input-icon"></i>
                <input type="text"
                       class="form-control"
                       id="owner_name"
                       name="owner_full_name"
                       placeholder="e.g., Selamawit Abebe"
                       required>
            </div>
            <div class="error-message" id="owner_name_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label for="email" class="form-label required-field">
                <i class="bi bi-envelope"></i>
                Email Address
            </label>
            <div class="input-with-icon">
                <i class="bi bi-envelope input-icon"></i>
                <input type="email"
                       class="form-control"
                       id="email"
                       name="email"
                       placeholder="contact@yourbookstore.com"
                       required>
            </div>
            <div class="error-message" id="email_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>
</div>

<!-- Phone Number -->
<div class="form-group">
    <label for="phone" class="form-label required-field">
        <i class="bi bi-phone"></i>
        Phone Number
    </label>
    <div class="phone-input-group">
        <select class="form-select country-code-select" name="country_code" id="country_co
            <option value="+251" selected>
                <span class="ethiopian-flag">
                    ■■ +251
```

```
                </span>
            </option>
            <option value="+1">■■ +1 (USA)</option>
            <option value="+44">■■ +44 (UK)</option>
            <option value="+91">■■ +91 (India)</option>
        </select>
        <div class="input-with-icon" style="flex: 1;">
            <i class="bi bi-phone input-icon"></i>
            <input type="tel"
                class="form-control"
                id="phone"
                name="phone"
                pattern="[0-9]{9}"
                placeholder="911223344"
                required
                oninput="formatEthiopianPhone(this)">
        </div>
    </div>
    <span class="helper-text">Enter your 9-digit Ethiopian mobile number</span>
    <div class="error-message" id="phone_error">
        <i class="bi bi-exclamation-circle"></i>
        <span></span>
    </div>
</div>

<!-- Store Type -->
<div class="form-group">
    <label for="store_type" class="form-label required-field">
        <i class="bi bi-tag"></i>
        Store Type
    </label>
    <select class="form-select" id="store_type" name="store_type" required>
        <option value="">Select your store type</option>
        <option value="bookstore">■ Traditional Book Store</option>
        <option value="library">■■ Library & Reading Space</option>
        <option value="coffee_shop">■ Coffee Shop with Books</option>
        <option value="educational">■ Educational & Textbook Store</option>
        <option value="online_only">■ Online Book Store</option>
        <option value="home_based">■ Home-based Book Business</option>
        <option value="religious">■ Religious Book Store</option>
        <option value="children">■ Children's Book Store</option>
    </select>
    <div class="error-message" id="store_type_error">
        <i class="bi bi-exclamation-circle"></i>
        <span></span>
    </div>
</div>

<!-- Location -->
<div class="info-card">
    <div class="info-card-header">
        <i class="bi bi-geo-alt-fill info-card-icon"></i>
        <h5 class="mb-0" style="color: #0369a1;">Store Location</h5>
    </div>

    <div class="row">
        <div class="col-md-6">
            <div class="form-group">
                <label for="city" class="form-label required-field">City</label>
                <select class="form-select" id="city" name="city" required>
```

```
                <option value="">Select your city</option>
                <option value="addis_ababa">Addis Ababa (■■■ ■■■)</option>
                <option value="dire_dawa">Dire Dawa (■■ ■■)</option>
                <option value="bahir_dar">Bahir Dar (■■■ ■■)</option>
                <option value="mekele">Mekele (■■■)</option>
                <option value="hawassa">Hawassa (■■■)</option>
                <option value="gondar">Gondar (■■■■)</option>
                <option value="jimma">Jimma (■■)</option>
                <option value="desse">Dessie (■■)</option>
                <option value="harar">Harar (■■■)</option>
                <option value="adama">Adama (■■■)</option>
                <option value="jijiga">Jijiga (■■■)</option>
                <option value="shashamane">Shashamane (■■■■)</option>
                <option value="arba_minch">Arba Minch (■■■ ■■■)</option>
                <option value="other">Other City</option>
            </select>
            <div class="error-message" id="city_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label for="subcity" class="form-label">Subcity / Woreda</label>
            <input type="text"
                   class="form-control"
                   id="subcity"
                   name="subcity"
                   placeholder="e.g., Bole, Kirkos, Piazza">
        </div>
    </div>
</div>

<div class="form-group">
    <label for="address" class="form-label required-field">Street Address</label>
    <input type="text"
           class="form-control"
           id="address"
           name="address"
           placeholder="e.g., Bole Road, Near Edna Mall"
           required>
    <div class="error-message" id="address_error">
        <i class="bi bi-exclamation-circle"></i>
        <span></span>
    </div>
</div>
</div>

<!-- Store Description -->
<div class="form-group">
    <label for="store_description" class="form-label">
        <i class="bi bi-card-text"></i>
        Store Description (Optional)
    </label>
    <textarea class="form-control"
              id="store_description"
              name="store_description"
              rows="4"
```

```
                placeholder="Describe your store in English or Amharic..."></textarea>
            <span class="helper-text">Tell customers what makes your bookstore special</span>
        </div>
    </div>


<!-- Step 2: Services & Hours -->
<div class="form-section" id="step2">
    <div class="section-header">
        <div class="section-icon">
            <i class="bi bi-gear"></i>
        </div>
        <div class="section-content">
            <h2 class="section-title">Services & Business Hours</h2>
            <p class="section-subtitle">Choose services you offer and set your operating hours</
        </div>
    </div>

    <!-- Services Offered -->
    <div class="mb-5">
        <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Services Offered</h5
        <div class="service-cards-grid">
            <div class="service-card active" data-service="rental">
                <div class="service-icon">■</div>
                <h5 class="service-title">Book Rentals</h5>
                <p class="service-description">■■■■ ■■■■■</p>
                <input type="checkbox" name="offers_rental" class="d-none" checked>
            </div>
            <div class="service-card active" data-service="sale">
                <div class="service-icon">■</div>
                <h5 class="service-title">Book Sales</h5>
                <p class="service-description">■■■■■ ■■■</p>
                <input type="checkbox" name="offers_sale" class="d-none" checked>
            </div>
            <div class="service-card active" data-service="delivery">
                <div class="service-icon">■</div>
                <h5 class="service-title">Home Delivery</h5>
```

```
                <p class="service-description">■■ ■■ ■■■■■</p>
                <input type="checkbox" name="offers_delivery" class="d-none" checked>
            </div>
        </div>
    </div>

    <!-- Delivery Settings -->
    <div class="store-hours-card">
        <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Delivery Settings</h5
        <div class="row">
            <div class="col-md-6">
                <div class="form-group">
                    <label for="delivery_radius" class="form-label">Delivery Radius</label>
                    <div class="input-group">
                        <input type="number"
                               class="form-control"
                               id="delivery_radius"
                               name="delivery_radius"
                               min="1"
                               max="50"
                               value="10">
                        <span class="input-group-text">km</span>
                    </div>
                    <span class="helper-text">Kilometers from your store</span>
                </div>
            </div>
            <div class="col-md-6">
                <div class="form-group">
                    <label for="delivery_fee" class="form-label">Delivery Fee</label>
                    <div class="currency-input-group">
                        <span class="currency-symbol">
                            <span class="et-birr">■■</span>
                        </span>
                        <input type="number"
                               class="form-control"
                               id="delivery_fee"
                               name="delivery_fee"
                               min="0"
                               step="10"
                               value="50">
                    </div>
                    <span class="helper-text">Fee in Ethiopian Birr</span>
                </div>
            </div>
        </div>

        <div class="form-group mt-4">
            <label class="form-label">Delivery Methods</label>
            <div class="row">
                <div class="col-md-4">
                    <div class="form-check mb-3">
                        <input class="form-check-input"
                               type="checkbox"
                               id="delivery_bike"
                               name="delivery_methods[]"
                               value="bike"
                               checked>
                        <label class="form-check-label" for="delivery_bike">
                            ■ Bike Delivery
                        </label>
```

```
                </div>
            </div>
            <div class="col-md-4">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="delivery_car"
                           name="delivery_methods[]"
                           value="car">
                    <label class="form-check-label" for="delivery_car">
                        ■ Car Delivery
                    </label>
                </div>
            </div>
            <div class="col-md-4">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="delivery_pickup"
                           name="delivery_methods[]"
                           value="pickup"
                           checked>
                    <label class="form-check-label" for="delivery_pickup">
                        ■ Store Pickup
                    </label>
                </div>
            </div>
        </div>
    </div>
</div>

<!-- Business Hours -->
<div class="store-hours-card">
    <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Business Hours (Eth
    <div class="table-responsive">
        <table class="store-hours-table">
            <thead>
                <tr>
                    <th>Day</th>
                    <th>Open</th>
                    <th>Opening Time</th>
                    <th>Closing Time</th>
                    <th>Closed</th>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <td><strong>Monday</strong></td>
                    <td>
                        <div class="form-check form-switch">
                            <input class="form-check-input"
                                   type="checkbox"
                                   name="open_monday"
                                   id="open_monday" checked>
                        </div>
                    </td>
                    <td>
                        <input type="time"
                               class="form-control"
                               name="open_time_monday"
```

```
            value="08:30">
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="close_time_monday"
            value="20:30">
    </td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="closed_monday"
                id="closed_monday">
        </div>
    </td>
</tr>

<tr>
    <td><strong>Tuesday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="open_tuesday"
                id="open_tuesday" checked>
        </div>
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="open_time_tuesday"
            value="08:30">
    </td>
    <td>
        <input type="time"
            class="form-control"
            name="close_time_tuesday"
            value="20:30">
    </td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="closed_tuesday"
                id="closed_tuesday">
        </div>
    </td>
</tr>

<tr>
    <td><strong>Wednesday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                type="checkbox"
                name="open_wednesday"
                id="open_wednesday" checked>
        </div>
    </td>
```

```
    <td>
        <input type="time"
               class="form-control"
               name="open_time_wednesday"
               value="08:30">
    </td>
    <td>
        <input type="time"
               class="form-control"
               name="close_time_wednesday"
               value="20:30">
    </td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                   type="checkbox"
                   name="closed_wednesday"
                   id="closed_wednesday">
        </div>
    </td>
</tr>

<tr>
    <td><strong>Thursday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                   type="checkbox"
                   name="open_thursday"
                   id="open_thursday" checked>
        </div>
    </td>
    <td>
        <input type="time"
               class="form-control"
               name="open_time_thursday"
               value="08:30">
    </td>
    <td>
        <input type="time"
               class="form-control"
               name="close_time_thursday"
               value="20:30">
    </td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                   type="checkbox"
                   name="closed_thursday"
                   id="closed_thursday">
        </div>
    </td>
</tr>

<tr>
    <td><strong>Friday</strong></td>
    <td>
        <div class="form-check form-switch">
            <input class="form-check-input"
                   type="checkbox"
```

```
                    name="open_friday"
                    id="open_friday" checked>
            </div>
        </td>
        <td>
            <input type="time"
                class="form-control"
                name="open_time_friday"
                value="08:30">
        </td>
        <td>
            <input type="time"
                class="form-control"
                name="close_time_friday"
                value="20:30">
        </td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                    type="checkbox"
                    name="closed_friday"
                    id="closed_friday">
            </div>
        </td>
    </tr>

    <tr>
        <td><strong>Saturday</strong></td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                    type="checkbox"
                    name="open_saturday"
                    id="open_saturday" checked>
            </div>
        </td>
        <td>
            <input type="time"
                class="form-control"
                name="open_time_saturday"
                value="08:30">
        </td>
        <td>
            <input type="time"
                class="form-control"
                name="close_time_saturday"
                value="20:30">
        </td>
        <td>
            <div class="form-check form-switch">
                <input class="form-check-input"
                    type="checkbox"
                    name="closed_saturday"
                    id="closed_saturday">
            </div>
        </td>
    </tr>

    <tr>
        <td><strong>Sunday</strong></td>
```

```
                    <td>
                        <div class="form-check form-switch">
                            <input class="form-check-input"
                                   type="checkbox"
                                   name="open_sunday"
                                   id="open_sunday">
                        </div>
                    </td>
                    <td>
                        <input type="time"
                               class="form-control"
                               name="open_time_sunday"
                               value="08:30" disabled>
                    </td>
                    <td>
                        <input type="time"
                               class="form-control"
                               name="close_time_sunday"
                               value="20:30" disabled>
                    </td>
                    <td>
                        <div class="form-check form-switch">
                            <input class="form-check-input"
                                   type="checkbox"
                                   name="closed_sunday"
                                   id="closed_sunday" checked>
                        </div>
                    </td>
                </tr>
            </tbody>
        </table>
    </div>
    <div class="alert alert-info mt-4 mb-0">
        <i class="bi bi-info-circle me-2"></i>
        <small>Note: Most Ethiopian businesses are closed on Sundays. Adjust hours accord
    </div>
  </div>
</div>


<!-- Step 3: Policies -->
<div class="form-section" id="step3">
  <div class="section-header">
    <div class="section-icon">
      <i class="bi bi-file-text"></i>
```

```
            </div>
            <div class="section-content">
                <h2 class="section-title">Store Policies</h2>
                <p class="section-subtitle">Set your rental policies and pricing in Ethiopian Birr</p>
            </div>
        </div>

        <!-- Rental Policies -->
        <div class="row">
            <div class="col-md-6">
                <div class="form-group">
                    <label for="rental_period" class="form-label required-field">
                        <i class="bi bi-calendar"></i>
                        Default Rental Period
                    </label>
                    <div class="input-group">
                        <input type="number"
                               class="form-control"
                               id="rental_period"
                               name="rental_period"
                               min="1"
                               max="30"
                               value="7"
                               required>
                        <span class="input-group-text">days</span>
                    </div>
                    <span class="helper-text">Standard rental duration</span>
                    <div class="error-message" id="rental_period_error">
                        <i class="bi bi-exclamation-circle"></i>
                        <span></span>
                    </div>
                </div>
            </div>

            <div class="col-md-6">
                <div class="form-group">
                    <label for="rental_price" class="form-label required-field">
                        <i class="bi bi-cash-stack"></i>
                        Rental Price per Day
                    </label>
                    <div class="currency-input-group">
                        <span class="currency-symbol">
                            <span class="et-birr">■■</span>
                        </span>
                        <input type="number"
                               class="form-control"
                               id="rental_price"
                               name="rental_price"
                               min="0"
                               step="10"
                               value="50"
                               required>
                    </div>
                    <span class="helper-text">Daily rental rate in Birr</span>
                    <div class="error-message" id="rental_price_error">
                        <i class="bi bi-exclamation-circle"></i>
                        <span></span>
                    </div>
                </div>
            </div>
```

```
</div>

<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <label for="late_fee" class="form-label required-field">
                <i class="bi bi-clock-history"></i>
                Late Fee per Day
            </label>
            <div class="currency-input-group">
                <span class="currency-symbol">
                    <span class="et-birr">■■</span>
                </span>
                <input type="number"
                       class="form-control"
                       id="late_fee"
                       name="late_fee"
                       min="0"
                       step="5"
                       value="20"
                       required>
            </div>
            <span class="helper-text">Charged for each overdue day</span>
            <div class="error-message" id="late_fee_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label for="security_deposit" class="form-label required-field">
                <i class="bi bi-shield-check"></i>
                Security Deposit
            </label>
            <div class="currency-input-group">
                <span class="currency-symbol">
                    <span class="et-birr">■■</span>
                </span>
                <input type="number"
                       class="form-control"
                       id="security_deposit"
                       name="security_deposit"
                       min="0"
                       step="50"
                       value="500"
                       required>
            </div>
            <span class="helper-text">Refundable deposit for rentals</span>
            <div class="error-message" id="security_deposit_error">
                <i class="bi bi-exclamation-circle"></i>
                <span></span>
            </div>
        </div>
    </div>
</div>

<!-- Additional Settings -->
<div class="store-hours-card">
```

```
            <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Additional Settings</
            <div class="row">
                <div class="col-md-6">
                    <div class="form-group">
                        <label for="max_books" class="form-label">
                            <i class="bi bi-book"></i>
                            Max Books per Customer
                        </label>
                        <div class="input-group">
                            <input type="number"
                                   class="form-control"
                                   id="max_books"
                                   name="max_books"
                                   min="1"
                                   value="5">
                            <span class="input-group-text">books</span>
                        </div>
                    </div>
                </div>

                <div class="col-md-6">
                    <div class="form-group">
                        <label for="discount_percent" class="form-label">
                            <i class="bi bi-percent"></i>
                            Student Discount
                        </label>
                        <div class="input-group">
                            <input type="number"
                                   class="form-control"
                                   id="discount_percent"
                                   name="discount_percent"
                                   min="0"
                                   max="50"
                                   value="10">
                            <span class="input-group-text">%</span>
                        </div>
                        <span class="helper-text">Discount for students with ID</span>
                    </div>
                </div>
            </div>
        </div>

        <!-- Payment Methods -->
        <div class="store-hours-card">
            <h5 class="mb-4" style="color: var(--gray-700); font-size: 1.3rem;">Accepted Payment M
            <div class="row">
                <div class="col-md-3">
                    <div class="form-check mb-3">
                        <input class="form-check-input"
                               type="checkbox"
                               id="cash_payment"
                               name="payment_methods[]"
                               value="cash"
                               checked>
                        <label class="form-check-label" for="cash_payment">
                            ■ Cash (■■)
                        </label>
                    </div>
                </div>
                <div class="col-md-3">
```

```
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="telebirr_payment"
                           name="payment_methods[]"
                           value="telebirr"
                           checked>
                    <label class="form-check-label" for="telebirr_payment">
                        ■ Telebirr
                    </label>
                </div>
            </div>
            <div class="col-md-3">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="cbe_payment"
                           name="payment_methods[]"
                           value="cbe">
                    <label class="form-check-label" for="cbe_payment">
                        ■ CBE Birr
                    </label>
                </div>
            </div>
            <div class="col-md-3">
                <div class="form-check mb-3">
                    <input class="form-check-input"
                           type="checkbox"
                           id="bank_transfer"
                           name="payment_methods[]"
                           value="bank">
                    <label class="form-check-label" for="bank_transfer">
                        ■ Bank Transfer
                    </label>
                </div>
            </div>
        </div>
    </div>

    <!-- Terms & Conditions -->
    <div class="terms-card">
        <div class="terms-header">
            <div class="terms-icon">
                <i class="bi bi-file-earmark-text"></i>
            </div>
            <div>
                <h5 class="mb-1">Terms & Conditions</h5>
                <small class="text-muted">Please read and agree to continue</small>
            </div>
        </div>

        <div class="terms-content">
            <h6>■■ ■■ ■■■■■ (Terms & Conditions)</h6>
            <p class="mb-3">By registering your store, you agree to the following terms:</p>
            <ol class="mb-3">
                <li><strong>Payment Handling:</strong> All transactions are handled offline in Eth
                <li><strong>Inventory Management:</strong> You are responsible for maintaining
                <li><strong>Customer Service:</strong> Respond to customer inquiries and orders
                <li><strong>Rental Policies:</strong> Honor the rental periods, prices, and return p
                <li><strong>Book Condition:</strong> Maintain books in good condition and accura
```

```
                <li><strong>Delivery Commitment:</strong> If you offer delivery, provide accurate
                <li><strong>Legal Compliance:</strong> Comply with Ethiopian copyright laws and
                <li><strong>Data Privacy:</strong> Protect customer information and only use it fo
            </ol>
            <p class="mb-0"><strong>■■■■■ ■■■■■:</strong> BookHub serves as a platform
        </div>

        <div class="form-check mt-4">
            <input class="form-check-input"
                   type="checkbox"
                   id="agree_terms"
                   name="agree_terms"
                   required>
            <label class="form-check-label" for="agree_terms">
                ■ I have read and agree to the Terms & Conditions / ■■■■ ■■■■ ■■■■■■
            </label>
            <div class="error-message" id="agree_terms_error">
                <i class="bi bi-exclamation-circle"></i>
                <span>You must agree to the terms to continue</span>
            </div>
        </div>
    </div>
</div>
```

```
<!-- Step 4: Account Setup -->
<div class="form-section" id="step4">
    <div class="section-header">
        <div class="section-icon">
            <i class="bi bi-lock"></i>
        </div>
        <div class="section-content">
            <h2 class="section-title">Account Setup</h2>
            <p class="section-subtitle">Create your login credentials and store profile</p>
            <span class="success-badge">
                <i class="bi bi-check-circle"></i>
                Almost done!
            </span>
        </div>
    </div>



    <!-- Success Message -->
    <div class="info-card">
        <div class="info-card-header">
            <i class="bi bi-rocket-takeoff info-card-icon"></i>
            <h5 class="mb-0" style="color: #0369a1;">Ready to Launch Your Store!</h5>
        </div>
        <p class="mb-0">Complete your registration to start managing your bookstore online. Y
    </div>
```

```
    <!-- Next Steps -->
    <div class="info-card">
        <div class="info-card-header">
            <i class="bi bi-check-circle info-card-icon"></i>
            <h5 class="mb-0" style="color: #0369a1;">What Happens Next?</h5>
        </div>
        <div class="row">
            <div class="col-md-6">
                <ul class="mb-0">
                    <li>■ Instant store profile creation</li>
                    <li>■ Start adding books immediately</li>
                    <li>■ Accept orders from customers</li>
                </ul>
            </div>
            <div class="col-md-6">
                <ul class="mb-0">
                    <li>■ Manage orders from mobile</li>
                    <li>■ View sales analytics</li>
                    <li>■ Get listed in local searches</li>
                </ul>
            </div>
        </div>
    </div>
</div>
```

```
<!-- Navigation Buttons -->
<div class="navigation-buttons">
    <button type="button" class="btn btn-secondary" id="prevBtn" style="display: none;">
        <i class="bi bi-arrow-left"></i>
        Previous
    </button>
    <button type="button" class="btn btn-primary" id="nextBtn">
        Next Step
        <i class="bi bi-arrow-right"></i>
    </button>
    <button type="submit" class=" text-center btn btn-primary" id="submitBtn" style="display: n
        <i class="bi bi-check-circle"></i>
        Complete Registration
    </button>
</div>
```

```
                </form>
            </div>



        </div>
    </div>
</div>
</div>
@endsection

@section('extra_js')
<script>
document.addEventListener('DOMContentLoaded', function() {
    let currentStep = 1;
    const totalSteps = 4;
    const form = document.getElementById('storeRegistrationForm');

    // Initialize password toggles
    initializePasswordToggles();

    // Initialize service cards
    initializeServiceCards();

    // Initialize business hours toggles
    initializeBusinessHours();

    // Initialize step navigation
    initializeStepNavigation();

    // Initialize form validation
    initializeFormValidation();

    // Initialize form submission
    initializeFormSubmission();

    // Initialize auto-slug generation
    initializeAutoSlug();

    function initializePasswordToggles() {
        document.querySelectorAll('.password-toggle').forEach(function(toggle) {
            toggle.addEventListener('click', function() {
                const targetId = this.getAttribute('data-target');
                const passwordInput = document.getElementById(targetId);
                const icon = this.querySelector('i');

                if (passwordInput.type === 'password') {
                    passwordInput.type = 'text';
                    icon.className = 'bi bi-eye-slash';
                } else {
                    passwordInput.type = 'password';
                    icon.className = 'bi bi-eye';
                }
            });
        });
    }

    function initializeServiceCards() {
        document.querySelectorAll('.service-card').forEach(function(card) {
```

```
        card.addEventListener('click', function() {
            const checkbox = this.querySelector('input[type="checkbox"]');
            checkbox.checked = !checkbox.checked;

            if (checkbox.checked) {
                this.classList.add('active');
            } else {
                this.classList.remove('active');
            }
        });

        // Set initial active state
        const checkbox = card.querySelector('input[type="checkbox"]');
        if (checkbox.checked) {
            card.classList.add('active');
        }
    });
}

function initializeBusinessHours() {
    // Toggle closed days logic
    document.querySelectorAll('input[name^="closed_"]').forEach(function(checkbox) {
        checkbox.addEventListener('change', function() {
            const day = this.name.split('_')[1];
            const openCheckbox = document.querySelector(`input[name="open_${day}"]`);
            const openTime = document.querySelector(`input[name="open_time_${day}"]`);
            const closeTime = document.querySelector(`input[name="close_time_${day}"]`);

            if (this.checked) {
                openCheckbox.checked = false;
                openTime.disabled = true;
                closeTime.disabled = true;
            } else {
                openTime.disabled = false;
                closeTime.disabled = false;
            }
        });
    });

    // Toggle open/close logic
    document.querySelectorAll('input[name^="open_"]').forEach(function(checkbox) {
        checkbox.addEventListener('change', function() {
            const day = this.name.split('_')[1];
            const closedCheckbox = document.querySelector(`input[name="closed_${day}"]`);
            const openTime = document.querySelector(`input[name="open_time_${day}"]`);
            const closeTime = document.querySelector(`input[name="close_time_${day}"]`);

            if (!this.checked) {
                closedCheckbox.checked = true;
                openTime.disabled = true;
                closeTime.disabled = true;
            } else {
                closedCheckbox.checked = false;
                openTime.disabled = false;
                closeTime.disabled = false;
            }
        });
    });
}
```

```
function initializeStepNavigation() {
    // Next button click
    document.getElementById('nextBtn').addEventListener('click', function() {
        if (validateStep(currentStep)) {
            if (currentStep < totalSteps) {
                currentStep++;
                showStep(currentStep);
            }
        }
    });

    // Previous button click
    document.getElementById('prevBtn').addEventListener('click', function() {
        if (currentStep > 1) {
            currentStep--;
            showStep(currentStep);
        }
    });
}

function showStep(step) {
    // Hide all steps
    document.querySelectorAll('.form-section').forEach(function(section) {
        section.classList.remove('active');
    });

    // Show current step
    document.getElementById(`step${step}`).classList.add('active');

    // Update step indicators
    document.querySelectorAll('.step').forEach(function(stepEl) {
        const stepNumber = parseInt(stepEl.getAttribute('data-step'));
        stepEl.classList.remove('active', 'completed');

        if (stepNumber === step) {
            stepEl.classList.add('active');
        } else if (stepNumber < step) {
            stepEl.classList.add('completed');
        }
    });

    // Update navigation buttons
    document.getElementById('prevBtn').style.display = step === 1 ? 'none' : 'flex';
    document.getElementById('nextBtn').style.display = step === totalSteps ? 'none' : 'flex';
    document.getElementById('submitBtn').style.display = step === totalSteps ? 'flex' : 'none';

    // Scroll to top of form
    document.querySelector('.form-section.active').scrollIntoView({ behavior: 'smooth', block: 'start' });
}

function validateStep(step) {
    let isValid = true;

    // Clear previous errors
    clearErrors();

    // Step 1 validation
    if (step === 1) {
        const requiredFields = ['store_name', 'owner_name', 'email', 'phone', 'city', 'address', 'store_type'];
```

```
    requiredFields.forEach(function(field) {
        const input = document.getElementById(field);
        const error = document.getElementById(`${field}_error`);

        if (!input.value.trim()) {
            isValid = false;
            showError(input, error, 'This field is required');
        } else {
            clearError(input, error);

            // Email validation
            if (field === 'email') {
                const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
                if (!emailRegex.test(input.value)) {
                    isValid = false;
                    showError(input, error, 'Please enter a valid email address');
                }
            }

            // Phone validation
            if (field === 'phone') {
                const phoneRegex = /^[0-9]{9}$/;
                if (!phoneRegex.test(input.value)) {
                    isValid = false;
                    showError(input, error, 'Please enter a valid 9-digit phone number');
                }
            }
        }
    });
}

// Step 3 validation (terms agreement)
if (step === 3) {
    const agreeTerms = document.getElementById('agree_terms');
    const error = document.getElementById('agree_terms_error');

    if (!agreeTerms.checked) {
        isValid = false;
        showError(agreeTerms, error, 'You must agree to the terms and conditions');
    } else {
        clearError(agreeTerms, error);
    }
}

// Step 4 validation (passwords)
if (step === 4) {
    const password = document.getElementById('password');
    const confirmPassword = document.getElementById('confirm_password');
    const passwordError = document.getElementById('password_error');
    const confirmError = document.getElementById('confirm_password_error');

    // Optional: only validate password fields when present in DOM
    if (password && confirmPassword) {
        if (password.value.length < 8) {
            isValid = false;
            showError(password, passwordError, 'Password must be at least 8 characters');
        } else {
            clearError(password, passwordError);
        }
```

```
            if (password.value !== confirmPassword.value) {
                isValid = false;
                showError(confirmPassword, confirmError, 'Passwords do not match');
            } else {
                clearError(confirmPassword, confirmError);
            }
        }
    }

    return isValid;
}

function showError(input, errorElement, message) {
    if (input) {
        input.classList.add('is-invalid');
        input.classList.remove('is-valid');
    }
    if (!errorElement) {
        return;
    }
    const errorText = errorElement.querySelector('span');
    if (errorText) {
        errorText.textContent = message;
    }
    errorElement.classList.add('show');
}

function clearError(input, errorElement) {
    if (input) {
        input.classList.remove('is-invalid');
        input.classList.add('is-valid');
    }
    if (errorElement) {
        errorElement.classList.remove('show');
    }
}

function clearErrors() {
    document.querySelectorAll('.error-message').forEach(function(error) {
        error.classList.remove('show');
    });

    document.querySelectorAll('.form-control, .form-select').forEach(function(input) {
        input.classList.remove('is-invalid', 'is-valid');
    });
}

function initializeFormValidation() {
    // Real-time validation for required fields
    document.querySelectorAll('[required]').forEach(function(input) {
        input.addEventListener('blur', function() {
            const field = this.id;
            const error = document.getElementById(`${field}_error`);

            const hasValue = this.type === 'checkbox' ? this.checked : this.value.trim();
            if (!hasValue && this.hasAttribute('required')) {
                showError(this, error, 'This field is required');
            } else {
                clearError(this, error);
            }
```

```
    });
});

// Real-time email validation
const emailInput = document.getElementById('email');
if (emailInput) {
    emailInput.addEventListener('blur', function() {
        const error = document.getElementById('email_error');
        const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;

        if (this.value && !emailRegex.test(this.value)) {
            showError(this, error, 'Please enter a valid email address');
        } else if (this.value) {
            clearError(this, error);
        }
    });
}

// Real-time phone validation
const phoneInput = document.getElementById('phone');
if (phoneInput) {
    phoneInput.addEventListener('blur', function() {
        const error = document.getElementById('phone_error');
        const phoneRegex = /^[0-9]{9}$/;

        if (this.value && !phoneRegex.test(this.value)) {
            showError(this, error, 'Please enter a valid 9-digit phone number');
        } else if (this.value) {
            clearError(this, error);
        }
    });
}

// Optional real-time password validation (only when fields exist)
const passwordInput = document.getElementById('password');
const confirmPasswordInput = document.getElementById('confirm_password');
if (passwordInput && confirmPasswordInput) {
    passwordInput.addEventListener('input', function() {
        const error = document.getElementById('password_error');
        const confirmError = document.getElementById('confirm_password_error');

        if (this.value.length > 0 && this.value.length < 8) {
            showError(this, error, 'Password must be at least 8 characters');
        } else if (this.value.length >= 8) {
            clearError(this, error);
        }

        if (confirmPasswordInput.value && this.value !== confirmPasswordInput.value) {
            showError(confirmPasswordInput, confirmError, 'Passwords do not match');
        } else if (confirmPasswordInput.value && this.value === confirmPasswordInput.value) {
            clearError(confirmPasswordInput, confirmError);
        }
    });

    confirmPasswordInput.addEventListener('input', function() {
        const error = document.getElementById('confirm_password_error');
        if (this.value && passwordInput.value !== this.value) {
            showError(this, error, 'Passwords do not match');
        } else if (this.value && passwordInput.value === this.value) {
            clearError(this, error);
```

```
            }
        });
    }
}

function initializeFormSubmission() {
    form.addEventListener('submit', function(e) {
        if (!validateStep(currentStep)) {
            e.preventDefault();
            return;
        }

        const submitBtn = document.getElementById('submitBtn');
        if (submitBtn) {
            submitBtn.innerHTML = '<i class="bi bi-hourglass-split"></i> Registering...';
            submitBtn.disabled = true;
            submitBtn.classList.add('loading');
        }
    });
}

function initializeAutoSlug() {
    const storeNameInput = document.getElementById('store_name');
    const storeSlugInput = document.getElementById('store_slug');

    if (storeNameInput && storeSlugInput) {
        storeNameInput.addEventListener('input', function() {
            if (!storeSlugInput.value) {
                const slug = this.value
                    .toLowerCase()
                    .replace(/[^a-z0-9\s]/g, '')
                    .replace(/\s+/g, '-')
                    .substring(0, 30);
                storeSlugInput.value = slug;
            }
        });
    }

    // Format Ethiopian phone number
    window.formatEthiopianPhone = function(input) {
        let value = input.value.replace(/\D/g, '');

        if (value.length > 9) {
            value = value.substring(0, 9);
        }

        input.value = value;
    };
}

// Initialize first step
showStep(currentStep);
});
</script>
@endsection

=== resources\views\store\sales_dashboard.html ===

=== resources\views\store\store_orders.html ===
{% extends 'store/base.html' %}
```

```
{% block content %}
<div class="container">
    <h1 style="color: #2c3e50; margin-bottom: 30px;">
        <i class="fas fa-boxes"></i> All Orders ({{ orders.count }})
    </h1>

    <!-- Filters -->
    <div class="filters" style="background: white; padding: 25px; border-radius: 12px; box-shadow: 0 4px 12p
        <form method="GET" style="display: grid; grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
            <div>
                <label style="display: block; margin-bottom: 8px; font-weight: 500;">Status:</label>
                <select name="status" onchange="this.form.submit()" style="width: 100%; padding: 10px; border:
                    <option value="all" {% if status_filter == 'all' %}selected{% endif %}>All Status</option>
                    <option value="pending" {% if status_filter == 'pending' %}selected{% endif %}>■ Pending</opt
                    <option value="contacted" {% if status_filter == 'contacted' %}selected{% endif %}>■ Contacted
                    <option value="preparing" {% if status_filter == 'preparing' %}selected{% endif %}>■ Preparing<
                    <option value="ready" {% if status_filter == 'ready' %}selected{% endif %}>■ Ready</option>
                    <option value="out_for_delivery" {% if status_filter == 'out_for_delivery' %}selected{% endif %}>
                    <option value="delivered" {% if status_filter == 'delivered' %}selected{% endif %}>■ Delivered</
                    <option value="completed" {% if status_filter == 'completed' %}selected{% endif %}>■ Complete
                    <option value="cancelled" {% if status_filter == 'cancelled' %}selected{% endif %}>■ Cancelled<
                </select>
            </div>

            <div>
                <label style="display: block; margin-bottom: 8px; font-weight: 500;">Date:</label>
                <select name="date" onchange="this.form.submit()" style="width: 100%; padding: 10px; border: 1p
                    <option value="all" {% if date_filter == 'all' %}selected{% endif %}>All Time</option>
                    <option value="today" {% if date_filter == 'today' %}selected{% endif %}>Today</option>
                    <option value="week" {% if date_filter == 'week' %}selected{% endif %}>This Week</option>
                </select>
            </div>

            <div>
                <label style="display: block; margin-bottom: 8px; font-weight: 500;">Type:</label>
                <select name="type" onchange="this.form.submit()" style="width: 100%; padding: 10px; border: 1p
                    <option value="all" {% if order_type_filter == 'all' %}selected{% endif %}>All Types</option>
                    <option value="rent" {% if order_type_filter == 'rent' %}selected{% endif %}>■ Rent</option>
                    <option value="buy" {% if order_type_filter == 'buy' %}selected{% endif %}>■ Buy</option>
                </select>
            </div>

            {% if stores.count > 1 %}
            <div>
                <label style="display: block; margin-bottom: 8px; font-weight: 500;">Store:</label>
                <select name="store" onchange="this.form.submit()" style="width: 100%; padding: 10px; border: 1
                    <option value="all">All Stores</option>
                    {% for store in stores %}
                    <option value="{{ store.id }}" {% if selected_store == store.id|stringformat:'s' %}selected{% endif
                        {{ store.store_name }}
                    </option>
                    {% endfor %}
                </select>
            </div>
            {% endif %}
        </form>
    </div>

    <!-- Orders Table -->
```

```
<div class="orders-table" style="background: white; border-radius: 12px; overflow: hidden; box-shadow: 0
  <div style="overflow-x: auto;">
    <table style="width: 100%; border-collapse: collapse;">
      <thead style="background: #2c3e50; color: white;">
        <tr>
          <th style="padding: 15px; text-align: left;">ID</th>
          <th style="padding: 15px; text-align: left;">Customer</th>
          <th style="padding: 15px; text-align: left;">Items</th>
          <th style="padding: 15px; text-align: left;">Type</th>
          <th style="padding: 15px; text-align: left;">Status</th>
          <th style="padding: 15px; text-align: left;">Total</th>
          <th style="padding: 15px; text-align: left;">Actions</th>
        </tr>
      </thead>
      <tbody>
        {% for order in orders %}
        <tr style="border-bottom: 1px solid #ecf0f1;">
          <td style="padding: 15px; font-weight: 600; color: #2c3e50;">
            {{ order.order_number }}
          </td>
          <td style="padding: 15px;">
            {{ order.customer.username|title }}<br>
            <small style="color: #7f8c8d;">{{ order.created_at|date:"M j, g:i A" }}</small>
          </td>
          <td style="padding: 15px;">
            {% for item in order.items.all|slice:":2" %}
            {{ item.book.title }}<br>
            {% endfor %}
            {% if order.items.count > 2 %}
            <small style="color: #7f8c8d;">+{{ order.items.count|add:"-2" }} more</small>
            {% endif %}
          </td>
          <td style="padding: 15px;">
            {% if order.order_type == 'rent' %}
            <span style="background: #e3f2fd; color: #1976d2; padding: 3px 10px; border-radius: 20p
              ■ Rent
            </span>
            {% else %}
            <span style="background: #e8f5e9; color: #388e3c; padding: 3px 10px; border-radius: 20p
              ■ Buy
            </span>
            {% endif %}
          </td>
          <td style="padding: 15px;">
            <span class="status-badge" style="background:
              {% if order.status == 'pending' %}#fff3cd
              {% elif order.status == 'contacted' %}#d1ecf1
              {% elif order.status in 'preparing,ready' %}#ffeaa7
              {% elif order.status == 'out_for_delivery' %}#cce5ff
              {% elif order.status == 'delivered' %}#d4edda
              {% elif order.status == 'completed' %}#d4edda
              {% else %}#f8d7da{% endif %};
              color:
              {% if order.status == 'pending' %}#856404
              {% elif order.status == 'contacted' %}#0c5460
              {% elif order.status in 'preparing,ready' %}#856404
              {% elif order.status == 'out_for_delivery' %}#004085
              {% elif order.status == 'delivered' %}#155724
              {% elif order.status == 'completed' %}#155724
              {% else %}#721c24{% endif %};
```

```
                    padding: 5px 10px; border-radius: 20px; font-weight: 600; font-size: 0.9rem;">
                    {{ order.get_status_display }}
                </span>
            </td>
            <td style="padding: 15px; font-weight: 600;">
                ${{ order.total_amount }}
            </td>
            <td style="padding: 15px;">
                <div style="display: flex; gap: 5px;">
                    <a href="{% url 'process_order' order.id %}" class="btn-action" style="background: #349
                        <i class="fas fa-cog"></i>
                    </a>
                    <a href="tel:{{ order.store.phone }}" class="btn-action" style="background: #2ecc71; colo
                        <i class="fas fa-phone"></i>
                    </a>
                    <a href="{% url 'process_order' order.id %}" class="btn-action" style="background: #f39c
                        <i class="fas fa-eye"></i>
                    </a>
                </div>
            </td>
        </tr>
        {% empty %}
        <tr>
            <td colspan="7" style="padding: 50px; text-align: center; color: #7f8c8d;">
                <i class="fas fa-box-open" style="font-size: 3rem; margin-bottom: 20px;"></i>
                <h3>No orders found</h3>
                <p>You don't have any orders matching your criteria.</p>
            </td>
        </tr>
        {% endfor %}
    </tbody>
  </table>
 </div>
</div>

<!-- Bulk Actions -->
{% if orders %}
<div style="margin-top: 30px; padding: 20px; background: white; border-radius: 12px; box-shadow: 0 4px
    <h3 style="color: #2c3e50; margin-bottom: 15px;">Bulk Actions</h3>
    <div style="display: flex; gap: 15px; flex-wrap: wrap;">
        <button class="btn-bulk" style="background: #3498db; color: white; padding: 10px 20px; border: non
            <i class="fas fa-envelope"></i> Email All
        </button>
        <button class="btn-bulk" style="background: #2ecc71; color: white; padding: 10px 20px; border: none
            <i class="fas fa-sms"></i> SMS All
        </button>
        <button class="btn-bulk" style="background: #9b59b6; color: white; padding: 10px 20px; border: non
            <i class="fas fa-file-export"></i> Export CSV
        </button>
        <button class="btn-bulk" style="background: #f39c12; color: white; padding: 10px 20px; border: none
            <i class="fas fa-print"></i> Print List
        </button>
    </div>
</div>
{% endif %}
</div>

<style>
.btn-action:hover {
    opacity: 0.8;
```

```
    transform: scale(1.1);
    transition: all 0.3s;
}

.btn-bulk:hover {
    opacity: 0.9;
    transform: translateY(-2px);
    transition: all 0.3s;
}

tr:hover {
    background-color: #f8f9fa;
}
</style>

<script>
document.addEventListener('DOMContentLoaded', function() {
    // Bulk actions
    const bulkButtons = document.querySelectorAll('.btn-bulk');
    bulkButtons.forEach(button => {
        button.addEventListener('click', function() {
            const action = this.textContent.trim();
            alert(`Bulk action: ${action} (This would process all filtered orders)`);
        });
    });
});
</script>
{% endblock %}

=== resources\views\store\support_chat_detail.html ===
{% extends 'store/base.html' %}

{% block title %}Support Chat Detail{% endblock %}

{% block content %}
<div class="container-fluid" style="max-width:980px; margin:1.5rem auto;">
  <div class="d-flex justify-content-between align-items-center mb-3">
    <div>
      <h4 class="mb-1">{{ conversation.subject|default:'Support Chat' }}</h4>
      <div class="text-muted small">Target: {{ conversation.get_target_display }}{% if conversation.assigned_s
    </div>
    <a href="{% url 'support_chat_list' %}" class="btn btn-outline-secondary btn-sm">Back to Chats</a>
  </div>

  <div class="card" style="border:none; box-shadow:0 8px 24px rgba(0,0,0,.08); border-radius:12px; overflow
    <div id="support-messages" style="height:460px; overflow:auto; padding:1rem; background:#f8fafc;">
      {% for message in messages_list %}
      <div data-message-id="{{ message.id }}" class="mb-2 d-flex {% if message.sender_user == request.user
        <div style="max-width:72%; background:{% if message.sender_user == request.user %}#dcfce7{% else
          <div class="small fw-semibold mb-1">{{ message.sender_role|title }}</div>
          {% if message.content %}<div>{{ message.content|linebreaksbr }}</div>{% endif %}
          {% if message.attachment %}
          {% with attachment_url=message.attachment.url|lower %}
          {% if ".jpg" in attachment_url or ".jpeg" in attachment_url or ".png" in attachment_url or ".gif" in attachm
          <div class="mt-2"><img src="{{ message.attachment.url }}" alt="attachment image" style="max-width:1
          <div class="mt-1"><a href="{{ message.attachment.url }}" target="_blank">Open image</a></div>
          {% else %}
          <div class="mt-1"><a href="{{ message.attachment.url }}" target="_blank">Open attached file</a></div
          {% endif %}
          {% endwith %}
```

```
          {% endif %}
          <div class="text-muted" style="font-size:.75rem;">{{ message.created_at|date:'Y-m-d H:i' }}</div>
        </div>
      </div>
      {% endfor %}
    </div>

    <div class="card-body border-top">
      <form id="support-send-form" enctype="multipart/form-data">
        {% csrf_token %}
        <div class="mb-2">
          <textarea name="content" id="support-content" rows="3" class="form-control" placeholder="Type your
        </div>
        <div class="d-flex gap-2 flex-wrap">
          <input type="file" name="attachment" class="form-control" style="max-width:260px;">
          <button class="btn btn-primary" type="submit">Send</button>
        </div>
      </form>
    </div>
  </div>
</div>
{% endblock %}

{% block extra_js %}
<script>
(function() {
  const messageBox = document.getElementById('support-messages');
  const form = document.getElementById('support-send-form');
  const contentInput = document.getElementById('support-content');
  if (!messageBox || !form) return;

  const sendUrl = "{% url 'support_chat_send_message' conversation.id %}";
  const pollUrlBase = "{% url 'support_chat_poll_messages' conversation.id %}";

  const escapeHtml = (value) => {
    const div = document.createElement('div');
    div.textContent = value || '';
    return div.innerHTML;
  };

  const getLastId = () => {
    const nodes = messageBox.querySelectorAll('[data-message-id]');
    if (!nodes.length) return 0;
    return Number(nodes[nodes.length - 1].dataset.messageId || 0);
  };

  const scrollBottom = () => {
    messageBox.scrollTop = messageBox.scrollHeight;
  };

  const renderMessage = (msg) => {
    if (messageBox.querySelector(`[data-message-id="${msg.id}"]`)) return;
    const row = document.createElement('div');
    row.className = `mb-2 d-flex ${msg.is_me ? 'justify-content-end' : 'justify-content-start'}`;
    row.dataset.messageId = msg.id;

    const attachmentHtml = (() => {
      if (!msg.attachment_url) return '';
      if (msg.attachment_is_image) {
        return `
```

```
          <div class="mt-2"><img src="${msg.attachment_url}" alt="attachment image" style="max-width:100%;
          <div class="mt-1"><a href="${msg.attachment_url}" target="_blank">Open image</a></div>
        `;
      }
      const fileName = escapeHtml(msg.attachment_name || 'Attached file');
      return `<div class="mt-1"><a href="${msg.attachment_url}" target="_blank">${fileName}</a></div>`;
    })();

    row.innerHTML = `
      <div style="max-width:72%; background:${msg.is_me ? '#dcfce7' : '#ffffff'}; border:1px solid #e5e7eb; bo
        <div class="small fw-semibold mb-1">${escapeHtml(msg.sender_role.replace('_', ' '))}</div>
        ${msg.content ? `<div>${escapeHtml(msg.content)}</div>` : ''}
        ${attachmentHtml}
        <div class="text-muted" style="font-size:.75rem;">${escapeHtml(msg.created_at)}</div>
      </div>`;
    messageBox.appendChild(row);
    scrollBottom();
  };

  form.addEventListener('submit', async function(event) {
    event.preventDefault();
    const data = new FormData(form);
    try {
      const response = await fetch(sendUrl, {
        method: 'POST',
        body: data,
        headers: { 'X-Requested-With': 'XMLHttpRequest' }
      });
      const payload = await response.json();
      if (!payload.success) {
        alert(payload.error || 'Unable to send message.');
        return;
      }
      renderMessage(payload.message);
      form.reset();
      contentInput.focus();
    } catch (error) {
      alert('Message send failed.');
    }
  });

  async function pollMessages() {
    const lastId = getLastId();
    try {
      const response = await fetch(`${pollUrlBase}?last_id=${lastId}`);
      const payload = await response.json();
      if (!payload.success || !payload.messages) return;
      payload.messages.forEach(renderMessage);
    } catch (error) {
      // no-op
    }
  }

  scrollBottom();
  setInterval(pollMessages, 4000);
})();
</script>
{% endblock %}

=== resources\views\store\support_chat_list.html ===
```

```
{% extends 'store/base.html' %}

{% block title %}Support Chats{% endblock %}

{% block content %}
<div class="container-fluid" style="max-width:1120px; margin:1.5rem auto;">
  <div class="row g-4">
    <div class="col-lg-4">
      <div class="card" style="border:none; box-shadow:0 8px 24px rgba(0,0,0,.08); border-radius:12px;">
        <div class="card-header" style="background:#1f2937; color:#fff;"><strong>Start Support Chat</strong>
        <div class="card-body">
          <form method="post" action="{% url 'support_chat_start' %}" enctype="multipart/form-data">
            {% csrf_token %}
            <div class="mb-3">
              <label class="form-label">Contact</label>
              <select name="target" class="form-select">
                {% for value,label in target_choices %}
                <option value="{{ value }}">{{ label }}</option>
                {% endfor %}
              </select>
            </div>
            <div class="mb-3">
              <label class="form-label">Related Report (optional)</label>
              <select name="issue_report_id" class="form-select">
                <option value="">No linked report</option>
                {% for report in open_reports %}
                <option value="{{ report.id }}">Report #{{ report.id }} - {{ report.get_status_display }}</option>
                {% endfor %}
              </select>
            </div>
            <div class="mb-3">
              <label class="form-label">Subject</label>
              <input type="text" name="subject" class="form-control" placeholder="Support request or dispute">
            </div>
            <div class="mb-3">
              <label class="form-label">Message</label>
              <textarea class="form-control" name="message" rows="3"></textarea>
            </div>
            <div class="mb-3">
              <label class="form-label">Attachment</label>
              <input type="file" name="attachment" class="form-control">
            </div>
            <button type="submit" class="btn btn-primary w-100">Start Chat</button>
          </form>
        </div>
      </div>
    </div>

    <div class="col-lg-8">
      <div class="d-flex justify-content-between align-items-center mb-3">
        <h4 class="mb-0">Support Conversations</h4>
        <span class="badge bg-danger">Unread: {{ total_unread }}</span>
      </div>

      {% for row in conversation_rows %}
      <a href="{% url 'support_chat_detail' row.conversation.id %}" class="text-decoration-none">
        <div class="card mb-3" style="border:none; box-shadow:0 4px 16px rgba(0,0,0,.06); border-radius:10px
          <div class="card-body d-flex justify-content-between align-items-start gap-3">
            <div>
              <div class="fw-semibold text-dark">{{ row.conversation.subject|default:'Support conversation' }}</di
```

```
            <div class="text-muted small">Target: {{ row.conversation.get_target_display }}{% if row.conversati
            <div class="small text-muted mt-1">
              {% if row.last_message %}
              {{ row.last_message.content|truncatechars:80 }}
              {% else %}
              No messages yet
              {% endif %}
            </div>
          </div>
          <div class="text-end">
            <div class="small text-muted">{{ row.conversation.updated_at|date:'Y-m-d H:i' }}</div>
            {% if row.unread_count %}
            <span class="badge bg-danger mt-1">{{ row.unread_count }}</span>
            {% endif %}
          </div>
        </div>
      </div>
    </a>
    {% empty %}
    <div class="alert alert-secondary">No support conversations yet.</div>
    {% endfor %}
  </div>
 </div>
</div>
{% endblock %}

=== resources\views\store\view_customer_details.html ===

=== resources\views\store\wishlist.blade.php ===
@extends('store.registration-layout')

@section('title', 'Wishlisted Books')

@section('content')
   <div class="container-fluid">
      <div class="d-flex align-items-center justify-content-between mb-3">
         <h1 class="h3 mb-0">Wishlisted Books</h1>
         <span class="text-muted">Track books customers have wishlisted.</span>
      </div>

      <div class="card border-0 shadow-sm">
         <div class="card-body">
            <div class="text-muted">No wishlist items to display yet.</div>
         </div>
      </div>
   </div>
@endsection

=== resources\views\store\wishlist.html ===
<!-- store/wishlist.html -->
{% extends 'store/base.html' %}

{% block title %}Wishlisted Books - Store Dashboard{% endblock %}

{% block content %}
<div class="container-fluid">
   <!-- Breadcrumb Navigation -->
   <nav aria-label="breadcrumb" class="mb-4">
      <ol class="breadcrumb">
         <li class="breadcrumb-item"><a href="{% url 'store_dashboard' %}">Dashboard</a></li>
```

```
        <li class="breadcrumb-item active" aria-current="page">Wishlisted Books</li>
    </ol>
</nav>

<!-- Page Header -->
<div class="row mb-4">
    <div class="col-12">
        <div class="dashboard-card p-4">
            <div class="row align-items-center">
                <div class="col-md-8">
                    <h3 class="mb-2">
                        <i class="bi bi-heart-fill text-danger me-2"></i>
                        Wishlisted Books
                    </h3>
                    <p class="text-muted mb-0">
                        Track books with high customer interest and manage stock levels
                    </p>
                </div>
                <div class="col-md-4">
                    <div class="d-flex justify-content-end gap-2">
                        <a href="{% url 'view_inventory' %}" class="btn btn-primary">
                            <i class="bi bi-box me-2"></i> View Inventory
                        </a>
                        <a href="{% url 'add_book_registration' %}" class="btn btn-success">
                            <i class="bi bi-plus-lg me-2"></i> Add Book
                        </a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<!-- Stats Cards -->
<div class="row mb-4">
    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center">
            <div class="text-danger mb-2">
                <i class="bi bi-heart-fill fs-1"></i>
            </div>
            <h4 class="mb-1">{{ total_wishlisted }}</h4>
            <p class="text-muted mb-0">Total Wishlisted</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center">
            <div class="text-warning mb-2">
                <i class="bi bi-fire fs-1"></i>
            </div>
            <h4 class="mb-1">{{ popular_count }}</h4>
            <p class="text-muted mb-0">Popular Books</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center">
            <div class="text-danger mb-2">
                <i class="bi bi-exclamation-triangle fs-1"></i>
            </div>
```

```
            <h4 class="mb-1">{{ low_stock_count }}</h4>
            <p class="text-muted mb-0">Low Stock</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center">
            <div class="text-success mb-2">
                <i class="bi bi-graph-up-arrow fs-1"></i>
            </div>
            <h4 class="mb-1">{{ trending_count }}</h4>
            <p class="text-muted mb-0">Trending Now</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center">
            <div class="text-info mb-2">
                <i class="bi bi-clock-history fs-1"></i>
            </div>
            <h4 class="mb-1">{{ wishlisted_books|length }}</h4>
            <p class="text-muted mb-0">To Review</p>
        </div>
    </div>

    <div class="col-xl-2 col-md-4 col-sm-6 mb-4">
        <div class="dashboard-card p-3 text-center">
            <div class="text-book-color mb-2">
                <i class="bi bi-cash-coin fs-1"></i>
            </div>
            <h4 class="mb-1">${{ estimated_revenue|floatformat:2 }}</h4>
            <p class="text-muted mb-0">Potential Revenue</p>
        </div>
    </div>
</div>

<!-- Filter Section -->
<div class="row mb-4">
    <div class="col-12">
        <div class="dashboard-card p-4">
            <div class="row g-3">
                <div class="col-md-3">
                    <label class="form-label">Filter by Category</label>
                    <select class="form-select" id="categoryFilter">
                        <option value="all">All Categories</option>
                        <option value="popular">Most Popular</option>
                        <option value="low_stock">Low Stock</option>
                        <option value="new">New Arrivals</option>
                    </select>
                </div>

                <div class="col-md-3">
                    <label class="form-label">Sort By</label>
                    <select class="form-select" id="sortFilter">
                        <option value="popularity">Popularity</option>
                        <option value="wishlist_count">Wishlist Count</option>
                        <option value="stock">Stock Level</option>
                        <option value="recent">Recently Added</option>
                    </select>
                </div>
```

```
            <div class="col-md-3">
                <label class="form-label">Stock Level</label>
                <select class="form-select" id="stockFilter">
                    <option value="all">All Levels</option>
                    <option value="low">Low Stock (≤ 2)</option>
                    <option value="medium">Medium (3-10)</option>
                    <option value="high">High Stock (> 10)</option>
                </select>
            </div>

            <div class="col-md-3 d-flex align-items-end">
                <button class="btn btn-primary w-100" onclick="applyFilters()">
                    <i class="bi bi-funnel me-2"></i> Apply Filters
                </button>
            </div>
        </div>
    </div>
  </div>
</div>

{% if wishlisted_books %}
<!-- Books Grid -->
<div class="row mb-4">
    {% for book in wishlisted_books %}
    <div class="col-xl-4 col-lg-6 mb-4">
        <div class="dashboard-card h-100">
            <div class="p-4">
                <div class="d-flex justify-content-between align-items-start mb-3">
                    <div class="flex-grow-1">
                        <h5 class="mb-1">{{ book.title }}</h5>
                        <p class="text-muted mb-2">
                            <i class="bi bi-person me-1"></i>{{ book.author }}
                        </p>
                        <span class="badge bg-primary mb-3">{{ book.genre|default:"Fiction" }}</span>
                    </div>
                    <div class="flex-shrink-0">
                        <span class="badge bg-danger p-2">
                            <i class="bi bi-heart-fill me-1"></i>{{ book.wishlist_count|default:"15" }}
                        </span>
                    </div>
                </div>

                <!-- Stock Levels -->
                <div class="row g-2 mb-3">
                    <div class="col-6">
                        <div class="border rounded p-2 text-center">
                            <small class="text-muted d-block">FOR RENT</small>
                            <h6 class="mb-0 text-book-color">${{ book.rental_price|floatformat:2 }}</h6>
                            <small
                                class="{% if book.available_copies > 3 %}text-success{% elif book.available_copies >
                                {{ book.available_copies }} available
                            </small>
                        </div>
                    </div>
                    <div class="col-6">
                        <div class="border rounded p-2 text-center">
                            <small class="text-muted d-block">FOR SALE</small>
                            <h6 class="mb-0 text-success">${{ book.sale_price|floatformat:2 }}</h6>
                            <small
```

```
                    class="{% if book.available_sales > 3 %}text-success{% elif book.available_sales > 0
                    {{ book.available_sales }} available
                </small>
            </div>
        </div>
    </div>

    <!-- Alerts -->
    <div class="mb-3">
        {% if book.available_copies <= 2 %} <div
            class="alert alert-danger py-1 mb-2 d-flex align-items-center">
            <i class="bi bi-exclamation-triangle me-2"></i>
            <small>Low rental stock</small>
    </div>
    {% endif %}

    {% if book.available_sales <= 2 %} <div
        class="alert alert-warning py-1 mb-2 d-flex align-items-center">
        <i class="bi bi-exclamation-circle me-2"></i>
        <small>Low sale stock</small>
  </div>
  {% endif %}
</div>

<!-- Action Buttons -->
<div class="d-grid gap-2">
  <a href="{% url 'edit_book' book.id %}" class="btn btn-primary">
    <i class="bi bi-pencil me-2"></i> Edit Book
  </a>
  <div class="row g-2">
    <div class="col-6">
      <button class="btn btn-success w-100" onclick="restockBook({{ book.id }})">
        <i class="bi bi-plus-lg me-1"></i> Restock
      </button>
    </div>
    <div class="col-6">
      <button class="btn btn-info w-100" onclick="viewAnalytics({{ book.id }})">
        <i class="bi bi-graph-up me-1"></i> Analytics
      </button>
    </div>
  </div>
</div>
</div>
</div>
{% endfor %}
</div>

<!-- Restock Recommendations -->
<div class="row mb-4">
  <div class="col-12">
    <div class="dashboard-card p-4">
      <h4 class="mb-4">
        <i class="bi bi-lightbulb-fill text-warning me-2"></i>
        Restock Recommendations
      </h4>

      <div class="table-responsive">
        <table class="table table-hover">
          <thead>
```

```
                <tr>
                    <th>Book</th>
                    <th class="text-center">Current Stock</th>
                    <th class="text-center">Wishlist Count</th>
                    <th class="text-center">Recommendation</th>
                    <th class="text-center">Actions</th>
                </tr>
            </thead>
            <tbody>
                {% for book in low_stock_books %}
                <tr>
                    <td>
                        <div class="d-flex align-items-center">
                            <div class="flex-shrink-0 me-3">
                                <div class="bg-light rounded p-2">
                                    <i class="bi bi-book text-book-color"></i>
                                </div>
                            </div>
                            <div class="flex-grow-1">
                                <h6 class="mb-1">{{ book.title }}</h6>
                                <small class="text-muted">{{ book.author }}</small>
                            </div>
                        </div>
                    </td>
                    <td class="text-center">
                        <div>
                            <span
                                class="badge {% if book.available_copies > 2 %}bg-success{% else %}bg-danger{%
                                Rent: {{ book.available_copies }}
                            </span>
                            <span
                                class="badge {% if book.available_sales > 2 %}bg-success{% else %}bg-danger{%
                                Sale: {{ book.available_sales }}
                            </span>
                        </div>
                    </td>
                    <td class="text-center">
                        <span class="badge bg-danger p-2">
                            <i class="bi bi-heart-fill me-1"></i>{{ book.wishlist_count|default:"15" }}
                        </span>
                    </td>
                    <td class="text-center">
                        <span class="text-success">
                            <i class="bi bi-plus-circle me-1"></i>
                            +{{ book.recommended_restock|default:"5" }} copies
                        </span>
                    </td>
                    <td class="text-center">
                        <button class="btn btn-sm btn-success" onclick="quickRestock({{ book.id }})">
                            <i class="bi bi-cart-plus me-1"></i> Order More
                        </button>
                    </td>
                </tr>
                {% endfor %}
            </tbody>
        </table>
    </div>
  </div>
 </div>
</div>
```

```
{% else %}
<!-- Empty State -->
<div class="row">
    <div class="col-12">
        <div class="dashboard-card p-5 text-center">
            <div class="mb-4">
                <i class="bi bi-heart text-muted" style="font-size: 4rem;"></i>
            </div>
            <h4 class="mb-3">No wishlisted books yet</h4>
            <p class="text-muted mb-4">
                Books that customers add to their wishlist will appear here.
                This helps you track popular items and manage stock levels.
            </p>
            <div class="d-flex justify-content-center gap-3">
                <a href="{% url 'view_inventory' %}" class="btn btn-primary">
                    <i class="bi bi-box me-2"></i> View Inventory
                </a>
                <a href="{% url 'store_orders' %}" class="btn btn-success">
                    <i class="bi bi-cart me-2"></i> View Orders
                </a>
            </div>
        </div>
    </div>
</div>
{% endif %}
</div>

<style>
    .bg-book-color {
        background-color: var(--book-color) !important;
    }

    .text-book-color {
        color: var(--book-color) !important;
    }

    .alert {
        border-radius: 8px;
        margin-bottom: 0.5rem;
    }

    .table-hover tbody tr:hover {
        background-color: rgba(67, 97, 238, 0.05);
    }

    .badge {
        font-weight: 500;
    }
</style>

<script>
    function applyFilters() {
        const category = document.getElementById('categoryFilter').value;
        const sort = document.getElementById('sortFilter').value;
        const stock = document.getElementById('stockFilter').value;

        let url = '?';

        if (category !== 'all') url += `category=${category}&`;
```

```
        if (sort !== 'popularity') url += `sort=${sort}&`;
        if (stock !== 'all') url += `stock=${stock}`;

        window.location.href = url;
    }

    function restockBook(bookId) {
        showAlert('Restock Book', 'Opening restock form for book #' + bookId);
    }

    function quickRestock(bookId) {
        const quantity = prompt('Enter quantity to order:', '5');
        if (quantity) {
            showAlert('Order Placed', `Ordering ${quantity} copies for book #${bookId}`);
        }
    }

    function viewAnalytics(bookId) {
        showAlert('Book Analytics', 'Opening analytics dashboard for book #' + bookId);
    }

    function showAlert(title, message) {
        const alertDiv = document.createElement('div');
        alertDiv.className = 'alert alert-success alert-dismissible fade show position-fixed';
        alertDiv.style.cssText = 'top: 80px; right: 20px; z-index: 9999; min-width: 300px;';
        alertDiv.innerHTML = `
        <strong>${title}</strong><br>
        ${message}
        <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
    `;
        document.body.appendChild(alertDiv);

        setTimeout(() => {
            if (alertDiv.parentNode) {
                alertDiv.remove();
            }
        }, 3000);
    }

    // Initialize filters from URL parameters
    document.addEventListener('DOMContentLoaded', function () {
        const urlParams = new URLSearchParams(window.location.search);

        if (urlParams.has('category')) {
            document.getElementById('categoryFilter').value = urlParams.get('category');
        }

        if (urlParams.has('sort')) {
            document.getElementById('sortFilter').value = urlParams.get('sort');
        }

        if (urlParams.has('stock')) {
            document.getElementById('stockFilter').value = urlParams.get('stock');
        }
    });
</script>
{% endblock %}

=== resources\views\store\books\add.blade.php ===
@extends('store.registration-layout')
```

```
@section('title', 'Add Book')

@section('content')
    <div class="container-fluid">


        <div class="card border-0 shadow-sm">
            <div class="card-body">
                <div class="min-h-screen bg-gray-100 py-10">
                    <div class="max-w-6xl mx-auto px-6">
                        <!-- HEADER -->
                        <div class="mb-10">
                            <h1 class="text-4xl font-bold text-gray-800 tracking-tight">
                                Add Book to Inventory
                            </h1>
                            <p class="text-gray-500 mt-2">Manage your bookstore catalog professionally</p>
                        </div>

                        @if($errors->any())
                            <div class="alert alert-danger">
                                <ul class="mb-0">
                                    @foreach($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif

                        <form method="POST" enctype="multipart/form-data" class="space-y-10" action="{{ route('bo
                            @csrf

                            <!-- SECTION CARD STYLE -->
                            <div class="bg-white/80 backdrop-blur-sm rounded-2xl shadow-lg border border-gray-200
                                <h2 class="text-lg font-semibold text-gray-700 flex items-center gap-2">
                                    ■ Book Information
                                </h2>

                                <div class="grid grid-cols-1 md:grid-cols-2 gap-6">
                                    <div class="space-y-1">
                                        <label class="text-sm font-medium text-gray-600">Title *</label>
                                        <input type="text" name="title" required
                                            class="w-full px-4 py-3 rounded-xl border border-gray-300
                                            focus:ring-2 focus:ring-blue-500 focus:border-blue-500 transition form-control" pl
                                    </div>

                                    <div class="space-y-1">
                                        <label class="text-sm font-medium text-gray-600">Author *</label>
                                        <input type="text" name="author" required
                                            class="w-full px-4 py-3 rounded-xl border border-gray-300
                                            focus:ring-2 focus:ring-blue-500 focus:border-blue-500 transition form-control" pl
                                    </div>

                                    <div class="space-y-1">
                                        <label class="text-sm font-medium text-gray-600">Genre *</label>
                                        <select name="genre" required
                                            class="w-full px-4 py-3 rounded-xl border border-gray-300
                                            focus:ring-2 focus:ring-blue-500 focus:border-blue-500 transition">
                                            <option value="">Select Genre</option>
                                            <option value="fiction">Fiction</option>
```

```
                <option value="non-fiction">Non-Fiction</option>
                <option value="sci-fi">Science Fiction</option>
                <option value="fantasy">Fantasy</option>
            </select>
        </div>

        <div class="space-y-1">
            <label class="text-sm font-medium text-gray-600">Publication Year</label>
            <input type="number" name="publication_year"
                class="w-full px-4 py-3 rounded-xl border border-gray-300
                focus:ring-2 focus:ring-blue-500 focus:border-blue-500 transition">
        </div>
    </div>
</div>

<!-- INVENTORY -->
<div class="bg-white/80 backdrop-blur-sm rounded-2xl shadow-lg border border-gray-200
    <h2 class="text-lg font-semibold text-gray-700 flex items-center gap-2">
        ■ Inventory Details
    </h2>

    <div class="grid grid-cols-1 md:grid-cols-3 gap-6">
        <input type="number" name="total_copies" required placeholder="Total Copies"
            class="px-4 py-3 rounded-xl border border-gray-300 focus:ring-2 focus:ring-blue-50

        <input type="number" name="available_rent" required placeholder="Available for Ren
            class="px-4 py-3 rounded-xl border border-gray-300 focus:ring-2 focus:ring-blue-50

        <input type="number" name="available_sale" required placeholder="Available for Sal
            class="px-4 py-3 rounded-xl border border-gray-300 focus:ring-2 focus:ring-blue-50
    </div>
</div>

<!-- PRICING -->
<div class="bg-white/80 backdrop-blur-sm rounded-2xl shadow-lg border border-gray-200
    <h2 class="text-lg font-semibold text-gray-700 flex items-center gap-2">
        ■ Pricing
    </h2>

    <div class="grid grid-cols-1 md:grid-cols-2 gap-6">
        <div class="relative">
            <span class="absolute left-4 top-3 text-gray-400">$</span>
            <input type="number" name="rental_price" required step="0.01"
                class="w-full pl-8 pr-4 py-3 rounded-xl border border-gray-300 form-control
                focus:ring-2 focus:ring-blue-500 transition"
                placeholder="Rental Price">
        </div>

        <div class="relative">
            <span class="absolute left-4 top-3 text-gray-400">$</span>
            <input type="number" name="sale_price" required step="0.01"
                class="w-full pl-8 pr-4 py-3 rounded-xl border border-gray-300
                focus:ring-2 focus:ring-blue-500 transition"
                placeholder="Sale Price">
        </div>
    </div>
</div>

<!-- IMAGE UPLOAD SECTION -->
<div class="bg-white/80 backdrop-blur-sm rounded-2xl shadow-lg border border-gray-200
```

```
                    <h2 class="text-lg font-semibold text-gray-700 flex items-center gap-2">
                        ■■ Book Cover Image
                    </h2>

                    <div class="space-y-4">
                        <div class="border-2 border-dashed border-gray-300 rounded-xl p-6 text-center hover
                             onclick="document.getElementById('cover_image').click()">
                            <input type="file" name="cover_image" id="cover_image" accept="image/*" class="

                            <!-- Image preview container -->
                            <div id="image_preview_container" class="hidden mb-4">
                                <img id="image_preview" src="#" alt="Cover preview" class="max-h-48 mx-auto
                            </div>

                            <!-- Upload icon and text -->
                            <div id="upload_prompt">
                                <svg class="mx-auto h-12 w-12 text-gray-400" stroke="currentColor" fill="none" v
                                    <path d="M28 8H12a4 4 0 00-4 4v20m32-12v8m0 0v8a4 4 0 01-4 4H8a4 4 0
                                </svg>
                                <p class="mt-2 text-sm text-gray-600">Click to upload book cover image</p>
                                <p class="text-xs text-gray-500">PNG, JPG, GIF up to 5MB</p>
                            </div>
                        </div>

                        <!-- Remove image button -->
                        <button type="button" onclick="removeImage()" class="text-sm text-red-600 hover:tex
                            <i class="fas fa-trash-alt mr-1"></i> Remove Image
                        </button>
                    </div>
                </div>

                <!-- STICKY ACTION BAR -->
                <div class="sticky bottom-0 border-t border-gray-200 p-6 flex justify-end gap-4 rounded-b-2
                    <button type="button"
                        onclick="window.history.back()"
                        class="px-6 py-3 rounded-xl border border-gray-300 hover:bg-gray-100 transition btn
                        Cancel
                    </button>

                    <button type="submit" name="save_and_add"
                        class="px-6 py-3 rounded-xl bg-green-600 text-white hover:bg-green-700 shadow-md
                        Save & Add Another
                    </button>

                    <button type="submit" name="save_and_close"
                        class="px-6 py-3 rounded-xl bg-blue-600 text-white hover:bg-blue-700 shadow-md tra
                        Save & Close
                    </button>
                </div>
            </form>
        </div>
    </div>
  </div>
 </div>
</div>

<!-- Image Preview Script -->
<script>
function previewImage(input) {
    const previewContainer = document.getElementById('image_preview_container');
```

```
        const preview = document.getElementById('image_preview');
        const uploadPrompt = document.getElementById('upload_prompt');
        const removeBtn = document.getElementById('remove_image_btn');

        if (input.files && input.files[0]) {
            const reader = new FileReader();

            reader.onload = function(e) {
                preview.src = e.target.result;
                previewContainer.classList.remove('hidden');
                uploadPrompt.classList.add('hidden');
                removeBtn.classList.remove('hidden');
            }

            reader.readAsDataURL(input.files[0]);
        }
    }

    function removeImage() {
        const fileInput = document.getElementById('cover_image');
        const previewContainer = document.getElementById('image_preview_container');
        const uploadPrompt = document.getElementById('upload_prompt');
        const removeBtn = document.getElementById('remove_image_btn');

        fileInput.value = '';
        previewContainer.classList.add('hidden');
        uploadPrompt.classList.remove('hidden');
        removeBtn.classList.add('hidden');
    }
    </script>

    <!-- Alert Messages -->
    @if(session('messages'))
        <script>
            @foreach(session('messages') as $message)
                alert("{{ $message }}");
            @endforeach
        </script>
    @endif

    <style>
        .border-2 { border-width: 2px; }
        .border-dashed { border-style: dashed; }
        .hidden { display: none; }
    </style>
@endsection

=== resources\views\store\books\edit.blade.php ===
@extends('store.registration-layout')

@section('title', 'Edit Book')

@section('content')
    <div class="container-fluid">
        <div class="card border-0 shadow-sm">
            <div class="card-body">
                <div class="min-h-screen bg-gray-100 py-10">
                    <div class="max-w-6xl mx-auto px-6">
                        <!-- HEADER -->
                        <div class="mb-10">
```

```
    <h1 class="text-4xl font-bold text-gray-800 tracking-tight">
        Edit Book
    </h1>
    <p class="text-gray-500 mt-2">Update your bookstore catalog</p>
</div>

@if($errors->any())
    <div class="alert alert-danger">
        <ul class="mb-0">
            @foreach($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        </ul>
    </div>
@endif

<form method="POST" enctype="multipart/form-data" class="space-y-10" action="{{ route('bo
    @csrf
    @method('PUT')

    <!-- SECTION CARD STYLE -->
    <div class="bg-white/80 backdrop-blur-sm rounded-2xl shadow-lg border border-gray-200
        <h2 class="text-lg font-semibold text-gray-700 flex items-center gap-2">
            ■ Book Information
        </h2>

        <div class="grid grid-cols-1 md:grid-cols-2 gap-6">
            <div class="space-y-1">
                <label class="text-sm font-medium text-gray-600">Title *</label>
                <input type="text" name="title" required
                    value="{{ old('title', $book->title) }}"
                    class="w-full px-4 py-3 rounded-xl border border-gray-300
                    focus:ring-2 focus:ring-blue-500 focus:border-blue-500 transition form-control" pl
            </div>

            <div class="space-y-1">
                <label class="text-sm font-medium text-gray-600">Author *</label>
                <input type="text" name="author" required
                    value="{{ old('author', $book->author) }}"
                    class="w-full px-4 py-3 rounded-xl border border-gray-300
                    focus:ring-2 focus:ring-blue-500 focus:border-blue-500 transition form-control" pl
            </div>

            <div class="space-y-1">
                <label class="text-sm font-medium text-gray-600">Genre *</label>
                <select name="genre" required
                    class="w-full px-4 py-3 rounded-xl border border-gray-300
                    focus:ring-2 focus:ring-blue-500 focus:border-blue-500 transition">
                    @php
                        $genre = old('genre', $book->genre);
                    @endphp
                    <option value="">Select Genre</option>
                    <option value="fiction" @selected($genre === 'fiction')>Fiction</option>
                    <option value="non-fiction" @selected($genre === 'non-fiction')>Non-Fiction</op
                    <option value="sci-fi" @selected($genre === 'sci-fi')>Science Fiction</option>
                    <option value="fantasy" @selected($genre === 'fantasy')>Fantasy</option>
                </select>
            </div>

            <div class="space-y-1">
```

```
            <label class="text-sm font-medium text-gray-600">Publication Year</label>
            <input type="number" name="publication_year"
                value="{{ old('publication_year', $book->publication_year) }}"
                class="w-full px-4 py-3 rounded-xl border border-gray-300
                focus:ring-2 focus:ring-blue-500 focus:border-blue-500 transition">
        </div>
    </div>
</div>

<!-- INVENTORY -->
<div class="bg-white/80 backdrop-blur-sm rounded-2xl shadow-lg border border-gray-200
    <h2 class="text-lg font-semibold text-gray-700 flex items-center gap-2">
        ■ Inventory Details
    </h2>

    <div class="grid grid-cols-1 md:grid-cols-3 gap-6">
        <input type="number" name="total_copies" required placeholder="Total Copies"
            value="{{ old('total_copies', $book->total_copies) }}"
            class="px-4 py-3 rounded-xl border border-gray-300 focus:ring-2 focus:ring-blue-50

        <input type="number" name="available_rent" required placeholder="Available for Ren
            value="{{ old('available_rent', $book->available_rent) }}"
            class="px-4 py-3 rounded-xl border border-gray-300 focus:ring-2 focus:ring-blue-50

        <input type="number" name="available_sale" required placeholder="Available for Sal
            value="{{ old('available_sale', $book->available_sale) }}"
            class="px-4 py-3 rounded-xl border border-gray-300 focus:ring-2 focus:ring-blue-50
    </div>
</div>

<!-- PRICING -->
<div class="bg-white/80 backdrop-blur-sm rounded-2xl shadow-lg border border-gray-200
    <h2 class="text-lg font-semibold text-gray-700 flex items-center gap-2">
        ■ Pricing
    </h2>

    <div class="grid grid-cols-1 md:grid-cols-2 gap-6">
        <div class="relative">
            <span class="absolute left-4 top-3 text-gray-400">$</span>
            <input type="number" name="rental_price" required step="0.01"
                value="{{ old('rental_price', $book->rental_price) }}"
                class="w-full pl-8 pr-4 py-3 rounded-xl border border-gray-300 form-control
                focus:ring-2 focus:ring-blue-500 transition"
                placeholder="Rental Price">
        </div>

        <div class="relative">
            <span class="absolute left-4 top-3 text-gray-400">$</span>
            <input type="number" name="sale_price" required step="0.01"
                value="{{ old('sale_price', $book->sale_price) }}"
                class="w-full pl-8 pr-4 py-3 rounded-xl border border-gray-300
                focus:ring-2 focus:ring-blue-500 transition"
                placeholder="Sale Price">
        </div>
    </div>
</div>

<!-- IMAGE UPLOAD SECTION -->
<div class="bg-white/80 backdrop-blur-sm rounded-2xl shadow-lg border border-gray-200
    <h2 class="text-lg font-semibold text-gray-700 flex items-center gap-2">
```

```
                    ■■ Book Cover Image
                </h2>

                <div class="space-y-4">
                    <div class="border-2 border-dashed border-gray-300 rounded-xl p-6 text-center hover
                        onclick="document.getElementById('cover_image').click()">
                        <input type="file" name="cover_image" id="cover_image" accept="image/*" class="

                        <!-- Image preview container -->
                        <div id="image_preview_container" class="@if(!$book->cover_image_path) hidden
                            <img id="image_preview" src="{{ $book->cover_image_path ? asset($book->cov
                        </div>

                        <!-- Upload icon and text -->
                        <div id="upload_prompt" class="@if($book->cover_image_path) hidden @endif">
                            <svg class="mx-auto h-12 w-12 text-gray-400" stroke="currentColor" fill="none" v
                                <path d="M28 8H12a4 4 0 00-4 4v20m32-12v8m0 0v8a4 4 0 01-4 4H8a4 4 0
                            </svg>
                            <p class="mt-2 text-sm text-gray-600">Click to upload book cover image</p>
                            <p class="text-xs text-gray-500">PNG, JPG, GIF up to 5MB</p>
                        </div>
                    </div>

                    <!-- Remove image button -->
                    <button type="button" onclick="removeImage()" class="text-sm text-red-600 hover:tex
                        <i class="fas fa-trash-alt mr-1"></i> Remove Image
                    </button>
                </div>
            </div>

            <!-- STICKY ACTION BAR -->
            <div class="sticky bottom-0 border-t border-gray-200 p-6 flex justify-end gap-4 rounded-b-2
                <button type="button"
                    onclick="window.history.back()"
                    class="px-6 py-3 rounded-xl border border-gray-300 hover:bg-gray-100 transition btn
                    Cancel
                </button>

                <button type="submit"
                    class="px-6 py-3 rounded-xl bg-blue-600 text-white hover:bg-blue-700 shadow-md tra
                    Save Changes
                </button>
            </div>
        </form>
    </div>
  </div>
 </div>
</div>
</div>

<!-- Image Preview Script -->
<script>
function previewImage(input) {
    const previewContainer = document.getElementById('image_preview_container');
    const preview = document.getElementById('image_preview');
    const uploadPrompt = document.getElementById('upload_prompt');
    const removeBtn = document.getElementById('remove_image_btn');

    if (input.files && input.files[0]) {
        const reader = new FileReader();
```

```
            reader.onload = function(e) {
                preview.src = e.target.result;
                previewContainer.classList.remove('hidden');
                uploadPrompt.classList.add('hidden');
                removeBtn.classList.remove('hidden');
            }

            reader.readAsDataURL(input.files[0]);
        }
    }

    function removeImage() {
        const fileInput = document.getElementById('cover_image');
        const previewContainer = document.getElementById('image_preview_container');
        const uploadPrompt = document.getElementById('upload_prompt');
        const removeBtn = document.getElementById('remove_image_btn');

        fileInput.value = '';
        previewContainer.classList.add('hidden');
        uploadPrompt.classList.remove('hidden');
        removeBtn.classList.add('hidden');
    }
    </script>

    <style>
        .border-2 { border-width: 2px; }
        .border-dashed { border-style: dashed; }
        .hidden { display: none; }
    </style>
@endsection

=== resources\views\store\books\inventory.blade.php ===
@extends('store.registration-layout')

@section('title', 'Inventory')

@section('content')
    <div class="container-fluid">
        <div class="d-flex align-items-center justify-content-between mb-3">
            <h1 class="h3 mb-0">Inventory</h1>
            <span class="text-muted">Track books currently in stock.</span>
        </div>

        @if(session('messages'))
            <div class="alert alert-success">
                @foreach((array) session('messages') as $message)
                    <div>{{ $message }}</div>
                @endforeach
            </div>
        @endif

        <div class="card border-0 shadow-sm">
            <div class="card-body">

<div class="table-responsive">
    <table class="table table-hover table-striped align-middle shadow-sm">
        <thead class="table-dark text-center">
            <tr>
                <th>ID</th>
```

```
        <th>Image</th>
        <th>Title</th>
        <th>Author</th>
        <th>Genre</th>
        <th>Publication Year</th>
        <th>Total Copies</th>
        <th>Available Rent</th>
        <th>Available Sale</th>
        <th>Rental Price</th>
        <th>Sale Price</th>
        <th>
            <a href="{{ route('add.book.registration') }}"
               class="btn btn-success btn-sm px-3">
                <i class="fas fa-plus-circle me-1"></i> Add New
            </a>
        </th>
    </tr>
</thead>

<tbody class="text-center">
    @forelse($books as $book)
        <tr>
            <td class="fw-semibold">{{ $book->id }}</td>
            <td>
                <div style="width:48px; height:64px; margin:0 auto;">
                    @if($book->cover_image_path)
                        <img src="{{ asset($book->cover_image_path) }}"
                             alt="{{ $book->title }}"
                             loading="lazy"
                             style="width:100%; height:100%; object-fit:cover; border-radius:6px; border:1px solid
                    @else
                        <div class="d-flex align-items-center justify-content-center bg-light text-muted"
                             style="width:100%; height:100%; border-radius:6px; border:1px solid #e5e7eb; font-s
                            No Image
                        </div>
                    @endif
                </div>
            </td>
            <td>{{ $book->title }}</td>
            <td>{{ $book->author }}</td>
            <td>{{ $book->genre }}</td>
            <td>{{ $book->publication_year ?? '-' }}</td>
            <td>{{ $book->total_copies }}</td>
            <td>{{ $book->available_rent }}</td>
            <td>{{ $book->available_sale }}</td>
            <td>${{ number_format($book->rental_price, 2) }}</td>
            <td>${{ number_format($book->sale_price, 2) }}</td>
            <td class="text-nowrap">
                <a href="{{ route('books.edit', $book->id) }}" class="btn btn-outline-primary btn-sm me-2">
                    <i class="far fa-edit"></i> edit
                </a>

                <form action="{{ route('books.destroy', $book->id) }}" method="post" class="d-inline">
                    @csrf
                    @method('DELETE')
                    <button type="submit"
                            class="btn btn-outline-danger btn-sm"
                            onclick="return confirm('Delete this book permanently?');">
                        <i class="far fa-trash-alt"></i>delete
                    </button>
```

```
                    </form>
                </td>
            </tr>
        @empty
            <tr>
                <td colspan="12" class="text-muted py-4">No books in inventory yet.</td>
            </tr>
        @endforelse
    </tbody>
  </table>
</div>



        </div>
    </div>
  </div>
@endsection

=== resources\views\store\books\manage.blade.php ===
@extends('store.registration-layout')

@section('title', 'Manage Books')

@section('content')
  <div class="container-fluid">
    <div class="d-flex align-items-center justify-content-between mb-3">
        <h1 class="h3 mb-0">Manage Books</h1>
        <span class="text-muted">Edit or remove books from your catalog.</span>
    </div>

    <div class="card border-0 shadow-sm">
        <div class="card-body">
            <div class="text-muted">No books to manage yet.</div>
        </div>
    </div>
  </div>
@endsection
```