

```
<!DOCTYPE html>
<html lang="am">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Nice Bingo Game</title>
  <style>
    body { font-family: Arial, sans-serif;
text-align: center; background-color:
#f0f2f5; margin: 0; padding: 20px; }
    h1 { color: #0088cc; }
    .grid { display: grid; grid-template-
columns: repeat(5, 1fr); gap: 10px; max-
width: 350px; margin: 20px auto; }
    .cell { background: white; border: 2px
solid #0088cc; border-radius: 8px;
padding: 15px; font-weight: bold; cursor:
pointer; font-size: 18px; }
    .cell.marked { background: #2abb67;
```

```
color: white; }
```

```
    button { background: #0088cc; color:
white; border: none; padding: 10px 20px;
font-size: 16px; border-radius: 5px; cursor:
pointer; margin-top: 15px; }
```

```
    </style>
```

```
</head>
```

```
<body>
```

```
    <h1>Nice Bingo 🎲</h1>
```

```
    <p>ቁጥሮቼን በመንካት ይጫወቱ!</p>
```

```
    <div class="grid" id="bingoCard"></div>
```

```
    <button onclick="generateCard()">አዲስ
ካርድ አውጣ</button>
```

```
    <script>
```

```
        function generateCard() {
```

```
            const grid =
```

```
document.getElementById('bingoCard');
```

```
            grid.innerHTML = '';
```

```
            let nums = [];
```

```
            while(nums.length < 25){
```

```
        let r = Math.floor(Math.random() *
75) + 1;
        if(nums.indexOf(r) === -1)
nums.push(r);
    }
    nums.forEach(num => {
        let cell =
document.createElement('div');
        cell.className = 'cell';
        cell.innerText = num;
        cell.onclick = function() {
this.classList.toggle('marked'); };
        grid.appendChild(cell);
    });
}
generateCard();
</script>
</body>
</html>
```