

B1	75S41-095-550	1	6820mm	T2	75S41-095-550	1	4082mm	T3	75S41-095-550	1	3381mm	R4	75S41-095-500	1	424mm
W5	75S41-095-550	1	86mm	W6	75S41-095-550	1	366mm	W7	75S41-095-550	1	362mm	W8	75S41-095-550	1	647mm
W9	75S41-095-550	1	629mm	W10	75S41-095-550	1	830mm	W11	75S41-095-550	1	895mm	W12	75S41-095-550	1	1292mm
W13	75S41-095-550	1	1336mm	W14	75S41-095-550	1	1584mm	W15	75S41-095-550	1	1737mm	W16	75S41-095-550	1	1586mm
W17	75S41-095-550	1	1329mm	W18	75S41-095-550	1	1364mm	W19	75S41-095-550	1	815mm	W20	75S41-095-550	1	741mm
W21	75S41-095-550	1	593mm	W22	75S41-095-550	1	574mm	W23	75S41-095-550	1	371mm				

Assembly Weight	42.4kg	Working Sheet: 75 Girder Trusses_	FRAMECAD 1.15mm Apex/Heel Plate	2
			FRAMECAD 10g-16mm Flathead	28
			FRAMECAD M6 Screw	82


Powered by FRAMECAD Structure ®

Minimum number of fasteners required is 2 per joint

GUSSET

WELD ALL

FACTORY ISSUE
26/09/2023



Quantity Required = 1 Mark as GI101 (Edited) Engineering Status = 64%

System Name:	FC_AusTruss	Roof Type:	SHEET	Wind Speed:	N2	Truss Pitch:	23.994
Truss Spacing:	356	Design Code:	AS/NZS 4600:2018	Loading Code:	NASH AS 2010	Top Chord Live Load (kPa):	0.25
Top Chord Dead Load (kPa):	0.12	Bottom Chord Dead Load (kPa):	0.14	Additional Support Area:	11.2	Number of on-coming Trusses:	6
Envelope:	1756h x 6820w						

Company Name	Dwg 22095-LGS-A1-020 [A] Unit 172 - Structure File	View 1 of 1	Client :HUNTLEE	J/No. 22095
--------------	--	-------------	-----------------	-------------

75S41-095-550	1	533mm	89S36-095-550	12	256mm	89S36-095-550	2	265mm	89S36-095-550	4	416mm	89S36-095-550	2	4700mm	89S36-095-550	4	516mm
Assembly Weight			23kg			Working Sheet: 90 Webbed Beams			FRAMECAD M6 Screw			98					

Powered by FRAMECAD Structure ®

Diagonal = 4707


GIRDER

TRUSS


GUSSET

SHS

WELD ALL



NOT ACTUAL VIEW OF Kb6.
SEE FRONT VIEW FOR DIRECTION &
LENGTH OF THE BRACE Kb6.



ITEM	QTY	MATERIAL	LENGTH	NOTE	FINISH
1	1	PL 188*x3	535	WELD	REC-Painted
2	1	75 STUD	CUT TO SUIT	WELD	REC-Painted
3	1	SHS_90x2.0	4700	WELD	REC-Painted

- COVER THE SPCAE BETWEEN S6 & S7 BY 3 mm PLATE (ITEM 1)**

- ADD A 75 mm BRACE (ITEM 2)** BEHIND THE 3 mm PLATE

* MEASURE AND CHECK THE SPACE BETWEEN THE TOP & BOTTOM PLATES BEFORE CUTTING THE PLATE

** SEE SECTION A-A & 3D VIEW FOR THE LOCATION OF ITEMS 1 & 2

FACTORY ISSUE

26/09/2023