

Tallawong C2

150mm Walls

Frame Pack Report

11

Packs

48

Frames packed

14

Weld frames (separate)

18 frames have been rotated (original length exceeded 3400mm). All values rounded to nearest 10mm.

All frames — sorted by height then length (largest first)

Pack	Name	Height (mm)	Length (mm)	Approx. Weight (kg)	Notes
Pack 2 (Base)	NB2047	3470	2760	~75.3	Frame Rotated
Pack 2 L1	NB2048	3470	2760	~62.8	Frame Rotated
Pack 2 L2	NB2049	3470	2760	~62.7	Frame Rotated
Pack 2 L3	NB2050	3470	2760	~70.5	Frame Rotated
Pack 3 (Base)	NB2051	3470	2760	~70.5	Frame Rotated
Pack 3 L1	NB2052	3470	2760	~62.8	Frame Rotated
Pack 8 (Base)	NB2055	3470	180	~28.7	Frame Rotated
Pack 8 L1	NB2060	3470	180	~28.7	Frame Rotated
Pack 8 L2	NB2065	3470	180	~28.7	Frame Rotated
Pack 8 L3	NB2070	3470	180	~28.7	Frame Rotated
Pack 9 (Base)	NB2075	3470	180	~28.7	Frame Rotated
Pack 9 L1	NB2080	3470	180	~28.7	Frame Rotated
Pack 9 L2	NB2085	3470	180	~28.7	Frame Rotated
Pack 1 (Base)	NB2045	3460	3260	~116.9	Frame Rotated
Pack 3 L2	NB2000	3420	2700	~76.4	Frame Rotated
Pack 3 L3	NB2043	3420	2620	~67.8	Frame Rotated
Pack 1 L2	NB2001	3420	2260	~72.3	Frame Rotated
Pack 1 L3	NB2046	3420	2090	~63.3	Frame Rotated
Pack 10 (Base)	NB2029	3400	1190	~49.5	
Pack 4 (Base)	NB2009	3400	920	~34	
Pack 4 L2	NB2010	3400	920	~34	
Pack 4 L3	NB2042	3400	920	~34	
Pack 10 L1	NB2018	3400	350	~29.5	
Pack 10 L1	NB2006	3400	280	~29	
Pack 10 L1	NB2013	3400	280	~29	
Pack 10 L1	NB2039	3400	280	~29	
Pack 4 L1	NB2034	3400	250	~28.7	
Pack 4 L1	NB2023	3400	220	~28.5	
—	NB2044	3300	1940	~47.8	
Pack 1 L1	NB2004	2710	170	~17	
Pack 1 L1	NB2016	2710	170	~17	
Pack 1 L1	NB2021	2710	170	~17	
Pack 1 L1	NB2032	2710	170	~17	
Pack 4 L1	NB2037	2710	170	~17	
Pack 5 (Base)	NB2028	740	2280	~16.2	
Pack 5 L2	NB2008	740	2270	~16.2	
Pack 6 (Base)	NB2012	740	2270	~16.2	
Pack 6 L1	NB2025	740	2270	~16.2	
Pack 6 L2	NB2041	740	2270	~16.2	
Pack 6 L3	NB2005	740	2110	~15.3	
Pack 7 (Base)	NB2015	740	2110	~15.3	
Pack 7 L1	NB2022	740	2110	~15.3	
Pack 7 L2	NB2031	740	2110	~15.3	
Pack 7 L3	NB2038	740	2110	~15.3	

Pack	Name	Height (mm)	Length (mm)	Approx. Weight (kg)	Notes
Pack 5 L1	NB2017	740	990	~8	
Pack 5 L1	NB2019	740	990	~8	
Pack 5 L3	NB2033	740	990	~8	
Pack 5 L3	NB2035	740	990	~8	
—	NB2054 (WELD)	720	3410	~23.4	WELD
—	NB2057 (WELD)	720	3410	~23.4	WELD
—	NB2059 (WELD)	720	3410	~23.4	WELD
—	NB2062 (WELD)	720	3410	~23.4	WELD
—	NB2064 (WELD)	720	3410	~23.4	WELD
—	NB2067 (WELD)	720	3410	~23.4	WELD
—	NB2069 (WELD)	720	3410	~23.4	WELD
—	NB2072 (WELD)	720	3410	~23.4	WELD
—	NB2074 (WELD)	720	3410	~23.4	WELD
—	NB2077 (WELD)	720	3410	~23.4	WELD
—	NB2079 (WELD)	720	3410	~23.4	WELD
—	NB2082 (WELD)	720	3410	~23.4	WELD
—	NB2084 (WELD)	720	3410	~23.4	WELD
—	NB2087 (WELD)	720	3410	~23.4	WELD

Packing order — base first, then layers in sequence

Pack	Layer	Name	Height (mm)	Length (mm)	Approx. Weight (kg)
Pack 1	Base	NB2045 [Rotated]	3460	3260	~116.9
Pack 1	Layer 1	NB2004	2710	170	~17
		NB2016	2710	170	~17
		NB2021	2710	170	~17
		NB2032	2710	170	~17
Pack 1	Layer 2	NB2001 [Rotated]	3420	2260	~72.3
Pack 1	Layer 3	NB2046 [Rotated]	3420	2090	~63.3
Pack 1 total weight:					~320.5 kg
Pack 2	Base	NB2047 [Rotated]	3470	2760	~75.3
Pack 2	Layer 1	NB2048 [Rotated]	3470	2760	~62.8
Pack 2	Layer 2	NB2049 [Rotated]	3470	2760	~62.7
Pack 2	Layer 3	NB2050 [Rotated]	3470	2760	~70.5
Pack 2 total weight:					~271.3 kg
Pack 3	Base	NB2051 [Rotated]	3470	2760	~70.5
Pack 3	Layer 1	NB2052 [Rotated]	3470	2760	~62.8
Pack 3	Layer 2	NB2000 [Rotated]	3420	2700	~76.4
Pack 3	Layer 3	NB2043 [Rotated]	3420	2620	~67.8
Pack 3 total weight:					~277.5 kg
Pack 4	Base	NB2009	3400	920	~34
Pack 4	Layer 1	NB2034	3400	250	~28.7
		NB2023	3400	220	~28.5
		NB2037	2710	170	~17
Pack 4	Layer 2	NB2010	3400	920	~34
Pack 4	Layer 3	NB2042	3400	920	~34
Pack 4 total weight:					~176.2 kg
Pack 5	Base	NB2028	740	2280	~16.2
Pack 5	Layer 1	NB2017	740	990	~8
		NB2019	740	990	~8
Pack 5	Layer 2	NB2008	740	2270	~16.2
Pack 5	Layer 3	NB2033	740	990	~8
		NB2035	740	990	~8
Pack 5 total weight:					~64.4 kg
Pack 6	Base	NB2012	740	2270	~16.2
Pack 6	Layer 1	NB2025	740	2270	~16.2
Pack 6	Layer 2	NB2041	740	2270	~16.2
Pack 6	Layer 3	NB2005	740	2110	~15.3
Pack 6 total weight:					~63.9 kg
Pack 7	Base	NB2015	740	2110	~15.3
Pack 7	Layer 1	NB2022	740	2110	~15.3
Pack 7	Layer 2	NB2031	740	2110	~15.3
Pack 7	Layer 3	NB2038	740	2110	~15.3
Pack 7 total weight:					~61.2 kg

Pack	Layer	Name	Height (mm)	Length (mm)	Approx. Weight (kg)
Pack 8	Base	NB2055 [Rotated]	3470	180	~28.7
Pack 8	Layer 1	NB2060 [Rotated]	3470	180	~28.7
Pack 8	Layer 2	NB2065 [Rotated]	3470	180	~28.7
Pack 8	Layer 3	NB2070 [Rotated]	3470	180	~28.7
Pack 8 total weight:					~114.8 kg
Pack 9	Base	NB2075 [Rotated]	3470	180	~28.7
Pack 9	Layer 1	NB2080 [Rotated]	3470	180	~28.7
Pack 9	Layer 2	NB2085 [Rotated]	3470	180	~28.7
Pack 9 total weight:					~86.1 kg
Pack 10	Base	NB2029	3400	1190	~49.5
Pack 10	Layer 1	NB2018	3400	350	~29.5
		NB2006	3400	280	~29
		NB2013	3400	280	~29
		NB2039	3400	280	~29
Pack 10 total weight:					~166 kg

Weld frames 14 — not packed

Must be handled separately.

NB2054 (WELD) 720×3410mm

NB2057 (WELD) 720×3410mm

NB2059 (WELD) 720×3410mm

NB2062 (WELD) 720×3410mm

NB2064 (WELD) 720×3410mm

NB2067 (WELD) 720×3410mm

NB2069 (WELD) 720×3410mm

NB2072 (WELD) 720×3410mm

NB2074 (WELD) 720×3410mm

NB2077 (WELD) 720×3410mm

NB2079 (WELD) 720×3410mm

NB2082 (WELD) 720×3410mm

NB2084 (WELD) 720×3410mm

NB2087 (WELD) 720×3410mm

Unpacked frames 1 — no compatible layers found

These frames could not be grouped into a pack. They may need to be handled individually.

NB2044 3300×1940mm

Pack 1 3260 × 3460 mm • Pack height: 600 mm • ~320.5 kg

Base NB2045 — 3260 × 3460 mm *[Frame Rotated]*

Layer 1 Total length: 680 mm

NB2004 2710×170mm

NB2016 2710×170mm

NB2021 2710×170mm

NB2032 2710×170mm

Layer 2 Total length: 3420 mm


NB2001 *[Frame Rotated]* 2260×3420mm

Layer 3 Total length: 3420 mm

NB2046 *[Frame Rotated]* 2090×3420mm



TOP VIEW



END VIEW

Pack 2 2760 × 3470 mm • Pack height: 600 mm • ~271.3 kg

Base NB2047 — 2760 × 3470 mm *[Frame Rotated]*

Layer 1 Total length: 3470 mm

NB2048 *[Frame Rotated]* 2760×3470mm

Layer 2 Total length: 3470 mm

NB2049 *[Frame Rotated]* 2760×3470mm

Layer 3 Total length: 3470 mm

NB2050 *[Frame Rotated]* 2760×3470mm



TOP VIEW



END VIEW

Pack 3 2760 × 3470 mm • Pack height: 600 mm • ~277.5 kg

Base NB2051 — 2760 × 3470 mm *[Frame Rotated]*

Layer 1 Total length: 3470 mm

NB2052 *[Frame Rotated]* 2760×3470mm

Layer 2 Total length: 3420 mm

NB2000 *[Frame Rotated]* 2700×3420mm

Layer 3 Total length: 3420 mm

NB2043 *[Frame Rotated]* 2620×3420mm



TOP VIEW



END VIEW

Pack 4 3400 × 920 mm • Pack height: 600 mm • ~176.2 kg

Base NB2009 — 3400 × 920 mm

Layer 1 Total length: 640 mm

NB2034 3400×250mm

NB2023 3400×220mm

NB2037 2710×170mm

Layer 2 Total length: 920 mm

NB2010 3400×920mm

Layer 3 Total length: 920 mm

NB2042 3400×920mm



TOP VIEW



END VIEW

Pack 5 740 × 2280 mm • Pack height: 600 mm • ~64.4 kg

Base NB2028 — 740 × 2280 mm

Layer 1 Total length: 1980 mm

NB2017 740×990mm

NB2019 740×990mm


Layer 2 Total length: 2270 mm

NB2008 740×2270mm

Layer 3 Total length: 1980 mm

NB2033 740×990mm

NB2035 740×990mm



TOP VIEW



END VIEW

Pack 6 740 × 2270 mm • Pack height: 600 mm • ~63.9 kg

Base NB2012 — 740 × 2270 mm

Layer 1 Total length: 2270 mm

NB2025 740×2270mm

Layer 2 Total length: 2270 mm

NB2041 740×2270mm

Layer 3 Total length: 2110 mm

NB2005 740×2110mm



TOP VIEW



END VIEW

Pack 7 740 × 2110 mm • Pack height: 600 mm • ~61.2 kg

Base NB2015 — 740 × 2110 mm

Layer 1 Total length: 2110 mm


NB2022 740×2110mm

Layer 2 Total length: 2110 mm

NB2031 740×2110mm

Layer 3 Total length: 2110 mm

NB2038 740×2110mm



TOP VIEW



END VIEW

Pack 8 180 × 3470 mm • Pack height: 600 mm • ~114.8 kg

Base NB2055 — 180 × 3470 mm *[Frame Rotated]*

Layer 1 Total length: 3470 mm

NB2060 *[Frame Rotated]* 180×3470mm

Layer 2 Total length: 3470 mm

NB2065 *[Frame Rotated]* 180×3470mm

Layer 3 Total length: 3470 mm

NB2070 *[Frame Rotated]* 180×3470mm



TOP VIEW



END VIEW

Pack 9 180 × 3470 mm • Pack height: 450 mm • ~86.1 kg

Base NB2075 — 180 × 3470 mm *[Frame Rotated]*

Layer 1 Total length: 3470 mm


NB2080 *[Frame Rotated]* 180×3470mm

Layer 2 Total length: 3470 mm

NB2085 *[Frame Rotated]* 180×3470mm



TOP VIEW



END VIEW

Pack 10 3400 × 1190 mm • Pack height: 300 mm • ~166 kg

Base **NB2029** — 3400 × 1190 mm

Layer 1 Total length: 1190 mm

NB2018 3400×350mm

NB2006 3400×280mm

NB2013 3400×280mm

NB2039 3400×280mm

