


89S36-095-550	1	1208mm	89S36-095-550	1	1261mm	89S36-095-550	1	1261mm	89S36-095-550	1	1272mm	89S36-095-550	1	192mm	89S36-095-550	3	3188mm
89S36-095-550	1	3192mm	89S36-095-550	1	3192mm	89S36-095-550	1	4718mm	89S36-095-550	1	4733mm	89S36-095-550	1	4749mm	89S36-095-550	1	4764mm
89S36-095-550	1	4779mm	89S36-095-550	1	4794mm	89S36-095-550	1	4798mm	89S36-095-550	1	4801mm						
Assembly Weight		77kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		100										

Powered by FRAMECAD Structure E

Diagonal = 5769



<<< Joins L27

Quantity Required = 1 Mark as L500 Stud Status = Amended


Joins L501 >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	0	Envelope:	4806h x 3192w
Direction:	W-E						

89S36-095-550	2	1145mm	89S36-095-550	1	1149mm	89S36-095-550	1	1149mm	89S36-095-550	1	1580mm	89S36-095-550	1	1592mm	89S36-095-550	1	1594mm
89S36-095-550	1	4688mm	89S36-095-550	1	4703mm	89S36-095-550	1	4714mm	89S36-095-550	1	4717mm						
Assembly Weight		37kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		44										

Powered by FRAMECAD Structure E

Diagonal = 4860



<<< Joins L500

Quantity Required = 1

Mark as L501

Stud Status = Amended


Joins N504 >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	0	Envelope:	4722h x 1149w
Direction:	W-E						

89S36-095-550	1	1562mm	89S36-095-550	1	1578mm	89S36-095-550	1	1582mm	89S36-095-550	2	2016mm	89S36-095-550	2	2020mm	89S36-095-550	5	4688mm
Assembly Weight 47kg			Working Sheet: 90_LB Walls U4-U5			FRAMECAD M6 Screw 52											

Powered by FRAMECAD Structure E

Diagonal = 5108




<<< Joins L500			Quantity Required = 1			Mark as L502			Stud Status = Passed			Joins N509 >>>		
System Name:		FC_AusTruss	Wall Type:		Load Bearing	Wind Speed:		N2	Design Code:		AS/NZS 4600:2018			
Loading Code:		NASH AS 2010	Material Grade Reduction:		Not Applied	Panel RL:		110	Envelope:		4692h x 2020w			
Direction:		S-N												
AUSTRUSS			Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2			View 39 of 75			Client: CIVITAS S2 L4			Job No: 26040		

89S36-095-550	1 1535mm	89S36-095-550	1 1554mm	89S36-095-550	1 1558mm	89S36-095-550	2 3056mm	89S36-095-550	2 3060mm
89S36-095-550	10 4688mm								
Assembly Weight	83kg	Working Sheet: 90_LB Walls U4-U5	FRAMECAD M6 Screw	92					

Powered by FRAMECAD Structure E

Diagonal = 5602




<<< Joins L27		Quantity Required = 1 Mark as L503 Stud Status = Passed				Joins L26 >>>	
System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4692h x 3060w
Direction:	S-N						

89S36-095-550	1	1547mm	89S36-095-550	1	1565mm	89S36-095-550	1	1569mm	89S36-095-550	2	2371mm	89S36-095-550	2	2375mm	89S36-095-550	7	4688mm
Assembly Weight 61kg			Working Sheet: 90_LB Walls U4-U5			FRAMECAD M6 Screw 68											

Powered by FRAMECAD Structure E

Diagonal = 5259



<<< Joins L503

Quantity Required = 1 Mark as L504 Stud Status = Passed


Joins L505 >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4692h x 2375w
Direction:	S-N						

89S36-095-550	1	1234mm	89S36-095-550	1	1395mm	89S36-095-550	1	1533mm	89S36-095-550	1	1553mm	89S36-095-550	1	1556mm	89S36-095-550	1	176mm
89S36-095-550	1	2560mm	89S36-095-550	2	2564mm	89S36-095-550	2	2617mm	89S36-095-550	1	2625mm	89S36-095-550	1	2625mm	89S36-095-550	1	2625mm
89S36-095-550	8	4688mm	89S36-095-550	1	92mm												
Assembly Weight		86kg	Working Sheet: 90_LB Walls U4-U5			FRAMECAD M6 Screw		118									

Powered by FRAMECAD Structure E

Diagonal = 5347




<<< Joins N515		Quantity Required = 1		Mark as L505	Header Status = Passed		Stud Status = Passed		Joins L24 >>>	
System Name:		FC_AusTruss	Wall Type:		Load Bearing	Wind Speed:		N2	Design Code:	
Loading Code:		NASH AS 2010	Material Grade Reduction:		Not Applied	Panel RL:		110	Envelope:	
Direction:		S-N							AS/NZS 4600:2018 4692h x 2564w	
AUSTRUSS		Dwg: 26040-LGS-2-3-020 [3]		ZONE 2-3 - Structure File2		View 42 of 75		Client: CIVITAS S2 L4		Job No: 26040

89S36-095-550	1	1599mm	89S36-095-550	1	1610mm	89S36-095-550	1	1613mm	89S36-095-550	2	2403mm	89S36-095-550	2	2407mm	89S36-095-550	5	4688mm	
Assembly Weight	49kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		52												

Powered by FRAMECAD Structure E

Diagonal = 5273




<<< Joins L505		Quantity Required = 1		Mark as L506		Stud Status = Amended		Joins L507 >>>	
System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018		
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4692h x 2407w		
Direction:	S-N								

89S36-095-550	1	1559mm	89S36-095-550	1	1589mm	89S36-095-550	1	1606mm	89S36-095-550	2	2992mm	89S36-095-550	1	2996mm	89S36-095-550	1	2996mm
89S36-095-550	1	4612mm	89S36-095-550	1	4627mm	89S36-095-550	1	4642mm	89S36-095-550	1	4657mm	89S36-095-550	1	4672mm	89S36-095-550	1	4687mm
89S36-095-550	1	4689mm															
Assembly Weight		64kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		68										

Powered by FRAMECAD Structure E

Diagonal = 5569



<<< Joins L409

Quantity Required = 1 Mark as L507 Stud Status = Passed


Joins L409 >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4694h x 2996w
Direction:	W-E						

89S36-095-550	1	1429mm	89S36-095-550	1	1545mm	89S36-095-550	1	1568mm	89S36-095-550	1	182mm	89S36-095-550	2	2544mm	89S36-095-550	1	2548mm
89S36-095-550	1	2548mm	89S36-095-550	1	4545mm	89S36-095-550	1	4547mm	89S36-095-550	1	4559mm	89S36-095-550	1	4570mm	89S36-095-550	1	4582mm
89S36-095-550	1	4586mm	89S36-095-550	1	4598mm	89S36-095-550	1	4611mm									
Assembly Weight		67kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		76										

Powered by FRAMECAD Structure E

Diagonal = 5272




<<< Joins L507			Quantity Required = 1			Mark as L508			Stud Status = Amended			Joins L511 >>>		
System Name:		FC_AusTruss	Wall Type:		Load Bearing	Wind Speed:		N2	Design Code:		AS/NZS 4600:2018			
Loading Code:		NASH AS 2010	Material Grade Reduction:		Not Applied	Panel RL:		110	Envelope:		4615h x 2548w			
Direction:		W-E												
AUSTRUSS			Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2			View 45 of 75			Client: CIVITAS S2 L4			Job No: 26040		

89S36-095-550	1	1416mm	89S36-095-550	1	1576mm	89S36-095-550	1	1595mm	89S36-095-550	2	2724mm	89S36-095-550	1	2728mm	89S36-095-550	1	2728mm
89S36-095-550	1	4473mm	89S36-095-550	1	4487mm	89S36-095-550	1	4502mm	89S36-095-550	1	4516mm	89S36-095-550	1	4530mm	89S36-095-550	1	4544mm
Assembly Weight		55kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		60										

Powered by FRAMECAD Structure E

Diagonal = 5304



CAUTION! 55kg


<<< Joins L411 Quantity Required = 1 Mark as L509 Stud Status = Passed Joins L411 >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4549h x 2728w
Direction:	W-E						

89S36-095-550	1	1312mm	89S36-095-550	1	1557mm	89S36-095-550	1	1574mm	89S36-095-550	2	2724mm	89S36-095-550	1	2728mm	89S36-095-550	1	2728mm
89S36-095-550	1	4402mm	89S36-095-550	1	4417mm	89S36-095-550	1	4430mm	89S36-095-550	1	4441mm	89S36-095-550	1	4444mm	89S36-095-550	1	4459mm
89S36-095-550	1	4474mm															
Assembly Weight		60kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		68										

Powered by FRAMECAD Structure E

Diagonal = 5243



<<< Joins L412			Quantity Required = 1 Mark as L510 Stud Status = Amended			Joins L412 >>>	
System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4477h x 2728w
Direction:	W-E						
AUSTRUSS		Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2			View 47 of 75		Client: CIVITAS S2 L4 Job No: 26040

Powered by FRAMECAD Structure È Diagonal = 4768




Joins L508 >>>

AUSTRUSS Dwg. 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2 View 48 of 75 Client: CIVITAS S2 L4 Job No: 26040

89S36-095-550	1	1283mm	89S36-095-550	1	1576mm	89S36-095-550	1	1595mm	89S36-095-550	2	2724mm	89S36-095-550	1	2728mm	89S36-095-550	1	2728mm
89S36-095-550	1	4331mm	89S36-095-550	1	4345mm	89S36-095-550	1	4359mm	89S36-095-550	1	4373mm	89S36-095-550	1	4387mm	89S36-095-550	1	4401mm
Assembly Weight		54kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		60										

Powered by FRAMECAD Structure E

Diagonal = 5182




<<< Joins L413		Quantity Required = 1				Mark as L512		Stud Status = Passed		Joins L413 >>>	
System Name:		FC_AusTruss	Wall Type:		Load Bearing	Wind Speed:		N2	Design Code:		AS/NZS 4600:2018
Loading Code:		NASH AS 2010	Material Grade Reduction:		Not Applied	Panel RL:		110	Envelope:		4406h x 2728w
Direction:		W-E									

89S36-095-550	1	1208mm	89S36-095-550	1	1567mm	89S36-095-550	1	1587mm	89S36-095-550	1	2732mm	89S36-095-550	2	2733mm	89S36-095-550	1	2737mm
89S36-095-550	1	4259mm	89S36-095-550	1	4263mm	89S36-095-550	1	4276mm	89S36-095-550	1	4290mm	89S36-095-550	1	4303mm	89S36-095-550	1	4316mm
89S36-095-550	1	4330mm															
Assembly Weight		59kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		68										

Powered by FRAMECAD Structure E

Diagonal = 5126




<<< Joins L414		Quantity Required = 1 Mark as L513 Stud Status = Passed				Joins L414 >>>		
System Name:		FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:		NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4335h x 2737w
Direction:		W-E						
AUSTRUSS		Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2			View 50 of 75		Client: CIVITAS S2 L4 Job No: 26040	

89S36-095-550	1	1393mm	89S36-095-550	1	1400mm	89S36-095-550	1	1404mm	89S36-095-550	3	4008mm	89S36-095-550	2	671mm	89S36-095-550	2	675mm
Assembly Weight	25kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		36											

Powered by FRAMECAD Structure E

Diagonal = 4068



<<< Joins L513

Quantity Required = 1 Mark as L514 Stud Status = Passed


Joins >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4012h x 675w
Direction:	N-S						

89S36-095-550	1	1171mm	89S36-095-550	1	1417mm	89S36-095-550	1	1434mm	89S36-095-550	2	1737mm	89S36-095-550	1	1739mm	89S36-095-550	1	1865mm
89S36-095-550	1	1869mm	89S36-095-550	1	253mm	89S36-095-550	1	344mm	89S36-095-550	1	4211mm	89S36-095-550	1	4219mm	89S36-095-550	1	4232mm
89S36-095-550	1	4245mm	89S36-095-550	1	4257mm												
Assembly Weight		45kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		66										

Powered by FRAMECAD Structure E

Diagonal = 4654




CAUTION! 45kg

<<< Joins L401			Quantity Required = 1 Mark as L515 Stud Status = Passed			Joins L401 >>>	
System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4262h x 1869w
Direction:	W-E						

89S36-095-550	3	2067mm	89S36-095-550	1	2085mm	89S36-095-550	1	2102mm	89S36-095-550	1	2102mm	89S36-095-550	1	2123mm	89S36-095-550	1	2792mm
89S36-095-550	3	2796mm	89S36-095-550	1	316mm	89S36-095-550	7	4248mm	89S36-095-550	1	493mm						
Assembly Weight	73kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		112											

Powered by FRAMECAD Structure E

Diagonal = 5089




<<< Joins N503		Quantity Required = 1			Mark as L516		Header Status = Passed		Stud Status = Passed		Joins L535 >>>			
System Name:		FC_AusTruss		Wall Type:		Load Bearing		Wind Speed:		N2		Design Code:		
Loading Code:		NASH AS 2010		Material Grade Reduction:		Not Applied		Panel RL:		0		Envelope:		
Direction:		N-S										AS/NZS 4600:2018		
												4252h x 2796w		
AUSTRUSS				Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2				View 53 of 75		Client: CIVITAS S2 L4			Job No: 26040	

89S36-095-550	1	1360mm	89S36-095-550	1	1370mm	89S36-095-550	1	1377mm	89S36-095-550	2	2051mm	89S36-095-550	2	2055mm	89S36-095-550	9	4006mm	
Assembly Weight	63kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		88												

Powered by FRAMECAD Structure E

Diagonal = 4506




<<< Joins L519		Quantity Required = 1				Mark as L517		Stud Status = Amended		Joins L518 >>>	
System Name:		FC_AusTruss		Wall Type:		Load Bearing		Wind Speed:		N2	
Loading Code:		NASH AS 2010		Material Grade Reduction:		Not Applied		Panel RL:		110	
Direction:		N-S								Design Code:	
										AS/NZS 4600:2018	
										Envelope:	
										4010h x 2055w	
AUSTRUSS		Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2				View 54 of 75		Client: CIVITAS S2 L4		Job No: 26040	

89S36-095-550	1	1354mm	89S36-095-550	1	1364mm	89S36-095-550	1	1373mm	89S36-095-550	2	1962mm	89S36-095-550	2	1964mm	89S36-095-550	6	4006mm
Assembly Weight 47kg			Working Sheet: 90_LB Walls U4-U5			FRAMECAD M6 Screw 60											

Powered by FRAMECAD Structure E

Diagonal = 4465




<<< Joins L517		Quantity Required = 1				Mark as L518		Stud Status = Amended		Joins L534 >>>	
System Name:		FC_AusTruss		Wall Type:		Load Bearing		Wind Speed:		N2	
Loading Code:		NASH AS 2010		Material Grade Reduction:		Not Applied		Panel RL:		110	
Direction:		N-S								Design Code:	
										AS/NZS 4600:2018	
										Envelope:	
										4010h x 1964w	
AUSTRUSS				Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2				View 55 of 75		Client: CIVITAS S2 L4	
										Job No: 26040	

89S36-095-550	2	1156mm	89S36-095-550	1	1159mm	89S36-095-550	1	1160mm	89S36-095-550	1	1372mm	89S36-095-550	1	1377mm	89S36-095-550	1	1391mm
89S36-095-550	1	4008mm	89S36-095-550	1	4022mm	89S36-095-550	1	4035mm	89S36-095-550	1	4036mm						
Assembly Weight		32kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		44										

Powered by FRAMECAD Structure E

Diagonal = 4204




<<< Joins			Quantity Required = 1 Mark as L519 Stud Status = Passed			Joins L517 >>>	
System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4041h x 1160w
Direction:	W-E						

89S36-095-550	1	1389mm	89S36-095-550	1	1416mm	89S36-095-550	1	1433mm	89S36-095-550	2	3328mm	89S36-095-550	1	3332mm	89S36-095-550	1	3333mm
89S36-095-550	1	4103mm	89S36-095-550	1	4104mm	89S36-095-550	1	4118mm	89S36-095-550	1	4131mm	89S36-095-550	1	4136mm	89S36-095-550	1	4145mm
89S36-095-550	1	4158mm	89S36-095-550	1	4172mm	89S36-095-550	1	4186mm	89S36-095-550	1	4188mm						
Assembly Weight		77kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		92										

Powered by FRAMECAD Structure E

Diagonal = 5356



<<< Joins L532

Quantity Required = 1 Mark as L520 Stud Status = Passed


Joins >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4193h x 3332w
Direction:	W-E						

89S36-095-550	1	1322mm	89S36-095-550	1	1333mm	89S36-095-550	1	1347mm	89S36-095-550	1	4060mm	89S36-095-550	1	4061mm	89S36-095-550	1	4069mm
89S36-095-550	1	4076mm	89S36-095-550	1	4077mm	89S36-095-550	2	791mm	89S36-095-550	1	794mm	89S36-095-550	1	795mm			
Assembly Weight		36kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		52										

Powered by FRAMECAD Structure E

Diagonal = 4159




<<< Joins			Quantity Required = 1 Mark as L523 Stud Status = Amended				Joins >>>	
System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018	
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4082h x 795w	
Direction:	W-E							
AUSTRUSS		Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2			View 58 of 75		Client: CIVITAS S2 L4 Job No: 26040	

89S36-095-550	1	1390mm	89S36-095-550	1	1397mm	89S36-095-550	1	1401mm	89S36-095-550	5	4008mm	89S36-095-550	2	762mm	89S36-095-550	2	766mm
Assembly Weight	35kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		52											

Powered by FRAMECAD Structure E

Diagonal = 4085



<<< Joins

Quantity Required = 1 Mark as L526 Stud Status = Passed


Joins L525 >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4012h x 766w
Direction:	N-S						

89S36-095-550	2	298mm	89S36-095-550	2	302mm	89S36-095-550	3	4191mm
Assembly Weight		18kg	Working Sheet: 90_LB Walls U4-U5			FRAMECAD M6 Screw		24

Powered by FRAMECAD Structure E

Diagonal = 4206



<<< Joins

Quantity Required = 1 Mark as L528 Stud Status = Passed


Joins L529 >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4195h x 302w
Direction:	S-N						

89S36-095-550	1	1373mm	89S36-095-550	1	1386mm	89S36-095-550	1	1394mm	89S36-095-550	1	4173mm	89S36-095-550	1	4174mm	89S36-095-550	1	4184mm
89S36-095-550	1	4187mm	89S36-095-550	2	564mm	89S36-095-550	1	568mm	89S36-095-550	1	568mm						
Assembly Weight		30kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		44										

Powered by FRAMECAD Structure E

Diagonal = 4230



<<< Joins N514

Quantity Required = 1 Mark as L529 Stud Status = Passed


Joins >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4192h x 568w
Direction:	W-E						

89S36-095-550	1	182mm	89S36-095-550	6	4190mm	89S36-095-550	2	692mm	89S36-095-550	2	696mm
Assembly Weight	37kg		Working Sheet: 90_LB Walls U4-U5			FRAMECAD M6 Screw	52				

Powered by FRAMECAD Structure E

Diagonal = 4251



<<< Joins

Quantity Required = 1 Mark as L531 Stud Status = Passed


Joins >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4194h x 696w
Direction:	S-N						

89S36-095-550	2	298mm	89S36-095-550	2	302mm	89S36-095-550	3	4191mm
Assembly Weight		18kg	Working Sheet: 90_LB Walls U4-U5			FRAMECAD M6 Screw		24

Powered by FRAMECAD Structure E

Diagonal = 4206



<<< Joins N502 Quantity Required = 1 Mark as L532 Stud Status = Passed Joins >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4195h x 302w
Direction:	S-N						

Powered by FRAMECAD Structure E Diagonal = 5324




Joins L49 >>>

AUSTRUSS Dwg. 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2 View 65 of 75 Client: CIVITAS S2 L4 Job No: 26040

89S36-095-550	1	1461mm	89S36-095-550	1	1475mm	89S36-095-550	2	1508mm	89S36-095-550	2	1523mm	89S36-095-550	1	182mm	89S36-095-550	2	3030mm
89S36-095-550	1	3034mm	89S36-095-550	1	3034mm	89S36-095-550	1	4341mm	89S36-095-550	1	4356mm	89S36-095-550	1	4371mm	89S36-095-550	1	4387mm
89S36-095-550	1	4390mm	89S36-095-550	1	4405mm	89S36-095-550	1	4420mm									
Assembly Weight		68kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		92										

Powered by FRAMECAD Structure E

Diagonal = 5365




<<< Joins L48			Quantity Required = 1 Mark as L535 Stud Status = Passed				Joins L536 >>>	
System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018	
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4425h x 3034w	
Direction:	E-W							
AUSTRUSS		Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2			View 66 of 75		Client: CIVITAS S2 L4 Job No: 26040	

89S36-095-550	1	1491mm	89S36-095-550	1	1507mm	89S36-095-550	1	1512mm	89S36-095-550	1	1536mm	89S36-095-550	1	1540mm	89S36-095-550	1	1556mm
89S36-095-550	1	182mm	89S36-095-550	2	3030mm	89S36-095-550	1	3034mm	89S36-095-550	1	3034mm	89S36-095-550	1	4421mm	89S36-095-550	1	4437mm
89S36-095-550	1	4453mm	89S36-095-550	1	4468mm	89S36-095-550	1	4484mm	89S36-095-550	1	4488mm	89S36-095-550	1	4500mm			
Assembly Weight	69kg		Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		84										

Powered by FRAMECAD Structure E

Diagonal = 5431




<<< Joins L47			Quantity Required = 1			Mark as L536			Stud Status = Passed			Joins L46 >>>		
System Name:		FC_AusTruss	Wall Type:		Load Bearing	Wind Speed:		N2	Design Code:		AS/NZS 4600:2018			
Loading Code:		NASH AS 2010	Material Grade Reduction:		Not Applied	Panel RL:		110	Envelope:		4505h x 3034w			
Direction:		E-W												
AUSTRUSS			Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2			View 67 of 75			Client: CIVITAS S2 L4			Job No: 26040		

89S36-095-550	1	1475mm	89S36-095-550	1	1504mm	89S36-095-550	1	1526mm	89S36-095-550	2	3031mm	89S36-095-550	1	3035mm	89S36-095-550	1	3035mm
89S36-095-550	1	4501mm	89S36-095-550	1	4512mm	89S36-095-550	1	4523mm	89S36-095-550	1	4534mm	89S36-095-550	1	4545mm	89S36-095-550	1	4556mm
89S36-095-550	1	4567mm	89S36-095-550	1	4577mm	89S36-095-550	1	4580mm									
Assembly Weight		75kg	Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw		84										

Powered by FRAMECAD Structure E

Diagonal = 5498



<<< Joins L46

Quantity Required = 1 Mark as L537 Stud Status = Passed


Joins L538 >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	110	Envelope:	4585h x 3035w
Direction:	E-W						

89S36-095-550	1 1512mm	89S36-095-550	1 1514mm	89S36-095-550	1 1522mm	89S36-095-550	1 1525mm	89S36-095-550	1 1527mm
89S36-095-550	1 1530mm	89S36-095-550	2 2792mm	89S36-095-550	2 2796mm	89S36-095-550	11 4631mm		
Assembly Weight	93kg	Working Sheet: 90_LB Walls U4-U5	FRAMECAD M6 Screw	114					

Powered by FRAMECAD Structure E

Diagonal = 5413



<<< Joins L537

Quantity Required = 1 Mark as L538 Stud Status = Amended


Joins L501 >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	60	Envelope:	4635h x 2796w
Direction:	S-N						

89S36-095-550	1 1234mm	89S36-095-550	1 1298mm	89S36-095-550	1 1301mm	89S36-095-550	1 1304mm	89S36-095-550	1 1308mm
89S36-095-550	1 165mm	89S36-095-550	1 187mm	89S36-095-550	1 188mm	89S36-095-550	2 2250mm	89S36-095-550	1 2484mm
89S36-095-550	1 2486mm	89S36-095-550	2 2488mm	89S36-095-550	10 4431mm				
Assembly Weight 85kg		Working Sheet: 90_LB Walls U4-U5		FRAMECAD M6 Screw 140					

Powered by FRAMECAD Structure E

Diagonal = 5085




<<< Joins N510		Quantity Required = 1		Mark as L539		Header Status = Amended		Stud Status = Passed		Joins N506 >>>	
System Name: FC_AusTruss		Wall Type: NASH AS 2010		Load Bearing: Not Applied		Wind Speed: N2		Design Code: AS/NZS 4600:2018			
Loading Code: N-S		Material Grade Reduction:		Panel RL:		0		Envelope: 4435h x 2488w			
AUSTRUSS		Dwg: 26040-LGS-2-3-020 [3]		ZONE 2-3 - Structure File2		View 70 of 75		Client: CIVITAS S2 L4		Job No: 26040	

89S36-095-550	1	1465mm	89S36-095-550	1	1465mm	89S36-095-550	1	1468mm	89S36-095-550	2	1912mm	89S36-095-550	2	1916mm	89S36-095-550	9	4418mm
Assembly Weight 67kg			Working Sheet: 90_LB Walls U4-U5			FRAMECAD M6 Screw 88											

Powered by FRAMECAD Structure E

Diagonal = 4819



<<< Joins N506			Quantity Required = 1			Mark as L540			Stud Status = Passed			Joins N502 >>>		
System Name:		FC_AusTruss	Wall Type:		Load Bearing	Wind Speed:		N2	Design Code:		AS/NZS 4600:2018			
Loading Code:		NASH AS 2010	Material Grade Reduction:		Not Applied	Panel RL:		0	Envelope:		4422h x 1916w			
Direction:		N-S												
AUSTRUSS			Dwg: 26040-LGS-2-3-020 [3] ZONE 2-3 - Structure File2			View 71 of 75			Client: CIVITAS S2 L4			Job No: 26040		

89S36-095-550	1 1075mm	89S36-095-550	1 1129mm	89S36-095-550	2 1133mm	89S36-095-550	1 122mm	89S36-095-550	1 2240mm	89S36-095-550	1 2271mm
89S36-095-550	1 2271mm	89S36-095-550	4 4421mm								
Assembly Weight	38kg	Working Sheet: 90 LB Walls U4-U5	FRAMECAD M6 Screw	54							

Diagonal = 4568


STP

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	0	Envelope:	4425h x 1133w
Direction:	S-N						

89S36-095-550	1	1429mm	89S36-095-550	1	1450mm	89S36-095-550	1	1454mm	89S36-095-550	2	1822mm	89S36-095-550	2	1826mm	89S36-095-550	6	4418mm
Assembly Weight 50kg			Working Sheet: 90_LB Walls U4-U5			FRAMECAD M6 Screw 52											

Powered by FRAMECAD Structure E

Diagonal = 4784




<<< Joins N518			Quantity Required = 1			Mark as L542			Stud Status = Passed			Joins N510 >>>		
System Name: FC_AusTruss			Wall Type: NASH AS 2010			Load Bearing: Not Applied			Wind Speed: N2			Design Code: AS/NZS 4600:2018		
Loading Code: N-S			Material Grade Reduction:			Panel RL:			Envelope: 0			4422h x 1826w		
Direction:														

89S36-095-550	1	1467mm	89S36-095-550	1	1469mm	89S36-095-550	1	1473mm	89S36-095-550	1	1488mm	89S36-095-550	1	1491mm	89S36-095-550	1	1535mm
89S36-095-550	2	1740mm	89S36-095-550	1	1744mm	89S36-095-550	1	1744mm	89S36-095-550	1	182mm	89S36-095-550	1	4380mm	89S36-095-550	1	4394mm
89S36-095-550	1	4395mm	89S36-095-550	1	4409mm	89S36-095-550	1	4413mm	89S36-095-550	1	4424mm	89S36-095-550	1	4425mm			
Assembly Weight		61kg	Working Sheet: 90_NLB Walls			FRAMECAD M6 Screw		88									

Powered by FRAMECAD Structure E

Diagonal = 4761



<<< Joins N514 Quantity Required = 1 Mark as L544 Stud Status = Amended Joins >>>

System Name:	FC_AusTruss	Wall Type:	Load Bearing	Wind Speed:	N2	Design Code:	AS/NZS 4600:2018
Loading Code:	NASH AS 2010	Material Grade Reduction:	Not Applied	Panel RL:	0	Envelope:	4430h x 1744w
Direction:	E-W						