# Noise studies with Crab Cavities in the SPS for the HL-LHC project



Thesis submitted in accordance with the requirements of the University of Liverpool for the degree of Doctor in Philosophy

by

Natalia Triantafyllou

Day Month Year

#### **Abstract**

# Acknowledgments

# **List of Figures**

#### **List of Tables**

4.1	SPS parameters during the 2018 MD studies	5
		-

## **List of Symbols**

E	Energy
	- ()

 $f_{rev}$  Revolution frequency

 $egin{array}{lll} V_{RF} & & & ext{RF voltage} \\ f_{RF} & & & ext{RF frequency} \\ V_{CC} & & ext{CC voltage} \\ f_{CC} & & ext{CC frequency} \\ \end{array}$ 

#### **Contents**

Ał	ostract	iii
Ac	cknowledgments	v
Li	st of figures	vi
Li	st of tables	vii
Li	st of symbols	viii
1	Introduction	1
2	Basics of accelerator beam dynamics	3
3	Theory of Crab Cavity noise induced emittance growth	4
4	First experimental campaign in the SPS 4.1 Experimental Setup	<b>5</b>
5	Investigation of the discrepancy	6
6	Simple model of describing the decoherence suppression from impedance	7
7	Application and impact for HL-LHC	8
8	Conclusion	9
A	Appendix Title	10
Bi	bliography	11

#### Introduction

This is the introduction of my PhD thesis.

#### **Chapter 1. Introduction**

Testing for footers and headers Testing citation [1]. we fefklje Test list of symbols with  ${\cal E}$  .

## Basics of accelerator beam dynamics

# Theory of Crab Cavity noise induced emittance growth

# First experimental campaign in the SPS

In 2018, two prototype Crab Cavities (CCs) were installed in the SPS to be tested for the first time with proton beams. One of the operational issues that needed to be addressed concerned the expected emittance growth due to noise in their RF control system. A theoretical model had already been developed and validated by tracking simulations [1]. Based on those studies a dedicated experiment was performed to benchmark the models with experimental data and to confirm the analytical predictions. In particular, the idea was to inject various noise levels in the CC RF system and record the emittance evolution. In this chapter, the measurement results from the experiment are presented and discussed. This chapter is adapted from the the studies published in Ref. [2]

#### 4.1 Experimental Setup

The measurements in the SPS were performed with four low intensity ( $\sim 3\cdot 10^{10}\,$  ppb) bunches at 270 GeV. Only one CC was used, providing a vertical kick to the beam. To minimise the emittance growth from other sources [3] the first order chromaticity, Q', of the machine was corrected to small positive values ( $\sim 1$ -2) in both the horizontal and the vertical planes. During the measurements the Landau octupoles were switched off. It should be note, though, that a residual non-linearity was present in the machine mainly due to multipole components in the dipole magnets [4, 5]. The relevant SPS parameters during the experiment are summarized in Table 4.1.

Table 4.1: SPS parameters during the 2018 MD studies.

<b>Parameters</b>	Values
$\overline{E_b}$	270 GeV
$f_{rev}$	43.375 kHz
$v_x, v_y$	26.13, 26.18
$v_s$	0.0051
$V_{RF}$ , $f_{RF}$	5 MV, 200 MHz
$\beta_{x,\text{CC}}$ , $\beta_{y,\text{CC}}$	30.31 m, 73.82 m
$V_{CC}$ , $f_{CC}$	1 MV, 400 MHz

# Investigation of the discrepancy

Simple model of describing the decoherence suppression from impedance

# **Application and impact for HL-LHC**

# Conclusion

# Appendix A Appendix Title

#### **Bibliography**

- P. Baudrenghien and T. Mastoridis. "Transverse emittance growth due to rf noise in the high-luminosity LHC crab cavities". In: *Phys. Rev. ST Accel. Beams* 18 (10 Oct. 2015), p. 101001. DOI: 10.1103/PhysRevSTAB.18.101001. URL: https://link.aps.org/doi/10.1103/PhysRevSTAB.18.101001.
- [2] Natalia Triantafylou. "INVESTIGATION OF DAMPING EFFECTS OF THE CRAB CAVITY NOISE INDUCED EMITTANCE GROWTH". In: (2021), TBA. DOI: TBA. URL: TBA.
- [3] Fanouria Antoniou et al. "Emittance Growth in Coast in the SPS at CERN". In: *J. Phys.: Conf. Ser.* 1067 (2018), MOPMF061. 7 p. DOI: 10.18429/JACoW-IPAC2018-MOPMF061. URL: https://cds.cern.ch/record/2649815.
- [4] Michele Carlà et al. "Studies of a New Optics With Intermediate Transition Energy as Alternative for High Intensity LHC Beams in the CERN SPS". In: (2018), TUPAF022. 4 p. DOI: 10.18429/JACoW-IPAC2018-TUPAF022. URL: https://cds.cern.ch/record/2664976.
- [5] Androula Alekou et al. "SPS Long Term Stability Studies in the Presence of Crab Cavities and High Order Multipoles". In: (2018), WEP2PO008. 3 p. DOI: 10.18429/JACoW-HB2018-WEP2PO008. URL: https://cds.cern.ch/record/2640326.