

Real-time Campaign Approach

Loyalty x MC

Agenda

1. Use Cases
2. Flow & API (Cloudpages)
3. Data Actions (Data Cloud)
4. Salesforce Data Event



Use Cases

Type: Realtime

1. New user register into loyalty - Welcome Campaign
2. User loyalty tier upgrade - Tier Upgrade




Goals

1. Real Time
2. High Performance
3. Easy to Setup, Flexible



Approaches

A stylized, low-poly illustration of a mountain range in shades of blue and purple, set against a background with a blue-to-purple gradient.


Three-Approach Comparison

Pendekatan	Pros	Cons
1. Flow & API	- Realtime - Lebih efisien (consume less storage) - Single Source of Truth, Support Cross BUs - Tidak consume super message - Flexible	- API Call limits - Complexity: medium - Not easy to troubleshoot - Requires direct coordination between technical teams
2. Data Actions	- Near Realtime (Trigger event) - Scalability - Reduced Latency	- Lots of work - Dependency on Data Changes (DMO)
3. Salesforce Data Events	- Realtime - Easy to Setup	- Auto Create Contact - Sync DE Takes Up Storage Size - Harus sudah terintegrasi dengan Marketing Cloud Connect - Kurang ideal untuk batch besar

1. Flow & API (CloudPages)



Alur, Flow & API (CloudPages)



1. Baca body request (**ContactKey**, **EventDefinitionKey**, **Data**).
2. Cari **contact key** berdasarkan email menggunakan Contacts API.
3. Trigger API event melalui Interaction API dengan data:
 - **ContactKey**
 - **EventDefinitionKey**
 - **Data**
4. Mengembalikan response sukses berisi **eventInstanceId** atau pesan error jika gagal.

Setup, Flow + API (CloudPages)

Technical Setup (One Time)

1. **Connect API to Loyalty** (@see [Setup API Loyalty](#))
 - a. Named Credentials
 - b. Permissions
2. **Data Extension Cache** (@see [Setup Data Extension Auth Token Cache](#))
 - a. Create Data Extension
 - b. Define Fields



Setup, Flow + API (CloudPages)

Implementation Setup

When: New Campaign

Marketing Cloud

1. Membuat Data Extension
2. Membuat Reusable API Event
3. Membuat journey dengan entry source API Event

Loyalty


1. Membuat Flow action Http Callout

@see [Approach Campaign Realtime](#)



Setup, Flow + API (CloudPages)

Sample Flow



Limitations & Considerations, Flow & API (CloudPages)

1. Flow Invocations


CONSIDERATION	SCHEDULED PATHS	SCHEDULE-TRIGGERED FLOWS
Flow Type	Record-Triggered	Schedule-Triggered
Trigger	A record is created, updated, or deleted	A specific date and time
What Time	A specified amount of time after the trigger or A specified amount of time before or after a date on the triggering record	A specific date and time
Frequency	Runs once for each time it's triggered	Can run once, daily, or weekly

Scheduled paths are only available on these types of record-triggered flows.

TRIGGER	NO CONDITION	A CONDITION EXISTS
	Every time a record is updated and meets condition requirements	Only when a record is updated to meet the condition requirements
A record is created	X	X
A record is updated		X
A record is created or updated		X
A record is deleted		X

Maksimum *scheduled-path* interviews per org adalah **250.000 per 24 jam** atau jumlah lisensi pengguna × 200 (yang lebih besar).

@see [Scheduled Path](#)



Limitations & Considerations, Flow & API (CloudPages)

2. API Event

RESOURCE	LIMIT	LIMIT TYPE	DETAILS
Maximum API request volume	The limit depends on your edition • Pro: 2 million requests per year • Corporate: 6 million requests per year • Enterprise: 200 million requests per year	Soft limit	You can purchase an additional allocation of contacts or API requests. Contact your account executive for more information.

Erajaya menggunakan **License Corporate**, jadi Maximum API Request limit yang berlaku **6 million requests per year**

API Event limit
dihitung sebagai API
Call general

@see [Market to Your Customers with Account Engagement](#)



Limitations & Considerations, Flow & API (CloudPages)

2. API Event

Yukta Ranka

February 10 at 11:17 PM PST

Hi Bima,

Please find the responses to your queries below:

1. API Soft Limit and Hard Limit

There are two types of API limits in Marketing Cloud:

Hard limits are strict thresholds that cannot be exceeded. If an API request exceeds a hard limit, the request is rejected and an error is returned.

Soft limits may impact performance if exceeded. Salesforce reserves the right to rate-limit API requests if they affect system performance or pose security concerns. In some cases, exceeding a soft limit may require the purchase of additional licenses or allocations.

Hard limit: batas yang ketat yang tidak boleh over dari batas yang sudah ditentukan. Jika permintaan API melampaui batasan hard limit, permintaan tersebut akan ditolak dan kesalahan akan dikembalikan.

Soft Limit: dapat mempengaruhi kinerja jika melebihi batas. Salesforce berhak untuk membatasi kecepatan permintaan API jika hal tersebut mempengaruhi kinerja sistem atau menimbulkan masalah keamanan. Dalam beberapa kasus, melampaui batas soft limit, mungkin memerlukan pembelian lisensi tambahan atau alokasi.

(Dikonfirmasi oleh Yukta Ranka, Tim Support Salesforce)



Limitations & Considerations, Flow & API

(CloudPages)

3. CloudPages API

Minimum request
timeout period for
synchronous API requests

The timeout period depends
on the type of API operation

- 300 seconds for tracking and data retrieval operations
- 120 seconds for non-tracking operations

Soft limit

Match the timeout values of your API clients with these values.

Secara umum, cloudpages endpoint memiliki batas timeout 120 - 300 detik depends dengan operasi API yang dipanggil

@see [Market to Your Customers with Account Engagement](#)



2. Data Action

Data Actions Introduction


Memantau perubahan data dan memicu event real-time ke Salesforce Platform Event/Marketing Cloud

- Mengirim notifikasi atau event jika terjadi perubahan pada DMO
- Otomasi near real-time (bukan batch processing)
- Kontekstual Payload
- Event Driven Architecture



Alur, Data Actions (Data Cloud)

Bottleneck di DMO karena proses refresh butuh 15 menit dari data source



Data Action Trigger

- **CDC events** → Misalnya saat data profil ditambahkan, diperbarui, atau dihapus di Data Model Object (DMO).
- **Streaming events** → Misalnya data yang masuk secara real-time dari SDK, Ingestion API, atau Marketing Cloud Personalization.
- **Streaming Calculated Insights** → Misalnya insight atau perhitungan yang dibuat berdasarkan data streaming yang masuk ke Data Cloud.



Setup Data Action

- Buat **Data Action Target**:
 - Buka menu **Data Action Targets** di Data Cloud.
 - Klik New, lalu pilih tipe target: Salesforce Platform Event/Email
 - Catatan: Untuk Platform Event, definisi event harus sudah ada terlebih dahulu di Salesforce org tujuan.



Setup Data Action

- Buka tab Data Actions, klik New.
 - Pilih **Source**: Pilih Data Model Object (DMO) yang akan memicu aksi.
 - Pilih **Target**: Pilih Data Action Target yang sudah dibuat di langkah 1.
- Konfigurasi Rules & Mapping:
 - **Action Rules**: Petakan field dari DMO ke skema target (contoh: CustomerId dari DMO ke field Platform Event).
 - Aktifkan: **Simpan** dan aktifkan **Data Action**.



Data Actions Limitation

FEATURE OR FUNCTION	GUIDELINES AND LIMITS	HARD LIMIT?	ADDITIONAL INFORMATION AND RESOURCES
Total number of data actions per tenant	• 200	✓	
Total number of data action targets per tenant	• 100	✓	This limit is enforced by the UI.
Total number of rules per data action	• 10	✓	Refers to the number of filter rules in a data action definition.



Billing Considerations

Act	Data Queries	Per 1 Million Rows Processed	2	1.6
	Streaming Actions (including Lookups)	Per 1 Million Rows Processed	800	640



Test Result Evidence

**DATA SOURCE REFRESH
-> CAMPAIGN SENT**

20 Minutes



Data Stream
customer-internal.csv

Stream Type: Ingest Data Stream Status: Active Last Run Status: Success Last Refreshed: 2/25/2026, 6:20 PM Last Processed Records: 12 Total Records: 12

Fields Details Refresh History

Refresh History (6)

	Refresh Date	Refresh Mo...	Duration	Status	Records Pr...	Records A...
1	2/25/2026, 6:20 PM	Upsert	0:4:39	Success	12	1
2	2/25/2026, 6:05 PM	Upsert	0:4:53	Success	11	10
3	2/25/2026, 5:52 PM	Total Replace	0:0:2	Success	1	1
4	2/25/2026, 5:38 PM	Total Replace	0:0:1	Success	12	12
5	2/25/2026, 5:18 PM	Upsert	0:4:33	Success	11	10
6	2/25/2026, 4:54 PM	Total Replace	0:0:4	Success	1	1

Near Real Time?

“**Near Real-Time**” artinya event akan ter-trigger langsung setelah ada perubahan di Data Model Object (DMO), tanpa jeda yang lama.

Jadi, sistem bergantung pada perubahan di DMO untuk mendeteksi update terbaru.

Alurnya: Data baru masuk → DMO di-refresh → perubahan terdeteksi → event ter-trigger.



Appendix

1 of 2



- Data Actions Limitations
https://help.salesforce.com/s/articleView?id=data.c360_a_limits_and_guidelines.htm&type=5
- Data Actions Official Guide
https://help.salesforce.com/s/articleView?id=data.c360_a_data_actions.htm&type=5
- Data Cloud Credits
<https://www.salesforce.com/en-us/wp-content/uploads/sites/4/documents/platform/New-Nov25-DataCloud-PlatformServices.pdf>

Appendix

2 of 2



- Data Actions Limitations
https://help.salesforce.com/s/articleView?id=data.c360_a_limits_and_guidelines.htm&type=5
- Data Actions Official Guide
https://help.salesforce.com/s/articleView?id=data.c360_a_data_actions.htm&type=5
- Data Cloud Credits
<https://www.salesforce.com/en-us/wp-content/uploads/sites/4/documents/platform/New-Nov25-DataCloud-PlatformServices.pdf>

3. Salesforce Data Event

Salesforce Data Event Introduction

Fitur Entry Source dalam Journey Builder Marketing Cloud

- Menggunakan Objek/Data Loyalty sebagai Entry Source
- Auto-Trigger jika terjadi perubahan/pembaruan data dari Sistem Loyalty
- Relied on Synchronization Data (15 min Sched.Refresh), Near Real Time



Salesforce Data Event Introduction

Alur Kerja

Data Loyalty berubah → Flow trigger → Contact masuk Journey → Journey dimulai



Setup Salesforce Data Event

Connection Setup

Sisi Loyalty (<15min)

1. Install Package
2. Konfigurasi Package
3. Konfigurasi User Permission
4. Konfigurasi MC Connect Via Setup Wizard

Sisi Marketing Cloud (1 Min - 2 Min)

1. Setup - Salesforce Data Integration
2. Aktivasi Koneksi dengan login menggunakan akun Loyalty
3. Konfigurasi Data Source (Memilih objek yang mau di sync)



Setup Salesforce Data Event

Implementation To Journey Setup

1. Pilih Salesforce Data Event As Entry Event
2. Pilih Object Loyalty yang menjadi acuan
3. Tentukan Entry Criteria Record IsCreated? Atau IsUpdated?
4. Lakukan Filtering Criteria(optional)
5. Tentukan atribut apa saja yang masuk dan akan dipakai untuk journey dan konten email.
6. Selesai

The screenshot shows the 'Edit Entry Source' configuration page in Salesforce. The page has a top navigation bar with five tabs: 'SELECT OBJECT', 'ENTRY CRITERIA', 'FILTER CRITERIA', 'ENTRY DATA', and 'SUMMARY'. The 'ENTRY DATA' tab is currently selected. The main content area is divided into two columns. The left column contains the following fields: NAME (SF Data Event - Welcome Campaign), DATA EXTENSION NAME (SF Data Event - Welcome Campaign - 2026-02-25T145610815), WHO (Contact ID (Contact)), OBJECT (LoyaltyProgramMember), ACTION (Created;), and ENTRY DATA (LoyaltyProgramMember.Contact.Id; LoyaltyProgramMember.Contact.Email; LoyaltyProgramMember.Contact.FirstName; LoyaltyProgramMember.Contact.LastName; LoyaltyProgramMember.IsEmailConsent__c; LoyaltyProgramMember.Id;). The right column contains the following fields: NAME (SF Data Event - Welcome Campaign), DATA EXTENSION NAME (SF Data Event - Welcome Campaign - 2026-02-25T145610815), WHO (Contact ID (Contact)), OBJECT (LoyaltyProgramMember), ACTION (Created;), and ENTRY DATA (LoyaltyProgramMember.Contact.Id; LoyaltyProgramMember.Contact.Email; LoyaltyProgramMember.Contact.FirstName; LoyaltyProgramMember.Contact.LastName; LoyaltyProgramMember.IsEmailConsent__c; LoyaltyProgramMember.Id;). At the bottom right of the right column, there is a 'View Event Results' link.

Edit Entry Source

ENTRY CRITERIA

ENTRY DATA

SUMMARY

NAME
SF Data Event - Welcome Campaign

DATA EXTENSION NAME
SF Data Event - Welcome Campaign - 2026-02-25T145610815

WHO
Contact ID (Contact)

OBJECT
LoyaltyProgramMember

ACTION
Created;

ENTRY DATA
LoyaltyProgramMember.Contact.Id; LoyaltyProgramMember.Contact.Email;
LoyaltyProgramMember.Contact.FirstName; LoyaltyProgramMember.Contact.LastName;
LoyaltyProgramMember.IsEmailConsent__c; LoyaltyProgramMember.Id;

ENTRY EVENT

NAME
SF Data Event - Welcome Campaign

DATA EXTENSION NAME
SF Data Event - Welcome Campaign - 2026-02-25T145610815

WHO
Contact ID (Contact)

OBJECT
LoyaltyProgramMember

ACTION
Created;

ENTRY DATA
LoyaltyProgramMember.Contact.Id;
LoyaltyProgramMember.Contact.Email;
LoyaltyProgramMember.Contact.FirstName;
LoyaltyProgramMember.Contact.LastName;
LoyaltyProgramMember.IsEmailConsent__c;
LoyaltyProgramMember.Id;

[View Event Results](#)

Limitations & Considerations, Salesforce Data Event

1. Bergantung pada connector sync

Journey atau Salesforce Data Event **tidak langsung membaca perubahan data dari Salesforce secara real-time**, tetapi menunggu proses sinkronisasi (sync) dari **Marketing Cloud Connector**.

@see [FAQ Contact Counts](#)



**Bergantung pada connector sync?
Impact?**



Limitations & Considerations, Salesforce Data Event

1. Auto Create Contact

Q. Which Synchronized Data Extensions (Sync DE) automatically add records to Contacts?

A. Records from the **Lead**, **Contact**, and **User** objects. *Note: For Person Accounts, they are registered as Contacts based on the underlying Contact object record. If you synchronize these objects from Salesforce CRM via Sync DE, they are automatically registered as Marketing Cloud Contacts.*

If your Contact count is increasing unexpectedly due to this, consider configuring Synchronization Filters to sync only necessary records. Alternatively, you can use Email Studio Imports to bring in Salesforce Object reports as standard Data Extensions (which do not auto-register Contacts) or use Data Loader to export from CRM and import into MCE. Unless you review this configuration, deleted contacts will be immediately re-introduced by the sync process, requiring deletion again.

MC menggunakan contact key email, sedangkan MC connect secara otomatis membuat contact dengan contact key unique Id dari objek loyalty contact. Alasan penyebab terjadi overage contact

@see [FAQ Contact Counts](#)

Limitations & Considerations, Salesforce Data Event


2. DE Storage Usage due to data sync

DataExtensionName	RecordCount	UsedGB	DataExtensionPath
LoyaltyMemberCurrency_Salesforce	32006136	5,25507	Synchronized Data Extensions
LoyaltyMemberTier_Salesforce	16003068	2,87884	Synchronized Data Extensions
LoyaltyProgramMember_Salesforce	16003068	1,51062	Synchronized Data Extensions

Objek Loyalty yang disinkronkan akan otomatis tersimpan di Synchronized Data Extension dan menggunakan alokasi storage Data Extension di Marketing Cloud.

Limitations & Considerations, Salesforce Data Event

3. Data Sync Minimum Intervals



The screenshot shows a 'Configure Synchronization' dialog box with the following settings:

- Determine how to handle synchronization between the data source and your account.**
- Records Collection:**
 - ☒ All records
 - ☐ All records created since 9/1/2014
 - ☐ All records with [dropdown] [dropdown] ☐ True ☐ False
- Poll Schedule:**
 - 15 minutes (selected)
 - 15 minutes
 - 30 minutes
 - 1 hour
- Buttons:** Cancel, Save

Semakin banyak data yang disinkronkan, semakin banyak ruang penyimpanan yang digunakan.

@see SF [Idea | Reduced Poll Schedule](#)

Limitations & Considerations, Salesforce Data Event

2. Realtime? Not Really.

What usually works better:

- **Use Salesforce Automation** (Flow/Process Builder) to fire an Outbound Message → Marketing Cloud Event (or DE write) when consent is checked. Then set your Journey entry source as that DE. That way it's real-time.
- Or, if you stick with the out-of-the-box Salesforce Event in Journey Builder, remember it's not "instant" – it runs on the connector sync cycle (often ~15 min), so don't expect immediate firing.

👉 So journeys don't re-fire on unrelated field updates unless you enable re-entry, and the reason yours isn't starting is likely because the consent update isn't reaching MC in real-time. For true real-time, you'll need to drive it via a Flow → MC API/DE instead of relying just on the connector.

Untuk real-time yang benar, gunakan Flow → kirim event langsung ke MC, bukan hanya mengandalkan connector sync.

@see SF [How to trigger a journey on field](#) | [Salesforce Trailblazer Community](#)

