

User Acceptance Testing (UAT) Template

Project Overview:

Project Name: AI Blog Nest API

Project Description: AI Blog Nest API is designed to simplify blog creation and management using AI-powered content generation and summarization. It provides a secure, efficient backend for creating, managing, and organizing blog content with role-based access control.

Project Version: Not provided

Testing Period: Not provided

Testing Scope:

Role-Based Route Guarding; CRUD Blog Execution Engine; Categorization System; Comment Moderation Logic; Sanitization Safeguards; AI-Driven Blog Generation Pipeline; Intelligent Content Summarization Engine.

USN-1 to USN-9 from the Project Planning backlog, covering authentication/authorization, blog CRUD, categorization, comment moderation, sanitization, AI blog generation, summarization, and UAT validation.

Testing Environment:

URL/Location: Not provided

Credentials (if required): Not provided

Test Cases:

Bug Tracking:

Sign-off:

Tester Name: _____

Date: 29 September 2026

Signature: _____

Notes:

Ensure that all test cases cover both positive and negative scenarios.

Encourage testers to provide detailed feedback, including any suggestions for improvement.

Bug tracking should include details such as severity, status, and steps to reproduce.

Obtain sign-off from both the project manager and product owner before proceeding with deployment.

Date	29 September 2026
Team ID	SWTID-2026-7735
Project Name	AI Blog Nest API
Maximum Marks	5 Marks

Test Steps	Expected Result
1. Provide a valid token. 2. Access a protected route. 3. Perform an authorized action.	Authorized request is accepted and the permitted action is processed.

Test Steps	Expected Result
1. Provide a token for an unauthorized tier. 2. Attempt to modify core settings.	Unauthorized modification is blocked.
1. Authenticate. 2. Create a blog. 3. Read, update, and delete the blog.	Blog schema, content, status, and asset assignment operations work correctly.
1. Assign tags to a blog. 2. Query using a tag. 3. Check returned content.	Relevant tagged content is returned for filtering/querying.
1. Select a comment. 2. Change its flag to approved, pending, or spam. 3. Verify the stored status.	The selected moderation status is updated correctly.
1. Submit payload parameters containing unsafe input. 2. Process the request. 3. Inspect the processed data.	Unsafe parameters are sanitized or rejected appropriately.
1. Enter a high-level thematic input. 2. Submit the generation request. 3. Review the generated content.	A full-length, structured blog post is generated using the configured LLM pipeline.
1. Submit an extensive article payload. 2. Request summarization. 3. Review the output.	A concise abstract and automated metadata summary are generated.
1. Use invalid/insufficient authorization. 2. Submit invalid or unsafe parameters. 3. Verify API response.	Unauthorized access and unsafe/invalid input are handled securely without un

Bug ID	Bug Description	Steps to reproduce	Severity	Status	Additional feedback
BG-001	To be recorded if an issue is identified during UAT.	To be recorded during UAT.	Low/Medium/High	Open/In Progress/Closed	Add tester feedback and reproduction details.