

ESBMC v7.7: Automating Branch Coverage Analysis Using CFGBased Instrumentation and SMT Solving

Author: Chenfeng Wei

Chenfeng.wei@machester.ac.uk

Co-Authors: Tong Wu, Rafael Sa Menezes, Fedor Shmarov, Fatimah Aljaafari,

Sangharatna Godboley, Kaled Alshmrany,

Rosiane de Freitas, Lucas C. Cordeiro



Contributors



Mr. Chenfeng Wei



Mr. Tong Wu



Mr. Rafael Menezes



Dr. Fedor Shmarov



Dr. Fatimah Aljaafari



Dr. Sangharatna Godboley



Dr. Kaled Alshmrany



Dr. Rosiane de Freitas



Dr. Lucas C. Cordeiro








ESBMC, a bounded model checking (BMC) verifier based on SMT solving, has proven its effectiveness in bug detection in recent competitions.

However, it has never participated in the evaluation of the Cover-Branches category due to the lack of:

- Branch coverage analysis
- Automated test suite generation







Contribution




To bridge this gap, we present **ESBMC v7.7** with the following key contributions:

- Branch Coverage Instrumentation
 - Instrumentation & Isolation
- Incremental Multiple Property Verification
 - Property Splitting & Incremental Reasoning
 - Re-verification & Termination
 - Test Generation










Simplification





We apply our algorithm upon **GOTO program**, i.e., Control Flow Graph (CFG).

Simplification: In the Goto program, control-flow constructs such as **if-else** statements, **while** loops, **for** loops, and **switch-case** statements are normalized into **if-goto** structures.

MANCHESTER 1824

```
The University of Manchester
```


```
int main()
  int x = 0;
  while ( VERIFIER nondet bool())
   if (!x)
      assert(x == 0);
      ++X;
    else if (x == 1)
      assert(x > 0);
      X = 2;
   VERIFIER assert(x == 2);
```

```
int main()
                              esbmc exp.c --goto2c &> exp2.c
       int x = __VERIFIER_nondet_int();
     ESBMC goto label 1:;
       Bool return value VERIFIER nondet bool 1;
       return_value____VERIFIER_nondet_bool_1 = __VERIFIER_nondet_bool();
       if (!return value     VERIFIER nondet bool 1) // while (nondet bool())
           goto ESBMC goto label 4;
                                                    // if (!x)
       if (!(!( Bool)x))
           goto __ESBMC_goto_label_2;
       assert(x == 0);
       assert(!overflow("+", x, 1));
                                                   // overflow-check
       X = X + 1;
       goto __ESBMC goto label 3;
     ESBMC goto label 2:;
       if(!(x == 1))
                                                   // else if (x == 1)
           goto __ESBMC_goto_label_3;
       assert(x > 0);
       x = 2;
     ESBMC goto label 3:;
       goto ESBMC goto label 1;
     ESBMC goto label 4:;
       VERIFIER_assert((int)(x == 2));
```



Instrumentation





Instrumentation: to entry a branch guarded by condition like if(cond), there must exist an assignment that satisfies cond. This is equivalent to checking if a counterexample satisfies assert(!cond)

- True Branch: the body executes
- False Branch: the body is skipped



Instrumentation




```
_Bool return_value____VERIFIER_nondet_bool_1;
return_value____VERIFIER_nondet_bool_1 = __VERIFIER_nondet_bool();
assert(!return_value____VERIFIER_nondet_bool_1); // !return_value$___VERIFIER_nondet_bool$1
assert(!(!return_value____VERIFIER_nondet_bool_1)); // !(!return_value$___VERIFIER_nondet_bool$1)
if (!return_value____VERIFIER_nondet_bool_1)
    goto __ESBMC_goto_label_4;
```

```
assert(!(!(_Bool)x));  // !(!(_Bool)x)
assert(!(!(!(_Bool)x))); // !(!(!(_Bool)x))
if (!(!(_Bool)x))
  goto __ESBMC_goto_label_2;
```

```
assert(!(x == 1));  // !(x == 1)
assert(!(!(x == 1))); // !(!(x == 1))
if (!(x == 1))
  goto __ESBMC_goto_label_3;
```







Isolation: Potential interferences are excluded to isolate the analysis of instrumented coverage properties from others.

• User-defined properties, i.e. assertions, are converted into tautologies

• Internal safety checks within ESBMC are disabled





```
__ESBMC_goto_label_4:;
    __VERIFIER_assert((int)(x == 2));
}
```




```
__ESBMC_goto_label_4:;
    __VERIFIER_assert(1); // x == 2
}
```

```
assert(x == 0);
assert(!overflow("+", x, 1));
x = x + 1;
```




```
assert(1);
/* assert(!overflow("+", x, 1)); */
x = x + 1;
```





SymEx & Splitting





- The CFG get symbolic executed within defined bounds (e.g., through loop unrolling) and is eventually encoded as a **verification condition (VC)**.
- In ESBMC, the VC is an SMT formula incorporating:
 - Constraints (execution conditions, C)
 - Properties (expected behaviours, P)

$$VC \Leftrightarrow C \wedge
eg P$$

To let ESBMC verify multiple properties, we split the property P into a set of unit properties P_i

$$C \wedge \neg P \Leftrightarrow \bigvee_{i}^{n} (C \wedge \neg P_{i}) \Leftrightarrow \bigvee_{i}^{n} VC_{i}$$



Incremental Reasoning



Issue:

- Normally, BMC verifies system behavior only up to a fixed bound k, once this threshold is reached, it terminates. The verification result becomes unknown.
- As a consequence, some branch paths may be missed.

How about we set a relatively large k (e.g. 100)?

- No guarantee of soundness: Larger *k* increases depth but doesn't ensure that all paths are covered or that unreachability is proved.
- Inefficiency: Large bounds might lead to state-space explosion



Incremental Reasoning



Aid: Use incremental reasoning (e.g. k-induction) to automatically extend verification beyond bound k

- \triangleright It checks that a property holds up to a bound (k)
- \triangleright It proves that if it holds at (k), it also holds at (k+1)

In ESBMC, this can be summaries as three steps:

- Base Case: Check if the program is correct up to (k) steps (normal BMC).
- Forward Reasoning: prove that all loops in the program were fully unrolled.
- Inductive Step: If it is good up to (k), prove it's still good for (k + 1).

$$abla B(k)
ightarrow F(k)
ightarrow ext{program contains bug} \ B(k)
ightarrow F(k)
ightarrow ext{program is correct} \ B(k)
ightarrow I(k)
ightarrow ext{program is correct}$$



Recall: Instrumentation



```
_Bool return_value____VERIFIER_nondet_bool_1;
return_value____VERIFIER_nondet_bool_1 = __VERIFIER_nondet_bool();
assert(!return_value____VERIFIER_nondet_bool_1); // !return_value$___VERIFIER_nondet_bool$1
assert(!(!return_value____VERIFIER_nondet_bool_1)); // !(!return_value$___VERIFIER_nondet_bool$1)
if (!return_value____VERIFIER_nondet_bool_1)
    goto __ESBMC_goto_label_4;
```

```
assert(!(!(_Bool)x));  // !(!(_Bool)x)
assert(!(!(!(_Bool)x))); // !(!(!(_Bool)x))
if (!(!(_Bool)x))
  goto __ESBMC_goto_label_2;
```

```
assert(!(x == 1));  // !(x == 1)
assert(!(!(x == 1))); // !(!(x == 1))
if (!(x == 1))
  goto __ESBMC_goto_label_3;
```



Incremental Reasoning



```
!(!return_value$___VERIFIER_nondet_bool$1)
!return_value$___VERIFIER_nondet_bool$1
!(!(!(_Bool)x))
!(!(_Bool)x))
!(!(_Bool)x)
!(!(x == 1))
```

Termination:

- a) all remaining coverage properties are proven during forward reasoning
- b) all properties are reduced to tautologies and removed through slicing, leaving no properties for further verification

Re-verification: if any property P_i remains unknown, a verification re-run is initiated


$$\bigvee_{i}^{n} VC_{i} \xrightarrow{\text{kind}} \bigvee_{i}^{m} VC'(m \leq n)$$







Test Generation




Test Generation: whenever a property P_i violation is reported. Assignments with nondeterministic initial values are extracted from the traces and transformed into corresponding test suites.

testcase-0.xml
testcase-1.xml
testcase-2.xml
testcase-3.xml
testcase-4.xml
testcase-5.xml





ESBMC ranked around 7th–8th among all participants in Cover-Branches category at Test-Comp 2025.



Here, ESBMC-incr performs slightly better, mostly due to different unwinding configuration.




Software Project



ESBMC is open-source under the Apache License 2.0, and its C++ source code is publicly available on GitHub: https://github.com/esbmc/

The official website is available at: https://esbmc.org







Thank you!