Concordia University COMP 248 – Fall 2017 Assignment 4

Due Date: By 11:59pm November 16, 2017

Evaluation: 4% of final mark (see marking rubric at the end of handout)

Late Submission: none accepted

Purpose: The purpose of this assignment is to help you learn primitive type

arrays, strings arrays, 2-dimensional arrays and simple class design.

CEAB/CIPS Attributes: Design/Problem analysis/Communication Skills

General Guidelines When Writing Programs:

Please refer to the handout of Assignment #1.

Question 1 (One Dimensional Array)

Write a program that asks a user for names of 8 soccer teams and outputs a possible road map of 4 quarter finals, 2 semifinals, 1 final and the final winner of a tournament.

Your program should proceed as follows:

- 1. Ask the user for a name for the soccer tournament followed by the names of the 8 participating teams. (You can assume that each name, which can be more than 1 word, will be correctly entered on a separate line.) The participating teams are to be stored in a one-dimensional array.
- 2. Generate the output roadmap by choosing at random combinations of teams and a winner for each combination at each level to produce a final winner. Of course a team can only be in one quarter final game. Figure 1 illustrates how teams are matched for the semi-finals and finals.

Quarter-Finals	Semi- Finals	Final
Quarter Final 1 (QF1)		
Team 1		
Team 2	Semi Final 1 (SF1)	
	Winner of QF1	
Quarter Final 2 (QF2)	Winner of QF4	
Team 3		
Team 4		Winner of SF1
		Winner of SF2
Quarter Final 3 (QF 3)		
Team 5		
Team 6	Semi Final 2 (SF2)	
	Winner of QF2	
Quarter Final 4 (QF4)	Winner of QF3	
Team 7		
Team 8		

Figure 1- Elimination Tournament

Use the random number generator from the Math class or Random class to randomly pick the original combination of the 8 teams in the quarter finals and the winner of each game.

- 3. Your program output should be displayed in the format below.
- 4. The user should be able to request for a different outcome until he receives an output that he likes. This involves shuffling the teams in the array to determine who plays against whom in the quarter finals. (You can use random.nextInt(bound) in a loop to randomize the array- in other words to shuffle the array entries.)
- 5. When a user chooses to stop, your program should display a closing message like: 'Thank you for using the JAVA Tournament Winner Predictor Program.'


Here are a few sample outputs to illustrate the expected behavior of your program. Note: user input is highlighted in grey.

```
Welcome to Tournament Outcome Predictor Program
-----
Please enter a name for the soccer tournament
la liga
Please enter the 8 participating teams
Atlético Madrid
Barcelona
Getafe
Levante
Real Betis
Real Madrid
Sevilla
Valencia
       ---- la liga Outcome Predictions -----
Quater Final 1: Real Betis Vs Valencia
Valencia Wins !!!
Quater Final 2: Atlético Madrid Vs Sevilla
Atlético Madrid Wins !!!
Quater Final 3: Real Madrid Vs Barcelona
Barcelona Wins !!!
Quater Final 4: Getafe Vs Levante
Getafe Wins !!!
Semi-Final 1: Valencia Vs Getafe
Getafe Wins !!!
Semi-Final 2: Atlético Madrid Vs Barcelona
Atlético Madrid Wins !!!
Final: Getafe Vs Atlético Madrid
Getafe Wins !!!
Do you want a different outcome? y or n
---- la liga Outcome Predictions -----
Quater Final 1: Getafe Vs Sevilla
Getafe Wins !!!
Quater Final 2: Atlético Madrid Vs Real Betis
Real Betis Wins !!!
Quater Final 3: Valencia Vs Levante
Valencia Wins !!!
Quater Final 4: Barcelona Vs Real Madrid
Real Madrid Wins !!!
Semi-Final 1: Getafe Vs Real Madrid
Real Madrid Wins !!!
Semi-Final 2: Real Betis Vs Valencia
Valencia Wins !!!
Final: Real Madrid Vs Valencia
Real Madrid Wins !!!
Do you want a different outcome? y or n
Thank you for using the JAVA Tournament Winner Predictor Program
```

Question 2 (2-dimensional Arrays)

Write a program that implements a card magic game where you accurately predict a user's card from a randomly generated 4x4 card matrix. Your program should proceed as follows:

- 1. Generate a random 4x4 card matrix and print it on the screen. **Tips**: You could use a 1D index array for card numbers, 4x4 matrix for cards with one row each for 4 card types. You can randomize rows and columns independently using a loop to swap values at random or use the randomizeArray() method.
- 2. Ask a user to pick a card and to enter the corresponding column number for that card. (You have to make sure that the user enters a number between 1 and 4 and nothing else.)
- 3. Transpose the 4x4 card matrix (i.e. rows matrix becomes column matrix) and print it on the screen. Ask user for the new column number for his chosen card. (Simply swap loop variables.)



- 4. Make use of the two inputs from the user to predict his card. Your program output should be displayed in the format below. The user should be able to request for another try until he is satisfied that program correctly predicts the card every single time.
- 5. When a user chooses to stop, your program should display a closing message like: 'Thank you for using the JAVA Magic 101 Program.'

Here is an example of the output to illustrate the expected behavior of your program.

Note: user input is highlighted in grey.

```
Welcome to Card Magic 101
 -----
Nine of Diamonds

Ace of Diamonds
                                                      Ten of Diamonds
                                                                                 King of Diamonds
Nine of Hearts Ace of Hearts Ten of Hearts
Nine of Clubs Ace of Clubs Ten of Clubs
Nine of Spades Ace of Spades Ten of Spades
                                                      Ten of Hearts
                                                                                 King of Hearts
                                                                                 King of Clubs
                                                                                King of Spades
Please pick a card and enter the column number (1-4) where it appears
Nine of Diamonds Nine of Hearts Nine of Clubs
Ace of Diamonds Ace of Hearts Ace of Clubs
Ten of Diamonds Ten of Hearts Ten of Clubs
King of Diamonds King of Hearts King of Clubs
                                                                                 Nine of Spades
                                                                                 Ace of Spades
                                                                                 Ten of Spades
                                                                                 King of Spades
Please indicate which column number (1-4) it is in now
Please enter an integer value between 1 and 4
Please indicate which column number (1-4) it is in now
Your card is Nine of Clubs
Do you want to try one more time? y or n
Four of Diamonds Six of Diamonds
                                                   Jack of Diamonds Nine of Diamonds
Four of Clubs Six of Clubs Jack of Clubs Nine of Clubs Four of Spades Six of Spades Jack of Spades Nine of Spades Four of Hearts Six of Hearts Jack of Hearts Nine of Hearts
Please pick a card and enter the column number (1-4) where it appears
Four of Diamonds Four of Clubs Four of Spades
Six of Diamonds Six of Clubs Six of Spades
Jack of Diamonds Jack of Clubs Jack of Spades
Nine of Diamonds Nine of Clubs Nine of Spades
                                                                               Four of Hearts
                                                                              Six of Hearts
                                                                               Jack of Hearts
                                                                              Nine of Hearts
Please indicate which column number (1-4) it is in now
Your card is Jack of Hearts
Do you want to try one more time? y or n
Thank you for using the JAVA Magic 101 Program
```

Question 3 (Simple Class Exercise)

Define a class named Car that stores information about a car. It should comprise of the following:

- 1. Private instance variables to store age of the car, its type (sedan or suv) and its cost.
- 2. 4 constructors:
 - a. No argument (sets age to 0, type to sedan and cost to 32000).
 - b. one argument constructor (sets cost to a value, age to 0 and type to sedan).
 - c. two argument constructor (sets age to a value, cost to a value, and type to sedan).
 - d. three argument constructor (sets age to a value, cost to a value, and type to value sedan or suv).

- 3. 3 Accessor methods: methods to return age, type and cost respectively.
- 4. 5 Mutator methods: 3 methods for setting the three values independently, a method to set all three values and a method to set only age and cost of the car.
- 5. A public method called estimatePrice() that returns the cost of a car based on type and age. A sedan costs \$32000, depreciates 10% every year in first five years and 5% every year afterwards. An SUV costs \$45000, depreciates 8% every year in the first five years and 4% every year afterwards.
- 6. A toString() method that returns the type of the car as well as it's age and cost.
- 7. An equals () method to test for equality of two objects of class car based on type and age.
- 8. isLessThan() and isGreaterThan() method to compare between the prices of two objects of class car.

b) Write a driver class

- 1. Which declares 4 car objects using 4 different constructors and outputs the description of the 4 cars.
- 2. Test your accessor methods.
- Calculate the estimated price of the cars given the type and age (include 1 sedan and 1 SUV)
- 4. Test out all 5 mutator methods to modify car attributes.
- 5. Test methods toString(), equals(), isLessThan() and isGreaterThan() for different car objects.

Here is an example of the output to illustrate the expected behavior of your program.

```
Car C1: This car is type Sedan. Its age is 0 and costs $32000.0
Car C2: This car is type Sedan. Its age is 0 and costs $32000.0
Car C3: This car is type Sedan. Its age is 4 and costs $18000.0
Car C4: This car is type SUV. Its age is 2 and costs $36000.0
Accessor Method: The cartype for car C4 is SUV, its age is 2, and it costs $36000.0
The estimated price of car C3 is $24800.0
The estimated price of car C4 is $39240.0
Mutator Method: The new age for car C3 is 5
Mutator Method: The new cartype for car C3 is SUV
Mutator Method: The new cost for car C3 is 14000.0
Mutator Method: The new car age is 9 and its new cost is 9000.0
Mutator Method: The new cartype for car C3 is Sedan, its new age is 14and its cost is 5000.0
toString: This car is type Sedan. Its age is 14 and costs $5000.0
Cars C1 and C2 are equal is true
Cars C1 and C4 are equal is false
Car C4 is less than C3 is false
Car C1 is greater than C3 is true
```

Submitting Assignment 4

- Zip the source code (the .java file only please) of this assignment.
- Naming convention for zip file: Create one zip file, containing the source files for your assignment. The zip file should be called *a#_studentID*, where # is the number of the assignment and *studentID* is your student ID number.
 - For example, for the fourth assignment, student 123456 would submit a zip file named a4_123456.zip
- Refer to your section's Moodle page for instructions on where to submit your assignment.

Evaluation Criteria for Assignment 4 (20 points)

Source Code		
Comments for all 3 questions (3 pts.)		
Description of the program (authors, date, purpose)		pts.
Description of variables and constants		pt.
Description of the algorithm		pts.
Programming Style for all 3 questions (2 pts.)		
Use of significant names for identifiers	1	pt.
Indentation and readability		pt.
Welcome Banner/Closing message	0.5	pt.
Question 1 (5 pts.)		
Prompting user/reading data	1	pt.
Producing random tournament results each time		pt.
Display results		pt.
Question 2 (5 pts.)		
Generating random card matrix every time	2.5	pts.
Prompting and validating user input		pt.
Display correct results and continue until stopped	1.5	pt.
Question 3 (5 pts.)		
Constructor-Accessor-Mutator	1.5	pts.
Comparison (=,<,>) , toString()		pt.
Other Methods		pts.
Test Code	2	pts.
TOTAL	20	pts.