



CYBER RISK ADVISORY

Service Overview & Reporting

A continuous, AI-driven engagement that turns telemetry into prioritized action — measuring exposure, attack activity, and security configuration across your environment every 30 days.

POWERED BY



PREPARED FOR

[Customer Name]

ENGAGEMENT

90-Day Cycle • 4 Sessions

DOCUMENT

CRA-2026 • v1.0

01 EXECUTIVE SUMMARY

Risk posture, in one read.

Customer faces a medium overall risk and is currently trending above the industry average. Exposure on internet-facing surfaces and weak account hygiene are the largest contributors; recent data-source cleanup has produced a much sharper view of what actually needs attention.

64	-83%	12d	4,507
RISK INDEX — DAY 60	VULNERABILITIES REDUCED	MEAN TIME TO PATCH	STALE ACCOUNTS

What changed this cycle

- Detected vulnerabilities dropped from 24,000+ to 4,600 after removing Qualys from the data sources, giving a more accurate picture of remediable risk.
- Mean Time To Patch improved from 30 days at Day 1 to roughly 12 days at Day 60 — a structural improvement, not a one-off.
- Three extra administrative accounts have been removed (12 → 9); two highly-authorized disabled accounts still need review.
- SSL/TLS certificate hygiene and weak/deprecated protocols on internet-facing domains remain the top exposure to address.

CONTENTS

What this report covers.

A Cyber Risk Advisory engagement is structured around four sessions over 90 days. Each session reviews the same eight sections so progress is directly comparable cycle-over-cycle.

01	Executive Summary	04
	Risk posture at a glance · trend across 90 days	
02	Methodology	05
	Discover · assess · prioritize · advise	
03	Risk Index Overview	06
	Composite Cyber Risk Index and category scoring	
04	Exposure Overview	07
	Internet-facing assets · vulnerabilities · accounts	
05	Security Configuration Overview	08
	Endpoint protection · sensors · feature adoption	
06	Attack Overview	09
	XDR detections and prioritization	
07	Recommendations & Continued Actions	10

Prioritized remediation roadmap by risk impact

08 Meeting Schedule & Cadence

12

Day 1 · Day 30 · Day 60 · Day 90 reviews

02 METHODOLOGY

Discover, assess, prioritize, advise.

The Cyber Risk Advisory service is delivered as a guided 90-day engagement on top of TrendAI Vision One™. Telemetry is unified, scored, and translated into a session-based action plan with explicit owners and follow-through tracking.

01	02	03	04
Discover	Assess	Prioritize	Advise
Connect Vision One telemetry across endpoints, identity, cloud, and internet-facing assets.	Quantify exposure, attack activity, and configuration drift into a single Cyber Risk Index.	Rank findings by impact and exploitability so remediation effort follows business risk.	Deliver session-based guidance with continued actions tracked across the 90-day cycle.

✓ EXPOSURE	✓ ATTACK	✓ CONFIGURATION
Know what is reachable	See what is happening	Verify what is enforcing
Internet-facing assets, vulnerable accounts, and unpatched systems are inventoried, scored, and trended.	XDR detections from endpoints, identity, network, and cloud are clustered into the workbenches that matter.	Endpoint protection, sensors, and feature adoption are checked against best practice and your own baseline.

03 RISK INDEX OVERVIEW

A single number for the boardroom.

The Cyber Risk Index measures organisational risk based on multiple cyber risk factors. It provides a high-level view of potential impacts on assets such as users, devices, applications, internet-facing domains, and cloud resources. The table below shows current risk levels for the Exposure, Attack, and Security Configuration categories across the engagement timeline.

CATEGORY	DAY 1	DAY 30	DAY 60	DAY 90
Risk Index	56	—	57	64
Exposure Overview	68	—	63	69
Attack Overview	67	—	65	73
Security Configuration	61	—	63	63

Reading the index — scores are on a 0–100 scale where lower is better. Day-over-day movement is more informative than the absolute number; a category that flatlines (such as Security Configuration at 63) usually signals an unresolved structural issue, not stability.

04 EXPOSURE OVERVIEW

Internet-facing assets, vulnerabilities, and accounts.

The score for Exposure Overview has been consistent for the past months, ranging between 62 and 69. Vulnerability assessment coverage is now more accurate after disabling Qualys; as of January, 39% of assets have Trend Micro vulnerability assessment coverage.

Internal asset vulnerabilities

After disabling Qualys and purging backend data, detected vulnerabilities dropped from 24K+ to just over 4K. This improvement provides a more accurate view of the environment — only vulnerable devices within Trend Micro coverage are now identified. Improvement in MTTP has been observed over the past three months, starting at 30 days in the first session and improving to around 12 days. Legacy operating systems (Windows 2008, 2012, 2016, 2019; CentOS 7; RHEL 8 4.18; Cisco IOS 11–15) have reached end-of-life and no longer receive security updates from the vendor.

System configuration vulnerabilities

- Accounts with weak authentication — started with 9; 6 accounts still have password expiration disabled.
- Hosts with insecure connection issues — most show SSL/TLS Certificate Expired or use weak/deprecated protocols.
- Extra administrative accounts — 3 removed; 12 → 9 remaining.
- Stale accounts — over 4,000 remain unused for 180+ days. Cleanup blocked by per-region HR ownership; will require coordination with the Office 365 team.
- Highly authorised disabled accounts — 2 still detected as of January 27, 2025.

05 SECURITY CONFIGURATION OVERVIEW

Endpoint protection, sensors, and feature adoption.

The score for Security Configuration Overview has remained constant, flatlining at 63. This category is dominated by feature-adoption gaps that can be closed without new procurement.

Endpoint protection

Over 50% of EPP agents have been installed; however, most of the deployed EPP versions, while supported, are not the latest release, and around 70% of these agents have outdated components.

Key feature adoption & pattern update status

- "Active Action" is disabled in Behavior Monitoring for Endpoint & Workload Security (EWP) and Server & Workload Security (SWP).
- "File Quarantine or Delete" needs to be enabled for Predictive Machine Learning under EWP — currently disabled on 54 machines.
- "Agent Self Protection" is disabled on roughly 28% of servers under EWP.
- Component patterns are outdated on a large share of the agent fleet and require an update to the latest version.

Endpoint sensor

Approximately 48% of sensors have not yet been enabled. Both sensor versions and component versions include supported legacy releases — these should be updated to the latest version to ensure best protection.

06 ATTACK OVERVIEW

Detections, prioritized.

Attack overview score has ranged from 65–73, particularly due to high frequency of XDR detections. We recommend using the Operations Dashboard to quickly assess and prioritize XDR workbenches requiring urgent action — it provides real-time score impact and 30-day statistical insights for informed decision-making.

XDR detection summary

- Execution of Renamed Plink — c:\users\username_1\desktop\atlas container.exe (PuTTY). Confirm whether PuTTY is expected; if so, mark benign.
- [Heuristic Attribute] System Binary Proxy Execution — hostname_1 (event from 2024-11-13); hostname_2.subdomain_1.subdomain_2.domain_1.com — verify presence of c:\windows\apppatch\apppatch64\aclayers.dll.
- Behavior Monitoring Detection for Built-in Windows Tools — Trend Micro services being disabled; investigate as potential tampering.
- Creation of Suspicious File with Double Extensions — username_2 appears to be performing administrative file extraction; confirm with the user.
- Disable or Stop Security Service in Linux — review and confirm whether intentional administrative activity.

07 RECOMMENDATIONS & CONTINUED ACTIONS

A prioritized roadmap to lower the index.

Each row pairs a finding with a recommendation, a status, and the Vision One path to find supporting evidence. High-impact items should be closed before the Day 90 review; medium and low items roll into the next 90-day cycle.

RISK	CATEGORY	FINDING	RECOMMENDATION
HIGH	EXPOSURE	Internet-Facing Assets • SSL/TLS certificates expired (e.g. ip_address_1 expired 2024-10-06) • Weak / deprecated protocols (TLSv1.1) detected • Application vulnerabilities on internet-facing assets • Affected: domain_3.com, domain_4.com.br, domain_5.com, domain_6.com, domain_7.com	Verify why unfamiliar IPs remain associated with these domains. Update expired certificates and deprecated protocols. Vision One → ASRM → Internet Facing Assets, sort by Asset Risk Score. Status: Recommended
MEDIUM	EXPOSURE	Unexpected Internet-Facing Services / Ports • ip_address_2, ip_address_3, ip_address_4 → port 10443 open • ip_address_5 → port 123 open	Review each open port — confirm whether it is required. Close ports that are not explicitly justified. Status: Recommended
MEDIUM	EXPOSURE	Accounts with Weak Authentication • Password expiration disabled on 9 accounts (6 still remaining) • username_3 through username_11	Enable password expiration policy on listed accounts. Create a dismiss rule if expiration is intentionally disabled. Status: Recommended

MEDIUM	EXPOSURE	Extra Admin Accounts • 12 admin accounts identified, 9 remain after cleanup • Best practice: ≤ 5 global / company admins	Remove unused admin accounts; justify any retained. Cloud-only admins (e.g. username_12, username_13) need separate review. Status: Recommended
MEDIUM	EXPOSURE	Account with Excessive Privilege • username_23 — disabled high-privilege account still detected	Delete or reduce privileges if the account is no longer required. Avoid leaving high-privilege accounts in a disabled-only state.
HIGH	EXPOSURE	Stale Accounts • 4,507 accounts inactive > 180 days • Likely includes guest accounts that were never deleted	Investigate and disable / delete inactive accounts. Configure Microsoft Entra ID auto-deactivation at 90 or 180 days. Coordinate with Office 365 / regional HR teams.
MEDIUM	EXPOSURE	Highly Exploitable Unique CVEs • 24,522 highly exploitable CVEs across the environment • Concentrated on legacy OS: Win 2008/2012/2016/2019, RHEL 8, CentOS 7, Cisco IOS 11–15	Apply virtual patching or network isolation as interim mitigation. Plan migration of legacy applications to supported platforms. Mark accepted risks in Vision One where remediation is not feasible.
HIGH	EXPOSURE	Average Unpatched Time • Critical patches missing on multiple machines • Longest unpatched duration: 583.2 days (Windows 10)	Vision One → ASRM → Exposure Overview → Avg. Unpatched Time → View Details. Sort AUT (day) high→low and prioritize remediation.

LOW	ATTACK	Multiple File Rename Activity Over Network Share • Consistent contributor to Attack Risk Score (Cloud One Workload Security) • hostname_3, hostname_4, hostname_5	Validate whether bulk rename / move activity is expected behavior. Add legitimate hosts to detection model exceptions.
LOW	CONFIGURATION	Key Feature Adoption & Pattern Update Status • Anti-malware, web reputation, behavior monitoring, predictive ML disabled on multiple endpoints • Component patterns outdated on ~70% of agents	Enable anti-malware, web reputation, and behavior monitoring on all desktops. Update component patterns to latest versions.

08 MEETING SCHEDULE & CADENCE

Day 1, 30, 60, 90.

Each session reviews the same eight sections so progress is directly comparable cycle-over-cycle. Continued actions are tracked between sessions and reported back at the next review.

SESSION	DATE	TIME	STATUS
Day 1 — Kickoff & Baseline	October 28, 2024	06:00 PM (GMT+8)	Completed
Day 30 — First Review	November 25, 2024	06:00 PM (GMT+8)	Completed
Day 60 — Mid-Cycle Review	December 27, 2024	04:00 PM (GMT+8)	Completed
Day 90 — Outcome Review	January 27, 2025	05:00 PM (GMT+8)	Upcoming

AI FEARLESSLY

Continuous risk advisory — telemetry to action, every 30 days.

© 2026 TrendAI™. All rights reserved. TrendAI Vision One™ and the Trend Spark are trademarks of TrendAI.