


```
!  
no ip domain-lookup  
!  
!  
spanning-tree mode pvst  
!  
!  
!  
!  
!  
!  
interface GigabitEthernet0/0  
 ip address 172.16.1.1 255.255.255.0  
 duplex auto  
 speed auto  
!  
interface GigabitEthernet0/1  
 ip address 172.31.1.1 255.255.255.0  
 duplex auto  
 speed auto  
 shutdown  
!  
interface Vlan1  
 no ip address  
 shutdown  
!  
ip classless  
!  
ip flow-export version 9  
!  
!  
!  
banner motd ^C!! Warning - Authorized Access Only !!^C  
!  
!  
!  
!  
line con 0  
 password cisco  
 logging synchronous  
 login  
!  
line aux 0  
!  
line vty 0 4  
 password cisco  
 login  
line vty 5 15  
 password cisco  
 login  
!  
!  
!  
end  
  
RTA#
```

[illegible]

คำถามข้อ 1: What changes were made? (มีการเปลี่ยนแปลงอะไรบ้าง)

Configuration ที่เก็บไว้บน TFTP Server ถูกโหลดเข้ามาที่ router และ hostname ของ router เปลี่ยนจาก "Router" เป็น "RTA"

คำถามข้อ 2: Are all interfaces active? (interface ทำงานครบทุกพอร์ตหรือไม่)

ไม่ครบ — G0/1 (GigabitEthernet0/1) อยู่ในสถานะ administratively down

คำถามข้อ 3: What special character repeatedly displays indicating that the IOS file is being copied to the TFTP server successfully? (สัญลักษณ์อะไรที่แสดงซ้ำๆ ระหว่างการก๊อปปี้ไฟล์ IOS สำเร็จ)

เครื่องหมายตกใจ (!) — exclamation point