


Adin Kramer
Devmountain
Assessment 6

URL: <https://trello.com/b/EVYM7wu6/assessment6-qadevops>



Test Plan:

in list [Test Plan](#)

Description Edit

Overview

Test the functionality of Duel Duo

Links

--<http://localhost:3000/> (only locally hosted)

--<https://github.com/naturalCode4/Assessment6-QA-DevOps> (gitHub link to pull Duel Duo)

Test Criteria

--Duel Duo opens and loads html (page has content), CSS (page has non default styling), javascript (page has functionality on any button)
--Loads all bot cards when user presses "See all bots"
--Loads 5 bot cards when user presses "Draw"
--"Draw" button loads different bots each (or almost every) time. i.e. 3 "draw" presses separated by page refreshes yield different result
--When user clicks "Add to Duo" on bot's card, that bot is added to section "Your duo"

Entry Criteria

--pull from github link
--navigate to localhost link

exit criteria

--all tests have passed
--time ran out
--failed tests have been observed and documented

The "draw" button selects bots and their order randomly

in list [Test Cases](#) 



Description

Edit

Links

See *Test Plan*

Success Condition

--"Draw" button loads different bots each (or almost every) time.

--i.e. 5 "draw" presses, separated by page refreshes, yields different results at least once.

See All Bots button

in list [Bug Report](#)

Description Edit

Overview

See All Bots button does not load all the bots.

Links

[See Test Plan](#)

Expected Results

All bots load

Actual result

--Nothing happens when the button is pushed

--400 Error

Error content

localhost/:1 Uncaught (in promise)

```
o {message: 'Request failed with status code 400', name: 'AxiosError', code: 'ERR_BAD_REQUEST', config: {...}, request: XMLHttpRequest, ...}
code: "ERR_BAD_REQUEST"
```

```
config: {transitional: {...}, transformRequest: Array(1), transformResponse: Array(1), timeout: 0, adapter: f, ...}
```

```
message: "Request failed with status code 400"
```

```
name: "AxiosError"
```

```
request: XMLHttpRequest {onreadystatechange: null, readyState: 4, timeout: 0, withCredentials: false, upload: XMLHttpRequestUpload, ...}
```

```
response: {data: 'Bad Request', status: 400, statusText: 'Bad Request', headers: {...}, config: {...}, ...}
```

My environment

--Macbook Pro OS 10.15.7 (Catalina)

--Google Chrome version 100.0.4896.127