Nature Noodle
Volume 1, Issue 1 • October 2026 • NN-2026-001

小苏打浓度与煮制时间对意大利面拉面化效果的影响：一项 3 × 3 探索性厨房实验

Effects of Baking Soda Concentration and Cooking Time on the Ramen-Style Transformation of Spaghetti: A 3 × 3 Exploratory Kitchen Trial

作者 / Author: 留子也要好好吃面 • Liuzi Ye Yao Haohao Chi Mian

语言 / Language: 中文、English、Bilingual Chinese-English　许可 / License: CC BY 4.0



Figure 1. Finished ramen-style spaghetti preparation. Commercial branding is shown only to identify independently purchased material.

摘要与关键词 / Abstract and Keywords

摘要： 本探索性厨房实验比较 2、4、6 g/L 小苏打与 10、12、15 分钟煮制时间的九种组合。4 g/L、15 分钟得分最高（9.5/10），被描述为颜色金黄、Q弹顺滑、碱香适中；4 g/L、12 分钟得分 8.5/10，适合偏硬口感。2 g/L 改变有限；6 g/L 随时间延长出现苦涩、黏口和肥皂味。

Abstract: A 3 x 3 exploratory kitchen trial combined baking soda concentrations of 2, 4, and 6 g/L with cooking times of 10, 12, and 15 minutes. The highest score, 9.5/10, was assigned to 4 g/L for 15 minutes. The 4 g/L, 12-minute treatment scored 8.5/10. Lower concentration produced limited transformation, while prolonged high-alkali cooking produced bitterness, stickiness, and a soap-like odor.

关键词 / Keywords: 小苏打；意大利面；碱水面；拉面替代；厨房实验 / baking soda; spaghetti; alkaline noodles; culinary methods

1. 背景 / Background

在难以获得新鲜碱水面时，商品干制意大利面可作为替代基础。本研究以结构化厨房测试比较浓度与时间组合。 / Commercial dried spaghetti can serve as a practical base when fresh alkaline noodles are unavailable. This study compared concentration-time combinations under controlled kitchen conditions.

2. 材料与方法 / Materials and Methods

每组使用 1 L 水，中火煮制。小苏打浓度为 2、4、6 g/L；时间为 10、12、15 分钟。作者从弹性、顺滑度、碱香和拉面相似度进行主观评价并给出 10 分制综合评分。 / Each treatment used 1 L water. Concentrations were 2, 4, and 6 g/L; times were 10, 12, and 15 minutes. A single evaluator assigned descriptive scores based on elasticity, smoothness, alkaline aroma, and ramen-like similarity.



Figure 2. Commercial spaghetti and a 4 g baking soda measurement.




Figure 3. Visual comparison of all nine treatments.

3. 结果 / Results

综合评分如下。中等浓度配合较长时间表现最佳；高浓度长时间处理表现最差。 / The middle concentration combined with longer cooking performed best; prolonged high concentration performed worst.

g/L	10 min	12 min	15 min
2	5.0	6.0	6.5
4	7.0	8.5	9.5
6	6.0	5.0	3.5



Figure 4. Original score matrix and descriptive observations.

4. 实用方法 / Practical Procedure

向 1 L 水中加入 4 g 小苏打并煮沸，加入意大利面后煮 15 分钟。偏好较硬口感者可尝试 12
分钟。使用较大锅具并注意泡沫。 / Add 4 g baking soda to 1

L water and bring to a boil. Add spaghetti and cook for 15 minutes; 12 minutes may suit a firmer preference. Use a larger pot and monitor foaming.

5. 讨论 / Discussion

评分模式提示浓度与时间存在组合效应。更多碱并不等于更接近拉面；需要平衡面芯熟化、表面顺滑度和碱味。 / The pattern suggests a concentration-time interaction. More alkali did not necessarily produce a better ramen-like result; center softening, surface texture, and alkaline flavor had to be balanced.

6. 局限性 / Limitations

本研究为单人探索性厨房实验，未报告独立重复、盲评、仪器质构、pH、含水率或统计检验。结果是实用观察，不应视为普遍性结论。 / This was a single-observer exploratory kitchen trial without independent replication, blinding, instrumental texture, pH, moisture, or inferential statistics. Findings should be treated as practical observations.

7. 结论 / Conclusion

在本次试验中，4 g/L、15 分钟获得最高评分。 / In this trial, 4 g/L for 15 minutes received the highest score.

出版信息 / Publication Information

Suggested citation: Liuzi Ye Yao Haohao Chi Mian. Effects of Baking Soda Concentration and Cooking Time on the Ramen-Style Transformation of Spaghetti: A 3 × 3 Exploratory Kitchen Trial. Nature Noodle. 2026;1(1):NN-2026-001.

© 2026 留子也要好好吃面. Authors retain copyright. Distributed under CC BY 4.0. Products were independently purchased; no sponsorship, endorsement, or commercial relationship is claimed.