ONLINE ONLY
OPEN ACCESS

# Nature Noodle

RESEARCH IN NOODLES & FOOD

FOOD
SCIENCE
CULTURE
HEALTH
SUSTAINABILITY



VOLUME 1 · ISSUE 1
OCTOBER 2026

Nature Noodle Press
GOOD FOOD A BRIGHTER TOMORROW

ONLINE ISSN APPLICATION PENDING

# Table of Contents / 本期目录

Nature Noodle • Volume 1, Issue 1 • October 2026


| Article | Title and Author | Page |
|---|---|---|
| NN-2026-001 | 小苏打浓度与煮制时间对意大利面拉面化效果的影响 Effects of Baking Soda Concentration and Cooking Time on the Ramen-Style Transformation of Spaghetti 留子也要好好吃面 | 3 |
| NN-2026-002 | 五种商品意大利面在碱水煮制下的尺寸变化、时间进程与中式面条适配性 Dimensional Changes, Time Course, and Chinese-Noodle Applications of Five Commercial Pasta Types 留子也要好好吃面 | 6 |


## Editorial Leadership / 编辑团队

Editor-in-Chief / 主编: 留子也要好好吃面 • Independent Culinary Writer and Researcher • United States

Editorial Board Member: Wenshuai Fan • Xi’an Jiaotong-Liverpool University, China • Expertise: Intercultural Communication

## Publisher / 出版方

Nature Noodle Press • Georgia, United States
The offices of Nature Noodle Press are located in Georgia, United States.

Online only • Open access • Published irregularly • Online ISSN application pending • No author or reader fees
Editorial Office: naturenoodle.editor@yahoo.com

Nature Noodle
Volume 1, Issue 1 • October 2026 • NN-2026-001

# 小苏打浓度与煮制时间对意大利面拉面化效果的影响：一项 3 × 3 探索性厨房实验

Effects of Baking Soda Concentration and Cooking Time on the Ramen-Style Transformation of Spaghetti: A 3 × 3 Exploratory Kitchen Trial

作者 / Author: 留子也要好好吃面 • Liuzi Ye Yao Haohao Chi Mian

语言 / Language: 中文、English、Bilingual Chinese-English　许可 / License: CC BY 4.0




Figure 1. Finished ramen-style spaghetti preparation. Commercial branding is shown only to identify independently purchased material.

## 摘要与关键词 / Abstract and Keywords

摘要： 本探索性厨房实验比较 2、4、6 g/L 小苏打与 10、12、15 分钟煮制时间的九种组合。4 g/L、15 分钟得分最高（9.5/10），被描述为颜色金黄、Q弹顺滑、碱香适中；4 g/L、12 分钟得分 8.5/10，适合偏硬口感。2 g/L 改变有限；6 g/L 随时间延长出现苦涩、黏口和肥皂味。

Abstract: A 3 x 3 exploratory kitchen trial combined baking soda concentrations of 2, 4, and 6 g/L with cooking times of 10, 12, and 15 minutes. The highest score, 9.5/10, was assigned to 4 g/L for 15 minutes. The 4 g/L, 12-minute treatment scored 8.5/10. Lower concentration produced limited transformation, while prolonged high-alkali cooking produced bitterness, stickiness, and a soap-like odor.


关键词 / Keywords: 小苏打；意大利面；碱水面；拉面替代；厨房实验 / baking soda; spaghetti; alkaline noodles; culinary methods

## 1. 背景 / Background

在难以获得新鲜碱水面时，商品干制意大利面可作为替代基础。本研究以结构化厨房测试比较浓度与时间组合。 / Commercial dried spaghetti can serve as a practical base when fresh alkaline noodles are unavailable. This study compared concentration-time combinations under controlled kitchen conditions.

## 2. 材料与方法 / Materials and Methods

每组使用 1 L 水，中火煮制。小苏打浓度为 2、4、6 g/L；时间为 10、12、15 分钟。作者从弹性、顺滑度、碱香和拉面相似度进行主观评价并给出 10 分制综合评分。 / Each treatment used 1 L water. Concentrations were 2, 4, and 6 g/L; times were 10, 12, and 15 minutes. A single evaluator assigned descriptive scores based on elasticity, smoothness, alkaline aroma, and ramen-like similarity.




Figure 2. Commercial spaghetti and a 4 g baking soda measurement.





Figure 3. Visual comparison of all nine treatments.

## 3. 结果 / Results

综合评分如下。中等浓度配合较长时间表现最佳；高浓度长时间处理表现最差。 / The middle concentration combined with longer cooking performed best; prolonged high concentration performed worst.

| g/L | 10 min | 12 min | 15 min |
|---|---|---|---|
| 2 | 5.0 | 6.0 | 6.5 |
| 4 | 7.0 | 8.5 | 9.5 |
| 6 | 6.0 | 5.0 | 3.5 |




Figure 4. Original score matrix and descriptive observations.

## 4. 实用方法 / Practical Procedure

向 1 L 水中加入 4 g 小苏打并煮沸，加入意大利面后煮 15 分钟。偏好较硬口感者可尝试 12
分钟。使用较大锅具并注意泡沫。 / Add 4 g baking soda to 1

L water and bring to a boil. Add spaghetti and cook for 15 minutes; 12 minutes may suit a firmer preference. Use a larger pot and monitor foaming.

## 5. 讨论 / Discussion

评分模式提示浓度与时间存在组合效应。更多碱并不等于更接近拉面；需要平衡面芯熟化、表面顺滑度和碱味。 / The pattern suggests a concentration-time interaction. More alkali did not necessarily produce a better ramen-like result; center softening, surface texture, and alkaline flavor had to be balanced.

## 6. 局限性 / Limitations

本研究为单人探索性厨房实验，未报告独立重复、盲评、仪器质构、pH、含水率或统计检验。结果是实用观察，不应视为普遍性结论。 / This was a single-observer exploratory kitchen trial without independent replication, blinding, instrumental texture, pH, moisture, or inferential statistics. Findings should be treated as practical observations.

## 7. 结论 / Conclusion

在本次试验中，4 g/L、15 分钟获得最高评分。 / In this trial, 4 g/L for 15 minutes received the highest score.

## 出版信息 / Publication Information

Suggested citation: Liuzi Ye Yao Haohao Chi Mian. Effects of Baking Soda Concentration and Cooking Time on the Ramen-Style Transformation of Spaghetti: A 3 × 3 Exploratory Kitchen Trial. Nature Noodle. 2026;1(1):NN-2026-001.

© 2026 留子也要好好吃面. Authors retain copyright. Distributed under CC BY 4.0. Products were independently purchased; no sponsorship, endorsement, or commercial relationship is claimed.

Nature Noodle
Volume 1, Issue 1 • October 2026 • NN-2026-002

# 五种商品意大利面在碱水煮制下的尺寸变化、时间进程与中式面条适配性：一项探索性厨房比较

Dimensional Changes, Time Course, and Chinese-Noodle Applications of Five Commercial Pasta Types Cooked in Alkaline Water: An Exploratory Kitchen Comparison

作者 / Author: 留子也要好好吃面 • Liuzi Ye Yao Haohao Chi Mian

语言 / Language: 中文、English、Bilingual Chinese-English　许可 / License: CC BY 4.0




Figure 1. Finished dish and 2.8 mm cooked-spaghetti measurement.

## 摘要与关键词 / Abstract and Keywords

摘要： 在 1 L 沸水加入 4 g 小苏打的统一条件下，本研究比较 Angel Hair、Thin Spaghetti、Spaghetti、Linguine 和 Fettuccine。建议煮制时间为 5、9、15、17 和 18 分钟；平均尺寸膨胀倍数为 1.50。

Abstract: Five commercial pasta types were compared under 4 g baking soda in 1 L boiling water. Recommended cooking times were 5, 9, 15, 17, and 18 minutes. The mean dimensional expansion ratio was 1.50.

关键词 / Keywords: 碱水煮制；卡尺测量；尺寸膨胀；意大利面 / alkaline cooking; caliper measurement; dimensional expansion; pasta

## 1. 背景 / Background

本研究比较五种规格在统一碱水条件下的尺寸变化、感官端点和中式面条应用。 / This study compared size change, sensory endpoint, and possible Chinese-noodle applications across five pasta formats.

## 2. 材料与方法 / Materials and Methods

所有产品由作者自行购买。每种面条在 1 L 沸水加 4 g 小苏打条件下煮制，达到作者判断的刚好弹牙状态后记录时间，并用数显卡尺测量。圆面记录直径，扁面记录宽度。 / Products were independently purchased. Each was cooked in 1 L boiling water with 4 g baking soda. Time was recorded at the author-defined al dente endpoint. Diameter was measured for round strands and width for flat pasta.




Figure 2. Five commercial pasta products.

## 3. 结果 / Results

| Type | Dry | Cooked | Ratio | Time |
|---|---|---|---|---|
| Angel Hair | 1.2 | 1.8 | 1.50x | 5 |
| Thin Spag. | 1.4 | 2.1 | 1.50x | 9 |
| Spaghetti | 1.8 | 2.8 | 1.56x | 15 |
| Linguine* | 3.1 | 4.6 | 1.48x | 17 |
| Fettuccine* | 4.6 | 6.8 | 1.48x | 18 |

* Flat-pasta values are widths; round-pasta values are diameters.





Figure 3. Dry and cooked measurements.





Figure 4. Expansion ratios; mean 1.50x.





Figure 5. Angel Hair measurements from 3 to 8 minutes.





Figure 6. Descriptive relationship between nominal size and recommended time (Pearson r = 0.82).

## 4. 应用建议 / Culinary Applications

Angel Hair 和 Thin Spaghetti 更适合细面应用；标准 Spaghetti 适用范围较广；Linguine 和 Fettuccine 更适合炒面、拌面和宽面风格。该建议不表示这些产品与对应中式面条在原料或结构上完全相同。 / Finer formats suited thin-noodle applications; standard Spaghetti was the most versatile; Linguine and Fettuccine suited stir-fried, mixed, or broad-noodle styles. These are culinary suggestions, not claims of structural identity.




Figure 7. Original results and application suggestions.

## 5. 讨论 / Discussion

膨胀倍数集中于 1.48-1.56，但绝对增长和建议时间随规格增加。尺寸增长可以在感官最佳点之后继续，因此测量值与口感应共同考虑。 / Ratios clustered from 1.48 to 1.56, while absolute growth and recommended time increased with size. Swelling could continue beyond the preferred sensory endpoint, so measurement and texture should be considered together.

## 6. 局限性 / Limitations

未记录每种面条的测量根数、重复次数、卡尺校准、测量位置和夹持力度。混合使用宽度与直径限制了直接比较。五个异质产品的相关仅作描述。 / Strand count, replication, caliper calibration, measurement location, and jaw pressure were not documented. Mixed width and diameter measures limit direct comparison. The five-product correlation is descriptive only.

## 7. 结论 / Conclusion

在 4 g/L 小苏打条件下，建议时间为 5-18 分钟，平均尺寸膨胀约 1.50 倍。 / Under 4 g/L baking soda, recommended times ranged from 5 to 18 minutes and mean dimensional expansion was approximately 1.50x.

## 出版信息 / Publication Information

Suggested citation: Liuzi Ye Yao Haohao Chi Mian. Dimensional Changes, Time Course, and Chinese-Noodle Applications of Five Commercial Pasta Types Cooked in Alkaline Water: An Exploratory Kitchen Comparison. Nature Noodle. 2026;1(1):NN-2026-002.

© 2026 留子也要好好吃面. Authors retain copyright. Distributed under CC BY 4.0. Products were independently purchased; no sponsorship, endorsement, or commercial relationship is claimed.