Nature Noodle
Volume 1, Issue 1 • October 2026 • NN-2026-002

五种商品意大利面在碱水煮制下的尺寸变化、时间进程与中式面条适配性：一项探索性厨房比较

Dimensional Changes, Time Course, and Chinese-Noodle Applications of Five Commercial Pasta Types Cooked in Alkaline Water: An Exploratory Kitchen Comparison

Author / 作者: 留子也要好好吃面 • Liuzi Ye Yao Haohao Chi Mian

License: CC BY 4.0



Figure 1. Source photograph provided by the author.

摘要与关键词 / Abstract and Keywords

摘要： 在1 L沸水加入4 g小苏打的统一条件下，本研究比较五种商品意大利面。建议煮制时间为5、9、15、17和18分钟；平均尺寸膨胀倍数为1.50。

Abstract: Five commercial pasta types were compared under 4 g baking soda in 1 L boiling water. Recommended cooking times were 5, 9, 15, 17, and 18 minutes. Mean dimensional expansion was 1.50.

Keywords: alkaline cooking; caliper measurement; dimensional expansion; pasta

1. Background / 背景

The comparison examined cooking time, dimensional change, and possible Chinese-noodle applications across five commercial pasta formats.

2. Materials and Methods / 材料与方法

Products were independently purchased. Each was cooked in 1 L boiling water with 4 g baking soda. Time was recorded at the author-defined al dente endpoint. Diameter was measured for round strands and width for flat pasta.



Figure 2. Tested commercial pasta products.

3. Results / 结果

Type	Dry	Cooked	Ratio	Min
Angel Hair	1.2	1.8	1.50x	5
Thin Spag.	1.4	2.1	1.50x	9
Spaghetti	1.8	2.8	1.56x	15
Linguine*	3.1	4.6	1.48x	17
Fettuccine*	4.6	6.8	1.48x	18

* Flat-pasta values are widths; round-pasta values are diameters.




Figure 3. Dimensional change after alkaline cooking.




Figure 4. Angel Hair measurements from 3 to 8 minutes.

4. Applications / 应用建议

Finer formats suited thin-noodle applications; standard Spaghetti was the most versatile; Linguine and Fettuccine suited stir-fried, mixed, or broad-noodle styles.



Figure 5. Original results and application suggestions.

5. Discussion / 讨论

Expansion ratios clustered from 1.48 to 1.56. Nominal dry size and recommended cooking time showed a descriptive positive association (Pearson r = 0.82).

6. Limitations / 局限性

Strand count, replication, caliper calibration, measurement location, and jaw pressure were not documented. Mixed width and diameter measures limit direct comparison.

7. Conclusion / 结论

Under 4 g/L baking soda, recommended times ranged from 5 to 18 minutes and mean dimensional expansion was approximately 1.50x.

Publication Information / 出版信息

Suggested citation: Liuzi Ye Yao Haohao Chi Mian. Dimensional Changes, Time Course, and Chinese-Noodle Applications of Five Commercial Pasta Types Cooked in Alkaline Water: An Exploratory Kitchen Comparison. Nature Noodle. 2026;1(1):NN-2026-002.

© 2026 留子也要好好吃面. Authors retain copyright. Distributed under CC BY 4.0.