ONLINE ONLY
OPEN ACCESS

Nature Noodle

RESEARCH IN NOODLES & FOOD

FOOD
SCIENCE
CULTURE
HEALTH
SUSTAINABILITY



VOLUME 1 · ISSUE 1
OCTOBER 2026

Nature Noodle Press
GOOD FOOD A BRIGHTER TOMORROW

ONLINE ISSN APPLICATION PENDING

Table of Contents / 本期目录

Article	Title and Author	Page
NN-2026-001	小苏打浓度与煮制时间对意大利面拉面化效果的影响 Effects of Baking Soda Concentration and Cooking Time on the Ramen-Style Transformation of Spaghetti 留子也要好好吃面	3
NN-2026-002	五种商品意大利面在碱水煮制下的尺寸变化、时间进程与中式面条适配性 Dimensional Changes, Time Course, and Chinese-Noodle Applications of Five Commercial Pasta Types 留子也要好好吃面	6

Editorial Leadership / 编辑团队

Editor-in-Chief / 主编: 留子也要好好吃面 • Independent Culinary Writer and Researcher • United States
Contact: naturenoodle.editor@yahoo.com

Editorial Board Member: Wenshuai Fan • Xi’ an Jiaotong-Liverpool University, China • Expertise: Intercultural Communication

Editorial Board Member: Xuechen Sun • Xi’ an Jiaotong-Liverpool University, China • Expertise: Smart Aging and Health Management

Publisher / 出版方

Nature Noodle Press • Georgia, United States. The offices of Nature Noodle Press are located in Georgia, United States.

For Authors / 作者须知

Abstract: at least 100 words. Main text: at least 250 words, excluding references, tables, and captions. Submit DOCX manuscripts to naturenoodle.editor@yahoo.com. Author fees: $0. Open access under CC BY 4.0.

Nature Noodle
Volume 1, Issue 1 • October 2026 • NN-2026-001

小苏打浓度与煮制时间对意大利面拉面化效果的影响：一项 3 × 3 探索性厨房实验

Effects of Baking Soda Concentration and Cooking Time on the Ramen-Style Transformation of Spaghetti: A 3 × 3 Exploratory Kitchen Trial

Author / 作者: 留子也要好好吃面 • Liuzi Ye Yao Haohao Chi Mian

License: CC BY 4.0



Figure 1. Source photograph provided by the author.

摘要与关键词 / Abstract and Keywords

摘要： 本探索性厨房实验比较2、4、6 g/L小苏打与10、12、15分钟煮制时间的九种组合。4 g/L、15分钟得分最高（9.5/10）；4 g/L、12分钟得分8.5/10。低浓度变化有限，高浓度长时间处理出现苦涩、黏口和肥皂味。

Abstract: A 3 x 3 exploratory kitchen trial combined baking soda concentrations of 2, 4, and 6 g/L with cooking times of 10, 12, and 15 minutes. The highest score, 9.5/10, was assigned to 4 g/L for 15 minutes. Lower concentration produced limited transformation, while prolonged high-alkali cooking produced bitterness, stickiness, and a soap-like odor.

Keywords: baking soda; spaghetti; alkaline noodles; culinary methods

1. Background / 背景

Commercial dried spaghetti may serve as a practical substitute when fresh alkaline noodles are unavailable. This trial compared concentration-time combinations under controlled kitchen conditions.

2. Materials and Methods / 材料与方法

Each treatment used 1 L water over medium heat. Baking-soda concentrations were 2, 4, and 6 g/L and cooking times were 10, 12, and 15 minutes. A single evaluator scored elasticity, smoothness, alkaline aroma, and ramen-like similarity.



Figure 2. Commercial spaghetti and 4 g baking soda.




Figure 3. Nine concentration-time treatments.

3. Results / 结果

g/L	10 min	12 min	15 min
2	5.0	6.0	6.5
4	7.0	8.5	9.5
6	6.0	5.0	3.5



Figure 4. Original score matrix.

4. Practical Procedure / 实用方法

Add 4 g baking soda to 1 L water, bring to a boil, add spaghetti, and cook for 15 minutes. A 12-minute endpoint may suit a firmer preference. Use a larger pot and monitor foaming.

5. Discussion / 讨论

The pattern suggests a concentration-time interaction. More alkali did not necessarily produce a better ramen-like result.

6. Limitations / 局限性

This was a single-observer exploratory trial without independent replication, blinding, instrumental texture, pH, moisture, or inferential statistics.

7. Conclusion / 结论

Within this trial, 4 g/L for 15 minutes received the highest score.

Publication Information / 出版信息

Suggested citation: Liuzi Ye Yao Haohao Chi Mian. Effects of Baking Soda Concentration and Cooking Time on the Ramen-Style Transformation of Spaghetti: A 3 × 3 Exploratory Kitchen Trial. Nature Noodle. 2026;1(1):NN-2026-001.

© 2026 留子也要好好吃面. Authors retain copyright. Distributed under CC BY 4.0.

Nature Noodle
Volume 1, Issue 1 • October 2026 • NN-2026-002

五种商品意大利面在碱水煮制下的尺寸变化、时间进程与中式面条适配性：一项探索性厨房比较

Dimensional Changes, Time Course, and Chinese-Noodle Applications of Five Commercial Pasta Types Cooked in Alkaline Water: An Exploratory Kitchen Comparison

Author / 作者: 留子也要好好吃面 • Liuzi Ye Yao Haohao Chi Mian

License: CC BY 4.0



Figure 1. Source photograph provided by the author.

摘要与关键词 / Abstract and Keywords

摘要： 在1 L沸水加入4 g小苏打的统一条件下，本研究比较五种商品意大利面。建议煮制时间为5、9、15、17和18分钟；平均尺寸膨胀倍数为1.50。

Abstract: Five commercial pasta types were compared under 4 g baking soda in 1 L boiling water. Recommended cooking times were 5, 9, 15, 17, and 18 minutes. Mean dimensional expansion was 1.50.

Keywords: alkaline cooking; caliper measurement; dimensional expansion; pasta

1. Background / 背景

The comparison examined cooking time, dimensional change, and possible Chinese-noodle applications across five commercial pasta formats.

2. Materials and Methods / 材料与方法

Products were independently purchased. Each was cooked in 1 L boiling water with 4 g baking soda. Time was recorded at the author-defined al dente endpoint. Diameter was measured for round strands and width for flat pasta.



Figure 2. Tested commercial pasta products.

3. Results / 结果

Type	Dry	Cooked	Ratio	Min
Angel Hair	1.2	1.8	1.50x	5
Thin Spag.	1.4	2.1	1.50x	9
Spaghetti	1.8	2.8	1.56x	15
Linguine*	3.1	4.6	1.48x	17
Fettuccine*	4.6	6.8	1.48x	18

* Flat-pasta values are widths; round-pasta values are diameters.




Figure 3. Dimensional change after alkaline cooking.




Figure 4. Angel Hair measurements from 3 to 8 minutes.

4. Applications / 应用建议

Finer formats suited thin-noodle applications; standard Spaghetti was the most versatile; Linguine and Fettuccine suited stir-fried, mixed, or broad-noodle styles.



Figure 5. Original results and application suggestions.

5. Discussion / 讨论

Expansion ratios clustered from 1.48 to 1.56. Nominal dry size and recommended cooking time showed a descriptive positive association (Pearson r = 0.82).

6. Limitations / 局限性

Strand count, replication, caliper calibration, measurement location, and jaw pressure were not documented. Mixed width and diameter measures limit direct comparison.

7. Conclusion / 结论

Under 4 g/L baking soda, recommended times ranged from 5 to 18 minutes and mean dimensional expansion was approximately 1.50x.

Publication Information / 出版信息

Suggested citation: Liuzi Ye Yao Haohao Chi Mian. Dimensional Changes, Time Course, and Chinese-Noodle Applications of Five Commercial Pasta Types Cooked in Alkaline Water: An Exploratory Kitchen Comparison. Nature Noodle. 2026;1(1):NN-2026-002.

© 2026 留子也要好好吃面. Authors retain copyright. Distributed under CC BY 4.0.