Nature Noodle
Volume 1, Issue 1 • October 2026

探索性烹饪比较报告 • Exploratory Culinary Comparison Report

五种商品意大利面在碱水煮制下的尺寸变化、时间进程与中式面条适配性：一项探索性厨房比较

Dimensional Changes, Time Course, and Chinese-Noodle Applications of Five Commercial Pasta Types Cooked in Alkaline Water: An Exploratory Kitchen Comparison

作者 / Author: 留子也要好好吃面 • Liuzi Ye Yao Haohao Chi Mian

文章编号 / Article ID: NN-2026-002　发表 / Published: October 2026



图 1 / Figure 1. 第二篇研究的成品呈现与 2.8 mm 熟面测量示例。 / Finished-dish presentation and an example cooked measurement of 2.8 mm.

摘要与关键词 / Abstract and Keywords

摘要： 本探索性厨房比较在统一条件（1 L 沸水加入 4 g 小苏打）下，测试 Angel Hair、Thin Spaghetti、Spaghetti、Linguine 和 Fettuccine 五种商品意大利面。作者记录达到“刚好弹牙”时的建议煮制时间，并用卡尺比较生面与熟面尺寸。五种面条的建议时间为 5、9、15、17 和 18 分钟；对应生面/熟面尺寸分别为 1.2/1.8、1.4/2.1、1.8/2.8、3.1/4.6 和 4.6/6.8 mm。平均尺寸膨胀倍数为 1.50。天使细面时间序列显示，3-8 分钟直径由 1.5 增至 1.9 mm，但 5 分钟被选为感官端点。结果提示面条规格、几何形状与感官熟度共同影响实用煮制时间。

关键词： 意大利面；小苏打；碱水煮制；卡尺测量；尺寸膨胀；中式面条替代

Abstract: Five commercial pasta types - Angel Hair, Thin Spaghetti, Spaghetti, Linguine, and Fettuccine - were compared under a standardized kitchen condition of 4 g baking soda in 1 L boiling water. Recommended cooking times at a subjectively al dente endpoint were 5, 9, 15, 17, and 18 minutes. Reported dry/cooked dimensions were 1.2/1.8, 1.4/2.1, 1.8/2.8, 3.1/4.6, and 4.6/6.8 mm, producing a mean dimensional expansion ratio of 1.50. An Angel Hair time series increased from 1.5 mm at 3 minutes to 1.9 mm at 8 minutes, although 5 minutes was selected as the preferred sensory endpoint. Pasta size, geometry, and sensory readiness jointly influenced practical cooking time.

Keywords: pasta; baking soda; alkaline cooking; caliper measurement; dimensional expansion; Chinese noodle substitute

1. 背景 / Background

第一篇研究确定 4 g/L 小苏打是标准意面的实用起点。第二篇进一步横向比较五种规格，以回答不同意大利面应煮多久、煮后尺寸如何变化，以及适合哪些中式面条应用。 / The first study identified 4 g/L as a practical condition for standard spaghetti. This second study compared five formats to examine cooking time, dimensional change, and possible Chinese-noodle applications.

2. 材料与方法 / Materials and Methods

五种商品意大利面均由作者自行购买。统一使用 1 L 沸水和 4 g 小苏打。达到作者判断的“刚好弹牙”状态后记录时间，并以数显卡尺测量。圆形面记录直径，Linguine 与 Fettuccine 记录宽度。 / Five commercial products were independently purchased. Each was cooked in 1 L boiling water with 4 g baking soda. Time was recorded at the author-defined al dente endpoint. A digital caliper was used; diameter was recorded for round strands, while width was recorded for Linguine and Fettuccine.



图 2 / Figure 2. 本研究所用五种商品意大利面。品牌仅用于材料识别，不构成赞助或认可。 / Five commercial pasta products used. Branding identifies materials only and does not indicate sponsorship or endorsement.

3. 五种面条的比较结果 / Comparative Results

类型 / Type	生面 / Dry (mm)	熟面 / Cooked (mm)	倍数 / Ratio	时间 / Time
Angel Hair	1.2	1.8	1.50×	5 min
Thin Spaghetti	1.4	2.1	1.50×	9 min
Spaghetti	1.8	2.8	1.56×	15 min
Linguine*	3.1	4.6	1.48×	17 min
Fettuccine*	4.6	6.8	1.48×	18 min

* Linguine 与 Fettuccine 的数值为宽度；三种圆形面为直径。不同几何量不能被解释为完全等价的截面变化。 / Linguine and Fettuccine values are widths; the round products are diameters. These geometries are not equivalent cross-sectional measures.




图 3 / Figure 3. 生面与熟面测量尺寸。 / Reported dimensions before and after alkaline cooking.




图 4 / Figure 4. 五种面条的尺寸膨胀倍数，平均 1.50 倍。 / Dimensional expansion ratios; mean 1.50×.

4. Angel Hair 时间进程 / Angel Hair Time Course



图 5 / Figure 5. 3-8 分钟的 Angel Hair 卡尺读数：1.5、1.6、1.7、1.8、1.8、1.9 mm。 / Caliper readings from 3 to 8 minutes.




图 6 / Figure 6. 天使细面的直径随煮制时间增长；虚线标识 5 分钟建议感官端点。 / Angel Hair diameter increased with time; the dashed line marks the 5-minute recommended sensory endpoint.

3 分钟时图像仍显示硬芯。虽然 6-8 分钟继续膨胀，但原始观察指出超过约 6 分钟容易偏软，说明最大尺寸并不等于最佳口感。 / A firm core was still visible at 3 minutes. Continued swelling through 8 minutes did not imply optimal texture; the source notes softening beyond about 6 minutes.

5. 规格与建议时间 / Size and Recommended Time




图 7 / Figure 7. 生面标称尺寸与建议煮制时间呈正相关（Pearson r = 0.82），但样本仅五种且几何测量并不完全等价，因此该相关仅为描述性结果。 / Nominal size was positively associated with recommended time (Pearson r = 0.82), but the five-item, mixed-geometry dataset supports descriptive interpretation only.

标准 Spaghetti 被原始材料标注为适用范围较广；Angel Hair 与 Thin Spaghetti 更适合细面应用；Linguine 与 Fettuccine 更适合炒面、拌面和宽面风格。建议属于作者的烹饪判断，不表示这些产品与对应中式面条在原料或加工结构上完全相同。 / Standard Spaghetti was judged the most versatile. Finer formats suited thin-noodle applications, while Linguine and Fettuccine suited stir-fried, mixed, or broad-noodle styles. These are culinary suggestions, not claims of structural identity.



图 8 / Figure 8. 原始五种面条结果与应用建议。 / Original five-pasta results and application suggestions.

6. 讨论 / Discussion

五种产品的膨胀倍数集中于
1.48-1.56，说明在本次条件下，尺寸相对增长较为一致；但绝对增长和煮制时间随规格明显增加。Angel Hair 时间序列进一步显示，尺寸增长可在感官最佳点后继续发生。因此，家庭操作应同时考虑卡尺读数、面芯状态和口感，而不能只追求更大尺寸。 / Expansion ratios clustered from 1.48 to 1.56, while absolute growth and cooking time increased with product size. The Angel Hair series shows that swelling continued beyond the sensory endpoint, so caliper values, center condition, and texture should be considered together.

7. 局限性 / Limitations

目前材料未说明每种面条的测量根数、独立重复次数、卡尺校准、测量位置与夹持力度。熟面柔软，卡尺可能造成压缩。Linguine 和 Fettuccine
为宽度，不能与圆面直径直接等同。建议时间基于单一作者的感官判断；Pearson r = 0.82
来自五个异质产品，仅用于描述，不用于统计推断。 / Strand count, replication, caliper calibration, measurement location, and jaw pressure were not documented. Soft cooked strands may compress. Width measurements for flat pasta are not directly equivalent to round-pasta diameter. Recommended times reflect one author sensory endpoint. The correlation of r = 0.82 is based on five heterogeneous products and is descriptive, not inferential.

8. 结论 / Conclusion

在 4 g/L 小苏打条件下，五种意大利面的建议煮制时间为 5-18 分钟，测量尺寸平均约增至生面的 1.50 倍。规格越大，通常需要更长时间，但几何形状与感官端点同样重要。该数据可作为家庭烹饪的起始参考，仍需重复测量和更标准化的质构评价。 / Under 4 g/L baking soda, recommended times ranged from 5 to 18 minutes and measured dimensions averaged approximately 1.50 times the dry values. Larger formats generally required longer cooking, while geometry and sensory endpoint also mattered. The dataset offers a practical starting reference that warrants replication and standardized texture testing.

出版信息 / Publication Information

建议引用 / Suggested citation: 留子也要好好吃面.
五种商品意大利面在碱水煮制下的尺寸变化、时间进程与中式面条适配性：一项探索性厨房比较. Nature Noodle. 2026;1(1):NN-2026-002.

Liuzi Ye Yao Haohao Chi Mian. Dimensional Changes, Time Course, and Chinese-Noodle Applications of Five Commercial Pasta Types Cooked in Alkaline Water: An Exploratory Kitchen Comparison. Nature Noodle. 2026;1(1):NN-2026-002.

© 2026 留子也要好好吃面。作者保留版权，本文依据 CC BY 4.0
许可发布。商品由作者自行购买，作者、期刊及出版方与制造商不存在赞助、认可或商业合作关系。 / © 2026 Liuzi Ye Yao Haohao Chi Mian. The author retains copyright. Distributed under CC BY 4.0. Products were independently purchased; no sponsorship, endorsement, or commercial relationship is claimed.