






BILL OF MATERIAL				ORDER NUMBER: 663			
MRK	QTY	DESCRIPTION	LENGTH	WEIGHT	REMARKS		
663	1	HSS304 BX152.4X9.5	5823	344	GALVANIZED	304	GALVANIZED
663B	1	L152X102X7.9	6153	54	GALVANIZED	304	GALVANIZED
663C	6	HSS101 BX76.2X6.4	458	41	GALVANIZED	304	GALVANIZED
663D	6	L152X102X7.9	102	8	GALVANIZED	304	GALVANIZED
663E	1	PL10X102	293	2	GALVANIZED	304	GALVANIZED
663F	3	PL8X100	255	3	GALVANIZED	304	GALVANIZED
663G	2	PL8X100	255	2	GALVANIZED	304	GALVANIZED
663H	2	3/4"X 3.525X 100	81	8			
663I	2	3/4"X 3.525X 100	81	8			
TOTAL WEIGHT THIS DRAWING				499			

REV	DESCRIPTION	BY	DATE
1	FOR FABRICATION		02/20/18
2	WELDING HOLES 13/16" DIA BOLTS 3/4" DIA		
3	PAINT: SILVERSTONE W/SPROUTING BELOW		
4	GALVANIZED		
5	CAMBER:		
6	FINISH:		

ONE - GIRT - 663








BILL OF MATERIAL					REMARKS
MRK	QTY	DESCRIPTION	LENGTH	WEIGHT	
ORDER NUMBER 7B41					
7B41	1	W610X92	3885	89	3000
7ma75	1	L102X102X6.4	754	7	3000
7ma109	1	L102X102X6.4	790	8	3000
7ma110	1	L102X102X6.4	804	8	3000
7ma111	1	L102X102X6.4	694	7	3000
7ma123	1	L102X102X6.4	334	3	3000
7ma125	1	L102X102X6.4	771	8	3000
7ma139	1	L102X102X6.4	467	4	3000
7ma200	1	HSS101.6X50.8X6.4	1574	19	3000
7ma275	1	L102X76X6.4	404	3	3000
7ma306	1	L102X76X6.4	385	3	3000
7ma307	1	L102X76X6.4	390	3	3000
7ma308	1	L102X76X6.4	385	3	3000
7ma309	1	L102X76X6.4	295	3	3000
7ma340	1	L102X76X6.4	224	2	3000
7ma343	1	L102X76X6.4	255	2	3000
7pa115	1	PL10X83	114	1	3000
7pa119	1	PL10X88	100	1	3000
7pa120	1	PL10X88	100	1	3000
7pa121	4	PL10X95	125	4	3000
7pa142	6	PL10X92	95	4	3000
7pa161	1	PL10X108	671	4	3000
7pa162	1	PL10X108	671	4	3000
7pa164	1	PL10X185	385	6	NOVANT
7pa187	1	PL10X85	185	1	3000
7pa190	1	PL13X242	304	8	3000
7pa196	1	PL16X150	573	3	3000
7pa197	1	PL16X132	178	3	3000
7pa198	1	PL16X132	178	3	3000
7pa199	1	PL10X176	380	1	3000
7	5	3/4"X3.55IN BOLT	87	8	3000
7	5	3/4"X3.55IN BOLT	87	8	3000
TOTAL WEIGHT THIS DRAWING					481


FOR FABRICATION	DATE
REV	DESCRIPTION
BY	DATE
DATE	DATE

WELDS 6TH HOLES 13/16" DIA BOLTS 3/4" DIA
PAINT: SELECTONE WAPPOUND BELOW
CAMBER: CLEARANCE: 3/16" DIA
P/115: 1/4"

ONE - BEAM - 7B41



BILL OF MATERIAL										1	FOR FABRICATION		AB	03/15/2020
MRK	QTY	DESCRIPTION	LENGTH	WEIGHT	ORDER	BFI	REMARKS			FOR REVIEW		AB	08/11/2022	
BFI1								REV	DESCRIPTION			BY	DATE	
8F1	1	HSS203 X20X3 2X7.9	9128	405	GALVANIZED 355W, CLAS				PERIOD FROM: 01/01/1970 TO: 01/01/2020					
8ma7	6	HSS203 X210X1 6X7.9	1504	204	GALVANIZED 355W, CLAS				PATENT: SELECTONE W99900/UNDO BELOW					
8ma13	1	HSS203 X210X1 6X7.9	1504	49	GALVANIZED 355W, CLAS				GALVANIZED					
8P1	1	PL 10X10X1/8"	167	3	GALVANIZED 355W									
8Pa5	4	PL 6X7.6	145	2	GALVANIZED 355W				CAMBER:			CLEANING: SP/KN		
8P6	6	PL 6X7.6	98	2	GALVANIZED 355W				FLITTER:			DATE:		
8Pa9	7	PL 6X8.6	1367	47	GALVANIZED 355W									
8Pa12	14	PL 6X8.6	83	6	GALVANIZED 355W									
TOTAL WEIGHT THIS DRAWING				802										













WORK THIS SHEET WITH 20TR.1-1, 20TR.1-2, 20TR.1-3

ONE - TRUSS - 20TR1

0	FOR FABRICATION	AS	07/28/2018
REV	DESCRIPTION	BY	DATE
WELDS: E70XX	HOLES: 13/16 Ø UNO	BOLTS: 3/4 Ø UNO	
PAINT: SELECTONE WR9900/UNO BELOW SP6/ZINC RICH PRIMER			
CAMBER:		CLEANING: SP2/UNO	
FITTED:		DATE:	




Q	FOR FABRICATION		AB	07/26/2019
REV	DESCRIPTION		BY	DATE
WELDS: E70xx	HOLE: 13/32 Ø UNO	BOLTS: 3/4 Ø UNO		
PAINT: SELECTONE WR9900/UNO BELOW				
SP6/ZINC RICH PRIMER				
CAMBER:			CLEANING: SP1/UNO	
FITTER:			DATE:	



WORK THIS SHEET WITH 20TR.1, 20TR.1-1, 20TR.1-3

0	FOR FABRICATION	AB	07/08/2018
REV	DESCRIPTION	BY	DATE
WELD: E70xx	HOLE: 1/16" Ø UNF	BOLTS: 1/4" Ø UNF	
PAINT: SELECTONE WR990 UNO BELOW			
SP6/ZINC RICH PRIMER			
CAMBER:		CLEANUP: SP3/UNO	
PLOT:		DATE:	






WORK THIS SHEET WITH 20TR.1, 20TR.1-1, 20TR.1-2

ONE - TRUSS - 20TR1

BILL OF MATERIAL					
MRK	QTY	DESCRIPTION	LENGTH	WEIGHT	REMARKS
20TR1	1				ORDER NUMBER: 20TR1
20TR1	1	HSS304 8X304 8X12.7	7321	778	SPONGE RICH AKA OR C
20ma1	1	HSS304 8X304 8X15.9	5643	482	SPONGE RICH AKA OR C
20ma4	1	HSS304 8X304 8X15.9	4307	561	SPONGE RICH AKA OR C
20ma5	1	HSS304 8X304 8X15.9	3587	487	SPONGE RICH AKA OR C
20ma6	1	HSS304 8X304 8X15.9	2934	382	SPONGE RICH AKA OR C
20ma8	1	HSS304 8X304 8X15.9	4181	545	SPONGE RICH AKA OR C
20ma11	1	HSS304 8X304 8X15.9	1557	198	SPONGE RICH AKA OR C
20ma12	1	HSS304 8X304 8X15.9	1722	228	SPONGE RICH AKA OR C
20ma13	1	HSS304 8X304 8X15.9	3414	448	SPONGE RICH AKA OR C
20ma14	1	HSS406 4X406 4X15.9	1557	287	SPONGE RICH AKA OR C
20ma15	1	HSS406 4X406 4X15.9	4182	742	SPONGE RICH AKA OR C
20ma22	1	HSS203 2X203 2X6.4	4492	162	SPONGE RICH AKA OR C
20ma23	1	HSS203 2X203 2X6.4	1872	67	SPONGE RICH AKA OR C
20ma24	1	HSS203 2X203 2X6.4	907	32	SPONGE RICH AKA OR C
20ma25	1	HSS203 2X203 2X6.4	890	32	SPONGE RICH AKA OR C
20ma27	1	HSS203 2X203 2X6.4	379	14	SPONGE RICH AKA OR C
20ma28	1	HSS203 2X203 2X6.4	175	6	SPONGE RICH AKA OR C
20ma29	1	HSS203 2X203 2X6.4	163	6	SPONGE RICH AKA OR C
20ma30	1	HSS203 2X203 2X6.4	353	13	SPONGE RICH AKA OR C
20ma31	1	HSS203 2X203 2X6.4	155	6	SPONGE RICH AKA OR C
20ma32	1	HSS203 2X203 2X6.4	112	4	SPONGE RICH AKA OR C
20ma33	1	HSS203 2X203 2X6.4	396	14	SPONGE RICH AKA OR C
20ma36	3	HSS152 4X152 4X6.4	1444	118	SPONGE RICH AKA OR C
20ma40	1	W310X38.7	1752	68	SPONGE RICH 300V
20ma46	1	HSS304 8X304 8X12.7	3688	421	SPONGE RICH AKA OR C
20ma55	1	HSS152 4X152 4X6.4	415	3	SPONGE RICH AKA OR C
20ma57	15	HSS127X127X6.4	94	31	SPONGE RICH AKA OR C
20ma58	1	HSS127X127X6.4	74	2	SPONGE RICH AKA OR C
20ma62	1	L152X152X5.5	5848	182	SPONGE RICH 300V
20ma65	2	HSS242X242X6.4	3663	332	SPONGE RICH AKA OR C
20ma70	2	L78X78X4.8	1713	19	SPONGE RICH 300V
20ma73	1	L78X78X4.8	5864	32	SPONGE RICH 300V
20ma74	1	L78X78X4.8	5550	28	SPONGE RICH 300V
20ma75	1	HSS304 8X304 8X20.5	382	38	SPONGE RICH AKA OR C
20ma76	1	HSS304 8X304 8X20.5	483	32	SPONGE RICH 300V
20ma82	4	L152X152X12.7	100	13	SPONGE RICH 300V
20ma83	1	L152X152X7.9	158	2	SPONGE RICH 300V
20ma85	1	L152X152X7.9	228	3	SPONGE RICH 300V
20ma86	1	L203X152X11.1	415	13	SPONGE RICH 300V
20ma88	1	HSS203 2X203 2X12.7	375	38	SPONGE RICH AKA OR C
20pa3	1	PL10X10	775	18	SPONGE RICH 300V
20pa4	1	PL10X309	706	12	SPONGE RICH 300V
20pa5	1	PL10X89	228	2	SPONGE RICH 300V
20pa6	1	PL10X82	287	1	SPONGE RICH 300V
20pa8	1	PL10X216	294	4	SPONGE RICH 300V
20pa10	1	PL10X262	299	4	SPONGE RICH 300V
20pa15	1	PL10X139	203	1	SPONGE RICH 300V
20pa25	1	PL10X284	801	14	SPONGE RICH 300V
20pa27	1	PL10X270	278	4	SPONGE RICH 300V
20pa34	5	PL10X89	152	1	SPONGE RICH 300V
20pa36	12	PL10X126	250	28	SPONGE RICH 300V
20pa38	1	PL10X102	152	1	SPONGE RICH 300V
20pa44	1	PL10X189	228	2	SPONGE RICH 300V
20pa45	1	PL10X189	227	2	SPONGE RICH 300V
20pa47	1	PL10X148	210	1	SPONGE RICH 300V
20pa51	1	PL10X148	200	1	SPONGE RICH 300V
20pa54	2	PL19X305	406	37	SPONGE RICH 300V
20pa55	1	PL19X305	1918	168	SPONGE RICH 300V
20pa56	1	PL19X305	3648	60	SPONGE RICH 300V
20pa57	1	PL19X305	833	24	SPONGE RICH 300V
20pa61	1	PL19X165	203	3	SPONGE RICH 300V
20pa62	1	PL19X301	361	8	SPONGE RICH 300V
20pa63	1	PL19X406	810	38	SPONGE RICH 300V
20pa65	2	PL19X170	692	24	SPONGE RICH 300V
20pa68	2	PL19X240	662	32	SPONGE RICH 300V
20pa69	2	PL19X241	253	12	SPONGE RICH 300V
20pa70	1	PL19X406	2894	148	SPONGE RICH 300V
20pa71	1	PL19X267	350	10	SPONGE RICH 300V
20pa75	1	PL20X457	457	33	SPONGE RICH 300V
20pa78	1	PL20X394	405	18	SPONGE RICH 300V
20pa79	2	PL20X340	505	34	SPONGE RICH 300V
20pa80	2	PL20X772	1085	148	SPONGE RICH 300V
20pa82	1	PL16X305	473	18	SPONGE RICH 300V
20pa88	1	PL16X305	508	19	SPONGE RICH 300V
20pa87	1	PL16X305	2428	68	SPONGE RICH 300V
20pa89	1	PL16X305	611	28	SPONGE RICH 300V
20pa90	1	PL16X305	911	28	SPONGE RICH 300V
20pa91	1	PL16X75	304	3	SPONGE RICH 300V
20pa92	16	PL16X16	305	158	SPONGE RICH 300V
20pa94	1	FL38X355	355	38	SPONGE RICH 300V
20pa95	1	FL38X456	456	62	SPONGE RICH 300V
20pa96	1	FL38X49	458	6	SPONGE RICH 300V
20pa98	1	FL38X561	625	105	SPONGE RICH 300V
20pa99	1	FL25X706	1016	141	SPONGE RICH 300V
20pa100	1	FL25X720	1015	143	SPONGE RICH 300V
20pa101	1	FL25X405	406	32	SPONGE RICH 300V
20pa102	8	FL25X322	381	168	SPONGE RICH 300V
20pa103	1	FL25X322	457	28	SPONGE RICH 300V
20pa105	1	FL6X279	280	4	SPONGE RICH 300V
20pa106	1	FL6X178	178	1	SPONGE RICH 300V
20pa107	4	FL6X25	279	1	SPONGE RICH 300V
20pa108	6	FL6X25	178	1	SPONGE RICH 300V
20pa110	3	FL6X148	148	3	SPONGE RICH 300V
20pa111	1	FL6X68	149	3	SPONGE RICH 300V
20pa112	1	FL32X406	406	41	SPONGE RICH 300V
20pa113	4	FL6X25	241	1	SPONGE RICH 300V
20pa114	2	FL6X25	185	3	SPONGE RICH 300V
20pa116	1	FL5X292	1250	14	SPONGE RICH 300V
20pa117	1	FL5X292	2206	28	SPONGE RICH 300V
20pa120	1	FL5X292	2602	38	SPONGE RICH 300V
20pa127	1	FL5X292	1305	14	SPONGE RICH 300V
20pa138	1	FL5X292	1488	17	SPONGE RICH 300V
20pa139	1	FL5X292	1546	18	SPONGE RICH 300V
20pa140	1	FL19X305	1781	94	SPONGE RICH 300V
20pa152	1	FL19X306	305	8	SPONGE RICH 300V
20pa153	4	FL6X25	70	1	SPONGE RICH 300V
20pa154	1	FL25X322	457	28	SPONGE RICH 300V
20pa155	1	FL38X301	277	115	SPONGE RICH 300V
TOTAL WEIGHT THIS DRAWING			894		


FOR FABRICATION			
REV	DESCRIPTION	BY	DATE
1	WELDS 60% HOLES 12X6 8 1/2 IN. BOLTS 3/4 IN. DIA		
2	PAINT: SELECTIVE WELDING BELOW		
3	SPRINKLER RICH PRIMER		
4	CAMBER:		
5	FINISH:		
6	CLEARANCE:		









BILL OF MATERIAL						
MTRK	QTY	DESCRIPTION	LENGTH	WEIGHT	REMARKS	
20782				ORDER NUMBER		20782
20782	1	HSS304 B304 8X12.7	1470	10	SPONICER	ABR GRG 300V
20783	2	HSS1030 B1030 2.5	1463	35	SPONICER	ABR GRG 300V
20m2n1		HSS200 B200 2X2.64	4474	16	SPONICER	ABR GRG 300V
20m2n2		HSS200 B200 2X2.64	387	38	SPONICER	ABR GRG 300V
20m2n3		HSS200 B200 2X2.64	115	15	SPONICER	ABR GRG 300V
20m2n4		HSS200 B200 2X2.64	162	13	SPONICER	ABR GRG 300V
20m3n0		HSS200 B200 2X2.64	30	25	SPONICER	ABR GRG 300V
20m3n1		HSS1080 B1080 2.5	1463	35	SPONICER	ABR GRG 300V
20m3n2		HSS304 B304 8X12.7	1460	10	SPONICER	ABR GRG 300V
20m3n7		HSS1273127064	84	37	SPONICER	ABR GRG 300V
20m3n8		HSS1030 B1030 2.5	1463	35	SPONICER	ABR GRG 300V
20m3n9		HSS254 B254 2.5	3663	40	SPONICER	ABR GRG 300V
20m4n5		HSS254 B254 2.5	306	166	SPONICER	ABR GRG 300V
20m4n6		L176X76X16	1439	60	SPONICER	ABR GRG 300V
20m4n7		L1152X102X7.6	228	22	SPONICER	ABR GRG 300V
20m5n1		L1152X102X7.6	228	7	SPONICER	ABR GRG 300V
20a13	1	PL10X126	196	13	SPONICER	ABR GRG 300V
20a14	1	PL10X126	157	12	SPONICER	ABR GRG 300V
20a15	1	PL12X102	762	13	SPONICER	ABR GRG 300V
20a24	1	PL12X102	278	7	SPONICER	ABR GRG 300V
20a25	1	PL12X102	278	3	SPONICER	ABR GRG 300V
20a26	1	PL12X102	227	4	SPONICER	ABR GRG 300V
20a27	1	PL10X196	250	22	SPONICER	ABR GRG 300V
20a34	4	PL10X196	183	13	SPONICER	ABR GRG 300V
20a35	1	PL10X305	411	15	SPONICER	ABR GRG 300V
20a39	1	PL12X341	253	12	SPONICER	ABR GRG 300V
20a40	1	PL12X387	357	19	SPONICER	ABR GRG 300V
20a41	1	PL12X451	450	16	SPONICER	ABR GRG 300V
20a7n1		PL20X228	405	28	SPONICER	ABR GRG 300V
20a7n2		PL20X228	329	28	SPONICER	ABR GRG 300V
20a7n3		PL20X228	473	28	SPONICER	ABR GRG 300V
20a7n4		PL18X305	602	18	SPONICER	ABR GRG 300V
20a8n1		PL18X305	442	17	SPONICER	ABR GRG 300V
20a8n2		PL18X216	355	35	SPONICER	ABR GRG 300V
20a10	8	PL20X228	180	38	SPONICER	ABR GRG 300V
20a106	2	PL6X279	280	7	SPONICER	ABR GRG 300V
20a108	2	PL6X178	178	3	SPONICER	ABR GRG 300V
20a122	1	PL5X292	194	19	SPONICER	ABR GRG 300V
20a124	1	PL5X292	2602	28	SPONICER	ABR GRG 300V
20a125	1	PL5X292	2602	28	SPONICER	ABR GRG 300V
20a126	1	PL5X292	194	19	SPONICER	ABR GRG 300V
20a128	1	PL5X292	1317	13	SPONICER	ABR GRG 300V
20a145	1	PL10X148	208	2	SPONICER	ABR GRG 300V
20a146	1	PL10X148	204	2	SPONICER	ABR GRG 300V
20a147	1	1/8" A325N 160	1			
20a148	1	1/8" A325N 160	1			
TOTAL WEIGHT: 61 DRAWING						

ONE - TRUSS - 20TR2


WORK THIS SHEET WITH 20TR2-1






MRK		QTY	DESCRIPTION	LENGTH	WEIGHT	REMARKS
570R18		1				570R18
570R18	1	PL3X1181	5175	1457	GA INVALUED	300W
570p18	1	PL3X1205	2135	63	GA INVALUED	300W
570p18	1	PL3X1219	348	88	GA INVALUED	300W
57ma2	1	L102X76X6.4	1219	10	GA INVALUED	300W
57ma3	1	L102X76X6.4	3048	26	GA INVALUED	300W
57ma4	1	L102X76X6.4	434	4	GA INVALUED	300W
57ma5	1	L102X76X6.4	149	1	GA INVALUED	300W
57ma7	1	L102X76X6.4	533	5	GA INVALUED	300W
57ma9	1	L102X76X6.4	149	1	GA INVALUED	300W
57ma13	1	L102X76X6.4	1205	10	GA INVALUED	300W
57ma14	1	L102X76X6.4	443	4	GA INVALUED	300W
57ma15	1	L102X76X6.4	1350	12	GA INVALUED	300W
57ma16	1	L102X76X6.4	327	3	GA INVALUED	300W
57ma17	1	L102X76X6.4	327	3	GA INVALUED	300W
57p1	1	PL8X14	86	0	GA INVALUED	300W
TOTAL WEIGHT TWO PANS				96	WGT	

ONE GRATING - 57R18



ONE - BEAM - 84B1







TOLERANCES:
MEMBER LENGTHS LESS THAN 10m: $\pm 2\text{mm}$
MEMBER LENGTHS MORE THAN 10m: $\pm 4\text{mm}$

ONE - TRUSS - TRA1




WORK THIS SHEET WITH TRA1-1

FABRICATION NOTE
ENSURE THAT
350WT CATEGORY
3 MATERIAL IS USED
FOR BRITCE PLATES



ONE - TRUSS - TRA3

4	NOTES REMOVED	AS	0204/2022
3	REVISED AS NOTED	AS	0127/2022
2	FOR FABRICATION	AS	0121/2022
1	FOR FABRICATION	AS	0120/2022
0	FOR FABRICATION	AS	0118/2022
REV	DESCRIPTION	BY	DATE
WELDS: 670mm HOLES 13/50 8 UNO BOLTS: 3/4 8 UNO			
PAINT: SELECTONE W99990/UNO BELOW			
SP10/ZINC EPOXY PRIMER			
CAMBER:		SPACING: SP3/8RD	
		SP10/SAND BLAST	
FITTER:		DATE:	



WORK THIS SHEET WITH TRA3-1

BILL OF MATERIAL									
MRK	QTY	DESCRIPTION	LENGTH	WEIGHT	REMARKS				
TRA3	1					ORDER NUMBER	TRA3		
TRA3	1	W10X179	23306	4783	SP10ZINC EPOXY PRIMER CAT				
Ima1	1	W10X179	22716	4494	SP10ZINC EPOXY PRIMER CAT				
Ima56	4	W200X31.3	658	92	SP10ZINC EPO	300N			
Ima58	1	W200X31.3	658	21	SP10ZINC EPO	300N			
Ima63	1	W200X31.3	481	18	SP10ZINC EPO	300N			
Ima64	1	W200X167	3712	618	SP10ZINC EPOXY PRIMER CAT				
Ima68	1	W200X167	3695	361	SP10ZINC EPOXY PRIMER CAT				
Ima70	1	W200X167	6143	1025	SP10ZINC EPOXY PRIMER CAT				
Ima78	1	C150X15.6	751	12	SP10ZINC EPO	300N			
Ima79	1	C150X15.6	4783	74	SP10ZINC EPO	300N			
Ima80	2	C150X15.6	4583	142	SP10ZINC EPO	300N			
Ima81	1	C150X15.6	4185	68	SP10ZINC EPO	300N			
Ima82	1	C150X15.6	4157	68	SP10ZINC EPO	300N			
Ima130	1	W200X31.3	659	21	SP10ZINC EPO	300N			
Ima133	1	W200X167	5366	369	SP10ZINC EPOXY PRIMER CAT				
Ima135	1	W200X167	5682	344	SP10ZINC EPOXY PRIMER CAT				
Ima136	1	W200X167	5840	372	SP10ZINC EPOXY PRIMER CAT				
Ipa20	1	PL16X145	816	8	SP10ZINC EPO	300N			
Ipa28	1	PL16X145	275	8	SP10ZINC EPO	300N			
Ipa29	5	PL16X145	275	38	SP10ZINC EPO	300N			
Ipa31	1	PL16X155	276	8	SP10ZINC EPO	300N			
Ipa32	2	PL16X145	275	12	SP10ZINC EPO	300N			
Ipa38	1	PL16X145	275	8	SP10ZINC EPO	300N			
Ipa39	2	PL16X159	273	13	SP10ZINC EPO	300N			
Ipa41	1	PL16X165	276	2	SP10ZINC EPO	300N			
Ipa42	1	PL16X159	275	8	SP10ZINC EPO	300N			
Ipa46	1	PL16X145	1069	8	SP10ZINC EPO	300N			
Ipa47	1	PL16X145	1016	2	SP10ZINC EPO	300N			
Ipa49	1	PL16X145	188	2	SP10ZINC EPO	300N			
Ipa57	12	PL16X84	188	17	SP10ZINC EPO	300N			
Ipa58	2	PL16X159	275	8	SP10ZINC EPO	300N			
Ipa59	1	PL16X44	678	37	SP10ZINC EPOXY PRIMER CAT				
				TOTAL WEIGHT THIS DRAWING	4208				

ONE - TRUSS - TRA3