




ATF 1044 - 1-73A SHOP PRIMER

BILL OF MATERIAL

RAYON 14	SIC
GRADE ACIER 350W	SIC
ELECTRODES E49XX	SIC
SOUDURES 6mm	SIC
TROUS 22Ø	SIC
BOULONS A325N	SIC
PEINTURE 1-73/A PRIMER	SIC

PLACER LA MARQUE DU MÊME CÔTÉ QUE LE SYMBOLE : ▼





UN - POUTRE - F4B1045 - 1-73A SHOP PRIMER

BILL OF MATERIAL						
Qty Ea.	Qty Tot	Place Mark	Description	Length	Poids Total	Remarks
1	1	F4B1045	POUTRE			
1	1		WWF1800X575	27400	15766	SQ2 1-73A 9CP PRIMER
2	2	f4hh23	BPL5X153	2552	32	30W_PLEE
2	2	f4hh24	BPL5X153	2760	34	30W_PLEE
2	2	f4hh25	BPL5X153	2533	31	30W_PLEE
3	3	f4hh26	BPL5X153	2757	51	30W_PLEE
17	17	f4pp35	PL13X150	267	69	30W
1	1	f4pp39	PL20X265	1727	72	30W
1	1	f4pp40	PL20X265	1727	72	30W
1	1	f4pp41	PL20X265	1727	72	30W
1	1	f4pp42	PL20X265	1727	72	30W
1	1	f4pp43	PL20X204	312	10	30W
1	1	f4pp49	PL20X204	681	22	30W
1	1	f4pp50	PL16X216	610	17	30W
POIDS TOTAL (Kg)					16320	

RAYON 14	SIC
GRADE ACIER 350W	SIC
ELECTRODES E40XX	SIC
SOUDES 6mm	SIC
TRIOUS 220	SIC
BOULONS A325N	SIC
PEINTURE 1-73A PRIMER	SIC

PLACER LA MARQUE DU MÊME CÔTÉ QUE LE SYMBOLE : ▼




UN - FRAME - C5F1005 - 1-73A SHOP PRIMER

BILL OF MATERIAL							
Qty Ea.	Qty Tot	Place Mark	Description	Length	Weight Total	Remarks	Adv. Mill #
1	1	C5F1005	FRAME	8960	468	SQ2 1-73A 9CP PRIMER	
1	1	c5aa2	L127X76X6.4	3649	36		30W
1	1	c5aa5	L127X76X6.4	3649	36		30W
4	4	c5aa6	L76X76X6.4	2382	133		30W
2	2	c5aa17	L127X76X6.4	3677	72		30W
2	2	c5aa18	L127X76X6.4	3677	72		30W
2	2	c5aa19	L127X76X6.4	8963	176		30W
2	2	c5hh9	BPL5X153	2488	31	30W PLEE	
1	1	c5hh10	BPL5X153	2720	17	30W PLEE	
2	2	c5pp16	PL20X455	472	67		30W
2	2	c5pp17	PL13X237	438	16		30W
2	2	c5pp18	PL13X224	438	14		30W
3	3	c5pp22	PL16X165	166	10		30W
3	3	c5pp23	PL16X72	426	11		30W
1	1	c5pp29	PL13X178	626	11		30W
1	1	c5pp30	PL13X226	435	9		30W
1	1	c5pp33	PL13X152	172	2		30W
1	1	c5pp34	PL13X366	725	26		30W
2	2	c5pp36	PL13X102	152	3		30W
1	1	c5pp37	PL13X226	490	11		30W
1	1	c5pp39	PL13X366	428	15		30W
1	1	c5pp40	PL16X178	641	14		30W
1	1	c5pp105	PL13X226	435	9		30W
POIDS TOTAL (kg)				1261			

RAYON 14	SIC
GRADE ROOF 350W	SIC
ELECTRODES E40XX	SIC
SOUDURES 6mm	SIC
THOUIL 220	SIC
BOULONS A325N	SIC
PEINTURE 1-73A SHOP PRIMER	SIC

PLACER LA MARQUE DU MÊME CÔTÉ QUE LE SYMBOLE : 

2 - POUTRES - C9B1017 - AESS2

BILL OF MATERIAL								RAT	14	SIC
Qty Ea	Qty Tot	Piece Mark	Description	Length	Weight Total	Remarks	Adv Mill #	Steel Grade	GRADE ACIER 350W	SIC
2	2	C9B1017	POUTRES						ELECTRODES E49XX	SIC
2	2		W410X74	9784	1456	BEV-2 AESS2		350W	SOUDES 6mm	SIC
1	2	c9mm1	W410X74	1244	185			350W	TROUS 22Ø	SIC
1	2	c9pp4	PL20X254	455	36			300W	BOULONS A325N	SIC
POIDS TOTAL (Kg)					1678	PEINTURE 1-73A SHOP PRIMER SIC				


TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	1	19 DIA BOLT- A325N	51
9	3	19 DIA BOLT- A325N	57
6	3	19 DIA BOLT- A325N	64
2	2	19 DIA BOLT- HILTI_HIT_HY-1	229
32	8	25 DIA BOLT- A325X	95



I - TYPE W8X67

DIV	GRID LOC.	LEVEL
10	4-10/H	+74.565

TOTAL QTY	UNIT	FIELD BOLTS	LENGTH
6	1	19 DIA BOLT- A325N	51
9	6	19 DIA BOLT- A325N	57
6	3	19 DIA BOLT- A325N	64
2	2	19 DIA BOLT- HILTI_HY-1	229
32	8	25 DIA BOLT- A325X	95




WORK THIS SHEET WITH 10TR1001, 10TR1001-1, 10TR1001-3

ONE - TRUSS - 10TR1001

I - TYPE W8X67

DIV	GRID LOC.	LEVEL
10	4-10/H	+74.665

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	4	19 DIA BOLT- A325N	51
9	6	19 DIA BOLT- A325N	57
6	3	19 DIA BOLT- A325N	64
2	2	19 DIA BOLT- HILTI_HIT_HY-1	229
32	8	25 DIA BOLT- A325X	95




WORK THIS SHEET WITH 10TR1001, 10TR1001-2,
10TR1001-3

ONE - TRUSS - 10TR1001

I - TYPE W8X67

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	4	19 DIA BOLT- A325N	57



M - TYPE HSS8X8X0.375



WORK THIS SHEET WITH 7F1028-1



GENERAL NOTES		HOLE: 21mmØ	U.N.O	WELDS: E490XJiJi.D	PAINT:		ORIENTATION MARK
MATERIAL: 300W		U.N.O	BOLTS: A325	U.N.O	CPMA 17/3A	U.N.O	CONNECTING SIDE MARK
No.	Mark	Size	Grade	Length	Weight	Remarks	
1	7T1001					SQ-1BEV-1	
1	7T1001	HSS152X152X9.5	A500-GR-B	21860	894		
1	7mm83	HSS102X102X6.4	A500-GR-B	1739	70		
1	7mm84	HSS102X102X6.4	A500-GR-B	1546	62		
1	7mm85	HSS102X102X6.4	A500-GR-B	1354	54		
1	7mm86	HSS102X102X6.4	A500-GR-B	3632	146		
1	7mm87	HSS102X102X6.4	A500-GR-B	3467	139		
1	7mm88	HSS102X102X6.4	A500-GR-B	3393	136		
1	7mm89	HSS219X9.5	A500-GR-B	1140	124		
1	7mm94	HSS152X152X12.7	A500-GR-B	1522	176		
1	7mm95	HSS152X102X6.4	A500-GR-B	2217	114		
1	7mm105	HSS102X102X8.0	A500-GR-B	1932	94		
1	7mm106	HSS102X102X8.0	A500-GR-B	1161	57		
1	7mm107	HSS102X102X8.0	A500-GR-B	999	47		
1	7mm108	HSS102X102X8.0	A500-GR-B	1468	205		
1	7mm109	HSS102X102X8.0	A500-GR-B	3728	162		
1	7mm110	HSS102X102X8.0	A500-GR-B	3314	162		
1	7mm111	HSS102X102X8.0	A500-GR-B	1568	77		
1	7mm113	HSS152X152X12.7	A500-GR-B	20423	2361		
1	7mm114	HSS152X152X12.7	A500-GR-B	1033	119		
1	7mm115	HSS152X152X9.5	A500-GR-B	1032	93		
1	7pp70	PL10X96	300W	152	3		
1	7pp94	PL10X127	300W	170	4		
1	7pp95	PL10X127	300W	164	3		
1	7pp98	PL10X152	300W	152	4		
1	7pp109	PL13X152	300W	415	14		
1	7pp116	PL6X210	300W	210	4		
1	7pp135	PL6X64	300W	102	1		
1	7pp167	PL10X108	300W	380	7		
1	7pp169	PL6X64	300W	102	1		
1	7pp175	PL10X152	300W	152	4		
Area/Ass'y (m²):		42.86	Gross/Ass'y:		2918		

DIV	GRID LOC.	LEVEL
7	10.6-11/L-K	+70.108

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	4	19 DIA BOLT- A325N	51
4	2	19 DIA BOLT- A325N	57





ONE - FRAME - 7F1013

M - TYPE HSS6X4X0.250

GENERAL NOTES:		HOLES: 21mmØ	U.N.O.	WELDS: E49XX	U.N.O.	PAINT:	ORIENTATION MARK
		MATERIAL: 300W	U.N.O.	BOLTS: A325	U.N.O.	CPMA 1/73A U.N.O.	CONNECTING SIDE MARK
No.	Mark	Size	Grade	Length	Weight	Remarks	
1	7F1013					BEV-2	
1	7F1013	HSS152X102X6.4	A500-GR.B	2376	55		
1	7mm23	HSS152X102X6.4	A500-GR.B	760	39		
1	7mm33	HSS152X102X6.4	A500-GR.B	93	5		
1	7mm45	HSS152X102X6.4	A500-GR.B	1499	77		
1	7mm49	HSS152X102X6.4	A500-GR.B	299	15		
1	7mm75	HSS89X89X6.4	A500-GR.B	315	11		
1	7pp57	PL10X152	300W	287	8		
1	7pp81	PL10X100	300W	244	4		
1	7pp104	PL13X184	300W	254	11		
1	7pp118	PL6X92	300W	142	1		
		Area/Ass'y (m²): 2.80	Gross/Ass'y		133		

DIV	GRID LOC	LEVEL
2	13-14/L-1	+64.850

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
4	2	12 DIA BOLT- A325N	32









ONE - TOWER - 2T1001

GENERAL NOTES:		HOLES: 21mmØ		U.N.O. WELDS: E49XX		U.N.O. MATERIAL: 300W		M - TYPE		HSS8X4X0.250		PAINT:		ORIENTATION MARK		
		U.N.O. BOLTS: A325		U.N.O. CPMA 1/73A		U.N.O.		CONNECTING SIDE MARK								
No.	Mark	Size		Grade	Length	Weight	Remarks									
1	2T1001						SQ-2									
1	2T1001	HSS203X102X6.4		A500-GR.C	2656	75										
4	2aa1	L102X76X7.9		300W	127	12										
8	2aa2	L76X51X3		300W	128	7										
1	2mm1	W200X27		350W	1807	106										
1	2mm2	W200X27		350W	1807	106										
1	2mm3	W200X27		350W	2431	143										
1	2mm4	W200X27		350W	2431	143										
1	2mm5	HSS152X152X6.4		A500-GR.C	4725	295										
1	2mm6	HSS152X152X6.4		A500-GR.C	4725	295										
2	2mm9	HSS203X102X6.4		A500-GR.C	3465	433										
2	2mm10	HSS203X102X6.4		A500-GR.C	690	86										
1	2mm11	HSS203X102X6.4		A500-GR.C	2628	164										
1	2mm12	HSS203X102X6.4		A500-GR.C	2839	177										
2	2mm19	HSS203X152X6.4		A500-GR.C	3315	488										
1	2mm20	HSS203X152X6.4		A500-GR.C	378	28										
1	2mm21	HSS203X152X6.4		A500-GR.C	378	28										
2	2mm22	HSS203X152X6.4		A500-GR.C	165	24										
1	2mm23	HSS203X152X6.4		A500-GR.C	3447	254										
2	2mm24	HSS203X152X6.4		A500-GR.C	4481	659										
1	2mm29	C150X12		300W	1433	38										
1	2mm30	C150X12		300W	1329	35										
1	2mm31	C150X12		300W	1586	42										
1	2mm32	C150X12		300W	1586	42										
1	2mm36	C152X8.3		345W	2859	50										
1	2mm37	C152X8.3		345W	1747	30										
1	2mm38	C152X8.3		345W	1747	30										
1	2mm39	C152X8.3		345W	960	17										
1	2mm40	C152X8.3		345W	2954	51										
2	2mm41	C152X8.3		345W	260	9										
2	2mm42	C152X8.3		345W	198	6										
2	2mm43	C152X8.3		345W	308	10										
4	2pp3	PL10X115		300W	152	12										
2	2pp14	PL10X153		300W	154	8										
2	2pp15	PL10X102		300W	203	7										
2	2pp16	PL10X152		300W	203	11										
2	2pp17	PL10X101		300W	140	5										
2	2pp20	PL6X152		300W	217	7										
2	2pp24	PL20X230		300W	350	56										
4		3/4"Ø A325N BOLT			213	0										
Area/Ass'y (m²):				49.35	Gross/Ass'y		1852									

WORK THIS SHEET WITH 2T1001, 2T1001-1

DIV	GRID LOC	LEVEL
2	13-14/L-1	+64.850

TOTAL QTY	UNIT	FIELD BOLTS	LENGTH
4	2	12 DIA BOLT- A325N	32




WORK THIS SHEET WITH 2T1001 , 2T1001-2

ONE - TOWER - 2T1001

M - TYPE HSS8X4X0.250


TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
-----------	----------	-------------	--------



M - TYPE HSS8X4X0.250

DIV	GRID LOC.	LEVEL
2	12/ <	+63.196


TOTAL QTY	UNIT	FIELD BOLTS	LENGTH
-----------	------	-------------	--------



ONE - POST - 2M1001

GENERAL NOTES:		M - TYPE		HSS8X4X0.250		PAINT:	ORIENTATION MARK
		HOLES: 21mmØ	U.N.O.	WELDS: E49XXJ.U.N.O.	U.N.O.		
MATERIAL: 300W		BOLTS: A325		U.N.O. CPMA 1/73A		U.N.O.	CONNECTING SIDE MARK
No.	Mark	Size	Grade	Length	Weight	Remarks	
1	2M1001					BEV-2	
1	2M1001	HSS203X102X6.4	A500-GR.C	4493	127		
1	2mm15	HSS203X102X6.4	A500-GR.C	3789	237		
1	2mm17	C152X5.2	345W	4426	49		
2	2mm27	C150X12	300W	736	39		
1	2mm33	C150X12	300W	178	5		
1	2mm34	C150X12	300W	258	7		
1	2mm35	C150X12	300W	332	9		
1	2pp3	PL10X115	300W	152	3		
1	2pp4	PL10X152	300W	185	5		
2	2pp7	PL10X76	300W	80	2		
3	2pp19	PL6X98	300W	213	5		
1	2pp23	PL20X230	300W	300	24		
2		3/4"Ø A325N BOLT		162	0		
Area/Ass'y (m²):		9.29	Gross/Ass'y		302		

PLACER LA MARQUE DU MÊME CÔTÉ QUE LE SYMBOLE : ▼




UN - POUTRE - 7B1018 - NO PAINT

WORK THIS SHEET WITH 7B1018

BILL OF MATERIAL								
Qty Ea	Qty Tot	Piece Mark	Description	Length	Weight Total	Remarks	Adv Mill #	Steel Grade
1	1	7B1018	POUTRE					
1	1		W690X265	21063	5605	C=100 S2-2 NO PAINT		350W
4	4	7pp2	PL16X117	298	17			300W
2	2	7pp6	PL20X165	1074	56			300W
4	4	7pp7	PL20X165	384	36			300W
4	4	7pp8	PL13X254	350	30			300W
1	1	7pp17	PL16X642	801	54			300W
1	1	7pp20	PL16X642	799	54			300W
100	100		MSTUD 19 DIA	152.4	0			
POIDS TOTAL (Kg)					5853			


RAYON 14	SIC
GRADE ACIER 350W	SIC
ELECTRODES E49XX	SIC
SOUDURES 6mm	SIC
TROUS 22Ø	SIC
BOULONS A325N	SIC
PEINTURE NO PAINT	SIC



UN - POUTRE - 7B1018 - NO PAINT


BILL OF MATERIAL								
Qty Ea.	Qty Tot	Piece Mark	Description	Length	Weight Total	Remarks	Adv Mill #	Steel Grade
	1	7B1018	POUTRE					
1	1		W690X265	21063	5605	C=100 SQ-2 NO PAINT		350W
4	4	7pp2	PL16X117	298	17			300W
2	2	7pp6	PL20X165	1074	56			300W
4	4	7pp7	PL20X165	384	36			300W
4	4	7pp8	PL13X254	350	30			300W
1	1	7pp17	PL16X642	801	54			300W
1	1	7pp20	PL16X642	799	54			300W
100	100		MSTUD 19 DIA	152.4	0			
POIDS TOTAL (Kg)					5853			
RAYON 14 SIC								
GRADE ACIER 350W SIC								
ELECTRODES E49XX SIC								
SOUDURES 6mm SIC								
TROUS 22Ø SIC								
BOULONS A325N SIC								
PEINTURE NO PAINT SIC								

PLACER LA MARQUE DU MÊME CÔTÉ QUE LE SYMBOLE : ▼




UN - POUTRE - F1B1015 - 1-73A SHOP PRIMER

BILL OF MATERIAL								
Qty Ea.	Qty Tot	Piece Mark	Description	Length	Weight Total	Remarks	Adv Mill #	Steel Grade
	1	F1B1015	POUTRE					
1	1		WWF1800X575	27400	15766	SQ-2 1-73A SHOP PRIMER		30W
1	1	f1hh4	BPL5X153	2487	15			300W_PUEE
5	5	f1hh5	BPL5X153	2759	86			300W_PUEE
1	1	f1hh6	BPL5X153	2474	15			300W_PUEE
1	1	f1hh7	BPL5X153	2494	15			300W_PUEE
1	1	f1hh8	BPL5X153	2468	15			300W_PUEE
17	17	f1pp60	PL13X150	267	69			300W
1	1	f1pp63	PL20X265	1729	72			300W
1	1	f1pp64	PL20X265	1727	72			300W
1	1	f1pp65	PL20X265	1727	72			300W
1	1	f1pp66	PL20X265	1727	72			300W
1	1	f1pp67	PL20X204	312	10			300W
1	1	f1pp71	PL20X204	671	21			300W
1	1	f1pp72	PL16X197	610	15			300W
POIDS TOTAL (Kg)					16316	1-73/A PRIMER		



BILL OF MATERIAL								
Qty Ea.	Qty Tot	Piece Mark	Description	Length	Weight Total	Remarks	Adv Mill #	Steel Grade
	1	8B1008	POUTRE					
1	1		W690X240	3042	733	C=95 SQ-1/BEV-1 NO PAINT		350W
3	3	8pp2	PL10X102	165	4			300W
2	2	8pp3	PL10X102	102	2			300W
1	1	8pp5	PL10X102	102	1			300W
1	1	8pp31	PL25X318	677	42			300W
2	2	8pp32	PL25X127	677	34			300W
1	1	8pp33	PL20X447	520	36			300W
2	2	8pp34	PL10X324	530	27			300W
10	10		MSTUD 19 DIA	152.4	0			
POIDS TOTAL (Kg)					879			

PLACER LA MARQUE DU MÊME CÔTÉ QUE LE SYMBOLE : ▼




UN - POUTRE - 8B1011 - NO PAINT

BILL OF MATERIAL								
Qty Ea	Qty Tot	Piece Mark	Description	Length	Weight Total	Remarks	Adv Mill #	Steel Grade
	1	8B1011	POUTRE					RAYON 14 SIC
1	1		W460X60	8806	526	SQ-2 NO PAINT		GRADE ACIER 350W SIC
2	2	8aa1	L127X76X9.5	331	10			ELECTRODES E49XX SIC
2	2	8pp1	PL16X128	304	10			SOUDURES 6mm SIC
1	1	8pp7	PL20X165	804	21			TROUS 22Ø SIC
2	2	8pp8	PL20X165	395	20			BOULONS A325N SIC
34	34		MSTUD 19 DIA	152.4	0			PEINTURE 1-73A SHOP PRIMER SIC
POIDS TOTAL (Kg)					586			

UN - POUTRE - B4B1001 - 1-73A SHOP PRIMER

RAYON	14	SIC
GRADE ACIER	350W	SIC
ELECTRODES	E49XX	SIC
SOUDURES	6mm	SIC
TROUS	22Ø	SIC
BOULONS	A325N	SIC
PEINTURE	1-73/A SHOP PRIMER	SIC

PLACER LA MARQUE DU MÊME CÔTÉ QUE LE SYMBOLE : ▼




UN - POUTRE - C5B1009 - 1-73A SHOP PRIMER

BILL OF MATERIAL								
Qty Ea.	Qty Tot	Piece Mark	Description	Length	Weight Total	Remarks	Adv Mill #	Steel Grade
1	1	C5B1009	POUTRE					
1	1		W760X147	9892	1452	SQ-1BEV/1 1-73A SHOP PRIMER		350W
1	1	c5mm12	HSS203X203X6.4	1384	50			A500-GR.C
1	1	c5mm13	HSS203X203X6.4	919	33			A500-GR.C
1	1	c5mm14	HSS203X203X6.4	1098	39			A500-GR.C
1	1	c5mm15	HSS203X203X6.4	998	36			A500-GR.C
1	1	c5mm16	HSS203X203X6.4	1116	40			A500-GR.C
1	1	c5mm23	HSS203X203X6.4	878	32			A500-GR.C
1	1	c5mm24	HSS203X203X6.4	401	14			A500-GR.C
1	1	c5pp81	PL16X76	133	1			300W
1	1	c5pp82	PL10X203	358	3			300W
1	1	c5pp83	PL16X76	133	1			300W
1	1	c5pp88	PL6X200	636	6			300W
1	1	c5pp101	PL10X203	358	3			300W
POIDS TOTAL (Kg)					1711			

RAYON 14	SIC
GRADE ACIER 350W	SIC
ELECTRODES E49XX	SIC
SOUDURES 6mm	SIC
TROUS 22Ø	SIC
BOULONS A325N	SIC
PEINTURE 1-73A SHOP PRIMER	SIC


PLACER LA MARQUE DU MÊME CÔTÉ QUE LE SYMBOLE : ▼



UN - POUTRE - A4B1080 - NO PAINT

BILL OF MATERIAL											
Qty Ea	Qty Tot	Piece Mark	Description	Length	Weight Total	Remarks	Adv Mill #	Steel Grade			
	1	A4B1080	POUTRE								
1	1		W530X74	11411	849	SQ-2 NO PAINT		300W			
1	1	a4aa25	L89X38X7.9	11653	105			300W	RAYON 14	SIC	
2	2	a4aa29	L102X102X6.4	455	9			300W	GRADE ACIER 350W	SIC	
2	2	a4aa30	L102X102X6.4	394	8			300W	ELECTRODES E49XX	SIC	
2	2	a4aa31	L102X102X6.4	270	5			300W	SOUDURES 6mm	SIC	
7	7	a4pp16	PL16X78	498	34			300W	TROUS 22Ø	SIC	
7	7	a4pp19	PL16X165	165	22			300W	BOULONS A325N	SIC	
2	2	a4pp49	PL6X200	456	9			300W	PEINTURE 1-73A SHOP PRIMER	SIC	
POIDS TOTAL (Kg)					1041						


PLACER LA MARQUE DU MÊME CÔTÉ QUE LE SYMBOLE : ▼



UN - POUTRE - 7B1012 - NO PAINT

BILL OF MATERIAL											
Qty Ea.	Qty Tot	Piece Mark	Description	Length	Weight Total	Remarks	Adv Mill #	Steel Grade			
	1	7B1012	POUTRE								
1	1		W610X125	9520	1188	BEV-2 NO PAINT		350W	RAYON 14		SIC
2	2	7pp1	PL16X114	304	9			300W	GRADE ACIER 350W		SIC
1	1	7pp3	PL20X165	1013	26			300W	ELECTRODES E49XX		SIC
2	2	7pp4	PL20X165	433	19			300W	SOUDURES 6mm		SIC
2	2	7pp5	PL13X173	372	10			300W	TROUS 22Ø		SIC
1	1	7pp9	PL13X326	501	17			300W	BOULONS A325N		SIC
48	48		MSTUD 19 DIA	152.4	0				PEINTURE NO PAINT		SIC
POIDS TOTAL (Kg)					1270						


PLACER LA MARQUE DU MÊME CÔTÉ QUE LE SYMBOLE : ▼



UN - POUTRE - 6B1012 - NO PAINT

BILL OF MATERIAL									
Qty Ea.	Qty Tot.	Piece Mark	Description	Length	Weight Total	Remarks	Adv Mill #	Steel Grade	
	1	6B1012	POUTRE						RAYON 14 SIC
1	1		W610X195	18154	3548	C-70 SQ-2 NO PAINT		30W	GRADE ACIER 350W SIC
2	2	6pp7	PL16X574	1094	134			30W	ELECTRODES E49XX SIC
1	1	6pp27	PL16X574	881	53			30W	SOUDURES 6mm SIC
1	1	6pp29	PL16X574	890	53			30W	TROUS 22Ø SIC
1	1	6pp31	PL16X574	823	49			30W	BOULONS A325N SIC
82	82		MSTUD 19 DIA	152.4	0				PEINTURE NO PAINT SIC
POIDS TOTAL (Kg)					3838				

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	2	19 DIA BOLT- A325N	44
2	2	19 DIA BOLT- A325N	51
2	2	19 DIA BOLT- A325N	57
5	2	19 DIA BOLT- A325N	64




ONE - FRAME - 20F1002

U - TYPE MC10X41.1

DIV	GRID LOC.	LEVEL
20	14-15/D-C	+21.029

TOTAL QTY	UNIT	FIELD BOLTS	LENGTH
6	1	19 DIA BOLT- A325N	44
14	4	25 DIA BOLT- A490N	76
12	4	25 DIA BOLT- A490N	133
8	4	31 DIA BOLT- A490N	83
2	2	31 DIA BOLT- A490N	89
10	2	31 DIA BOLT- A490N	102









WORK THIS SHEET WITH 20TR1001,
20TR1001-1, 20TR1001-2, 20TR1001-3

ONE - TRUSS - 20TR1001

I - TYPE W14X145

DIV	GRID LOC.	LEVEL
20	14-15/D-C	+21.029

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	1	19 DIA BOLT- A325N	44
14	2	25 DIA BOLT- A490N	76
12	4	25 DIA BOLT- A490N	133
8	4	31 DIA BOLT- A490N	83
2	2	31 DIA BOLT- A490N	89
10	2	31 DIA BOLT- A490N	102



















WORK THIS SHEET WITH 20TR1001,
20TR1001-1, 20TR1001-2, 20TR1001-4

ONE - TRUSS - 20TR1001

I - TYPE W14X145

DIV	GRID LOC.	LEVEL
20	14-15/D-C	+21.029

TOTAL QTY	UNIT	FIELD BOLTS	LENGTH
6	1	19 DIA BOLT- A325N	44
14	2	25 DIA BOLT- A490N	76
12	4	25 DIA BOLT- A490N	133
8	4	31 DIA BOLT- A490N	83
2	2	31 DIA BOLT- A490N	89
10	2	31 DIA BOLT- A490N	102




WORK THIS SHEET WITH 20TR1001,
20TR1001-1, 20TR1001-3, 20TR1001-4

ONE - TRUSS - 20TR1001

I - TYPE W14X145



TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	1	19 DIA BOLT- A325N	44
14	2	25 DIA BOLT- A490N	76
12	4	25 DIA BOLT- A490N	133
8	4	31 DIA BOLT- A490N	83
2	2	31 DIA BOLT- A490N	89
10	2	31 DIA BOLT- A490N	102



ONE - TRUSS - 20TR1001

I - TYPE W14X145

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	1	29 DIA BOLT - A325N	44
14	4	25 DIA BOLT - A490N	75
12	4	25 DIA BOLT - A490N	133
6	4	31 DIA BOLT - A490N	83
2	2	31 DIA BOLT - A490N	89
10	2	31 DIA BOLT - A490N	102





ONE - TRUSS - 20TR1001

GENERAL DATA		MATERIAL: 22mmM3	U.N.O. BELTS: 4.9X9XU.N.O.		PAINT:		ORIENTATION MARK
No.	Mark	MOLECULE: 300W	SIZES: A3.25 U.N.O.7A.30		RPM: 80RPM		CONNECTING SIZE MARK
No.	Mark	Size	Grade	Length	Weight	Remarks	
1	207R101					SQ.2	
1	207R101	V36X210	350W	1459	3133	1.73A SHOP	
15	20a46	L515X14.8	300W	498	27		
1	20a47	L515X14.8	300W	481	26		
1	20a48	L515X14.8	300W	482	38		
1	20a51	L515X14.8	300W	679	2		
1	20a52	L38X383.2	300W	298	8		
3	20a53	L38X383.2	300W	479	26		
1	20a64	L38X383.2	300W	1044	300		
1	20a65	L38X383.2	300W	1006	5		
1	20a69	L76X514.8	300W	3738	17		
2	20a80	L76X514.8	300W	3738	34		
1	20a81	L76X514.8	300W	3791	35		
1	20a82	L76X514.8	300W	3792	300		
1	20a85	L152X152X19	300W	126	125		
1	20a87	L152X152X19	300W	124	5		
1	20a89	L152X152X19	300W	124	5		
1	20a71	L162X152X19	300W	127	5		
1	20a72	L152X152X19	300W	128	5		
1	20a76	L152X152X19	300W	127	5		
1	20H16	PL25X1310	300W	1609	330		
1	20H17	PL25X1330	300W	1663	346		
1	20H18	PL25X1041	300W	1592	216		
1	20H19	PL25X1041	300W	1515	227		
1	20H20	PL25X1085	300W	1264	219		
1	20H21	PL25X1085	300W	1317	230		
1	20H22	PL25X800	300W	942	131		
1	20H23	PL25X800	300W	992	138		
1	20H38	PL8X466	300W	466	12		
9	20H37	PL8X466	300W	800	218		
2	20H38	PL8X466	300W	640	33		
3	20H41	PL8X466	300W	540	49		
1	20M20	V90X45	350W	4548	200		
5	20M21	V90X1734	350W	4394	596		
1	20M29	V90X282	350W	14209	9737		
1	20M53	V96X101	350W	2887	292		
1	20M54	V96X101	350W	4528	459		
1	20M55	V96X931	350W	2888	263		
2	20P12	PL13X281	500W	590	50		
2	20P13	PL13X281	500W	634	38		
2	20P14	PL10X281	500W	384	17		
1	20P22	PL32X393	500W	399	39		
3	20P30	PL32X203	500W	406	62		
2	20P31	PL8X281	500W	636	55		
1	20P42	PL20X300	500W	452	21		
2	20P44	PL19X347	500W	425	44		
1	20P46	PL19X207	500W	347	11		
3	20P49	PL25X203	500W	406	49		
1	20P84	PL22X184	500W	387	12		
1	20P85	PL22X200	500W	382	13		
2	20P89	PL25X188	500W	316	23		
1	20P90	PL20X300	500W	463	21		
1	20P94	PL20X490	500W	600	44		
1	20P95	PL20X478	500W	600	43		
1	20P97	PL20X485	500W	600	40		
1	20P98	PL20X497	500W	600	45		
1	20P108	PL20X554	500W	900	67		
1	20P109	PL20X517	500W	900	70		
5	20P191	PL20X188	500W	316	46		
Area(Area) (m²)			116.16	Cost(Area)		11983	

DIV	GRID LOC.	LEVEL
20	14-15/E-D	+14.018

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	2	19 DIA BOLT- A325N	44
2	2	19 DIA BOLT- A325N	51
2	2	19 DIA BOLT- A325N	57
5	3	19 DIA BOLT- A325N	64




ONE - FRAME - 20F1002

GENERAL NOTES:		HOLES: 22mmØ	U.N.O.	WELDS: E49XX	U.N.O.	PAINT:	ORIENTATION MARK
		MATERIAL: 300W				U.N.O 1-73/A SHOP PRIMER UN	CONNECTING SIDE MARK
No.	Mark	Size	Grade	Length	Weight	Remarks	
1	20F1002					SQ-2	
1	20F1002	MC250X61.2	300W	10762	662	1-73/A SHOP PRIMER	
1	20aa8	L64X64X6.4	300W	651	4		
1	20aa10	L64X64X6.4	300W	716	4		
1	20aa11	L64X64X6.4	300W	580	3		
1	20aa12	L64X64X6.4	300W	785	5		
1	20aa13	L64X64X6.4	300W	854	5		
1	20aa14	L64X64X6.4	300W	958	6		
1	20aa15	L64X64X6.4	300W	648	4		
1	20aa18	L64X64X6.4	300W	2118	13		
1	20aa19	L64X64X6.4	300W	1387	8		
1	20aa20	L64X64X6.4	300W	1488	9		
1	20aa21	L64X64X6.4	300W	2303	14		
1	20aa22	L64X64X6.4	300W	2361	14		
1	20aa25	L64X64X6.4	300W	1444	9		
1	20aa26	L64X64X6.4	300W	2609	16		
1	20aa30	L64X64X6.4	300W	1329	8		
1	20aa31	L64X64X6.4	300W	1200	7		
1	20aa32	L64X64X6.4	300W	1165	7		
2	20aa33	L64X64X6.4	300W	2936	35		
2	20aa35	L64X64X6.4	300W	3385	41		
1	20aa37	L76X76X7.9	300W	2570	23		
1	20aa39	L76X76X7.9	300W	2107	19		
1	20aa41	L76X76X7.9	300W	2108	19		
1	20aa42	L76X76X7.9	300W	2570	23		
1	20aa43	L76X76X7.9	300W	1960	18		
1	20aa44	L76X76X7.9	300W	1960	18		
4	20aa45	L76X76X7.9	300W	389	14		
1	20mm3	W250X39	350W	3370	130		
1	20mm4	W250X39	350W	3055	118		
1	20mm11	C150X12	300W	678	8		
1	20mm12	C150X12	300W	2348	28		
2	20mm16	C250X23	300W	2133	96		
2	20mm17	C250X23	300W	2133	96		
1	20mm25	MC250X61.2	300W	9962	612		
1	20mm26	MC250X61.2	300W	10168	625		
1	20mm31	GRTG38X824	GRTS_1_1/2	2947	101	MILL FINISH - BLACK	
1	20mm32	GRTG38X703	GRTS_1_1/2	3433	92	MILL FINISH - BLACK	
1	20mm34	GRTG38X914	GRTS_1_1/2	3371	165	MILL FINISH - BLACK	
1	20mm35	GRTG38X914	GRTS_1_1/2	3418	168	MILL FINISH - BLACK	
1	20mm36	GRTG38X751	GRTS_1_1/2	914	36	MILL FINISH - BLACK	
1	20mm37	GRTG38X797	GRTS_1_1/2	914	38	MILL FINISH - BLACK	
1	20mm38	GRTG38X844	GRTS_1_1/2	914	41	MILL FINISH - BLACK	
1	20mm39	GRTG38X891	GRTS_1_1/2	914	43	MILL FINISH - BLACK	
1	20mm40	GRTG38X914	GRTS_1_1/2	938	45	MILL FINISH - BLACK	
1	20mm41	GRTG38X914	GRTS_1_1/2	985	48	MILL FINISH - BLACK	
1	20mm42	GRTG38X914	GRTS_1_1/2	1031	50	MILL FINISH - BLACK	
1	20mm43	GRTG38X583	GRTS_1_1/2	1061	33	MILL FINISH - BLACK	
1	20mm44	GRTG38X371	GRTS_1_1/2	1081	21	MILL FINISH - BLACK	
1	20pp35	PL13X216	300W	278	5		
1	20pp53	PL6X140	300W	2807	19		
1	20pp74	PL6X140	300W	10015	66		
		Area/Ass'y (m²):	93.63	Gross/Ass'y	3693		

WORK THIS SHEET WITH
20F1002, 20F1002-1

DIV	GRID LOC.	LEVEL
20	14-15/E-D	+14.018

TOTAL QTY	UNIT	FIELD BOLTS	LENGTH
6	2	19 DIA BOLT- A325N	44
2	2	19 DIA BOLT- A325N	51
2	2	19 DIA BOLT- A325N	57
5	3	19 DIA BOLT- A325N	64











WORK THIS SHEET WITH
20F1002, 20F1002-2

ONE - FRAME - 20F1002

U - TYPE MC10X41.1


REV. NO.	DATE	DESCRIPTION	LENGTH
1	10/24/20	FIELD BOLTS	133
2	10/24/20	FIELD BOLTS	81
3	10/24/20	FIELD BOLTS	89
4	10/24/20	FIELD BOLTS	102
5	10/24/20	FIELD BOLTS	108



ONE - POST - 20M1002

GENERAL NOTES:		HOLES: 22mmØ	U.N.O.	WELDS: E49XX	U.N.O.	PAINT:	 ORIENTATION MARK
		MATERIAL: 300W	U.N.O.	BOLTS: A325	U.N.O.	1-73/A SHOP PRIMER UN	 CONNECTING SIDE MARK
No.	Mark	Size	Grade	Length	Weight		Remarks
1	20M1002						SQ-2
1	20M1002	W360X45	350W	2887	130		1-73/A SHOP PRIMER
1	20aa74	L152X152X19	300W	126	5		
1	20aa75	L152X152X19	300W	126	5		
1	20hh24	PL25X770	300W	1382	181		
1	20hh25	PL25X770	300W	1490	197		
2	20hh26	PL25X643	300W	1382	287		
2	20pp8	PL10X192	300W	237	7		
1	20pp30	PL32X203	50W	406	21		
2	20pp39	PL16X171	300W	347	15		
1	20pp49	PL25X203	50W	406	16		
4	20pp99	PL25X192	300W	221	33		
1	20pp100	PL25X73	300W	192	2		
1	20pp101	PL25X70	300W	192	2		
1	20pp102	PL25X60	300W	192	2		
1	20pp103	PL25X36	300W	192	1		
1	20pp104	PL25X23	300W	192	1		
1	20pp105	PL25X57	300W	192	2		
1	20pp106	PL25X39	300W	192	1		
1	20pp107	PL25X25	300W	192	1		
8		1 1/4"Ø A325N BOLT		95	0		
8		1 1/4"Ø A325N BOLT		101	0		
Area/Ass'y (m²):		12.86	Gross/Ass'y		910		

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
3	1	19 C&A BOLT - A325N	44
8	4	25 C&A BOLT - A490N	76
2	2	31 C&A BOLT - A490N	89
4	4	21 C&A BOLT - A490N	95
36	8	31 C&A BOLT - A490N	105





ONE - TRUSS - 10TR1003

GENERAL NOTES:		MOLES: 22mmØ		U.N.O. WELDS: E49XU ₁₀ Ø		PAINT:  ORIENTATION MARK	
Holes: 300W		U.N.O. BOLTS: A325		U.N.O. 1-73A SHOP PRIMER UN		 CONNECTING SIDE MARK	
No.	Mark	Size	Grade	Length	Weight	Remarks	
1	10TR1003					SQ-2	
1	10TR1003	W360X287	350W	9573	2751	1-73A SHOP PRIMER	
9	10a01	L51X51X4.8	300W	479	34		
1	10a02	L51X51X4.8	300W	497	36		
1	10a06	L51X51X4.8	300W	7982	64		
9	10a09	L38X38X3.2	300W	293	11		
18	10a10	L38X38X3.2	300W	472	34		
2	10a13	L38X38X3.2	300W	1100	9		
2	10a15	L38X38X3.2	300W	1100	9		
2	10a17	L76X51X4.8	300W	8189	165		
1	10h04	PL8X466	300W	3048	203		
1	10h05	PL8X466	300W	2234	149		
1	10h06	PL8X466	300W	3048	203		
1	10mm2	W360X196	350W	4363	1888		
1	10mm3	W360X196	350W	4381	1896		
1	10mm8	W360X287	350W	8451	5353		
1	10mm11	W360X134	350W	2884	853		
1	10pp1	PL32X393	300W	399	86		
2	10pp3	PL16X364	300W	861	173		
2	10pp4	PL16X374	300W	861	178		
4	10pp14	PL10X400	300W	926	256		
1	10pp15	PL19X200	300W	362	24		
1	10pp16	PL19X363	300W	425	51		
1	10pp29	PL20X186	300W	367	24		
1	10pp33	PL25X188	300W	316	25		
2	10pp42	PL25X1273	300W	1561	1682		
2	10pp44	PL25X1273	300W	1548	1668		
Area/Ass'y (m²):			109.06	Gross/Ass'y	9589		

DIV	GRID LOC.	LEVEL
10	3/D	+20.608

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
8	4	25 DIA BOLT- A490N	76
78	8	31 DIA BOLT- A490N	108




ONE - POST - 10M1001

I - TYPE W14X90

GENERAL NOTES:		HOLES: 22mmØ		U.N.O. WELDS: E49XX		U.N.O. PAINT:		ORIENTATION MARK	
		MATERIAL: 300W		U.N.O. BOLTS: A325		U.N.O. 1-73/A SHOP PRIMER UN		CONNECTING SIDE MARK	
No.	Mark	Size		Grade	Length	Weight		Remarks	
1	10M1001							SQ-2	
1	10M1001	W360X134		350W	2884	387		1-73/A SHOP PRIMER	
1	10aa20	L203X203X25.4		300W	139	23			
1	10aa21	L203X203X25.4		300W	140	24			
1	10aa22	L203X203X25.4		300W	140	24			
1	10aa23	L203X203X25.4		300W	139	23			
2	10pp5	PL16X232		300W	552	71			
2	10pp7	PL16X232		300W	362	47			
2	10pp9	PL16X232		300W	402	52			
2	10pp30	PL8X241		300W	498	33			
2	10pp31	PL25X1039		300W	1231	1071			
2	10pp48	PL25X887		300W	1111	824			
2	10pp55	PL38X203		50W	508	136			
16		1 1/4"Ø A490N BOLT			107	0			
12		1 1/4"Ø A490N BOLT			107	0			
		Area/Ass'y (m²): 18.34		Gross/Ass'y		1443			

DIV	GRID LOC.	LEVEL
5	5-6/E	+14.805

TOTAL QTY	UNIT	FIELD BOLTS	LENGTH
1	1	19 DIA BOLT- A325N	44
8	2	19 DIA BOLT- A325N	70
20	7	19 DIA BOLT- A325N	76




WORK THIS SHEET WITH 5B1060

ONE - BEAM - 5B1060

M - TYPE HSS12X8X0.500

DIV	GRID LOC.	LEVEL
5	3/E	+19.180

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
2	2	19 DIA BOLT- A325N	57




WELD 5pp10 & 5pp131 TOGETHER FIRST
& THEN ATTACH IT TO THE COLUMN


Paint System no3
Intumescent Paint - DRF 1hr
Color OC-68 / Finish Level 3

ONE - COLUMN - 5C1004

		RO- TYPE		HSS18X1/2		ORIENTATION MARK
GENERAL NOTES:		HOLES: 22mmØ	U.N.O.	WELDS: E49XXJ.N.O	PAINT:	
		MATERIAL: 300W	U.N.O.	BOLTS: A325	U.N.O.	CONNECTING SIDE MARK
No.	Mark	Size	Grade	Length	Weight	Remarks
1	5C1004					SQ-2
1	5C1004	HSS457X13	A53	9435	881	1-73/A SHOP PRIMER
2	5aa6	L76X51X7.9	300W	216	7	
1	5mm56	TS152X102X9.5	A500-GR.C	343	25	
1	5pp2	PL32X600	300W	600	199	
1	5pp10	PL16X532	300W	657	94	
2	5pp23	PL10X101	300W	456	16	
1	5pp87	PL13X152	300W	152	5	
2	5pp104	PL13X152	300W	659	45	
2	5pp105	PL13X660	300W	678	201	
1	5pp131	PL20X457	300W	546	86	
1	5pp138	PL6X92	300W	142	1	
Area/Ass'y (m²):		18.45	Gross/Ass'y		1190	





TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
4	2	19 DIA BOLT- A325N	57
17	5	19 DIA BOLT- A325N	70



DIV	GRID LOC.	LEVEL
4	M.5-M.9/H.F	+16.100

TOTAL QTY	UNIT	FIELD BOLTS	LENGTH
6	6	19 DIA BOLT- A325N	51
4	2	19 DIA BOLT- A325N	57
12	12	19 DIA BOLT- A325N	64



ONE - BEAM - 4B1049

GENERAL NOTES:		I - TYPE W21X48				ORIENTATION MARK CONNECTING SIDE MARK
		HOLES: 22mmØ MATERIAL: 300W	U.N.O. WELDS: E49XXU, N.O. U.N.O. BOLTS: A325	U.N.O. 1-73/A SHOP PRIMER UN	PAINT:	
No.	Mark	Size	Grade	Length	Weight	Remarks
1	4B1049					SQ-2
1	4B1049	W530X72	350W	7273	523	1-73/A SHOP PRIMER
1	4aa1	L64X64X6.4	300W	489	6	
1	4aa2	L64X64X6.4	300W	489	6	
1	4aa5	L64X64X6.4	300W	1210	16	
1	4aa8	L64X64X6.4	300W	1124	15	
1	4aa9	L64X64X6.4	300W	1196	16	
2	4mm3	W310X21	350W	495	46	
1	4mm4	C200X17	300W	3420	128	
1	4pp8	PL16X226	300W	456	27	
1	4pp28	PL16X87	300W	176	4	
1	4pp29	PL16X87	300W	176	4	
1	4pp53	PL10X114	300W	267	5	
2	4pp63	PL10X96	300W	140	5	
1	4pp87	PL10X114	300W	211	4	
1	4pp88	PL10X114	300W	230	4	
1	4pp91	PL10X100	300W	193	3	
2	4pp203	PL10X114	300W	159	6	
1	4pp232	PL10X114	300W	159	3	
1	4pp238	PL10X114	300W	159	3	
		Area/Ass'y (m²):	18.33	Gross/Ass'y	660	



TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
16	4	19 DIA BOLT- A325N	57



-  ORIENTATION MARK
- CONNECTING SIDE MARK

DIV	GRID LOC.	LEVEL
1	H.4/H.F	+19.544

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
-----------	----------	-------------	--------




ONE - COLUMN - 1C1006

M - TYPE	HSS10X10X0.250
----------	----------------

GENERAL NOTES:		HOLES: 22mmØ	U.N.O.	WELDS: E49XX	U.N.O.	PAINT:	 ORIENTATION MARK
		MATERIAL: 300W	U.N.O.	BOLTS: A325	U.N.O.	1-73/A SHOP PRIMER UN	 CONNECTING SIDE MARK
No.	Mark	Size	Grade	Length	Weight	Remarks	
1	1C1006					SQ-2	
1	1C1006	HSS254X254X6.4	A500-GR.C	9819	477		
2	1aa42	L76X51X9.5	300W	292	11		
2	1aa51	L51X51X6.4	300W	213	4		
1	1pp11	PL25X350	300W	450	68		
1	1pp19	PL6X244	300W	244	6		
1	1pp29	PL13X547	300W	1018	114		
2	1pp81	PL10X456	300W	719	97		
2	1pp93	PL10X380	300W	456	53		
2	1pp134	PL10X101	300W	228	8		
1	1pp210	PL20X150	300W	253	13		
		Area/Ass'y (m²):	13.69	Gross/Ass'y		647	

DIV	GRID LOC.	LEVEL
1	H.3/H.E-H.C	+12.962

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
8	4	19 DIA BOLT- A325N	64





ONE - BEAM - 1B1011

I - TYPE W12X35

GENERAL NOTES:		HOLES: 22mmØ	U.N.O.	WELDS: E49XX	U.N.O.	PAINT:	ORIENTATION MARK
		MATERIAL: 300W	U.N.O.	BOLTS: A325	U.N.O.	1-73/A SHOP PRIMER UN	CONNECTING SIDE MARK
No.	Mark	Size	Grade	Length	Weight	Remarks	
1	1B1011					SQ-2	
1	1B1011	W310X52	350W	6805	356		
1	1aa50	L102X76X9.5	300W	216	6		
1	1pp172	PL10X100	300W	160	3		
1	1pp173	PL10X100	300W	173	3		
1	1pp176	PL10X100	300W	190	3		
1	1pp189	PL10X100	300W	212	4		
1	1pp195	PL10X100	300W	222	4		
1	1pp253	PL10X173	300W	228	7		
		Area/Ass'y (m²):	9.06	Gross/Ass'y	370		

DIV	GRID LOC.	LEVEL
12	9/J-H	+72.335

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
12	2	19 DIA BOLT- A325N	44
4	2	19 DIA BOLT- A325N	51
6	2	19 DIA BOLT- A325N	57
4	2	19 DIA BOLT- A325N	64




ONE - FRAME - 12F1018

GENERAL NOTES:		HOLES: 21mmØ		U.N.O. WELDS: E49XX U.N.O.		PAINT:		MC8X21.4		ORIENTATION MARK	
		MATERIAL: 300W		U.N.O. BOLTS: A325 U.N.O.		CPMA 1/73A U.N.O.		CONNECTING SIDE MARK			
		No.	Mark	Size	Grade	Length	Weight	Remarks			
1	12F1018							SQ-2			
1	12F1018	MC200X31.8		300W	5364	172					
1	12mm36	C150X12		300W	1161	14					
2	12mm45	C150X12		300W	1241	30					
1	12mm50	C150X12		300W	1141	14					
1	12mm51	C150X12		300W	1241	15					
1	12mm52	C150X12		300W	1138	14					
1	12mm88	W200X36		350W	1244	44					
3	12mm108	C75X5		300W	5338	96					
4	12mm111	C75X5		300W	2936	70					
4	12mm113	C75X5		300W	1642	39					
2	12pp64	PL10X79		300W	178	2					
1	12pp87	PL3X152		300W	196	1					
1	12pp88	PL3X152		300W	174	1					
3	12pp101	PL5X32		300W	71	0					
		Area/Ass'y (m²): 18.07		Gross/Ass'y		512					

DIV	GRID LOC.	LEVEL
12	5>/M-L.1	+67.529

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	2	19 DIA BOLT- A325N	44




ONE - BEAM - 12B1010

I - TYPE W10X22

GENERAL NOTES:		HOLES: 21mmØ	U.N.O.	WELDS: E49XX	U.N.O.	PAINT:	ORIENTATION MARK
		MATERIAL: 300W	U.N.O.	BOLTS: A325	U.N.O.	CPMA 1/73A U.N.O.	CONNECTING SIDE MARK
No.	Mark	Size	Grade	Length	Weight	Remarks	
1	12B1010					SQ-2	
1	12B1010	W250X33	350W	6107	200		
1	12aa9	L76X76X7.9	300W	250	2		
1	12aa10	L76X76X7.9	300W	250	2		
3	12mm126	HSS89X6.4	A53	150	6		
1	12mm127	HSS89X6.4	A53	150	2		
1	12pp55	PL10X90	300W	172	1		
2	12pp65	PL10X70	300W	237	3		
4	12pp67	PL10X70	300W	236	5		
4	12pp69	PL10X237	300W	265	13		
Area/Ass'y (m²):			7.51	Gross/Ass'y	234		

TOTAL QTY	UNIT QTY	FIELD BOLTS	LENGTH
6	3	29 DIA BOLT - A325N	51
9	3	29 DIA BOLT - A325N	57
6	3	29 DIA BOLT - A325N	64
2	2	29 DIA BOLT - MELT RET HT	220
32	8	25 DIA BOLT - A325N	95



The image contains two technical drawings of typical shop splice details for a steel beam.

The top drawing is labeled "TYPICAL SHOP SPLICE DETAIL FOR TOP CHORD". It shows a cross-section of a beam with a central splice. The beam is labeled "W200". A dimension line indicates a distance of "6\"/>

The bottom drawing is labeled "TYPICAL SHOP SPLICE DETAIL FOR BOTTOM CHORD". It shows a cross-section of a beam with a central splice. The beam is labeled "W310". A dimension line indicates a distance of "6\"/>

SHOP SPLICE AS PER MATERIAL AVAILABILITY

ONE - TRUSS - 10TR1001									
1 - TYPE Model									
GENERAL NOTES:		HOLES: 21mmØ	U.N.O.	WELDS: E49XX	PAINT:		ORIENTATION MARK		
No. Mark		MATERIAL: 300W	U.N.O.	BOLTS: A325	CPMA 173A	U.N.O.	CONNECTING SIDE MARK		
		Size		Grade	Length	Weight	Remarks		
1	10TR1001						SQ-2		
1	10TR1001	W200X100	C=30	350W	19959	1974			
1	10aa22	L76X76X9.5		300W	334	4			
1	10aa51	L102X76X9.5		300W	140	2			
1	10aa72	L76X76X9.5		300W	216	2			
1	10hh9	B_PL246X200X10		300W	7712	253			
1	10hh10	B_PL246X200X10		300W	2849	91			
1	10hh11	B_PL246X200X10		300W	2836	92			
4	10mm4	W200X27		350W	3195	340			
3	10mm5	W200X27		350W	2069	165			
1	10mm6	W200X31		350W	172	5			
1	10mm7	W200X42		350W	2072	86			
2	10mm8	W200X42		350W	2792	232			
1	10mm9	W200X42		350W	2024	84			
2	10mm10	W200X42		350W	2069	172			
1	10mm11	W200X42		350W	416	17			
1	10mm12	C150X12		300W	1352	16			
1	10mm13	C150X12		300W	2424	29			
1	10mm14	C150X12		300W	3044	37			
2	10mm17	W200X36		350W	2069	148			
1	10mm21	W310X79		350W	19695	1562			
2	10pp3	PL25X192		300W	469	35			
2	10pp10	PL25X192		300W	350	26			
2	10pp11	PL25X191		300W	381	29			
2	10pp13	PL25X192		300W	350	26			
2	10pp20	PL25X180		300W	303	21			
1	10pp37	PL10X216		300W	228	4			
10	10pp49	PL10X121		300W	273	25			
1	10pp50	PL10X123		300W	273	3			
2	10pp51	PL10X192		300W	381	11			
2	10pp52	PL10X192		300W	350	11			
8	10pp53	PL10X159		300W	254	25			
4	10pp54	PL10X159		300W	280	14			
10	10pp56	PL10X123		300W	274	26			
2	10pp59	PL10X97		300W	178	3			
14	10pp76	PL10X152		300W	209	35			
1	10pp103	PL10X300		300W	854	17			
2	10pp110	PL13X250		300W	458	23			
1	10pp111	PL13X152		300W	291	5			
2	10pp113	PL13X585		300W	834	98			
3	10pp114	PL13X585		300W	628	109			
4	10pp115	PL13X677		300W	704	190			
4	10pp116	PL13X485		300W	598	115			
4	10pp117	PL13X604		300W	643	156			
4	10pp118	PL13X485		300W	582	112			
1	10pp119	PL13X585		300W	628	36			
2	10pp120	PL13X579		300W	793	92			
2	10pp121	PL10X192		300W	365	11			
2	10pp122	PL10X192		300W	350	11			
1	10pp123	PL13X573		300W	787	40			
1	10pp124	PL13X589		300W	714	36			
2	10pp125	PL13X191		300W	280	11			
2	10pp126	PL13X604		300W	1108	133			
1	10pp132	PL13X170		300W	205	4			
1	10pp133	PL13X174		300W	205	4			
2	10pp148	PL13X230		300W	366	17			
10	10pp164	PL10X121		300W	273	25			
1	10pp195	PL38X225		300W	400	27			
2	10pp196	PL22X192		300W	350	23			
6	10pp197	PL22X159		300W	280	46			
6	10pp198	PL22X159		300W	254	42			
2	10pp199	PL22X159		300W	257	14			
2	10pp218	PL10X97		300W	178	3			
2	10pp221	PL10X159		300W	254	6			
2	10pp222	PL10X192		300W	350	11			
2	10pp223	PL10X192		300W	381	11			
2	10pp225	PL13X191		300W	280	11			
2	10pp226	PL25X191		300W	381	29			
2	10pp227	PL25X192		300W	511	39			
2	10pp228	PL22X192		300W	350	23			
1	10pp241	PL10X152		300W	165	2			
13	10pp243	PL10X190		300W	235	30			
1	10pp249	PL25X167		300W	362	12			
4	10pp258	PL10X96		300W	228	7			
4	10pp259	PL10X102		300W	228	7			
10	10pp262	PL10X96		300W	228	17			
4		3/4" HEAVY_HEX_NUT			20	0			
3		3/4" HEAVY_HEX_NUT			20	0			
8		3/4" HEAVY_HEX_NUT			20	1			
Area/Ass'y (m²):				147.44	Gross/Ass'y		7211		