

3D- VIEW

UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY
APPLY "URETHANE" FOAM INSULATION TO "R-14"
CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ,2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

WORK THIS SHEET WITH F6-1,F6-2,F6-3,
F6-4,F6-5,F6-6,F6-7,F6-8,F6-9,F6-10,F6-11

ONE - FRAME - F6

Tekla Structures



KEY PLAN



1 - 1



2 - 2



3 - 3



DETAIL OF F6

4 - 4

6 - 6



5 - 5

7 - 7



8 - 8

WORK THIS SHEET WITH F6,F6-2,F6-3,
F6-4,F6-5,F6-6,F6-7,F6-8,F6-9,F6-10,F6-11

Tekla Structures



DETAIL- A

DECK AND SUPPORTING PLATES NOT SHOWN FOR CLARITY
REF. DETAIL-D FOR DECK AND SUPPORTING PLATES DEATILS



DETAIL- D



DETAIL- G

UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY APPLY "URETHANE" FOAM INSULATION TO "R-14" CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ,2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

WORK THIS SHEET WITH F6,F6-1,F6-3, F6-4,F6-5,F6-6,F6-7,F6-8,F6-9,F6-10,F6-11

ONE - FRAME - F6-2

Tekla Structures



9 - 9



10 - 10



11 - 11



12 - 12



13 - 13



15 - 15



16 - 16



17 - 17



18 - 18

UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY APPLY "URETHANE" FOAM INSULATION TO "R-14" CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ.2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

WORK THIS SHEET WITH F6,F6-1,F6-2, F6-4,F6-5,F6-6,F6-7,F6-8,F6-9,F6-10,F6-11

ONE - FRAME - F6-3

Tekla Structures



19 - 19



20 - 20



22 - 22



23 - 23



27 - 27



28 - 28



29 - 29



31 - 31



14 - 14



21 - 21



24 - 24



30 - 30

25 - 25



26 - 26

UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY
APPLY "URETHANE" FOAM INSULATION TO "R-14"
CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ,2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

WORK THIS SHEET WITH F6,F6-1,F6-2,
F6-3,F6-5,F6-6,F6-7,F6-8,F6-9,F6-10,F6-11

ONE - FRAME - F6-4

Tekla Structures



DETAIL- B

RD POINTS START FROM MATCH LINE-A

DECK AND SUPPORTING PLATES NOT SHOWN FOR CLARITY
REF. DETAIL-E FOR DECK AND SUPPORTING PLATES DEATILS

UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY
APPLY "URETHANE" FOAM INSULATION TO "R-14"
CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ,2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

WORK THIS SHEET WITH F6,F6-1,F6-2,
F6-3,F6-4,F6-6,F6-7,F6-8,F6-9,F6-10,F6-11

ONE - FRAME - F6-5

Tekla Structures



DETAIL- E



44 - 44



45 - 45



DETAIL- H

UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY
APPLY "URETHANE" FOAM INSULATION TO "R-14"
CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ,2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

WORK THIS SHEET WITH F6,F6-1,F6-2,
F6-3,F6-4,F6-5,F6-7,F6-8,F6-9,F6-10,F6-11

ONE - FRAME - F6-6

Tesla Structures



32 - 32

33 - 33



34 - 34

UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY
APPLY "URETHANE" FOAM INSULATION TO "R-14"
CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ,2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

WORK THIS SHEET WITH F6,F6-1,F6-2,
F6-3,F6-4,F6-5,F6-6,F6-8,F6-9,F6-10,F6-11

ONE - FRAME - F6-7

Tekla Structures



37 - 37



36 - 36



35 - 35



40 - 40



42 - 42



43 - 43



41 - 41



38 - 38



39 - 39

UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY
APPLY "URETHANE" FOAM INSULATION TO "R-14"
CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ-2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

WORK THIS SHEET WITH F6,F6-1,F6-2,
F6-3,F6-4,F6-5,F6-6,F6-7,F6-9,F6-10,F6-11

ONE - FRAME - F6-8

Tekla Structures







UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY
APPLY "URETHANE" FOAM INSULATION TO "R-14"
CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ,2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

WORK THIS SHEET WITH F6,F6-1,F6-2,
F6-3,F6-4,F6-5,F6-6,F6-7,F6-8,F6-10,F6-11

ONE - FRAME - F6-9

Tekla Structures



46 - 46



47 - 47



48 - 48



49 - 49



53 - 53



52 - 52



51 - 51



50 - 50

UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY APPLY "URETHANE" FOAM INSULATION TO "R-14" CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ,2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

WORK THIS SHEET WITH F6,F6-1,F6-2, F6-3,F6-4,F6-5,F6-6,F6-7,F6-8,F6-9,F6-11

ONE - FRAME - F6-10

Tekla Structures



54 - 54



55 - 55



57 - 57



56 - 56



58 - 58



59 - 59



60 - 60



61 - 61



62 - 62



63 - 63



64 - 64



65 - 65



66 - 66

WORK THIS SHEET WITH F6,F6-1,F6-2, F6-3,F6-4,F6-5,F6-6,F6-7,F6-8,F6-9,F6-10

UNDERSIDE OF FLOOR PLATE & JOIST FRAMING SPRAY APPLY "URETHANE" FOAM INSULATION TO "R-14" CAPACITY AFTER FABRICATION PER SPEC 07201

PAINT :
ALL METAL FRAMING COMPONENTS
ARE COATED WITH DEVOE BAR RUST235 OR EQUAL.

NON-SKID TREAD PLATE COATING: AMERICAN SAFETY TECHONOLOGIES MS-7CZ,2-3 mil DFT
TOP COAT : AMERICAN SAFETY AS-550 NON SLIP FLOOR & DECK COATING ,OR APPROVED EQUAL.

ONE - FRAME - F6-11

NATURAL CAMBER UP
W 17 11/16"±1/4"
F 6"±7/16"

BILL OF MATERIAL

ASSEMBLY WEIGHT 20627.54

SHIP	MARK	NO. PCS.	DESCRIPTION	LENGTH	PIECE MARK	REMARKS
1	F6	1	W18X35	50'-1"		A992
		1	L6X3-1/2X3/8	10'-0 1/8"	f1	A36
		1	L6X3-1/2X3/8	10'-0 1/8"	f2	A36
		26	L2X2X5/16	0'-3"	f29	A36
		8	L2X2X5/16	0'-5"	f47	A36
		1	FL5/8"X12"	50'-1"	p1	A36
		1	FL3/8"X12"	50'-0"	p2	A36
		1	PL7/16"X6"	50'-0"	p3	A36
		1	CHKD_PLT3/8"X54 3/16"	5'-5 3/8"	p8	A36
		2	FL1/2"X12"	1'-6"	p15	A36
		2	PL1/2"X6 9/16"	1'-3 11/16"	p17	A36
		2	FL3/8"X8"	1'-0 1/16"	p18	A36
		2	PL3/8"X12 13/16"	1'-4 1/2"	p19	A36
		2	FL3/8"X4"	0'-8"	p20	A36
		2	FL3/8"X8"	0'-9 7/8"	p21	A36
		1	PL3/8"X2 13/16"	0'-5 5/16"	p24	A36
		1	PL3/8"X8"	0'-9 1/2"	p25	A36
		16	PL3/8"X3 13/16"	0'-10 3/4"	p27	A36
		21	PL1/4"X4 1/8"	1'-0"	p28	A36
		1	PL1/4"X4 3/16"	0'-7"	p37	A36
		1	PL1/4"X4 5/16"	0'-5 3/4"	p38	A36
		1	PL1/4"X4 1/2"	0'-6 5/8"	p39	A36
		2	PL1/4"X4 11/16"	1'-0"	p40	A36
		2	PL1/4"X4 7/8"	1'-0"	p41	A36
		2	PL1/4"X5"	0'-8 3/4"	p42	A36
		1	PL1/4"X4 1/4"	1'-0"	p43	A36
		1	PL1/4"X4 7/16"	1'-0"	p44	A36
		1	PL3/16"X4 9/16"	0'-6 9/16"	p52	A36
		2	PL1/2"X2 1/4"	0'-6 9/16"	p53	A36
		2	PL5/8"X2 1/4"	0'-6 9/16"	p54	A36
		2	PL5/8"X4 9/16"	0'-6 9/16"	p55	A36
		1	PL1/4"X2 1/4"	0'-6 9/16"	p57	A36
		11	PL3/8"X2 13/16"	1'-4 3/4"	p60	A36
		3	PL3/8"X6 13/16"	1'-4 11/16"	p61	A36
		4	FL3/8"X4 1/2"	1'-0 1/2"	p64	A36
		1	PL3/8"X2 13/16"	0'-5 5/16"	p65	A36
		4	PL3/8"X6 1/2"	0'-11 1/2"	p66	A36
		1	PL3/8"X3 13/16"	0'-9 5/8"	p69	A36
		1	PL3/8"X9 13/16"	1'-4 3/4"	p83	A36
		2	FL3/8"X2"	1'-2 1/16"	p87	A36
		17	FL3/8"X2"	1'-3 1/4"	p88	A36
		2	FL3/8"X2"	0'-8 1/16"	p89	A36
		1	FL3/8"X2"	0'-6 15/16"	p90	A36
		2	FL3/8"X2"	1'-5 7/16"	p91	A36
		4	FL3/8"X2"	1'-0"	p92	A36
		2	FL3/8"X2"	4'-8 5/8"	p93	A36
		1	CHKD_PLT3/8"X60 3/4"	10'-9 7/8"	p106	A36
		1	CHKD_PLT3/8"X59 1/16"	5'-3 3/4"	p108	A36
		1	CHKD_PLT3/8"X59 3/4"	10'-9 1/4"	p110	A36
		1	CHKD_PLT3/8"X63"	5'-11 7/8"	p115	A36
		1	CHKD_PLT3/8"X53 3/4"	10'-9 1/4"	p116	A36
		1	CHKD_PLT3/8"X66 3/4"	10'-9 7/8"	p121	A36
		1	CHKD_PLT3/8"X53 1/16"	4'-9 1/4"	p122	A36
		2	FL1/4"X2"	1'-10 7/8"	p130	A36
		6	FL1/4"X2"	2'-0 5/8"	p131	A36
		1	FL1/4"X2"	1'-2 1/8"	p132	A36
		1	FL1/4"X2"	1'-0 3/8"	p133	A36
		1	FL1/4"X2"	1'-0 3/8"	p136	A36
		1	FL1/4"X2"	0'-7 3/16"	p137	A36
		2	FL1/4"X2"	1'-7 9/16"	p138	A36
		1	FL1/8"X2 1/2"	28'-7 3/4"	p142	A36
		3	PL1/2"X3 7/8"	0'-8"	p154	A36
		1	FL3/8"X2"	1'-2 1/8"	p161	A36
		1	FL3/8"X2"	0'-5"	p162	A36
		1	FL1/4"X2"	0'-11 5/8"	p166	A36
		1	PL3/8"X7"	1'-0 13/16"	p169	A36
		1	PL1/2"X5 1/16"	0'-8 3/4"	p170	A36
		2	PL1/4"X4 1/8"	0'-9 1/4"	p171	A36
		2	FL3/8"X2"	0'-9 1/4"	p172	A36
		1	FL3/8"X2"	1'-2 1/8"	p173	A36
		1	FL3/8"X2"	1'-2 3/16"	p174	A36
		1	FL3/8"X2"	0'-11 7/8"	p175	A36
		1	CHKD_PLT3/8"X65 3/4"	10'-9 1/4"	p176	A36
		1	CHKD_PLT3/8"X71 3/4"	10'-9 1/4"	p177	A36
		1	CHKD_PLT3/8"X71 3/4"	10'-9 1/4"	p178	A36
		1	CHKD_PLT3/8"X65 3/4"	10'-9 1/4"	p179	A36
		1	CHKD_PLT3/8"X65 3/4"	10'-9 1/4"	p180	A36
		6	FL3/8"X3"	1'-2"	p181	A36
		6	FL3/8"X3"	0'-8"	p182	A36
		1	PL1/4"X4 1/8"	0'-9 1/4"	p184	A36
		1	PL3/8"X8"	0'-9 1/2"	p188	A36
		1	FL3/8"X2"	1'-3 1/4"	p190	A36
		1	FL3/8"X2"	1'-3 1/4"	p191	A36
		1	PL1/2"X6 7/8"	0'-8"	p195	A36
		4	FL3/8"X2 1/2"	0'-6"	p197	A36
		4	FL3/8"X2"	1'-3"	p198	A36
		2	FL3/8"X1"	0'-8"	p206	A36
		4	FL3/8"X1"	0'-8"	p207	A36
		1	FL3/8"X1"	0'-8 3/4"	p208	A36
		1	PL3/8"X3 13/16"	0'-9 9/16"	p210	A36
		2	WT4X17.5	0'-8 3/8"	q1	A992
		20	TWS_3/4	0'-3 11/16"	tws1	
		8	TWS_5/8	0'-3 11/16"	tws2	
		1	W12X40	11'-0 13/16"	w3	A992
		1	W12X40	11'-0 13/16"	w5	A992
		4	W4X13	11'-0 1/16"	w7	A992
		1	W4X13	1'-7"	w9	A992
		1	W4X13	5'-10 7/8"	w10	A992
		1	W4X13	6'-11 7/8"	w11	A992
		1	W4X13	9'-5 3/16"	w13	A992
		1	W4X13	5'-1 1/16"	w14	A992
		1	W4X13	4'-0 1/8"	w15	A992
		1	W4X13	9'-5"	w16	A992
		1	W12X35	52'-4 1/2"	w23	A992
		1	W4X13	1'-6 3/4"	w24	A992
		1	C12X20.7	50'-0"	x1	A36
		6	C3X5	1'-4 5/8"	x3	A36
		6	C3X5	1'-4 11/16"	x4	A36
		14	C4X7.2	11'-0"	x11	A36
		2	C4X7.2	11'-0"	x13	A36
		2	C4X7.2	9'-6 15/16"	x19	A36
		2	C4X7.2	3'-1 1/4"	x20	A36
		2	C4X7.2	4'-8 11/16"	x21	A36
		1	C4X7.2	6'-4 1/8"	x22	A36
		2	C4X7.2	7'-11 9/16"	x23	A36
		1	C4X7.2	7'-10 3/4"	x24	A36
		1	C4X7.2	6'-3 5/16"	x25	A36
		1	C4X7.2	3'-0 7/16"	x26	A36
		1	C4X7.2	1'-5"	x27	A36
		1	C4X7.2	4'-7 7/8"	x28	A36
		4	C3X5	1'-3 7/16"	x35	A36
		4	C3X5	1'-3 11/16"	x37	A36
		4	C3X5	1'-4"	x39	A36
		1	C4X7.2	28'-7 3/4"	x40	A36
		1	C4X7.2	7'-10 11/16"	x42	A36
		1	C4X7.2	11'-0"	x45	A36
		1	C4X7.2	6'-3 1/4"	x46	A36
		1	C4X7.2	3'-0 7/16"	x47	A36
		1	C4X7.2	1'-5"	x48	A36
		30	3/4_HEAVY_HEX_NUT			A563
		2	5/8_HEAVY_HEX_NUT			A563
		44	3/8_HEAVY_HEX_NUT			A563

Tekla Structures