


Nama : Bagus Naufal Arrahman
Nim : 4122047
Kelas : B


Membuat Method untuk Biodata

Buka folder ci4 menggunakan vscode, ubah nama file env jadi .env , Scroll kebawah tambahkan CI_ENVIRONMENT = development di bawah production.



```
1 #-----  
2 # Example Environment Configuration file  
3 #-----  
4 # This file can be used as a starting point for your own  
5 # custom .env files, and contains most of the possible settings  
6 # available in a default install.  
7 #  
8 # By default, all of the settings are commented out. If you want  
9 # to override the setting, you must un-comment it by removing the '#'  
10 # at the beginning of the line.  
11 #-----  
12 #  
13 #-----  
14 # ENVIRONMENT  
15 #-----  
16 #  
17 # CI_ENVIRONMENT = production  
18 CI_ENVIRONMENT = development  
19 #-----  
20 # APP  
21 #-----  
22 #  
23 #-----  
24 # app.baseURL = ''  
25 # If you have trouble with '.', you could also use '_'.  
26 # app.baseURL = ''  
27 # app.forceGlobalSecureRequests = false  
28 # app.CSPEnabled = false  
29 #-----  
30 #-----
```

Buka gitbash di file yang kita buat (ci4) ketik php spark serve, lanjut buka browser localhost:8080




About this page

The page you are looking at is being generated dynamically by CodeIgniter.

If you would like to edit this page you will find it located at:

```
app/Views/welcome_message.php
```


Buka vscode, buat route ci di file app/config/Routes.php
Tambahkan kode \$routes->get('/biodata','page::biodata');



Membuat controller app/controller/Page.php

Tambahkan kode, contoh:

```
public function biodata()
{
    echo "Nama      : Bagus naufal Ar Rahman </br>";
    echo "Nim       : 4122047</br>";
    echo "Kelamin    : Laki-laki</br>";
    echo "Agama     : Islam</br>";
    echo "Alamat     : Grogol</br>";
}
```



Buka browser ketikkan localhost:8080/biodata



Nama : Bagus naufal Ar Rahman

Nim : 4122047

Kelamin : Laki-laki

Agama : Islam

Alamat : Grogol

Kemudian saya ulangi dengan mengetikkan php spark serve, lanjut jalankan

A screenshot of a terminal window with a black background and green text. The window title is 'MINGW64/c:/xampp/htdocs/ci4'. The prompt is 'user@DESKTOP-MJAAH04 MINGW64 /c:/xampp/htdocs/ci4'. The command entered is '\$ php spark serve'. The output shows 'CodeIgniter v4.4.6 Command Line Tool - Server Time: 2024-03-07 16:25:28 UTC+00:00', 'CodeIgniter development server started on http://localhost:8080', 'Press Control-C to stop.', and '[Thu Mar 7 23:25:28 2024] PHP 8.0.30 Development Server (http://localhost:8080) started'.