

No. Time Source Destination Protocol Length Info
1 0.000000 127.0.0.1 127.0.0.1 TCP 56 64405 → 7716 [SYN] Seq=0 Win=65535 Len=0
MSS=65495 WS=256 SACK_PERM=1
Frame 1: 56 bytes on wire (448 bits), 56 bytes captured (448 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 64405 (64405), Dst Port: 7716 (7716), Seq: 0, Len: 0
No. Time Source Destination Protocol Length Info
2 0.000018 127.0.0.1 127.0.0.1 TCP 44 7716 → 64405 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
Frame 2: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 7716 (7716), Dst Port: 64405 (64405), Seq: 1, Ack: 1, Len: 0
No. Time Source Destination Protocol Length Info
3 1.126711 :::: UDP 84 63252 → 63252 Len=32
Frame 3: 84 bytes on wire (672 bits), 84 bytes captured (672 bits)
Null/Loopback
Internet Protocol Version 6, Src: :::: (>:::), Dst: :::: (>:::)
User Datagram Protocol, Src Port: 63252 (63252), Dst Port: 63252 (63252)
Data (32 bytes)
0000 01 00 00 00 20 00 00 00 82 d9 1a a9 24 a0 02 00\$...
0010 62 38 13 a9 24 a0 02 00 00 00 00 00 00 00 00 00 b8..\$.....
No. Time Source Destination Protocol Length Info
4 1.161588 :::: UDP 76 63252 → 63252 Len=24
Frame 4: 76 bytes on wire (608 bits), 76 bytes captured (608 bits)
Null/Loopback
Internet Protocol Version 6, Src: :::: (>:::), Dst: :::: (>:::)
User Datagram Protocol, Src Port: 63252 (63252), Dst Port: 63252 (63252)
Data (24 bytes)
0000 09 00 00 00 18 00 00 00 00 40 00 00 00 00 00 00@.....
0010 c3 61 1b a9 24 a0 02 00a..\$...
No. Time Source Destination Protocol Length Info
5 1.163813 :::: UDP 84 63252 → 63252 Len=32
Frame 5: 84 bytes on wire (672 bits), 84 bytes captured (672 bits)
Null/Loopback
Internet Protocol Version 6, Src: :::: (>:::), Dst: :::: (>:::)
User Datagram Protocol, Src Port: 63252 (63252), Dst Port: 63252 (63252)
Data (32 bytes)
0000 01 00 00 00 20 00 00 00 84 6a 1b a9 24 a0 02 00j..\$...
0010 74 43 1b a9 24 a0 02 00 00 40 00 00 00 00 00 00 tC..\$....@.....
No. Time Source Destination Protocol Length Info
6 1.184450 :::: UDP 988 63252 → 63252 Len=936
Frame 6: 988 bytes on wire (7904 bits), 988 bytes captured (7904 bits)
Null/Loopback
Internet Protocol Version 6, Src: :::: (>:::), Dst: :::: (>:::)
User Datagram Protocol, Src Port: 63252 (63252), Dst Port: 63252 (63252)
Data (936 bytes)
0000 02 00 00 00 a8 03 00 00 00 40 00 00 08 00 00 00@.....
0010 02 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0020 00 00 00 00 00 00 00 00 eb 04 00 00 00 00 00
0030 04 00 00 00 00 00 00 00 1e 06 00 00 00 00 00
0040 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0050 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0060 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0070 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0080 00 00 00 00 00 00 00 00 52 00 00 00 00 00 00R.....
0090 52 00 00 00 00 00 00 00 66 0a 00 00 00 00 00 R.....f.....
00a0 02 00 00 00 00 00 00 00 02 00 00 00 00 00 00
00b0 02 00 00 00 00 00 00 00 00 00 00 00 00 00
00c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00d0 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00e0 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00f0 00 00 00 00 00 00 00 00 05 00 00 00 00 00
0100 05 00 00 00 00 00 00 00 e1 04 00 00 00 00 00
0110 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0120 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0130 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0140 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0150 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0160 00 00 00 00 00 00 00 00 04 00 00 00 00 00 00
0170 04 00 00 00 00 00 00 00 63 0a 00 00 01 00 00C.....
0180 04 00 00 00 00 00 00 00 07 00 00 00 00 00 00
0190 07 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01a0 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01b0 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01d0 00 00 00 00 00 00 00 00 09 00 00 00 00 00
01e0 09 00 00 00 00 00 00 00 32 0a 00 00 01 00 002.....
01f0 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0200 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0210 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0220 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0230 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0240 00 00 00 00 00 00 00 00 01 00 00 00 00 00
0250 01 00 00 00 00 00 00 00 77 0a 00 00 00 00 00w.....

```
0260 01 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 .....
0270 01 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0280 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0290 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
02a0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
02b0 00 00 00 00 00 00 00 00 02 00 00 00 00 00 00 00 .....
02c0 02 00 00 00 00 00 00 00 29 0a 00 00 00 00 00 00 .....).....
02d0 01 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 .....
02e0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
02f0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0300 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0310 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0320 00 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 .....
0330 01 00 00 00 00 00 00 00 38 0a 00 00 00 00 00 00 .....8.....
0340 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0350 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0360 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0370 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0380 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0390 00 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 .....
03a0 01 00 00 00 00 00 00 00 .....

```

```
No.      Time           Source           Destination      Protocol Length Info
  7 1.184469      ::1             ::1              UDP              428      63252 → 63252 Len=376
```

Frame 7: 428 bytes on wire (3424 bits), 428 bytes captured (3424 bits)

Null/Loopback

Internet Protocol Version 6, Src: ::1 (:::1), Dst: ::1 (:::1)

User Datagram Protocol, Src Port: 63252 (63252), Dst Port: 63252 (63252)

Data (376 bytes)

```
0000 02 00 00 00 78 01 00 00 00 40 00 00 03 00 00 00 .....x....@.....
0010 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0020 00 00 00 00 00 00 00 00 7f 0a 00 00 00 00 00 00 .....
0030 01 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 .....
0040 01 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0050 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0060 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0070 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0080 00 00 00 00 00 00 00 00 02 00 00 00 00 00 00 00 .....
0090 02 00 00 00 00 00 00 00 2b 0a 00 00 00 00 00 00 .....+.....
00a0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00b0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00d0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00e0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00f0 00 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 .....
0100 01 00 00 00 00 00 00 00 5f 0a 00 00 00 00 00 00 ....._.....
0110 01 00 00 00 00 00 00 00 03 00 00 00 00 00 00 00 .....
0120 03 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0130 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0140 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0150 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0160 00 00 00 00 00 00 00 00 03 00 00 00 00 00 00 00 .....
0170 03 00 00 00 00 00 00 00 .....

```

```
No.      Time           Source           Destination      Protocol Length Info
  8 1.184478      ::1             ::1              UDP              540      63252 → 63252 Len=488
```

Frame 8: 540 bytes on wire (4320 bits), 540 bytes captured (4320 bits)

Null/Loopback

Internet Protocol Version 6, Src: ::1 (:::1), Dst: ::1 (:::1)

User Datagram Protocol, Src Port: 63252 (63252), Dst Port: 63252 (63252)

Data (488 bytes)

```
0000 02 00 00 00 e8 01 00 00 00 00 00 00 04 00 00 00 .....
0010 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0020 00 00 00 00 00 00 00 00 ee 04 00 00 00 00 00 00 .....
0030 01 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00 .....
0040 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0050 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0060 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0070 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0080 00 00 00 00 00 00 00 00 05 00 00 00 00 00 00 00 .....
0090 05 00 00 00 00 00 00 00 70 0a 00 00 00 00 00 00 .....p.....
00a0 03 00 00 00 00 00 00 00 03 00 00 00 00 00 00 00 .....
00b0 03 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00d0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00e0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00f0 04 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00 .....
0100 00 00 00 00 00 00 00 00 6f 0a 00 00 00 00 00 00 .....o.....
0110 01 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 .....
0120 01 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0130 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0140 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0150 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0160 00 00 00 00 00 00 00 00 02 00 00 00 00 00 00 00 .....
0170 02 00 00 00 00 00 00 00 95 0b 00 00 00 00 00 00 .....
0180 04 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0190 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....

```

01a0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01b0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01d0 00 00 00 00 00 00 00 08 00 00 00 00 00 00 00
01e0 08 00 00 00 00 00 00 00
No. Time Source Destination Protocol Length Info
9 1.680079 127.0.0.1 127.0.0.1 TCP 56 64406 → 7716 [SYN] Seq=0 Win=65535 Len=0
MSS=65495 WS=256 SACK_PERM=1
Frame 9: 56 bytes on wire (448 bits), 56 bytes captured (448 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 64406 (64406), Dst Port: 7716 (7716), Seq: 0, Len: 0
No. Time Source Destination Protocol Length Info
10 1.680104 127.0.0.1 127.0.0.1 TCP 44 7716 → 64406 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
Frame 10: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 7716 (7716), Dst Port: 64406 (64406), Seq: 1, Ack: 1, Len: 0
No. Time Source Destination Protocol Length Info
11 1.787669 ::1 ::1 UDP 84 63253 → 63253 Len=32
Frame 11: 84 bytes on wire (672 bits), 84 bytes captured (672 bits)
Null/Loopback
Internet Protocol Version 6, Src: ::1 (::1), Dst: ::1 (::1)
User Datagram Protocol, Src Port: 63253 (63253), Dst Port: 63253 (63253)
Data (32 bytes)
0000 01 00 00 00 20 00 00 00 62 ef 24 a9 24 a0 02 00b.\$.\$...
0010 42 4e 1d a9 24 a0 02 00 00 00 00 00 00 00 00 00 BN..\$.....
No. Time Source Destination Protocol Length Info
12 1.826450 ::1 ::1 UDP 76 63253 → 63253 Len=24
Frame 12: 76 bytes on wire (608 bits), 76 bytes captured (608 bits)
Null/Loopback
Internet Protocol Version 6, Src: ::1 (::1), Dst: ::1 (::1)
User Datagram Protocol, Src Port: 63253 (63253), Dst Port: 63253 (63253)
Data (24 bytes)
0000 09 00 00 00 18 00 00 00 00 40 00 00 00 00 00 00@.....
0010 e0 86 25 a9 24 a0 02 00 ..%.\$...
No. Time Source Destination Protocol Length Info
13 1.828680 ::1 ::1 UDP 84 63253 → 63253 Len=32
Frame 13: 84 bytes on wire (672 bits), 84 bytes captured (672 bits)
Null/Loopback
Internet Protocol Version 6, Src: ::1 (::1), Dst: ::1 (::1)
User Datagram Protocol, Src Port: 63253 (63253), Dst Port: 63253 (63253)
Data (32 bytes)
0000 01 00 00 00 20 00 00 00 a7 8f 25 a9 24 a0 02 00%.\$...
0010 97 68 25 a9 24 a0 02 00 00 40 00 00 00 00 00 00 .h%.\$....@.....
No. Time Source Destination Protocol Length Info
14 1.851570 ::1 ::1 UDP 988 63253 → 63253 Len=936
Frame 14: 988 bytes on wire (7904 bits), 988 bytes captured (7904 bits)
Null/Loopback
Internet Protocol Version 6, Src: ::1 (::1), Dst: ::1 (::1)
User Datagram Protocol, Src Port: 63253 (63253), Dst Port: 63253 (63253)
Data (936 bytes)
0000 02 00 00 00 a8 03 00 00 00 40 00 00 08 00 00 00@.....
0010 02 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0020 00 00 00 00 00 00 00 00 00 00 00 00 eb 04 00 00 00 00 00 00
0030 04 00 00 00 00 00 00 00 c6 04 00 00 00 00 00 00
0040 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0050 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0060 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0070 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0080 00 00 00 00 00 00 00 00 36 00 00 00 00 00 00 006.....
0090 36 00 00 00 00 00 00 00 66 0a 00 00 00 00 00 00 6.....f.....
00a0 02 00 00 00 00 00 00 00 02 00 00 00 00 00 00 00
00b0 02 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00d0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00e0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
00f0 00 00 00 00 00 00 00 00 05 00 00 00 00 00 00 00
0100 05 00 00 00 00 00 00 00 e1 04 00 00 00 00 00 00
0110 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0120 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0130 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0140 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0150 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0160 04 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00
0170 00 00 00 00 00 00 00 00 63 0a 00 00 01 00 00 00c.....
0180 04 00 00 00 00 00 00 00 07 00 00 00 00 00 00 00
0190 07 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01a0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01b0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01d0 00 00 00 00 00 00 00 00 09 00 00 00 00 00 00 00
01e0 09 00 00 00 00 00 00 00 32 0a 00 00 01 00 00 002.....
01f0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0200 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00

```
0210 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0220 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0230 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0240 00 00 00 00 00 00 00 00 01 00 00 00 00 00 00 .....
0250 01 00 00 00 00 00 00 00 77 0a 00 00 00 00 00 .....w.....
0260 01 00 00 00 00 00 00 00 01 00 00 00 00 00 00 .....
0270 01 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0280 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0290 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
02a0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
02b0 00 00 00 00 00 00 00 00 02 00 00 00 00 00 00 .....
02c0 02 00 00 00 00 00 00 00 29 0a 00 00 00 00 00 .....).
02d0 01 00 00 00 00 00 00 00 01 00 00 00 00 00 00 .....
02e0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
02f0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0300 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0310 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0320 00 00 00 00 00 00 00 00 01 00 00 00 00 00 00 .....
0330 01 00 00 00 00 00 00 00 38 0a 00 00 00 00 00 .....8.....
0340 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0350 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0360 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0370 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0380 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0390 00 00 00 00 00 00 00 00 01 00 00 00 00 00 00 .....
03a0 01 00 00 00 00 00 00 00 .....

```

```
No.      Time           Source           Destination      Protocol Length Info
  15 1.851590      ::1              ::1              UDP              428      63253 → 63253 Len=376
```

Frame 15: 428 bytes on wire (3424 bits), 428 bytes captured (3424 bits) on Null/Loopback

Internet Protocol Version 6, Src: ::1 (::1), Dst: ::1 (::1)
User Datagram Protocol, Src Port: 63253 (63253), Dst Port: 63253 (63253)

```
Data (376 bytes)
0000 02 00 00 00 78 01 00 00 00 40 00 00 03 00 00 00 .....x....@.....
0010 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0020 00 00 00 00 00 00 00 00 7f 0a 00 00 00 00 00 00 .....
0030 01 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 .....
0040 01 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0050 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0060 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0070 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0080 00 00 00 00 00 00 00 00 02 00 00 00 00 00 00 00 .....
0090 02 00 00 00 00 00 00 00 2b 0a 00 00 00 00 00 00 .....+.
00a0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00b0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00d0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00e0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00f0 00 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 .....
0100 01 00 00 00 00 00 00 00 5f 0a 00 00 00 00 00 00 ....._.....
0110 01 00 00 00 00 00 00 00 03 00 00 00 00 00 00 00 .....
0120 03 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0130 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0140 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0150 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0160 00 00 00 00 00 00 00 00 03 00 00 00 00 00 00 00 .....
0170 03 00 00 00 00 00 00 00 .....

```

```
No.      Time           Source           Destination      Protocol Length Info
  16 1.851598      ::1              ::1              UDP              540      63253 → 63253 Len=488
```

Frame 16: 540 bytes on wire (4320 bits), 540 bytes captured (4320 bits) on Null/Loopback

Internet Protocol Version 6, Src: ::1 (::1), Dst: ::1 (::1)
User Datagram Protocol, Src Port: 63253 (63253), Dst Port: 63253 (63253)

```
Data (488 bytes)
0000 02 00 00 00 e8 01 00 00 00 00 00 00 04 00 00 00 .....
0010 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0020 00 00 00 00 00 00 00 00 ee 04 00 00 00 00 00 00 .....
0030 01 00 00 00 00 00 00 00 0b 00 00 00 00 00 00 00 .....
0040 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0050 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0060 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0070 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0080 00 00 00 00 00 00 00 00 05 00 00 00 00 00 00 00 .....
0090 05 00 00 00 00 00 00 00 70 0a 00 00 00 00 00 00 .....p.....
00a0 03 00 00 00 00 00 00 00 03 00 00 00 00 00 00 00 .....
00b0 03 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00d0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00e0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
00f0 00 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00 .....
0100 04 00 00 00 00 00 00 00 6f 0a 00 00 00 00 00 00 .....o.....
0110 01 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 .....
0120 01 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0130 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0140 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....

```

0150 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0160 00 00 00 00 00 00 00 00 00 02 00 00 00 00 00
0170 02 00 00 00 00 00 00 00 95 0b 00 00 00 00 00
0180 04 00 00 00 00 00 00 00 00 00 00 00 00 00
0190 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01a0 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01b0 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01c0 00 00 00 00 00 00 00 00 00 00 00 00 00 00
01d0 00 00 00 00 00 00 00 08 00 00 00 00 00 00
01e0 08 00 00 00 00 00 00 00
.....

No.	Time	Source	Destination	Protocol	Length	Info
17	2.871045	127.0.0.1	127.0.0.1	TCP	56	64407 → 7718 [SYN] Seq=0 Win=65535 Len=0

MSS=65495 WS=256 SACK_PERM=1

Frame 17: 56 bytes on wire (448 bits), 56 bytes captured (448 bits)
Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 64407 (64407), Dst Port: 7718 (7718), Seq: 0, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
18	2.871075	127.0.0.1	127.0.0.1	TCP	56	7718 → 64407 [SYN, ACK] Seq=0 Ack=1 Win=65535

Len=0 MSS=65495 WS=256 SACK_PERM=1

Frame 18: 56 bytes on wire (448 bits), 56 bytes captured (448 bits)
Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 7718 (7718), Dst Port: 64407 (64407), Seq: 0, Ack: 1, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
19	2.871097	127.0.0.1	127.0.0.1	TCP	44	64407 → 7718 [ACK] Seq=1 Ack=1 Win=2161152 Len=0

Frame 19: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 64407 (64407), Dst Port: 7718 (7718), Seq: 1, Ack: 1, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
20	2.871151	127.0.0.1	127.0.0.1	TCP	45	62396 → 62397 [PSH, ACK] Seq=1 Ack=1 Win=8442

Len=1

Frame 20: 45 bytes on wire (360 bits), 45 bytes captured (360 bits)
Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 62396 (62396), Dst Port: 62397 (62397), Seq: 1, Ack: 1, Len: 1

Data (1 byte)

0000 00

No.	Time	Source	Destination	Protocol	Length	Info
21	2.871168	127.0.0.1	127.0.0.1	TCP	44	62397 → 62396 [ACK] Seq=1 Ack=2 Win=8442 Len=0

Frame 21: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 62397 (62397), Dst Port: 62396 (62396), Seq: 1, Ack: 2, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
22	2.871184	127.0.0.1	127.0.0.1	TCP	100	64407 → 7718 [PSH, ACK] Seq=1 Ack=1 Win=2161152

Len=56

Frame 22: 100 bytes on wire (800 bits), 100 bytes captured (800 bits)
Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 64407 (64407), Dst Port: 7718 (7718), Seq: 1, Ack: 1, Len: 56

Data (56 bytes)

0000 48 45 4c 46 38 00 00 00 00 00 00 00 00 10 00 HELF8.....
0010 00 00 10 00 00 00 05 64 00 00 00 18 00 00 00d.....
0020 6f 70 63 2e 74 63 70 3a 2f 2f 31 32 37 2e 30 2e opc.tcp://127.0.
0030 30 2e 31 3a 37 37 31 38 0.1:7718

No.	Time	Source	Destination	Protocol	Length	Info
23	2.871193	127.0.0.1	127.0.0.1	TCP	44	7718 → 64407 [ACK] Seq=1 Ack=57 Win=2161152 Len=0

Frame 23: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 7718 (7718), Dst Port: 64407 (64407), Seq: 1, Ack: 57, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
24	2.876147	127.0.0.1	127.0.0.1	TCP	72	7718 → 64407 [PSH, ACK] Seq=1 Ack=57 Win=2161152

Len=28

Frame 24: 72 bytes on wire (576 bits), 72 bytes captured (576 bits)
Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 7718 (7718), Dst Port: 64407 (64407), Seq: 1, Ack: 57, Len: 28

Data (28 bytes)

0000 41 43 4b 46 1c 00 00 00 00 00 00 00 ff ff 00 00 ACKF.....
0010 ff ff 00 00 00 10 00 11 00 00 00

No.	Time	Source	Destination	Protocol	Length	Info
25	2.876157	127.0.0.1	127.0.0.1	TCP	44	64407 → 7718 [ACK] Seq=57 Ack=29 Win=2161152

Len=0

Frame 25: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 64407 (64407), Dst Port: 7718 (7718), Seq: 57, Ack: 29, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
26	2.888311	127.0.0.1	127.0.0.1	TCP	45	62396 → 62397 [PSH, ACK] Seq=2 Ack=1 Win=8442

Len=1

Frame 26: 45 bytes on wire (360 bits), 45 bytes captured (360 bits)
Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 64407 (64407), Dst Port: 7718 (7718), Seq: 57, Ack: 29, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
26	2.888311	127.0.0.1	127.0.0.1	TCP	45	62396 → 62397 [PSH, ACK] Seq=2 Ack=1 Win=8442

```

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62396 (62396), Dst Port: 62397 (62397), Seq: 2, Ack: 1, Len: 1
Data (1 byte)
0000 00
No.      Time           Source           Destination      Protocol Length Info
   27  2.888339      127.0.0.1       127.0.0.1       TCP           44      62397 → 62396 [ACK] Seq=1 Ack=3 Win=8442 Len=0
Frame 27: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62397 (62397), Dst Port: 62396 (62396), Seq: 1, Ack: 3, Len: 0
No.      Time           Source           Destination      Protocol Length Info
   28  2.888397      127.0.0.1       127.0.0.1       TCP           45      62396 → 62397 [PSH, ACK] Seq=3 Ack=1 Win=8442
Len=1
Frame 28: 45 bytes on wire (360 bits), 45 bytes captured (360 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62396 (62396), Dst Port: 62397 (62397), Seq: 3, Ack: 1, Len: 1
Data (1 byte)
0000 00
No.      Time           Source           Destination      Protocol Length Info
   29  2.888407      127.0.0.1       127.0.0.1       TCP           44      62397 → 62396 [ACK] Seq=1 Ack=4 Win=8442 Len=0
Frame 29: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62397 (62397), Dst Port: 62396 (62396), Seq: 1, Ack: 4, Len: 0
No.      Time           Source           Destination      Protocol Length Info
   30  2.895772      127.0.0.1       127.0.0.1       TCP           45      62396 → 62397 [PSH, ACK] Seq=4 Ack=1 Win=8442
Len=1
Frame 30: 45 bytes on wire (360 bits), 45 bytes captured (360 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62396 (62396), Dst Port: 62397 (62397), Seq: 4, Ack: 1, Len: 1
Data (1 byte)
0000 00
No.      Time           Source           Destination      Protocol Length Info
   31  2.895788      127.0.0.1       127.0.0.1       TCP           44      62397 → 62396 [ACK] Seq=1 Ack=5 Win=8442 Len=0
Frame 31: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62397 (62397), Dst Port: 62396 (62396), Seq: 1, Ack: 5, Len: 0
No.      Time           Source           Destination      Protocol Length Info
   32  2.895802      127.0.0.1       127.0.0.1       TCP          1638    64407 → 7718 [PSH, ACK] Seq=57 Ack=29 Win=2161152
Len=1594
Frame 32: 1638 bytes on wire (13104 bits), 1638 bytes captured (13104 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 64407 (64407), Dst Port: 7718 (7718), Seq: 57, Ack: 29, Len: 1594
Data (1594 bytes)
0000  4f 50 4e 46 3a 06 00 00 00 00 00 00 33 00 00 00  OPNF:.....3...
0010  68 74 74 70 3a 2f 2f 6f 70 63 66 6f 75 6e 64 61  http://opcfounda
0020  74 69 6f 6e 2e 6f 72 67 2f 55 41 2f 53 65 63 75  tion.org/UA/Secu
0030  72 69 74 79 50 6f 6c 69 63 79 23 42 61 73 69 63  rityPolicy#Basic
0040  32 35 36 db 03 00 00 30 82 03 d7 30 82 02 bf a0  256....0...0....
0050  03 02 01 02 02 04 49 7e f2 06 30 0d 06 09 2a 86  .....I~..0...*.
0060  48 86 f7 0d 01 01 05 05 00 30 44 31 1f 30 1d 06  H.....0D1.0..
0070  0a 09 92 26 89 93 f2 2c 64 01 19 16 0f 44 45 53  ...&...d...DES
0080  4b 54 4f 50 2d 36 4f 39 37 33 32 39 31 21 30 1f  KTOP-60973291!0.
0090  06 03 55 04 03 0c 18 4d 61 74 72 69 6b 6f 6e 20  .U...Matrikon
00a0  4f 50 43 20 55 41 20 45 78 70 6c 6f 72 65 72 30  OPC UA Explorer0
00b0  1e 17 0d 32 33 30 32 30 31 32 30 30 35 31 31 5a  ...230201200511Z
00c0  17 0d 32 38 30 31 33 31 32 30 30 35 31 31 5a 30  ..280131200511Z0
00d0  44 31 1f 30 1d 06 0a 09 92 26 89 93 f2 2c 64 01  D1.0....&...d.
00e0  19 16 0f 44 45 53 4b 54 4f 50 2d 36 4f 39 37 33  ...DESKTOP-60973
00f0  32 39 31 21 30 1f 06 03 55 04 03 0c 18 4d 61 74  291!0...U...Mat
0100  72 69 6b 6f 6e 20 4f 50 43 20 55 41 20 45 78 70  rikon OPC UA Exp
0110  6c 6f 72 65 72 30 82 01 22 30 0d 06 09 2a 86 48  lorer0.."0...*.H
0120  86 f7 0d 01 01 01 05 00 03 82 01 0f 00 30 82 01  .....0..
0130  0a 02 82 01 01 00 c3 45 7d 07 5c 70 60 ea 9a 8a  .....E}.p`...
0140  b3 3b 31 58 c8 d5 8a 13 5d 8e 09 c6 c0 dd 05 22  .;1X....]....."
0150  7d 7f d2 0b bc 69 1b d4 c2 f0 40 63 32 d7 ad de  }....i....@c2...
0160  42 37 ec 06 5d ca ee ec ca 85 00 ac 60 23 92 51  B7..}.c....`#.Q
0170  62 d7 f7 be 81 65 ee 97 07 67 70 d8 0e 33 a1 fe  b....e...gp..3..
0180  79 18 79 a0 3e 9c fc 86 a4 dc 4d 44 7a 09 f7 9c  y.y.>....MDz...
0190  05 84 fa 7d e2 87 b2 07 eb b5 68 a2 63 4e 60 3e  ...}......h.cN`>
01a0  12 1a 01 23 8c 4f bf a9 44 ce 04 1f a6 69 0c c9  ...#.O..D.....i..
01b0  63 14 3f ce 95 a3 ea 75 7d 17 1f 98 f6 7f 16 b8  c.?....u}.....
01c0  bd 79 bc cf e1 6d ed 45 40 96 bf 9b c2 87 b3 1c  .y...m.E@.....
01d0  9b dd fa df c8 70 1c 98 b6 90 11 28 d2 ef 26 7f  ....p.....(&.
01e0  40 c6 01 74 1f e2 c2 80 a2 84 1f 43 74 2d f6 ba  @..t.....Ct...
01f0  31 73 a8 5e a1 26 87 62 01 8e 9d 4a 29 f8 68 8f  1s.^A&.b...J}.h.
0200  53 90 fc 5a d3 17 fc 6e 6c 78 70 7c 68 e0 35 eb  S..Z...n1xp|h.5.
0210  48 98 a9 fd ea f7 63 f3 a8 a3 41 f0 43 b6 17 75  H.....c...A.C..u
0220  57 bb cd ce 66 7a 24 ac 4b 5c a8 b1 2b 27 45 63  W...fz$.K\...+`Ec
0230  75 9b ba 94 b0 ef 02 03 01 00 01 a3 81 d0 30 81  u.....0.
0240  cd 30 1d 06 03 55 1d 0e 04 16 04 14 48 7a ef d1  .0...U.....Hz..

```

```

0250 9e 8e 11 9a 48 84 8a 3b ab e0 49 52 26 98 9e 32 ....H.;..IR&..2
0260 30 1f 06 03 55 1d 23 04 18 30 16 80 14 48 7a ef 0...U.#...0...Hz.
0270 d1 9e 8e 11 9a 48 84 8a 3b ab e0 49 52 26 98 9e ....H.;..IR&..
0280 32 30 0f 06 03 55 1d 13 01 01 ff 04 05 30 03 01 20...U.....0..
0290 01 ff 30 0e 06 03 55 1d 0f 01 01 ff 04 04 03 02 ..0...U.....
02a0 02 f4 30 20 06 03 55 1d 25 01 01 ff 04 16 30 14 ..0 ..U.%.....0.
02b0 06 08 2b 06 01 05 05 07 03 01 06 08 2b 06 01 05 ...+.....+...
02c0 05 07 03 02 30 48 06 03 55 1d 11 04 41 30 3f 82 ...0H..U...A0?.
02d0 0f 44 45 53 4b 54 4f 50 2d 36 4f 39 37 33 32 39 .DESKTOP-6097329
02e0 86 2c 75 72 6e 3a 44 45 53 4b 54 4f 50 2d 36 4f .,urn:DESKTOP-60
02f0 39 37 33 32 39 3a 4d 61 74 72 69 6b 6f 6e 20 4f 97329:Matrikon 0
0300 50 43 20 55 41 20 45 78 70 6c 6f 72 65 72 30 0d PC UA Explorer0.
0310 06 09 2a 86 48 86 f7 0d 01 01 05 05 00 03 82 01 ..*.H.....
0320 01 00 83 24 72 9f 92 4c 1a a7 5f d2 55 9f 94 5d ...$r..L...U..]
0330 23 ce 19 fb 1a ea 1b 5e 18 4f 28 79 da 1a ea 5e #.....^0(y...^
0340 27 24 a5 22 6b 68 58 41 16 14 3c bb 67 b9 f4 d5 '$."khXA.<.g...
0350 c2 9c 7c e5 1e 68 ea c1 9e 1f 89 8e a1 fd 48 9e ..|.....H.
0360 f6 d2 1e 48 8c c7 ea 9a 8e 98 46 dd 62 32 1e d2 ...h.....F.b2..
0370 55 49 9f d2 a3 32 bc 22 0a 40 50 57 ef 15 8d 76 UI...2."@PW...v
0380 4a da 06 76 e5 5e 1e a3 8d f8 01 66 5a 85 27 38 J..v.^.....fZ.'8
0390 ff c3 f4 8f 02 16 ed d2 a1 4e 30 c4 3e c3 e3 e8 .....N0.>...
03a0 e4 a1 ef d4 10 da 2d 6c db 13 8d de 82 e0 fa 12 .....l.....
03b0 52 c5 83 3e 03 33 17 cf 58 fe f2 1e 3d 6e 61 4e R..>.3..X...=NaN
03c0 a8 ca 3e 15 c5 a8 ab f5 7f 25 99 60 ac b8 e4 26 ..>.....%.'...&
03d0 d2 4d b0 1a 43 01 95 9e fe 81 fa fa b7 d0 fc 5d .M..C.....]
03e0 7a 70 e7 b1 83 fc 94 14 44 c9 ee 1b 4d 7e fb f3 zp.....D...M~..
03f0 6d 9f 8a 71 06 c4 03 67 92 7f a4 bd da c0 ee 18 m..q...g.....
0400 f7 44 2f a1 62 1f 0b 8d 20 c0 c5 35 bc 96 d3 73 D/.b... ..5...s
0410 5d 26 14 ce 2c ac 33 fd 14 35 8b 17 3b d0 57 b8 ]&...3..5...;w.
0420 cd e9 14 00 00 00 bf c3 e0 57 6b d1 5c e1 c2 71 .....Wk.\..q
0430 66 c4 0e 80 8c 7c 09 0c 2d 71 9b e2 29 df 4c ec f....|...-q..).L.
0440 2b 45 55 4a b2 15 74 54 ce 68 eb fb 91 f3 26 de +EUJ..tT.h....&
0450 12 0a 99 08 8a 53 9a dd b3 1b 35 1e 77 48 25 fa .....S.....5.wH%.
0460 a1 87 19 89 3a cd 3f 4a 60 e6 de 2d 60 65 fb d0 .....?J`...`e..
0470 d3 cb b7 2b 70 6c 87 ef 26 87 9f c1 d4 6d f6 4b ...+pl..&...m.K
0480 f3 b1 33 16 5a 77 69 e9 d7 cd f5 63 fc 70 51 1b ..3.Zwi....c.pQ.
0490 29 da 9c 13 c6 42 9c b5 04 f9 95 ab 90 11 a5 48 )...B.....H
04a0 3c 40 0f e6 15 49 e5 11 a9 0f fb 5c d1 7a c8 96 <@...I.....\z..
04b0 e2 c9 de 26 6c d0 0f 95 17 98 2c 54 c3 ba 3e ...&l.....,T..>
04c0 a2 6f db ab c8 5e 32 4d 9f b0 01 6c 03 51 98 8d .o...^2M...1.Q..
04d0 67 16 25 40 56 23 ec ca a4 ef 57 6a 49 82 1e 03 g.%@V#....WjI...
04e0 c2 18 c2 55 80 90 72 31 c1 20 e0 f8 a7 cc 24 30 ...U..r1. ....$0
04f0 12 00 ab dd 50 9d e6 b9 a0 51 f1 09 0f 62 7f fb ...P....Q...b..
0500 b4 32 39 ba cc 16 7e 43 9d 5d dc ec 3b e4 ad 40 .29...~C.]...;..@
0510 d2 bc a2 48 cb 6e 3f 9e 28 f3 c2 0b 03 d6 2f 1c ...H.n?.(...../.
0520 c9 53 49 03 49 7d 86 20 c5 b7 d9 10 4f 4d a1 8d .SI.I}. ....OM..
0530 e9 4d 1d 58 1f 5f 3e aa 10 b4 ce 3d 16 39 33 26 .M.X._>....=.93&
0540 ee c9 65 c9 b9 1f 37 d8 a7 24 4c c6 0a 90 b4 6b .e.;.7..$L....k
0550 f7 69 8d 56 3b af 91 a2 a9 43 cc d7 83 6e b5 ea .i.V....C....n..
0560 6f d8 98 f6 6c c4 d4 39 e7 e8 49 bc 19 11 ac ed o...l..9...I.....
0570 e1 a4 7a 5c c1 95 79 e5 a8 8f 0f 7e 30 5e 19 de ..z\..y....~0^..
0580 09 32 77 15 25 84 21 df 41 63 da 73 b9 97 c3 3a .2w.%!.Ac.s...:
0590 e2 da 29 ec 33 86 f1 08 0e 25 0c 32 23 76 ed f0 ..).3....%.2#v..
05a0 e3 51 ce 71 95 80 2f e6 e9 94 60 c9 ec 4e 05 a7 .Q.q./...`..N..
05b0 c9 4c fe 14 cc dc 8e 0f b2 00 f0 b0 d4 4e 10 a6 .L.....N.....
05c0 a2 8f f5 22 77 6d 69 19 29 d0 c6 0a 8a c9 f6 3b ..."wmi.....;
05d0 50 47 c0 4b 99 90 e3 c9 bc b2 2b 7f 01 1f c5 39 PG.K.....+....9
05e0 ae 9a 62 3f bd be 8c 22 56 14 df 9a 70 7e ae 09 ..b?...`V...p~..
05f0 a3 14 16 28 90 e5 17 92 79 3c cb e6 fb 91 de 44 ...(.y<.....D
0600 0e 44 40 a2 7f 66 3a e0 b9 8d 2e 13 cb 9b 38 34 .D@.f4.....84
0610 d2 29 61 89 83 6b 9e ee 69 ed af 23 c0 31 e0 67 .)a.k..i..#.1.g
0620 c1 92 67 38 40 30 b6 6b 9a 29 11 10 43 2c 7f 0c ..g8@0.k)...C,..
0630 b3 82 e3 e4 49 d8 ad fa c1 a8 ....I.....

```

```

No.      Time      Source      Destination      Protocol Length Info
 33 2.895815 127.0.0.1 127.0.0.1        TCP           44      7718 → 64407 [ACK] Seq=29 Ack=1651 Win=2159616
Len=0

```

Frame 33: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)

Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 7718 (7718), Dst Port: 64407 (64407), Seq: 29, Ack: 1651, Len: 0

```

No.      Time      Source      Destination      Protocol Length Info
 34 2.905273 127.0.0.1 127.0.0.1        TCP          2354     7718 → 64407 [PSH, ACK] Seq=29 Ack=1651
Win=2159616 Len=2310

```

Frame 34: 2354 bytes on wire (18832 bits), 2354 bytes captured (18832 bits)

Null/Loopback

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)

Transmission Control Protocol, Src Port: 7718 (7718), Dst Port: 64407 (64407), Seq: 29, Ack: 1651, Len: 2310

Data (2310 bytes)

```

0000 4f 50 4e 46 06 09 00 00 01 00 00 00 33 00 00 00 OPNF.....3...
0010 68 74 74 70 3a 2f 2f 6f 70 63 66 6f 75 6e 64 61 http://opcfounda
0020 74 69 6f 6e 2e 6f 72 67 2f 55 41 2f 53 65 63 75 tion.org/UA/Secu
0030 72 69 74 79 50 6f 6c 69 63 79 23 42 61 73 69 63 rityPolicy#Basic
0040 32 35 36 a7 05 00 00 30 82 05 a3 30 82 03 8b a0 256....0...0....
0050 03 02 01 02 02 08 71 16 97 93 04 1d 8f 46 30 0d .....q.....F0.
0060 06 09 2a 86 48 86 f7 0d 01 01 0b 05 00 30 39 31 ..*.H.....091

```

0070 1b 30 19 06 73 65 04 03 13 12 53 65 72 76 65 72 .0...U....Server
0080 20 63 05 72 74 69 66 69 63 61 74 65 31 1a 30 18 certificate1.0.
0090 06 03 55 04 0b 13 11 44 65 6d 6f 20 6f 72 67 61 ..U....Demo orga
00a0 6e 69 7a 61 74 69 6f 6e 30 1e 17 0d 32 33 30 34 nization0...2304
00b0 32 30 31 30 32 37 34 36 5a 17 0d 33 33 30 34 31 20102746Z..33041
00c0 38 31 30 32 37 34 36 5a 30 39 31 1b 30 19 06 03 8102746Z091.0...
00d0 55 04 03 13 12 53 65 72 76 65 72 20 63 65 72 74 U....Server cert
00e0 69 66 69 63 61 74 65 31 1a 30 18 06 03 55 04 0b ificate1.0...U..
00f0 13 11 44 65 6d 6f 20 6f 72 67 61 6e 69 7a 61 74 ..Demo organizat
0100 69 6f 6e 30 82 02 22 30 0d 06 09 2a 86 48 86 f7 ion0.."0...*.H..
0110 0d 01 01 01 05 00 03 82 02 0f 00 30 82 02 0a 020....
0120 82 02 01 00 b9 0f 0d ae e5 2c 70 5f a2 99 d6 45p...E
0130 b7 ba 19 db 88 92 89 c4 be fe 57 4f 36 c0 4e 81W06.N.
0140 c6 55 ba df 49 3d 93 ca 07 3d bd 4a 6c af 2d eb .U..I=...=.Jl.-.
0150 3b 53 8a cf d4 d8 5f d8 2e 38 d8 5f 1a 33 33 53 ;S...._.8_.33S
0160 75 93 ec 1e 52 73 5d 06 a1 38 23 89 67 34 ad ff u...Rs].8#.g4..
0170 b2 c5 6c 82 2d 99 10 3d 6c 6b 71 25 40 aa d0 b0 ..l...5.kq%0/..
0180 10 ce 88 a7 cd 66 b2 25 68 d0 fe aa 22 2f 51 ebf.-h..."Q.
0190 60 cc 87 29 00 24 47 75 14 83 77 a9 91 92 57 48 `..).\$Gu..w...WH
01a0 f2 08 10 c2 78 2e 2d 9a c8 6a 6c 71 cb 7a a6 f2x.-.j1q.z..
01b0 e1 ed 32 6a 97 d7 17 9e d6 b3 98 97 30 ac 86 6b ..2j.....0..k
01c0 ca 79 ec 95 12 33 56 45 05 18 8c d9 85 7a 29 02 .y...3VE.....z).
01d0 c2 48 41 9c 3f a0 2a 28 85 83 5c 9e 14 a0 4a 4b .HA.?.*(.\\...JK
01e0 a6 9c 1d 63 d0 c1 9c 0e 11 be 39 2c 05 d1 e3 4d ...C.....9,...M
01f0 60 f7 aa ba fd 0e 57 fa 51 85 33 a4 10 e2 30 47 `.....W.Q.3...0G
0200 4d c2 6a ac f2 b5 15 ee 6d 26 9c cc 00 47 51 59 M.j.....m&...GQY
0210 f9 e8 93 d8 45 6e 33 17 f7 e7 1d 88 50 3b 33 0cEn3.....P;3.
0220 a9 c0 84 47 a8 2a 54 ed 86 18 7e d0 ae 87 e1 ...G.*T...~....
0230 a7 b8 b3 f8 bf 0e ea 5c f2 ef e8 17 6f 4e 07 36\\./...oN.6
0240 79 15 89 4d e9 99 1d 9d 12 a7 22 26 67 a5 da 85 y..M....."&g...
0250 61 04 29 42 0c 9a 64 04 a7 d9 78 42 b3 bc 76 64 a.)B..d...xB..vd
0260 e1 c3 e5 38 d4 ef 18 9b 75 eb 2a 19 47 0f 8b 75 ...8.....u.*.G..u
0270 b2 04 a8 2c 98 ea 9b ec 92 67 e3 fb d7 b2 7a 4f ...,.....g.....z0
0280 e1 a4 77 fa c0 08 98 06 59 31 06 a4 5b a2 de bc ..w.....Y1..[...
0290 64 71 15 d2 ee 05 21 10 9a 41 ea d2 5b eb 5a 63 dq....!.A..[.Zc
02a0 9c 10 4e d1 f6 47 14 f0 9b d1 01 c9 7a a5 19 a0 ..N..G.....z...
02b0 d0 37 a3 fe 95 da ae 54 a6 6a a0 69 58 1d a8 d9 .7.....T.j.iX...
02c0 97 49 ef cd 15 c8 c3 11 0e 30 7f 5d 77 29 4f b7 .I.....1.0.[w)0.
02d0 d9 64 88 ab c1 eb 51 1d 0d ea 1b 61 2f b1 f5 2c .d....Q....a/...
02e0 b4 1a 55 c0 d8 25 68 21 fa 5b 22 75 db ff 46 63 ..U..%h!.["u..Fc
02f0 da e9 41 af eb b0 7f 56 78 4e c3 dc 8a 95 4f 43 ..A....VxN....OC
0300 1e e1 f0 5e e2 36 cb c6 4c e9 b6 0e 97 98 58 df ...^..6..L....X.
0310 42 0b 98 48 89 06 3c c1 c9 f7 ec f7 cb 10 8b 8d B..H..<.....
0320 e2 75 a9 f9 02 03 01 a3 81 ae 30 81 ab 30 .u.....0..0
0330 1e 06 03 55 1d 11 04 17 30 15 86 13 75 72 6e 3a ...U....0...urn:
0340 44 65 6d 6f 41 70 70 6c 69 63 61 74 69 6f 6e 30 DemoApplication0
0350 09 06 03 55 1d 13 04 02 30 00 30 1d 06 03 55 1d ...U....0.0...U.
0360 0e 04 16 04 14 11 34 4f d0 ea f2 16 83 cf bf 6340.....c
0370 e6 93 a9 9d 84 fa 9c 52 32 30 0b 06 03 55 1d 0fR20...U.
0380 04 04 03 02 04 f0 30 52 06 03 55 1d 25 01 01 ff0R..U.%...
0390 04 48 30 46 06 08 2b 06 01 05 05 07 03 08 06 08 .H0F..+.....
03a0 2b 06 01 05 05 07 03 01 06 08 2b 06 01 05 05 07 +.....+.....
03b0 03 02 06 08 2b 06 01 05 05 07 03 03 06 08 2b 06+.....+.....
03c0 01 05 05 07 03 04 06 08 2b 06 01 05 05 07 03 08+.....
03d0 06 08 2b 06 01 05 05 07 03 09 30 0d 06 09 2a 86 ..+.....0...*.
03e0 48 86 f7 0d 01 01 0b 05 00 03 82 02 01 00 84 b8 H.....
03f0 d5 72 e6 32 6d 36 99 0a b1 79 fd 78 af 80 be 37 .r.2m6...y.x...7
0400 70 88 0e 96 dc a4 39 95 ce a9 44 43 91 65 eb 4e p....9...DC.e.N
0410 36 91 3f 28 d2 d2 55 65 80 cd ef 38 81 aa c5 26 6.?(.Ue...8...&
0420 e7 13 8b 7c c3 df 9b 1d 5c 74 d2 72 bd 97 67 4f ...|.\\...t.r..g0
0430 34 93 da 4e 21 52 4a 19 79 97 d2 40 79 07 a4 ae 4..N!RJ.y..@y...
0440 1b 9d e8 3b 0b 4a 28 cc c3 1d 1b 3e 6c c4 24 48 ...;J(....>l.\$H
0450 f7 7f ec b5 81 72 f5 68 4c e7 ec 27 b0 6e 3d 6ar.hL..'n=j
0460 ab 37 f8 26 3c 8d 9a 39 f7 4e 47 4c fb 72 8b 68 .7.&<..9.NGL.r.h
0470 3b a7 48 01 f4 8f 3f 7e 33 76 7a aa 0c 86 ea c3 ;.H...?~3vz....
0480 9f 5d 26 7a 3b 5b 78 10 d8 69 64 3e 87 1e d9 60 .]&z;[x..id>...`
0490 2f c2 4f b9 1e 1d c3 3e b1 14 17 89 00 2e 91 37 /.0....>.....7
04a0 55 dc 94 b8 be 6f 8d 58 c3 df f8 4b d4 c1 b1 c8 U....o.X...K....
04b0 e4 3d 48 12 c0 89 dd d8 bb c0 fb 15 73 bb cf b2 .=H.....s...
04c0 59 04 c2 e5 e4 5c d0 2d 49 31 b6 92 d5 00 bb 51 Y....\\.-I1....Q
04d0 a3 53 cb e7 71 b3 9d 04 8b 3a 76 fa 3b 6a 88 4d .S..q....:v.;j.M
04e0 4b 44 a6 36 68 7a 24 bd 5e b4 ee f5 f8 e4 72 c5 KD.6hz\$.^.....r.
04f0 1c db f6 7b 4b 08 50 ea 44 bc 89 a3 02 57 39 a0 ...{K.P.D....w9.
0500 ff 45 ee db b8 35 66 60 88 16 7e 7d f4 80 a3 4d .E...5f'..~}...M
0510 89 41 a3 8a a3 a2 9a bf 20 16 3a 5c 7a b5 11 8a .A.....:z...
0520 ac 85 d7 e1 47 5a 2a f1 90 fe 32 db ca 8e 2d af ...GZ*...2...-
0530 49 55 84 ad d7 86 5c d3 e6 60 da b9 9b 05 df 4e IU....\\...`.....N
0540 00 b6 40 41 18 41 15 66 f8 e3 1c 74 84 13 b6 c5 ..@A.A.f...t....
0550 2e ba ff c7 26 ef 92 ee 9a d3 21 a6 ea 66 e8 a4 ...&.....!..f..
0560 07 87 92 c5 75 70 e2 40 f2 65 6b 58 e3 4b 2d 8fup.@.ekX.K-.
0570 65 a3 4c 87 2a b5 0e 4b 1e 76 ce 09 a7 cd 83 a7 e.L.*..K.v.....
0580 7c 4b 54 0e 79 09 4d bc 74 ae a0 8a 53 6f 1c 7b |KT.y.M.t...So.{
0590 de a1 b2 ec 68 27 bd 76 3e e8 c2 6c 8b 21 46 e7h'.v>..l.!F.
05a0 ba 83 a9 64 35 8c 5c fb 06 ec 6d 07 33 5c d5 c2 ...d5\\.m.3\\..
05b0 e5 7e 7d ae 81 f8 82 98 aa 2c 8d 4e fa a7 cb 71 ~}.....,N...q


```

05c0 1a 82 5e f2 63 b9 f5 57 b1 e4 f3 9e 7a b8 38 d7 ..^.c..W....z.8.
05d0 c8 ce 55 4a 3d 68 bf 28 22 28 86 f4 d2 0e 45 30 ..UJ=h.("(...E0
05e0 b6 e3 c7 54 a7 c3 df 7a 1a 00 d6 a0 76 00 14 00 ...T...z....v...
05f0 00 00 2a 6b 94 71 cd 2e 59 89 68 79 7b f3 37 19 ..*k.q..Y.hy{.7.
0600 c2 52 c1 39 72 23 7c a9 84 1b 7d 3e 75 0d 62 96 .R.9r#|...}>u.b.
0610 79 0e 93 71 a2 84 3f 44 ae ea 78 68 c6 3c e8 2f y..q..?D..xh.<./
0620 37 7a 75 2a 8e f7 e4 2d 62 bd 4c b7 46 f5 94 2e 7zu*...-b.L.F...
0630 24 7f bb 02 7f b0 c6 c7 a9 aa e2 38 66 be c7 0d $......8f...
0640 10 6c c1 3c 49 ee 67 ce 79 75 8e 27 b0 3c ed 31 .l.<I.g.yu.'.<.1
0650 83 8e c9 49 46 f4 a1 70 97 7a 76 56 e4 27 d0 16 ...IF..p.zvV.'..
0660 9e 33 53 82 32 6b e9 8e 6b ae d1 92 dc 98 43 ca .3S.2k..k.....C.
0670 f2 e5 99 98 98 2f a2 d1 80 3f 0b 6e c6 88 34 3f ..../...?.n..4?
0680 48 15 40 09 2e 85 b0 f2 0f 5a 31 77 63 4c a9 3f H.@.....ZlwcL.?
0690 5b 21 33 01 dd e3 31 e3 ce 1f a0 ea 66 de a8 89 [!3...1.....f...
06a0 70 f5 54 c7 a5 28 33 0d 47 e4 94 40 51 3f 7a cd p.T..(3.G..@Q?z.
06b0 20 3e 20 2e aa b1 69 f3 32 09 25 ce 87 a0 6e b1 > ...i.2%...n.
06c0 4e d3 fc e2 9f bc 46 53 70 87 1f 7f e2 b7 b2 cd N.....FSp.....
06d0 c8 d9 80 31 61 b0 d6 6e 47 d6 7f 5a 46 f1 0c 41 ...1a..nG..ZF..A
06e0 1a cf f8 30 fb 25 ff 40 f0 bc 36 c3 fd b8 9a ea ...0.%@.6.....
06f0 0c ab 96 b9 30 f8 bf bf 85 48 cd 5d 0c 9c 13 7e ....0....H.]...~
0700 37 0b bd d6 20 8b 2a 86 49 2b 3f 55 6a d5 bb c2 7...*.I+?Uj...
0710 f0 34 28 64 e2 f3 98 a4 4f 87 48 ff 1a f6 f9 d8 .4(d....O.H.....
0720 6c 4b b1 01 b7 f2 c3 99 e4 af 60 64 0e 84 05 61 lK.....`d...a
0730 b9 3a 7a af 15 8a dc 50 93 1f 28 ef ad 0f 46 10 :z....P..(...F.
0740 1e bf b4 04 f8 1e ed f4 56 a8 4f 6a a3 e1 f8 67 .....V.Oj...g
0750 94 8d ac 30 dc 87 d2 60 6c 02 1a 9e 47 5e 90 06 ...0...`l...G^..
0760 fb bc d2 3c a3 78 04 da 3a 7a 68 7d 38 36 40 b4 ...<.x...:zh}86@.
0770 88 0a 58 67 43 36 aa 81 ce c1 9f 39 fb b1 fd 40 ..XgC6.....9...@
0780 5e ae 7a 7a 98 68 81 a1 06 fe 9e 91 a4 d3 ac 4e ^.zz.h.....N
0790 44 39 0f fa 57 e3 76 a9 9d c4 09 12 50 6f 1f 6a D9..W.v.....Po.j
07a0 57 a0 e0 3d 33 9a 5f 42 36 58 c9 6d e2 fd c8 b8 W..=3._B6X.m....
07b0 75 8c 37 0f 9c 59 a9 13 a9 bd 83 a2 6f 90 04 29 u.7..Y.....o..)
07c0 6b 94 a2 25 0f 2d 54 ed 3e ff 26 05 6d 2a 48 b6 k..%.-T.>.&.m*H.
07d0 01 80 22 da e4 89 bb d0 a9 cd b5 a7 22 fd fe bc ."....."....
07e0 21 ca 39 4b e4 6a 69 f9 a1 d5 d5 bc 78 84 37 74 !.9K.ji.....x.7t
07f0 26 0e 19 f0 05 55 af cd 76 f5 a1 01 c2 25 86 f7 &....U..v....%..
0800 1f ab 68 01 ad 26 a4 4b b1 31 95 b5 96 ce 62 03 ..h..&.K.1....b.
0810 8d 23 cf 78 62 23 1f 4b 02 1b d4 c3 4b c2 c5 91 .#.xb#.K....K...
0820 87 4c df 86 ed 05 0f c4 d5 0f 61 77 d2 de 18 0b .L.....aw....
0830 5f dd 9e e5 ea 5f 19 77 76 47 08 69 3c a7 af e4 _....._wvG.i<...
0840 61 98 f1 81 94 b0 ef e8 4b 9e d9 8f b8 fe b1 7c a.....K.....|
0850 86 18 b4 f9 03 c7 b9 e0 0e 39 89 48 89 f9 f7 d6 .....9.H....
0860 3a ce b9 5e 72 2a e5 0c 24 70 c0 64 f7 41 8e cc :..^r*..$p.d.A..
0870 0e a7 ed 57 67 36 65 d8 a9 73 d3 d9 b5 5f 42 f7 >..Wg6e..s..._B.
0880 0e 97 61 df 6d 6a aa da 6a 90 d7 e1 c4 e0 46 88 ..a.mj..j.....F.
0890 3c cc 60 94 a4 c1 8b 6b a9 50 37 60 23 53 10 a1 <.`....k.P7`#S..
08a0 15 eb 2d 28 70 c5 86 97 89 15 37 0b 9a 01 f3 3f ..-(p.....7....?
08b0 96 d4 46 64 43 be 81 40 56 9f 15 23 42 8e 15 90 ..FdC..@V..#B...
08c0 94 4a 38 39 2d d8 9a 7d 51 17 d1 c0 0a cb 49 c5 .J89-..}Q.....I.
08d0 4f 85 31 7c 74 1d 01 e5 b4 14 32 e9 41 cc a6 02 0.1|t.....2.A...
08e0 96 3b 6d 2d 8a d9 84 4a 52 14 2a ad fe aa d8 7f ;m-...JR.*.....
08f0 73 f5 2a 9e bc a9 22 20 87 0d 16 87 3e 90 57 d2 s.*..." .....>.W.
0900 44 9e 8c 8b 93 0d D.....

```

```

No.      Time           Source           Destination      Protocol Length Info
 35 2.905291     127.0.0.1       127.0.0.1       TCP             44      64407 → 7718 [ACK] Seq=1651 Ack=2339 Win=2158848
Len=0

```

```

Frame 35: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 64407 (64407), Dst Port: 7718 (7718), Seq: 1651, Ack: 2339, Len: 0

```

```

No.      Time           Source           Destination      Protocol Length Info
 36 2.905338     127.0.0.1       127.0.0.1       TCP             45      62396 → 62397 [PSH, ACK] Seq=5 Ack=1 Win=8442
Len=1

```

```

Frame 36: 45 bytes on wire (360 bits), 45 bytes captured (360 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62396 (62396), Dst Port: 62397 (62397), Seq: 5, Ack: 1, Len: 1
Data (1 byte)
0000 00

```

```

No.      Time           Source           Destination      Protocol Length Info
 37 2.905362     127.0.0.1       127.0.0.1       TCP             44      62397 → 62396 [ACK] Seq=1 Ack=6 Win=8442 Len=0
Frame 37: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback

```

```

Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62397 (62397), Dst Port: 62396 (62396), Seq: 1, Ack: 6, Len: 0

```

```

No.      Time           Source           Destination      Protocol Length Info
 38 2.905378     127.0.0.1       127.0.0.1       TCP             45      62396 → 62397 [PSH, ACK] Seq=6 Ack=1 Win=8442
Len=1

```

```

Frame 38: 45 bytes on wire (360 bits), 45 bytes captured (360 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62396 (62396), Dst Port: 62397 (62397), Seq: 6, Ack: 1, Len: 1
Data (1 byte)
0000 00

```

```

No.      Time           Source           Destination      Protocol Length Info

```

```

39 2.905384 127.0.0.1 127.0.0.1 TCP 44 62397 → 62396 [ACK] Seq=1 Ack=7 Win=8442 Len=0
Frame 39: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62397 (62397), Dst Port: 62396 (62396), Seq: 1, Ack: 7, Len: 0
No. Time Source Destination Protocol Length Info
40 2.905708 127.0.0.1 127.0.0.1 TCP 45 62396 → 62397 [PSH, ACK] Seq=7 Ack=1 Win=8442
Len=1
Frame 40: 45 bytes on wire (360 bits), 45 bytes captured (360 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62396 (62396), Dst Port: 62397 (62397), Seq: 7, Ack: 1, Len: 1
Data (1 byte)
0000 00
No. Time Source Destination Protocol Length Info
41 2.905718 127.0.0.1 127.0.0.1 TCP 44 62397 → 62396 [ACK] Seq=1 Ack=8 Win=8442 Len=0
Frame 41: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 62397 (62397), Dst Port: 62396 (62396), Seq: 1, Ack: 8, Len: 0
No. Time Source Destination Protocol Length Info
42 2.905743 127.0.0.1 127.0.0.1 TCP 44 64407 → 7718 [FIN, ACK] Seq=1651 Ack=2339
Win=2158848 Len=0
Frame 42: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 64407 (64407), Dst Port: 7718 (7718), Seq: 1651, Ack: 2339, Len: 0
No. Time Source Destination Protocol Length Info
43 2.905758 127.0.0.1 127.0.0.1 TCP 44 7718 → 64407 [ACK] Seq=2339 Ack=1652 Win=2159616
Len=0
Frame 43: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 7718 (7718), Dst Port: 64407 (64407), Seq: 2339, Ack: 1652, Len: 0
No. Time Source Destination Protocol Length Info
44 2.905821 127.0.0.1 127.0.0.1 TCP 44 7718 → 64407 [FIN, ACK] Seq=2339 Ack=1652
Win=2159616 Len=0
Frame 44: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 7718 (7718), Dst Port: 64407 (64407), Seq: 2339, Ack: 1652, Len: 0
No. Time Source Destination Protocol Length Info
45 2.905844 127.0.0.1 127.0.0.1 TCP 44 64407 → 7718 [ACK] Seq=1652 Ack=2340 Win=2158848
Len=0
Frame 45: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 64407 (64407), Dst Port: 7718 (7718), Seq: 1652, Ack: 2340, Len: 0
No. Time Source Destination Protocol Length Info
46 3.353894 127.0.0.1 127.0.0.1 TCP 56 64408 → 7716 [SYN] Seq=0 Win=65535 Len=0
MSS=65495 WS=256 SACK_PERM=1
Frame 46: 56 bytes on wire (448 bits), 56 bytes captured (448 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 64408 (64408), Dst Port: 7716 (7716), Seq: 0, Len: 0
No. Time Source Destination Protocol Length Info
47 3.353919 127.0.0.1 127.0.0.1 TCP 44 7716 → 64408 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
Frame 47: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 7716 (7716), Dst Port: 64408 (64408), Seq: 1, Ack: 1, Len: 0
No. Time Source Destination Protocol Length Info
48 5.025706 127.0.0.1 127.0.0.1 TCP 56 64409 → 7716 [SYN] Seq=0 Win=65535 Len=0
MSS=65495 WS=256 SACK_PERM=1
Frame 48: 56 bytes on wire (448 bits), 56 bytes captured (448 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 64409 (64409), Dst Port: 7716 (7716), Seq: 0, Len: 0
No. Time Source Destination Protocol Length Info
49 5.025718 127.0.0.1 127.0.0.1 TCP 44 7716 → 64409 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
Frame 49: 44 bytes on wire (352 bits), 44 bytes captured (352 bits)
Null/Loopback
Internet Protocol Version 4, Src: 127.0.0.1 (127.0.0.1), Dst: 127.0.0.1 (127.0.0.1)
Transmission Control Protocol, Src Port: 7716 (7716), Dst Port: 64409 (64409), Seq: 1, Ack: 1, Len: 0

```