```
Name : Vishal Gaval
Roll No. : TCOB38
Assignment No. : 13
Subject : DSBDA Lab
```

1. Variable Declaration in Scala:

```
var Var1: String = "Ankit"
val Var2: String = "Ankit"

var Var4 = 2
var Var5 = 3
Var4 + Var5 // Output: 5

Var4 == Var5 // Output: false

Output:

Var4: Int = 2
Var5: Int = 3
res1: Int = 5
res2: Boolean = false
```

2. Using If-Else Expression in Scala:

```
var Var3 = 1
if (Var3 == 1) {
    println("True")
} else {
    println("False")
}
```

Output:

True

3. Iteration in Scala using For Loop:

```
for (a <- 1 to 10) {
    println("Value of a: " + a)
}
```

Output:

Value of a: 1 Value of a: 2 Value of a: 3

```
Value of a: 4
Value of a: 5
Value of a: 6
Value of a: 7
Value of a: 8
Value of a: 9
Value of a: 10
```

4. Declaring a Simple Function in Scala:

```
def mul2(m: Int): Int = m * 10
mul2(2) // Output: 20
Output:
res9: Int = 20
```

5. Working with Arrays in Scala:

```
var name = Array("Faizan", "Swati", "Kavya", "Deepak", "Deepak")
name(0) = "jal"
name(1) = "Faizy"
name(2) = "Expert in deep learning"
println(name.mkString(", "))
Output:
jal, Faizy, Expert in deep learning, Deepak, Deepak
```

6. Simple "Hello World" Program in Scala:

```
object HelloWorld {
  def main(args: Array[String]): Unit = {
    println("Hello, world!")
  }
}
```

Output:

Hello, world!

7. Scala Program using Apache Spark:

```
// Importing Spark libraries
import org.apache.spark.sql.SparkSession
object SparkExample {
 def main(args: Array[String]): Unit = {
  // Initialize Spark session
  val spark = SparkSession.builder()
   .appName("Simple Spark Example")
   .master("local")
   .getOrCreate()
  // Create a simple DataFrame
  val data = Seq(("Ankit", 25), ("Ravi", 30), ("Sita", 28), ("John", 35))
  val df = spark.createDataFrame(data).toDF("Name", "Age")
  // Show the DataFrame
  df.show()
  // Perform a simple transformation: filtering rows where age is greater than 28
  val filteredDf = df.filter(df("Age") > 28)
  // Show the transformed DataFrame
  filteredDf.show()
  // Stop Spark session
  spark.stop()
}
Expected Output:
+----+
| Name|Age|
+----+
|Ankit| 25|
| Ravi| 30|
| Sita | 28 |
| John| 35|
+----+
+----+
| Name | Age |
+----+
| Ravi| 30|
| John| 35|
+----+
```

8. Install and Check Java Version:

\$ java -version

Output:

```
java version "1.8.0_251"
Java(TM) SE Runtime Environment (build 1.8.0_251-b08)
Java HotSpot(TM) 64-Bit Server VM (build 25.251-b08, mixed mode)
```

9. Install Scala on Ubuntu:

```
$ cd ~/Downloads
$ wget http://www.scala-lang.org/files/archive/scala-2.11.7.deb
$ sudo dpkg -i scala-2.11.7.deb
$ scala -version
```

Output:

Scala code runner version 2.11.7 -- Copyright 2002-2015, LAMP/EPFL

Scala Program using Apache Spark:

```
// Importing Spark libraries
import org.apache.spark.sql.SparkSession
object SparkExample {
 def main(args: Array[String]): Unit = {
  // Initialize Spark session
  val spark = SparkSession.builder()
   .appName("Simple Spark Example")
   .master("local")
   .getOrCreate()
  // Create a simple DataFrame
  val data = Seq(("Ankit", 25), ("Ravi", 30), ("Sita", 28), ("John", 35))
  val df = spark.createDataFrame(data).toDF("Name", "Age")
  // Show the DataFrame
  df.show()
  // Perform a simple transformation: filtering rows where age is greater than 28
  val filteredDf = df.filter(df("Age") > 28)
  // Show the transformed DataFrame
  filteredDf.show()
```

```
// Stop Spark session
  spark.stop()
}
```

Expected Output:

```
+----+
| Name | Age |
+----+
| Ankit | 25 |
| Ravi | 30 |
| Sita | 28 |
| John | 35 |
+----+
| Name | Age |
+----+
| Ravi | 30 |
| John | 35 |
+----+
```