

Women’s Health Requirements Discovery Pack

Colposcopy Detailed Rule Review

These are working notes for the colposcopy booking rules. Please mark anything that differs from local practice.

Prepared for requirement discussion.

Service	Rule ID	Category or scenario	Source document	Our understanding of the rule	What information does the grader need to make this decision?	Expected outcome or booking timeframe	Agree as written? (Yes / No / Amend / Not used locally)	If not please amend	Needed in phase 1? (Yes / No / Later)	Clinical owner	Notes
COLPOSCOPY	COLP-01	Primary screening: HPV 16/18 with cytology reporting suspicion or definite cancer	Colposcopy booking-priority guide	If HPV 16/18 and cytology reports suspicion or definite cancer, book within 10 days.	HPV genotype, cytology result	10 days			Yes		
COLPOSCOPY	COLP-02	Primary screening: HPV 16/18 with or without cytology, any cytology result excluding cancer	Colposcopy booking-priority guide	If HPV 16/18 is detected and cancer is not suspected, this appears to be the 30-day pathway.	HPV genotype, cytology result or no cytology	30 days			Yes		
COLPOSCOPY	COLP-03	Primary screening: HPV other with cytology reporting suspicion or definite cancer	Colposcopy booking-priority guide	If HPV other is detected and cytology reports suspicion or definite cancer, book within 10 days.	HPV group, cytology result	10 days			Yes		
COLPOSCOPY	COLP-04	Primary screening: HPV other with ASC-H, HSIL, AIS, or glandular cytology	Colposcopy booking-priority guide	If HPV other is detected and cytology reports ASC-H, HSIL, AIS, or glandular, this appears to be the 30-day pathway.	HPV group, cytology result	30 days			Yes		
COLPOSCOPY	COLP-05	Primary screening: second HPV other with no cytology or normal, ASC-US, LSIL >50	Colposcopy booking-priority guide	If this is the second HPV-other episode and cytology is absent or low-grade/normal as written, this appears to be a 3-month pathway.	Repeat count, HPV group, cytology result, age split where used	3 months			Yes		
COLPOSCOPY	COLP-06	Primary screening: third HPV other with no cytology or normal, ASC-US, LSIL <50	Colposcopy booking-priority guide	If this is the third HPV-other episode and cytology is absent or low-grade/normal as written, this appears to be a 6-month pathway.	Repeat count, HPV group, cytology result, age split where used	6 months			Yes		
COLPOSCOPY	COLP-07	Immune-deficient direct referral: no cytology	Colposcopy booking-priority guide	Immune-deficient patient with no cytology appears to be a 3-month pathway.	Immune status, cytology availability	3 months			Yes		
COLPOSCOPY	COLP-08	Immune-deficient direct referral: cytology normal, ASC-US, or LSIL	Colposcopy booking-priority guide	Immune-deficient patient with cytology normal, ASC-US, or LSIL appears to be a 6-month pathway.	Immune status, cytology result	6 months			Yes		
COLPOSCOPY	COLP-09	Abnormal appearance: clinical suspicion or definite cancer	Colposcopy booking-priority guide	Abnormal cervical appearance with suspicion or definite cancer appears to require booking within 10 days.	Clinical appearance, level of concern	10 days			Yes		
COLPOSCOPY	COLP-10	Abnormal appearance: normal sample history including current sample	Colposcopy booking-priority guide	Abnormal cervical appearance with normal sample history, including the current sample, appears to be a 3-month pathway.	Clinical appearance, current and prior sample history	3 months			Yes		
COLPOSCOPY	COLP-11	Other reasons: HPV not detected and suspicion of cancer	Colposcopy booking-priority guide	If HPV is not detected but there is suspicion of cancer, with or without cytology, booking appears to be within 10 days.	HPV result, cancer suspicion, cytology if present	10 days			Yes		
COLPOSCOPY	COLP-12	Other reasons: HPV not detected with ASC-H, HSIL, AIS, or glandular cytology	Colposcopy booking-priority guide	If HPV is not detected but cytology reports ASC-H, HSIL, AIS, or glandular, this appears to be a 30-day pathway.	HPV result, cytology result	30 days			Yes		
COLPOSCOPY	COLP-13	Other reasons: other clinical assessment	Colposcopy booking-priority guide	The guide lists 'Other clinical assessment' under 30 days, but the differentiating condition is not shown. Please clarify when 30 days should apply.	Clinical assessment details	Please confirm			Yes		
COLPOSCOPY	COLP-14	Other reasons: other clinical assessment	Colposcopy booking-priority guide	The guide lists 'Other clinical assessment' under 3 months, but the differentiating condition is not shown. Please clarify when 3 months should apply.	Clinical assessment details	Please confirm			Yes		

Service	Rule ID	Category or scenario	Source document	Our understanding of the rule	What information does the grader need to make this decision?	Expected outcome or booking timeframe	Agree as written? (Yes / No / Amend / Not used locally)	If not please amend	Needed in phase 1? (Yes / No / Later)	Clinical owner	Notes
COLPOSCOPY	COLP-15	Other reasons: other clinical assessment	Colposcopy booking-priority guide	The guide lists 'Other clinical assessment' under 6 months, but the differentiating condition is not shown. Please clarify when 6 months should apply.	Clinical assessment details	Please confirm			Yes		
COLPOSCOPY	COLP-16	Positive test of cure re-referral: HPV 16/18 or HPV other with suspicion or definite cancer	Colposcopy booking-priority guide	For positive test of cure re-referral, HPV 16/18 or HPV other with cytology reporting suspicion or definite cancer appears to be a 10-day pathway.	Test-of-cure context, HPV group, cytology result	10 days			Yes		
COLPOSCOPY	COLP-17	Positive test of cure re-referral: HPV 16/18 or HPV other with ASC-H, HSIL, AIS, or glandular	Colposcopy booking-priority guide	For positive test of cure re-referral, HPV 16/18 or HPV other with high-grade/glandular cytology appears to be a 30-day pathway.	Test-of-cure context, HPV group, cytology result	30 days			Yes		
COLPOSCOPY	COLP-18	Positive test of cure re-referral: HPV 16/18 or HPV other with no cytology	Colposcopy booking-priority guide	For positive test of cure re-referral, HPV 16/18 or HPV other with no cytology appears to be a 3-month pathway.	Test-of-cure context, HPV group, cytology availability	3 months			Yes		
COLPOSCOPY	COLP-19	Positive test of cure re-referral: HPV 16/18 or HPV other with normal or ASCUS/LSIL cytology	Colposcopy booking-priority guide	For positive test of cure re-referral, HPV 16/18 or HPV other with normal or ASCUS/LSIL cytology appears to be a 3-month pathway.	Test-of-cure context, HPV group, cytology result	3 months			Yes		
COLPOSCOPY	COLP-20	Positive test of cure re-referral: HPV not detected with ASCUS/LSIL x2	Colposcopy booking-priority guide	For positive test of cure re-referral, HPV not detected with ASCUS/LSIL x2 appears to be a 6-month pathway.	Test-of-cure context, HPV result, repeat count, cytology result	6 months			Yes		
COLPOSCOPY	COLP-21	Previous normal colposcopy re-referral: HPV 16/18 or HPV other with suspicion or definite cancer	Colposcopy booking-priority guide	After previous normal colposcopy, HPV 16/18 or HPV other with suspicion or definite cancer appears to be a 10-day pathway.	Prior colposcopy context, HPV group, cytology result	10 days			Yes		
COLPOSCOPY	COLP-22	Previous normal colposcopy re-referral: HPV 16/18 or HPV other with ASC-H, HSIL, AIS, or glandular	Colposcopy booking-priority guide	After previous normal colposcopy, HPV 16/18 or HPV other with ASC-H, HSIL, AIS, or glandular appears to be a 30-day pathway.	Prior colposcopy context, HPV group, cytology result	30 days			Yes		
COLPOSCOPY	COLP-23	Previous normal colposcopy re-referral: HPV 16/18 with no cytology	Colposcopy booking-priority guide	After previous normal colposcopy, HPV 16/18 with no cytology appears to be a 6-month pathway.	Prior colposcopy context, HPV group, cytology availability	6 months			Yes		
COLPOSCOPY	COLP-24	Previous normal colposcopy re-referral: HPV 16/18 with normal or ASCUS/LSIL cytology	Colposcopy booking-priority guide	After previous normal colposcopy, HPV 16/18 with normal or ASCUS/LSIL cytology appears to be a 6-month pathway.	Prior colposcopy context, HPV group, cytology result	6 months			Yes		
COLPOSCOPY	COLP-25	Previous normal colposcopy re-referral: immune-deficient HPV other with no cytology or normal, ASCUS, LSIL	Colposcopy booking-priority guide	After previous normal colposcopy, immune-deficient HPV other with no cytology or low-grade/normal cytology appears to be a 6-month pathway.	Prior colposcopy context, immune status, HPV group, cytology	6 months			Yes		
COLPOSCOPY	COLP-26	Previous normal colposcopy re-referral: HPV other with normal or ASCUS/LSIL x2	Colposcopy booking-priority guide	After previous normal colposcopy, HPV other with normal or ASCUS/LSIL x2 appears to be a 6-month pathway.	Prior colposcopy context, HPV group, repeat count, cytology result	6 months			Yes		
COLPOSCOPY	COLP-27	Previous normal colposcopy re-referral: HPV other with no cytology x2	Colposcopy booking-priority guide	After previous normal colposcopy, HPV other with no cytology x2 appears to be a 6-month pathway.	Prior colposcopy context, HPV group, repeat count, cytology availability	6 months			Yes		
COLPOSCOPY	COLP-28	Previous LSIL histology re-referral: HPV 16/18 or HPV other with suspicion or definite cancer	Colposcopy booking-priority guide	After previous LSIL histology, HPV 16/18 or HPV other with suspicion or definite cancer appears to be a 10-day pathway.	Previous LSIL histology context, HPV group, cytology result	10 days			Yes		
COLPOSCOPY	COLP-29	Previous LSIL histology re-referral: HPV 16/18 or HPV other with ASC-H, HSIL, AIS, or glandular	Colposcopy booking-priority guide	After previous LSIL histology, HPV 16/18 or HPV other with ASC-H, HSIL, AIS, or glandular appears to be a 30-day pathway.	Previous LSIL histology context, HPV group, cytology result	30 days			Yes		
COLPOSCOPY	COLP-30	Previous LSIL histology re-referral: HPV 16/18 with no cytology	Colposcopy booking-priority guide	After previous LSIL histology, HPV 16/18 with no cytology appears to be a 3-month pathway.	Previous LSIL histology context, HPV group, cytology availability	3 months			Yes		
COLPOSCOPY	COLP-31	Previous LSIL histology re-referral: HPV 16/18 with normal or ASCUS/LSIL cytology	Colposcopy booking-priority guide	After previous LSIL histology, HPV 16/18 with normal or ASCUS/LSIL cytology appears to be a 6-month pathway.	Previous LSIL histology context, HPV group, cytology result	6 months			Yes		

Service	Rule ID	Category or scenario	Source document	Our understanding of the rule	What information does the grader need to make this decision?	Expected outcome or booking timeframe	Agree as written? (Yes / No / Amend / Not used locally)	If not please amend	Needed in phase 1? (Yes / No / Later)	Clinical owner	Notes
COLPOSCOPY	COLP-32	Previous LSIL histology re-referral: immune-deficient HPV other with no cytology or normal, ASCUS, LSIL	Colposcopy booking-priority guide	After previous LSIL histology, immune-deficient HPV other with no cytology or low-grade/normal cytology appears to be a 6-month pathway.	Previous LSIL histology context, immune status, HPV group, cytology	6 months			Yes		
COLPOSCOPY	COLP-33	Previous LSIL histology re-referral: HPV other with normal or ASCUS/LSIL x2	Colposcopy booking-priority guide	After previous LSIL histology, HPV other with normal or ASCUS/LSIL x2 appears to be a 6-month pathway.	Previous LSIL histology context, HPV group, repeat count, cytology result	6 months			Yes		
COLPOSCOPY	COLP-34	Previous LSIL histology re-referral: HPV other with no cytology x2	Colposcopy booking-priority guide	After previous LSIL histology, HPV other with no cytology x2 appears to be a 6-month pathway.	Previous LSIL histology context, HPV group, repeat count, cytology availability	6 months			Yes		