

Web dev documentation

Project handling

install dependencies

\$ npm install

serve with hot reload at localhost:3000

\$ npm run dev

build for production and launch server

\$ npm run build

\$ npm run start

generate static project

\$ npm run generate

Pages

Index

Description: Login/Logout to handled services by Area.

Components: ServiceAuth

Your actions

Description: Manage and see your different Areas.

Components: Action

APK

Description: Download Area's application APK.

About

Description: See informations about your client and area's services.

Components

Header

Description: App header.

Props:

- title:

- > Type: string
- > Required: true
- > Description: Header title.

- titleColor:

- > Type: string
- > Required: false
- > Default: #FEFEE2
- > Description: Header title color.

- backgroundColor:

- > Type: string
- > Required: false
- > Default: #00A6FB
- > Description: Header background color.

- logoPath:

- > Type: string
- > Required: false
- > Default: null
- > Description: Filepath to header logo.

- log:
 - > Type: bool
 - > Required: false
 - > Default: false
 - > Description: Set header authentication mode.

- loginButtonColor:
 - > Type: string
 - > Required: false
 - > Default: #e0e0e0
 - > Description: Login button background color.

- signupButtonColor:
 - > Type: string
 - > Required: false
 - > Default: #e0e0e0
 - > Description: Sign up button background color.

Sidebar

Description: Site sidebar.

Props:

- items:
 - > Type: Array(Object)
 - > Required: true
 - > Example: [{ icon: 'mdi-home', title: 'Home', to: '/' }]
 - > Description: Items used for application rooting.
- backgroundColor:
 - > Type: string
 - > Required: true
 - > Description: Sidebar background color.

- textColor:

- > Type: string
- > Required: true
- > Description: Sidebar text color.

Action

Description: Component used in “Your actions” pages to display user’s area.

Props:

- actionServiceProps:

- > Type: string
- > Required: true
- > Description: Action service name.

- actionProps:

- > Type: string
- > Required: true
- > Description: Action name.

- reactionServiceProps:

- > Type: string
- > Required: true
- > Description: Reaction service name.

- reactionProps:

- > Type: string
- > Required: true
- > Description: Reaction name.

- id:

- > Type: string
- > Required: true
- > Description: Database area id.

ServiceAuth

Description: Component used in “Home” pages to login and logout from handled services

Props:

- serviceTitle:

- > Type: string
- > Required: true
- > Description: Service name.

- serviceLogo:

- > Type: string
- > Required: true
- > Description: Filepath to service logo.

- loginFunction:

- > Type: function
- > Required: true
- > Description: Function used to login to service.

- logoutFunction:

- > Type: function
- > Required: true
- > Description: Function used to logout to service.

- cookieName:

- > Type: string
- > Required: true
- > Description: Cookie name stored.

Adding new content

Component

Create a '.vue' file with the component name in '@/components' folder and handle it as a vue file.

Component

Create a '.vue' file with the page name in '@/pages' folder and handle it as a vue file. Route to the file is defined by the file name.